




DATA SHEET

CODE ASME BPVC SECTION VIII DIVISION 1 2025 EDITION.

[illegible]

Technical Requirement

1. Having a carbon content not exceeding 0.10% and produced with filler metals conforming to sfa-5.9.

2. Unless otherwise specified, all the groove welding joints for pressure parts are of full penetration type, continuous, and shall be welded as per the wps designated by jic; Finished longitudinal and circumferential joints conform to

UW-35.

3 Unless otherwise specified, does not indicate the size tolerance and see the program file Q/HD-PD-03-2011.

4. Interior finish : Ra0.8, Exterior finish: Ra0.8,

5. The user shall be in charge for installing safety devices in outer pipe system connected to this tank, and to ensure the pressure in the tank not exceeding its MAWP pressure;

6. This equipment's packing and transportation shall conform to the regulation of [Pressure Vessel Coating and Transportation Packing], JB4711-2003.

[illegible]