





IT'S ALL ABOUT LINES...

SELF-PROPELLED | WALK-BEHIND | TRUCK KITS | LINE REMOVAL



LINE STRIPERS

ROPELLED

SELF PROPELLED line stripers are NOT about relaxing and laying back while striping. VEZOS SP stripers ensure steady pace and accurate line marking even when striping lines without a ride along seat or even uphill fully loaded.

Yes of course you can ride instead of walk with a line striper seat attachment, but lets analyze the actual difference in use when working with a self-propelled line striper;

Line stripers are not light weighted, on the contrast they need their weight to ensure stability, but what happens when you need the steady pace but your job site isn't ideal for a seat, pushing a heavy unit is not easy and definitely will not be productive all day...

PROSTRIPE SP line stripers have the self-propelled system located on the line striper and not on the ride along seat, for exactly this reason; allowing contractors to drive the striper instead of pushing it, no matter the weight load, road gradient or narrowness of the job site.

A cleaver motion control is located on the bar handle making it easy to accelerate or even reverse the striper, a little like driving a motorcycle.







intersection & city road line striping



*multiple execution available

PS 400 INSIGHTS

self-propelled selective steering hydraulic line striper

PROSTRIPE 400 line striper is a fully automatic, self-propelled line striper with an innovative selective steering drive method.

The steering mode converts the striper from a free front caster wheel to a precisely controlled line striper ideal for intersections, roundabout striping etc. when precision is a MUST!

Its self-propelled system is located on the striper allowing contractors to stripe with ease and steady pace with or without the ride along seat.

A steering turning selection indicator with lock in radius points will assist users while striping curved roadways and roundabout intersections, no tools needed to adjust the setting.

The entire operation of the PS400 is made from the console, including a skip line controller, gallon totalizer ϑ counter, engine ϑ system on/off, kill switch, engine throttle, hand brake, gun activation ϑ even a cup holder...

Adapt VEZOS double ride method FLIPDRIVE seat and enjoy a panoramic view of the entire job site.







PROSTRIPE 400 SELF-PROPELLED | SELECTIVE STEERING INSIGHTS

SELF-PROPELLED LINE STRIPER

- √ SP system located directly on the striper
- √ 3-way drive / ride system
- √ Motorcycle type motion control drive
- √ Operation speed 16 km/h

SELECTIVE FRONT WHEEL STEERING (SWS)

√ Position A:

Precise steering from handle bar with automotive type steel bar

√ Position B:

Free front caster wheel for increased maneuverability

- √ Center lock-in front wheel in both positions
- √ 6 ply durable tire
- √ Operation speed 16 km/h

WIDE VIEW DESIGN

- √ Low profile design for panoramic view of job site
- √ Road view ahead even in sitting position
- ✓ Extreme visibility even with glass bead tank in place
- √ No head or body tilting to stripe | Safety first

FLIPDRIVE LINE STRIPE SEAT

- √ Double ascent ride | sit stand ride along
- √ Tow behind attachment
- √ Rear extra space for cones or gas tank
- √ Hidden tool compartment with anti-slip surface
- ✓ Hydraulic oil reservoir with two divided sections & oil level indicator
- √ Anti-vibrations control

HYDREX PISTON PUMP

- √ Hydraulic piston pump HYDREX 70
- √ 1 color set up
- ✓ Slow stroke 9.5 l/m (2.5 gal/min) delivery
- √ Built in filter

PAINT HOPPER 115 lit | 30 gal

- √ Low profile paint tank for increased visibility
- ✓ Inclined slope bottom
- ✓ Single color with pump inlet 1 color 115 lit | 30 gal capacity
- ✓ Lift brackets & security hitches

GLASS BEAD TANK 50 lit | 13 gal

- √ Pressurized bead system
- ✓ Steel tank with pop up valve for increased safety
- √ Removable loading funnel (no tools required)

AUTOMATIC GUN OPERATION

- √ 1-2 automatic paint & glass gun set-up
- √ Adjustable gun height
- √ On board stencil kit with manual airless spray gun 8 hose
- √ Two piston high volume air compressor to support multiple bead guns with 3.6 lit air accumulator

OPERATION CONSOLE PS400

- ✓ Turning radius indicator with lock-in system
- √ Skip line controller for multiple gun operation
- √ Gallon totalizers & counters
- √ Kill switch | Engine throttle
- √ Engine & system ON/OFF
- √ Gun actuator (trigger)
- √ Hand brake & cup holder





23.9115501 FLIPDRIVE TB



PS400 SP AUTO | SELECTIVE STEERING | HOPPER

Material delivery	9.5 lpm 2.5 gpm	9.5 lpm 2.5 gpm
Pressure	230 bar 3350 psi	230 bar 3350 psi
Engine	11.7 HP HONDA GX	11.7 HP HONDA GX
HYDREX pump size	70 x 1qty	70 x 1qty
Paint Gun Auto	1 Gun Auto	2 Gun Auto
Paint Hopper	115 liter 30 gal	115 liter 30 gal
Туре	Self - Propelled	Self - Propelled
Part Number	23.9941001	23.9941002
PN with FLIPDRIVE	23.9941208	23.9941209

PS400 SP AUTO | PBS | SWS | HOPPER 115 LIT

Material delivery	9.5 lpm 2.5 gpm
Pressure	230 bar 3350 psi
Engine	11.7 HP HONDA GX
HYDREX pump size	70 x 1qty
Paint Gun Auto	2 Gun Auto
Paint Hopper	115 liter 30 gal
Pressurized bead	50 liter 13 gal
Part Number	23.9941005
PN with FLIPDRIVE	23.9941210

PS400 SP DC AUTO | SELECTIVE STEERING

Material delivery	9.5 lpm 2.5 gpm	9.5 lpm 2.5 gpm
Pressure	230 bar 3350 psi	230 bar 3350 psi
Engine	11.7 HP HONDA GX	11.7 HP HONDA GX
HYDREX pump size	70 x 2qty	70 x 2qty
Paint Gun Auto	2 Gun Auto	3 Gun Auto
Paint Hopper	115 liter 30 gal	115 liter 30 gal
Туре	Self - Propelled	Self - Propelled
Part Number	23.9941003	23.9941004
PN with FLIPDRIVE	23.9941211	23.9941212

PS400 SP DOUBLE COLOR AUTO | PBS | SWS

Material delivery	9.5 lpm 2.5 gpm	9.5 lpm 2.5 gpm
Pressure	230 bar 3350 psi	230 bar 3350 psi
Engine	11.7 HP HONDA GX	11.7 HP HONDA GX
HYDREX pump size	70 x 2qty	70 x 2qty
Paint Gun Auto	2 Gun Auto	3 Gun Auto
Paint Hopper	115 liter 30 gal	115 liter 30 gal
Pressurized bead	50 liter 13 gal	50 liter 13 gal
Part Number	23.9941006	23.9941007
PN with FLIPDRIVE	23.9941213	23.9941214

























parking lots & local line striping



*multiple execution available

PS 300 INSIGHTS

self-propelled hydraulic line striper

PROSTRIPE 300SP hydraulic line stripers are the ideal units for medium to large line marking contractors that are looking to get the most out of their equipment. This self-propelled range can be operated with or without a ride along seat depending on the striping needs. When attaching the FLIPDRIVE seat choose between a sitting or standing position.

Easy no pedal drive mode with VEZOS motorcycle type motion control placed on the steering bar, twist the grip towards you (so that your wrist moves down) to drive forwards and to reverse twist the grip in the opposite direction.

Front or rear gun mount system - no tools needed. The airless paint gun(s) can easily be removed from the holder and used for stenciling marking.

Available in several executions such as 1 & 2 color with VEZOS slow stroke HYDREX piston pumps, manual or automatic, gravity or pressurized glass bead system...

PROSTRIPE 300 line stripers have a foldable chassis ideal for easy transportation even in a city van.







PROSTRIPE 300 SELF-PROPELLED WITH FLIPDRIVE SEAT

SELF-PROPELLED LINE STRIPER

- √ SP system located directly on the striper
- √ 3-way drive / ride system
- √ Motorcycle type motion control drive
- √ Operation speed 16 km/h

WIDE VIEW DESIGN

- √ Low profile design for panoramic view of job site
- √ Road view ahead even in sitting position
- ✓ Extreme visibility even with glass bead tank in place
- √ No head or body tilting to stripe | Safety first

MANUAL GUN OPERATION

- √ 1-2 manual paint gun set-up
- √ Adjustable gun height
- √ Front or rear gun placement
- √ Removable gun for stenciling

AUTOMATIC GUN OPERATION

- √ 1-2 automatic paint & glass gun set-up
- √ Adjustable gun height
- ✓ Two piston high volume air compressor to support multiple bead guns with 3.6 lit air accumulator

FLIPDRIVE LINE STRIPE SEAT

- √ Double ascent ride | sit stand ride along
- √ Tow behind attachment
- ✓ Rear extra space for cones or gas tank
- √ Hidden tool compartment with anti-slip surface
- √ Anti-vibrations control

HYDREX PISTON PUMP

- √ Hydraulic piston pump HYDREX 70
- √ 1 color set up (2 color optional)
- √ Slow stroke 8.5 l/m (2.3 gal/min) delivery
- √ Built in filter

PAINT HOPPER 68 lit | 18 gal

- √ Low profile paint tank for increased visibility
- √ Single color with pump inlet
- ✓ Lift brackets & security hitches

GLASS BEAD HOPPER 21 lit | 5.6 gal

- √ Gravity bead system
- √ Steel hopper with wide opening
- √ Easy connection, no tools needed

GLASS BEAD TANK 24 lit | 6.5 gal

- √ Pressurized bead system
- ✓ Steel tank with pop up valve for increased safety
- √ Removable loading funnel (no tools required)

EXTRA FEATURES

- √ TCS cooling technology
- √ Re-striping pointer
- √ Hydraulic oil reservoir 9 lit & oil level indicator
- ✓ Anti-vibration control

OPERATION CONSOLE PS 300

- √ Kill switch | Engine throttle
- ✓ Engine & system ON/OFF
- √ Hand brake & cup holder



PS300 SELF PROPELLED 2G | PAINT HOPPER 18GAL

8.5 lpm | 2.3 gpm Material delivery 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 240 bar | 3400 psi 9.0 HP HONDA GX 9.0 HP HONDA GX Engine HYDREX pump size $70 \times 1qty$ 70 x 1qty Paint Gun Manual 1 Gun 2 Gun Paint Hopper 68 liter | 18 gal 68 liter | 18 gal Self - Propelled Self - Propelled Туре 23.9255031 Part Number 23.9255030



PS300 SELF PROPELLED 2G STANDARD

Material delivery 8.5 lpm | 2.3 qpm 8.5 lpm | 2.3 gpm 240 bar | 3400 psi 240 bar | 3400 psi Pressure Engine 9.0 HP HONDA GX 9.0 HP HONDA GX HYDREX pump size $70 \times 1qty$ $70 \times 1qty$ Paint Gun Manual 1 Gun 2 Gun Console Basic Basic Type Self - Propelled Self - Propelled Part Number 23.9255027 23.9255028



PS300 SELF PROPELLED 2G | FLIPDRIVE SEAT

Material delivery 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 9.0 HP HONDA GX Engine HYDREX pump size $70 \times 1qty$ Paint Gun Manual 2 Gun FLIPDRIVE TB Ride along seat Type Self - Propelled Part Number 23.9255029



PS300 SP 2G | PAINT HOPPER | FLIPDRIVE SEAT

Material delivery	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi
Engine	9.0 HP HONDA GX
HYDREX pump size	70 x 1qty
Paint Gun Manual	2 Gun
Ride along seat	FLIPDRIVE TB
Paint hopper	68 liter 18 gal
Туре	Self - Propelled
Part Number	23.9255032

SELF PROPELLED | 1 COLOR









PS300 SP 2G | PAINT HOPPER | GRAVITY BEAD

Material delivery 8.5 lpm | 2.3 gpm 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 240 bar | 3400 psi 9.0 HP HONDA GX 9.0 HP HONDA GX Engine $70 \times 1qty$ HYDREX pump size 70 x 1qty 1 Gun Paint Gun Manual 2 Gun 68 liter | 18 gal 68 liter | 18 gal Paint Hopper Gravity tech - 21lit Glass bead system Gravity tech - 21 lit 23.9255036 23.9255037 Part Number

PS300 SELF PROPELLED 2G | GRAVITY GLASS BEAD

Material delivery	8.5 lpm 2.3 gpm	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi	240 bar 3400 psi
Engine	9.0 HP HONDA GX	9.0 HP HONDA GX
HYDREX pump size	70 x 1qty	70 x 1qty
Paint Gun Manual	1 Gun	2 Gun
Glass bead system	Gravity tech - 21lit	Gravity tech - 21lit
Туре	Self - Propelled	Self - Propelled
Part Number	23.9255033	23.9255034

PS300 SP 2G | GRAVITY GLASS 2G | FLIPDRIVE TB

Material delivery	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi
Engine	9.0 HP HONDA GX
HYDREX pump size	70 x 1qty
Paint Gun Manual	2 Gun
Ride along seat	FLIPDRIVE TB
Glass bead system	Gravity tech - 21lit
Part Number	23.9255035

PS300 SP 2G | HOPPER | GLASS BEAD | FLIPDRIVE

Material delivery	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi
Engine	9.0 HP HONDA GX
HYDREX pump size	70 x 1qty
Paint Gun Manual	2 Gun
Ride along seat	FLIPDRIVE TB
Paint hopper	68 liter 18 gal
Glass bead system	Gravity tech - 21lit
Part Number	23.9255038

SP 2 COLOR | SP AUTO



PS300 SP DC 2G | PAINT HOPPER | GRAVITY BEAD

Material delivery 8.5 lpm | 2.3 gpm 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 240 bar | 3400 psi 9.0 HP HONDA GX 9.0 HP HONDA GX Engine 70 x 2qty 70 x 2qty HYDREX pump size 2 Gun Paint Gun Manual 2 Gun 68 liter | 18 gal Paint hopper divided optional Gravity tech - 21lit Glass bead system Gravity tech - 21 lit 23.9255042 Part Number 23.9255040



Material delivery 8.5 lpm | 2.3 gpm 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 240 bar | 3400 psi 9.0 HP HONDA GX 9.0 HP HONDA GX Engine HYDREX pump size 70 x 2qty 70 x 2qty 2 Gun Paint Gun Manual 2 Gun 68 liter | 18 gal Paint hopper divided optional 2 color Color 2 color 23.9255041 Part Number 23.9255039



PS300 SP DC 2G | HOPPER | GBS 2G | FLIPDRIVE

Material delivery 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 9.0 HP HONDA GX Engine HYDREX pump size $70 \times 2qty$ Paint Gun Manual 2 Gun Ride along seat FLIPDRIVE TB Paint hopper divided 68 liter | 18 gal Glass bead system Gravity tech - 21lit Part Number 23.9255046



PS300 SP AUTO 2G | PAINT HOPPER | PBS GLASS

Material delivery	8.5 lpm 2.3 gpm	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi	240 bar 3400 psi
Engine	9.0 HP HONDA GX	9.0 HP HONDA GX
HYDREX pump size	70 1qty	70 x 1qty
Paint Gun Automatic	2 Auto Gun	2 Auto Gun
Paint hopper	68 liter 18 gal	68 liter 18 gal
FLIPDRIVE seat	optional	included
Glass bead system	Pressurized - 24lit	Pressurized- 24 lit
Part Number	23.9255048	23.9255049



























LINE STRIPERS

Lines are all around us; they serve as a safety guide while parking, driving and even crossing the road. Line striping parking lots, school playgrounds, sport fields, city roads are a few applications that can be performed with a walk-behind line striper.

Easy to operate and with a low maintenance cost, PROSTRIPE WB series offer high production and precise stripes for a wide series of marking applications such as parking lots, city roads, ports, intersections, cross-ways, athletic fields etc.

VEZOS walk behind line stripers have a foldable chassis for easy transportation in any city van. The airless spray gun can be removed from the gun holder, in order to perform stenciling for signalization of disable spots, parking slot numbering, warning and more.

The walk-behind series is available in several executions such as standard, automatic, pressurized bead system, double color...







PROSTRIPE 300WB

ports, parking lots & more... line striping



PS 300 WB INSIGHTS

walk behind hydraulic line striper

PROSTRIPE 300WB hydraulic line stripers are equipped with a slow stroke paint pump, offering accurate material pumping and line precision for striping application such as parking lots, intersections, athletic fields, road maintenance and local city marking jobs.

VEZOS T.C.S. technology ensures correct cooling through out the entire hydraulic ϑ paint system, no matter the environment temperature. Compatible with all common road paint, heavy VOC paint, waterborne, rubberized marking paint, $1~\vartheta~2$ component.

PS300WB series is available in several executions such as manual ϑ automatic, gravity or pressurized beads, 1 or 2 color pump set up, single or double paint hoppers, with line controller...

With a low profile design even when including the bead system and paint hopper, the PS 300WB ensures stability and long distance visibility at all times.

For re-striping applications a pointer can be adapted left or right of the striper, rear gun mount for long line striping & removable gun for stenciling are standard features.

* multiple execution available



PROSTRIPE 300WB





PROSTRIPE 300 WALK-BEHIND

WIDE VIEW DESIGN

- √ Low profile design for panoramic view of job site
- √ Road view ahead even in sitting position
- √ Extreme visibility even with glass bead tank in place
- √ No head or body tilting to stripe | Safety first

MANUAL GUN OPERATION

- √ 1-2 manual paint gun set-up
- √ Adjustable gun height
- √ Front or rear gun placement
- √ Removable gun for stenciling

AUTOMATIC GUN OPERATION

- √ 1-2 automatic paint & glass gun set-up
- √ Adjustable gun height
- √ Two piston high volume air compressor to support multiple bead guns with 3.6 lit air accumulator

OPERATION CONSOLE PS 300

- √ Kill switch | Engine throttle
- ✓ Engine & system ON/OFF
- √ Hand brake & cup holder

SP DRIVE ALONG ATTACHMENT

- √ Attach to all walk-behind line stripers
- √ Adjust seat in height & in length
- √ Additional add-ons available

HYDREX PISTON PUMP

- √ Hydraulic piston pump HYDREX 70
- √ 1 color or 2 color set up
- √ Slow stroke 8.5 l/m (2.3 gal/min) delivery
- √ Built in filter

PAINT HOPPER 68 lit | 18 gal

- √ Low profile paint tank for increased visibility
- ✓ Single color with pump inlet
- ✓ Lift brackets & security hitches

DUAL PAINT HOPPER 68 lit | 18 gal

- √ Low profile paint tank for increased visibility
- √ Single or double color
- ✓ Lift brackets & security hitches

GLASS BEAD HOPPER 21 lit | 5.6 gal

- √ Gravity bead system
- √ Steel hopper with wide opening
- √ Easy connection, no tools needed

GLASS BEAD TANK 24 lit | 6.5 gal

- ✓ Pressurized bead system
- ✓ Steel tank with pop up valve for increased safety
- ✓ Removable loading funnel (no tools required)

EXTRA FEATURES

- √ TCS cooling technology
- √ Re-striping pointer
- √ Hydraulic oil reservoir 9 lit & oil level indicator
- ✓ Anti-vibration control

PROSTRIPE 300WB



PS300 WALK BEHIND 2G STANDARD

Material delivery 8.5 lpm | 2.3 gpm 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 240 bar | 3400 psi 6.5 HP HONDA GX 6.5 HP HONDA GX Engine HYDREX pump size $70 \times 1qty$ 70 x 1qty Paint Gun Manual 1 Gun 2 Gun Console Basic Basic Walk-Behind Walk-Behind Туре 23.9255010 23.9255011 Part Number



PS300 WB 2G | PAINT HOPPER 68 LIT

8.5 lpm | 2.3 gpm Material delivery 8.5 lpm | 2.3 gpm 240 bar | 3400 psi 240 bar | 3400 psi Pressure Engine 6.5 HP HONDA GX 6.5 HP HONDA GX HYDREX pump size $70 \times 1qty$ $70 \times 1qty$ Paint Gun Manual 1 Gun 2 Gun Paint Hopper 68 liter | 18 gal 68 liter | 18 gal Walk-Behind Walk-Behind Type Part Number 23.9255012 23.9255013



PS300 WB 2G | PAINT HOPPER | GRAVITY BEAD

Material delivery 8.5 lpm | 2.3 gpm 8.5 lpm | 2.3 gpm Pressure 240 bar | 3400 psi 240 bar | 3400 psi 6.5 HP HONDA GX 6.5 HP HONDA GX Engine HYDREX pump size $70 \times 1qty$ $70 \times 1qty$ Paint Gun Manual 1 Gun 2 Gun 68 liter | 18 gal Paint Hopper 68 liter | 18 gal Gravity tech - 21lit Glass bead system Gravity tech - 21 lit 23.9255016 Part Number 23.9255017



PS300 WB 2G | GRAVITY GLASS BEAD 1-2G

Material delivery	8.5 lpm 2.3 gpm	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi	240 bar 3400 psi
Engine	6.5 HP HONDA GX	6.5 HP HONDA GX
HYDREX pump size	70 x 1qty	70 x 1qty
Paint Gun Manual	1 Gun	2 Gun
Console	Basic	Basic
Glass bead system	Gravity tech - 21lit	Gravity tech - 21 lit
Part Number	23.9255014	23.9255015

WALK BEHIND | DC-AUTO



PS300 WALK BEHIND DOUBLE COLOR 2G | GBS

Material delivery	8.5 lpm 2.3 gpm	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi	240 bar 3400 psi
Engine	6.5 HP HONDA GX	6.5 HP HONDA GX
HYDREX pump size	70 x 2qty	70 x 2qty
Paint Gun Manual	2 Gun	2 Gun
Console	Basic	Basic
Glass bead system	optional	Gravity tech - 21 lit
Part Number	23.9255018	23.9255019

PS300 WB DC 2G | DUAL PAINT HOPPER 18GAL

Material delivery	8.5 lpm 2.3 gpm	8.5 lpm 2.3 gpm
Pressure	240 bar 3400 psi	240 bar 3400 psi
Engine	6.5 HP HONDA GX	6.5 HP HONDA GX
HYDREX pump size	70 x 2qty	70 x 2qty
Paint Gun Manual	2 Gun	2 Gun
Paint hopper divided	68 liter 18 gal	68 liter 18 gal
Glass bead system	optional	Gravity tech - 21 lit
Part Number	23.9255020	23.9255021



PS300 WALK BEHIND AUTO | PAINT HOPPER | PBS

Material delivery	8.5 lpm 2.3 gpm	8.5 lpm 2.3 gpm		
Pressure	240 bar 3400 psi	240 bar 3400 psi		
Engine	6.5 HP HONDA GX 6.5 HP HONI			
HYDREX pump size	70 x 2qty	70 x 2qty		
Paint Gun Automatic	2 Gun	2 Gun		
Console	Skip controller	Basic		
Glass bead system	optional	Pressurized 2g		
Part Number	23.9255025	23.9255026		

PROSTRIPE 200WB

ports, parking lots & more... line striping

PS 200 WB FEATURES:

1.7 gpm | 6.5 lpm

hydraulic operation

multiple gun set up

industrial tires durable with marking paint



PS 200 WB INSIGHTS

walk behind hydraulic line striper

PROSTRIPE 200WB hydraulic line striper offer accurate material delivery and line precision for striping application such as parking lots, cross-ways, ports, athletic fields, city road maintenance and local striping jobs.

The PS walk-behind line stripers have a foldable chassis for easy transportation and storage, even in a small city van.

Unlike other line stripers on the market, VEZOS PROSTRIPE 200 has been engineered with precision and stability in mind. Thanks to its perfectly balanced design and powerful HYDREX piston paint pumps, this gamechanging line striper makes it easy to achieve sharp, clean lines that stand out in any space.

With a retractable storage compartment under the steering bar, for easy and convenient storage of your essentials, making your workday more efficient and hassle-free.

Ideal for medium size jobs, with a removable gun for stenciling or other touch up jobs.



PS 200 CONSOLE



PS 200 WB





PS200 WALK BEHIND AUTO GUN STANDARD

Material delivery	6.5 lpm 1.7 gpm	6.5 lpm 1.7 gpm		
Pressure	230 bar 3350 psi	230 bar 3350 psi		
Engine	4.8 HP HONDA GX	4.8 HP HONDA GX		
HYDREX pump size	50 x 1qty	50 x 1qty		
Paint Gun Manual	1 Gun	2 Gun		
Console	LINEMATIC	LINEMATIC		
Туре	Walk-Behind	Walk-Behind		
Part Number	23.9017410	23.9017411		

PS200 WALK BEHIND MANUAL GUN STANDARD

Material delivery	6.5 lpm 1.7 gpm	6.5 lpm 1.7 gpm
Pressure	230 bar 3350 psi	230 bar 3350 psi
Engine	4.8 HP HONDA GX	4.8 HP HONDA GX
HYDREX pump size	50 x 1qty	50 x 1qty
Paint Gun Manual	1 Gun	2 Gun
Console	Basic	Basic
Туре	Walk-Behind	Walk-Behind
Part Number	23.9017410	23.9017411

PS100 WB MANUAL GUN | PUSH ALONG

Material delivery	5.0 lpm 1.3 gpm	5.0 lpm 1.3 gpm
Pressure	230 bar 3350 psi	230 bar 3350 psi
Engine	3.5 HP HONDA GX	3.5 HP HONDA GX
HYDREX pump size	50 x 1qty	50 x 1qty
Paint Gun Manual	1 Gun	2 Gun
Paint Hopper	optional	optional
Туре	Walk-Behind	Walk-Behind
Part Number	23.9410101	23.9410102



VEZOS PRODRIVE HD self-propelled line striper seat, is adaptable to all brand line stripers and with unique features such as an "HD POWER GENERATOR PACK" (180watt - 12volt) & a multi adjustable seating positing. Available is several





ADVANTAGES

- \checkmark Multiple adjustment settings for all riders
- √ Fits on all brands (US & EU)
- ✓ HD generator pack (180 watt-12volt)
- √ Self-propelled system
- ✓ Tilt engine cover, full inspection & tank refill
- \checkmark HONDA engine pull or electric start
- ✓ Comfortable high backrest seat with safety contact switch and positioning settings

SPECS

Engine: HONDA GX200 6.5 hp

Options pull start or electric start

Speed: Operation & Reverse

Max. 16 km/h (10 mph) & 10km/h (6mph) reverse

Fuel tank capacity: 3.6 lt (0.95gal)

Hydraulic oil reservoir capacity: 2.7 lt (0.71gal)

Dimensions:

141cm x 73cm x 115cm (h) | 55" x 28" x 45"

FULLY ADJUSTABLE

PRODRIVE HD self-propelled seat is fully adjustable, making sure that all users find the correct siting position and allowing them to concentrate on precise lines.

SEAT ADJUSTMENTS

- Height (multiple scales)
- Inclination
- Siting length, slide draw bars

HITCH KIT ADJUSTMENTS


- Height (multiple scales)
- Length

STORAGE TRAY ADJUSTMENTS

3 positions = 3 size storage options no tools needed, just unsecure the knobs

PRODRIVE HD

SELF-PROPELLED / DRIVE ALONG SEAT/ 2024





Available LED light kits connect with







HD POWER GENERATOR PACK

Adapt VEZOS "POWER PACK" to any PRODRIVE HD ride along seat and light up the job site with a 180watt - 12volt power source. (available for electric & pull start engines)

PRODRIVE HD

SELF-PROPELLED / DRIVE ALONG SEAT/ 2024

parking lots & local road line striping



CLOSED & COMPACT

FULLY OPEN

PRODRIVE HD SP seat has a large retractable storage platform at the rear end, this way users can carry along cones, gas tank or even give a friend a ride:) A hidden storage space can be found by tilting the engine cover.

Powered by a reliable HONDA GX engine and offered as a manual pull or electric start unit. Its self-propelled system ensures a 16 km/h drive speed and accurate brake system activated with a foot pedal located at the front of the unit.

PRODRIVE HD ride along seat can connect to all PROSTRIPE line stripers with its heavy duty hitch kit.

Of course VEZOS design team did not leave it at that, due to its **adjustable concept** the PRODRIVE HD can connect to any branded striper.





LINE STRIPERS

Truck mounted line striping kits are adapted directly on the trucks bed with 4 bolts. The entire system can be lifted from several angles via a fork lift and installed within a couple of hours by your in house engineer.

Depending on your average line striping jobs, desired vehicle size and investment capital VEZOS has a wide average of ready to stripe kits that can cover your road marking needs.

RMThe striping kits are operated hydraulically and equipped with HYDREX slow stoke piston pump ensuring correct material flow and precise line marking every time.

These modules are categorized offered depending on the material flow therefore if you are new to the road striping industry VEZOS offers an entry level kit,

for you to start your marking business gradually and familiar with the procedure. Nothing stops here though, for more advanced contractors and larger job you will find striping kits that can offer up to 38 lpm with 1 or 2 pumps, simultaneous left-right striping, pressurized steel glass bead tank and the list goes on.






























RM STRIPING KITS

RM 10.0 KIT

highway road & line striping kit



RM 10.0 INSIGHTS

truck mounted set up, adapt to any vehicle

RM 10.0 line striping kit can be adapted to any truck and offers maximum power & production rate, equipped with a 26.5 hp KOHLER engine and double HYDREX HD pumps, this option is a serious solution for the most demanding contractors. Take advantage of VEZOS double sided arm bracket for simultaneous line striping and increased profit. Operate the entire system from the trucks cabin or deck with a pre installed skip controller, HD monitor & camera kit.


UNIQUE FEATURES

Loading steps for easy access to the glass bead system, double bracket and double HD camera kit, triple oil divided section reservoir, HD air compressor and a fully retractable chassis are just a few of the RM 10.0's special features that will allow contractors to get the job done fast and precise.

The truck mounted system is fully retractable and fits entirely on the trucks bed without any loose parts, ensuring the equipment's safe keeping and transportation from site to site.



RM 10.0 KIT





RM 10.0 HD TRUCK MOUNTED STRIPING KIT INSIGHTS

HYDREX PISTON PUMP

- √ Hydraulic piston pump HYDREX 230
- √1 or 2 color set up
- √ Slow stroke 38.0 l/m (10.0 gal/min) delivery
- √ Built in filter with gauge

GLASS BEAD TANK 600 kg | 1300 lb

- ✓ Pressurized bead system
- √ Loading steps for easy refill
- ✓ Steel tank with pop up valve for increased safety
- ✓ Removable loading funnel (no tools required)

AUTOMATIC GUN OPERATION

- √ 2-4 automatic paint 8 glass gun set-up
- √ Adjustable gun height
- ✓ On board stencil kit with manual airless spray gun & hose EXTRA FEATURES
- √ Two piston high volume air compressor to support multiple bead guns with 3.6 lit air accumulator

ARM BRACKET(S)

- √ Single or double arm bracket
- √ Simultaneous left & right line striping
- √ Complete with electro-pneumatic set-up

OPERATION CONTROL

- √ Skip line controller 4 channel
- √ HD monitor & camera kit
- √ Manual trigger

FULLY RETRACTABLE - ALL IN ONE

- √ Arm bracket(s)
- √ Chassis
- √ Slide beam
- ✓ Entire system fits in truck | pick up

PALLETIZED DESIGN

- ✓ Palletized box type
- √ Fork lift pick up
- √ Easy installation

- √ GX HONDA engine 22 HP
- √ Front mounted removable re-striping pointer
- √ Central hook lifting point
- √ Hydraulic pressure accumulator
- √ Full flow hydraulic cooler
- √ Divided section oil reservoir
- √ 2K material pre-installed set up for future installation

RM 10.0 KITS

RM 10.0 STRIPING KIT

RM 10.0 MAX STRIPING KIT NO LIFT

Material delivery Pressure Engine

HYDREX pump size
Paint Gun Auto

Pressurized glass bead tank

Mount kit

Part Number no camera

Part Number with camera

38.0 lpm | 10.0 gpm Material delivery 38.0 lpm | 10.0 gpm 150 bar | 2150 psi Pressure 200 bar | 3000 psi HONDA 22 HP Engine 26.5 HP KOHLER 230 x 2qty HYDREX pump size 230 x 2qty 2Gun Auto Paint Gun Auto 3 Gun Auto 300 kg | 650 lb Pressurized glass bead tank 600 kg | 1300 lb Included Mount kit Included 77.2227630 Part Number no camera 77.2047527 77.2227631 Part Number with camera 77.2047528

RM 10.0 MAX STRIPING KIT WITH LIFT



Material delivery 38.0 lpm | 10.0 gpm 200 bar | 3000 psi Pressure Engine KOHLER 26.5 HP HYDREX pump size 230 x 2qty Paint Gun Auto 3 Gun Auto Pressurized glass bead tank 600 kg | 1300 lb Mount kit Included Part Number no camera 77.2227623 Part Number with camera 77.2227624

RM 10.0 MAX DOUBLE BRACKET NO LIFT

Material delivery 38.0 lpm | 10.0 gpm 200 bar | 3000 psi Pressure Engine KOHLER 26.5 HP HYDREX pump size $230 \times 2qty$ 3 Gun Auto Paint Gun Auto Pressurized glass bead tank 600 kg | 1300 lb Mount kit Included 77.2227625 Part Number no camera Part Number with camera 77.2227626





Material delivery 38.0 lpm | 10.0 gpm 200 bar | 3000 psi Pressure KOHLER 26.5 HP Engine HYDREX pump size 230 x 2qty Paint Gun Auto 3 Gun Auto Pressurized glass bead tank 600 kg | 1300 lb Mount kit Included Part Number no camera 77.2227627 Part Number with camera 77.2227628

RM 5.0 KIT

level up road & line striping kit



RM 5.0 INSIGHTS

single or double color, fully retractable

RM 5.0 is equipped with a single or double high performance HYDREX slow stroke hydraulic piston pump providing correct paint delivery through-out the entire striping procedure, ideal for double color line striping.

A full flow large hydraulic cooler is installed on the RM 5.0 ensuring correct flow & temperature of the entire system. Unlike other designs in the market, VEZOS entire flow of hydraulic oil goes through the large HD hydraulic cooler with VEZOS TCS technology, making it possible for RM users to work under any severe usage.

TCS Tunnel Cooling System technology

All hydraulic elements (hydraulic oil pump, oil cooler, both sections of the hydraulic tank) but also the linear motor of the HYDREX (1 or 2 pumps) are within the air cooling stream, making VEZOS innovative design the most advanced hydraulic setup available in the market

The entire system works with a unique design of separate sections of hydraulic oil tanks - reservoir, that ensure the best feeding of the hydraulic pump. This design also maximizes the cooling effect of the entire hydraulic operation.







EASY INSTALLATION SECURE WITH 4 BOLTS



VEZOS RM truck mounted line stripe kits, can easily be adapted to any van or truck bed. The entire system is retractable and fold-able, including the chassis, rear beam and arm bracket.

Each kit can be lifted with a fork lift via several angles, due to the kits palletized design. The RM kit installation can be performed at your premises, by any in-house engineer within a few hours. All components, screws, cables etc. are included. If your kit includes a HD monitor, camera and skip controller set, then a in-cabin stand will be offered by VEZOS, free of charge.







RM 5.0 KIT





RM 5.0 TRUCK MOUNTED STRIPING KIT INSIGHTS

HYDREX PISTON PUMP

- √ Hydraulic piston pump HYDREX 230
- √1 or 2 color set up
- √ Slow stroke 19.0 l/m (5.0 gal/min) delivery
- √ Built in filter with gauge

GLASS BEAD TANK 280 lit | 600 lb

- √ Pressurized bead system
- √ Loading steps for easy refill
- ✓ Steel tank with pop up valve for increased safety
- ✓ Removable loading funnel (no tools required)

AUTOMATIC GUN OPERATION

- √ 2-4 automatic paint & glass gun set-up
- √ Adjustable gun height
- ✓ On board stencil kit with manual airless spray gun & hose
- ✓ Two piston high volume air compressor to support multiple bead guns with 3.6 lit air accumulator

OPERATION CONTROL

- √ Skip line controller 4 channel
- √ HD monitor & camera kit
- √ Manual trigger

FULLY RETRACTABLE - ALL IN ONE

- √ Arm bracket
- √ Chassis
- √ Slide beam
- √ Entire system fits in truck | pick up

PALLETIZED DESIGN

- √ Palletized box type
- √ Fork lift pick up
- √ Easy installation

TCS TECHNOLOGY

- ✓ Tunnel cooling through-out the paint & hydraulic system
- √ Ensures correct material flow no matter environments temperature
- √ Easy installation

EXTRA FEATURES

- √ GX HONDA engine 22 HP
- √ Front mounted removable re-striping pointer
- √ Central hook lifting point
- √ Hydraulic pressure accumulator
- √ Full flow hydraulic cooler
- √ Divided section oil reservoir
- √ 2K material pre-installed set up for future installation

RM 5.0 KITS





RM 5.0 STRIPING KIT 1 PUMP

Material delivery 19.0 lpm | 5.0 gpm 200 bar | 3000 psi Pressure 22 HP HONDA Engine 230 x 1qty HYDREX pump size 2 Gun Auto Paint Gun Auto Pressurized glass bead tank 280 kg | 600 lb Mount kit Included Part Number no camera 77.2027514 Part Number with camera 77.2027515

RM 5.0 STRIPING KIT DOUBLE COLOR

Material delivery 19.0 lpm | 5.0 gpm Pressure 200 bar | 3000 psi Engine 22 HP HONDA HYDREX pump size 230 x 2qty 2 Gun Auto Paint Gun Auto Pressurized glass bead tank 280 kg | 600 lb Mount kit Included Part Number no camera 77.2027519 Part Number with camera 77.2027520

RM 5.0 STRIPING KIT DOUBLE COLOR + LIFT

Material delivery	19.0 lpm 5.0 gpm
Pressure	200 bar 3000 psi
Engine	22 HP HONDA
HYDREX pump size	230 × 2qty
Paint Gun Auto	2 Gun Auto
Pressurized glass bead tank	280 kg 600 lb
Mount kit	Included
Part Number no camera	77.2027521
Part Number with camera	77.2027522

RM 2.5 KIT

entry level road & line striping kit



RM 2.5 INSIGHTS

entry level truck mounted striping kit

RM 2.5 has a fully retractable chassis. Everything folds up, everything fits in your vehicle. No loose pieces, no tools, no effort. One operator, one unit!

Select line patters, monitor your material consumption and life long job data. Combine the line controller with VEZOS HD camera ϑ monitor kit. Make road striping a one man job!

The set up includes a pressurized glass bead system 100kg capacity, with a wide loading inlet 82mm / 3.2" ϑ with popup valve.

Equipped with a single or double HYDREX paint pump, ideal for double color striping. Easy guidance with a front mounted pointer, located on the truck, for precise re striping applications.

VEZOS trusts HONDA engines when it comes down to powering its road marking equipment. HONDA GX engines are covered by a worldwide warranty program.







FITS ON A PICK-UP & SMALL TRUCK IDEAL FOR CITY STRIPING

VEZOS RM 2.5 entry level line striper has a fully retractable chassis. Everything folds up, everything fits in your vehicle. No loose pieces, no tools, no effort.

One operator, one unit!

VEZOS has aimed to design a road striping unit that is the real deal.

RM 2.5 truck mount system can fit and fold on a pickup truck, a van or box type truck and can also be adapted to a trailer. Its heavy duty steel frame will last a life time and a custom made spring system located on the arm bracket will ensure shock absorbance, line stability and a perfect result every time.







RM 2.5 KIT





RM 2.5 TRUCK MOUNTED STRIPING KIT INSIGHTS

HYDREX PISTON PUMP

- √ Hydraulic piston pump HYDREX 70
- √1 or 2 color set up
- √ Slow stroke 9.5 l/m (2.5 gal/min) delivery
- √ Built in filter

GLASS BEAD TANK 100 lit | 330 lb

- ✓ Pressurized bead system
- ✓ Steel tank with pop up valve for increased safety
- √ Removable loading funnel (no tools required)

OPERATION CONTROL

- √ Skip line controller 4 channel
- √ HD monitor & camera kit
- √ Manual trigger

AUTOMATIC GUN OPERATION

- √ 1-2 automatic paint & glass gun set-up
- √ Adjustable gun height
- ✓ On board stencil kit with manual airless spray gun & hose
- √ Two piston high volume air compressor to support multiple bead guns with 3.6 lit air accumulator

FULLY RETRACTABLE - ALL IN ONE

- √ Arm bracket
- √ Chassis
- √ Slide beam
- ✓ Entire system fits in truck | pick up

TCS TECHNOLOGY

- √ Tunnel cooling through out the entire paint & hydraulic system
- √ Ensuring correct material flow no matter environments temperature
- √ Easy installation

EXTRA FEATURES

- √ GX HONDA engine 22 HP
- √ Front mounted removable re-striping pointer
- √ Central hook lifting point
- √ Fits on all city vans & pick up trucks
- √ Hydraulic oil reservoir 9 lit capacity
- √ Large industrial wheels on arm bracket

RM 2.5 KITS





RM 2.5 STRIPING KIT 1 PUMP - MANUAL

Material delivery 9.5 lpm | 2.5 gpm Pressure 200 bar | 3000 psi Engine 11.7 HP HONDA HYDREX pump size 70 x 1qty Paint Gun Auto 2 Gun Auto Pressurized glass bead tank 100 kg | 330 lb Mount kit Included Part Number no camera 77.2007513

RM 2.5 STRIPING KIT 1 PUMP - CONTROLLER

Material delivery 9.5 lpm | 2.5 gpm Pressure 200 bar | 3000 psi Engine 11.7 HP HONDA HYDREX pump size $70 \times 1qty$ Paint Gun Auto 2 Gun Auto Pressurized glass bead tank 100 kg | 330 lb Mount kit Included Part Number with camera 77.2017516

RM 2.5 STRIPING KIT DOUBLE COLOR

Material delivery 9.5 lpm | 2.5 gpm Pressure 200 bar | 3000 psi Engine 11.7 HP HONDA HYDREX pump size $70 \times 2qty$ Paint Gun Auto 2 Gun Auto Pressurized glass bead tank 100 kg | 330 lb Mount kit Included Part Number with camera 77.2017517



ROADMASTER

national roads & highways road line striping



ROADMASTER TRUCK INSIGHTS

long line road marking trucks

Line striper trucks are designed for long line striping and highway marking. ROADMASTER trucks are equipped with two autonomous hydraulic circuit systems; ensuring safety & usage economy, single or double heavy duty HYDREX PowerMax piston pumps with an outstanding material delivery up to 30 gpme2150 psi and TCS technology throughout the entire hydraulic system. Choose between our standard setup or custom build your truck depending on your needs!

While setting up your truck we offer your several operation station options that normally depend on the truck size, for example the entire system can be operated directly from the cabin by one person, or by a user located in a custom built station (cabin or canopy). VEZOS ensures the latest guidance ϑ monitoring technology with HD cameras, skip controllers will be installed on the truck, enabling correct striping and communication while on the job.

The ROADMASTER set up is either built directly on your truck or the entire system is built on a platform base, ready to be placed directly on your trucks bed.



ROADMASTER

national roads & highways road line striping

ROADMASTER 30 TRUCK

custom built truck line striper



HYDRAULIC PAINT PRESSURE SYSTEM

- 2 Autonomous & complete hydraulic circuit systems
- 2 HYDREX 950 PowerMax hydraulic fully chromed piston paint pumps | 15 gpm (x2) @ 2150 psi
- 4 High pressure pump paint filters
- TCS system cooling technology
- 74 HP Diesel engine

ROADMASTER 20 TRUCK

custom built truck line striper



HYDRAULIC PAINT PRESSURE SYSTEM

- 2 Autonomous & complete hydraulic circuit systems
- 2 HYDREX 630 PowerMax hydraulic fully chromed piston paint pumps | 10 gpm (x2) e2150 psi
- 4 High pressure pump paint filters
- TCS system cooling technology
- 55 HP Diesel engine

ROADMASTER 10 TRUCK

custom built truck line striper



HYDRAULIC PAINT PRESSURE SYSTEM

- 2 HYDREX 230 hydraulic fully chromed piston paint pumps | 5gpm (x2) @3000 psi or 1 HYDREX 630 PowerMax hydraulic fully chromed piston paint pumps | 10 gpm @2150 psi or MMA HYDREX pump set up
- HD large hydraulic oil cooler
- TCS system cooling technology
- 26.5 HP KOHLER engine / 23 HP HONDA engine

SCARIFIERS

PROGRIND scarifiers cover a large series of surface preparation applications, designed only for professional use due to their heavy-duty structure and high speed cutting technology.

Safety must always come first, think of unleveled industrial flooring, multiple old line striping on a road or intersection and so many other case scenarios that can cause an accident.

Surface preparation is crucial for our everyday safety, VEZOS offers specially designed machinery to achieve the best possible result without damaging the surface. Line striping removal scarifiers allow contractors to remove old markings before re-striping new lines, making sure that drivers stay focused on the road while driving.


range offers The PROGRIND several cutting drum options depending on the untreated surface. Road kits, vacuum connections, drive along attachments and many more accessories can build up the scarifier in order to tackle the demanding surface most treatment applications.



MOVAL



PROGRIND HD





PROGRIND HD MULTIPURPOSE WALK-BEHIND SCARIFIER

BRAKE SYSTEM

- √ Slow down speed
- ✓ Entire brake STOP
- √ Hand brake no foot / body weight needed

SHOCK ABSORBER LIFT LEVER

✓ Easy, light & instant unit lift

CUTTING DRUMS

- √ Side loaded
- √ Multiple cutting drum ~ tools options
 - Wire brush
 - Steel star
 - Steel beam
 - Carbide flail
 - Carbide flat
 - Carbide tipped miller
 - Full carbide miller

PG CONTROLLER

- √ Cutting depth control
- √ Brake system
- √ Kill switch
- √ Engine throttle
- √ System ON-OFF

INCLINATION KITS

√ optional kits available

ADD-ON COUNTER WEIGHT KITS

√ optional kits available

INDUSTRIAL TIRES HD

- √ rear long lasting tires
- √ brake pads available
- √ multiple sizes available

VACUUM CONNECTION - PRE INSTALLED

√ Dust free operation

CUTTING DEPTH (MAX)

√ 10' - 250mm cutting depth

STEADY & HD STRUCTURE

- √ No skidding
- √ Steady drive system

APPLICATIONS

- √ Industrial flooring
- √ Asphalt
- Line, rubber, leveling...
- √ Concrete

PROGRIND HD



PROGRIND HD2513G MULTIPURPOSE SCARIFIER

Working width (max) 250 mm| 10 inch HONDA GX 390 | 13 HP Power source | HP 70 sqm/h (750 sqf) Cutting speed Included Vacuum connection Optional Brake system 118 kg Weight w/o drum $96.5 \times 48.5 \times 106$ cm Dimensions 11.4430024 Part Number no drum



PROGRIND HD209E MULTIPURPOSE SCARIFIER

Working width (max) 250 mm| 10 inch Electric motor | 7.5 HP Power source | HP 65 sqm/h (700 sqf) Cutting speed Included Vacuum connection Optional Brake system 106 kg Weight w/o drum $96.5 \times 48.5 \times 106$ cm Dimensions 11.4430023 Part Number no drum



PROGRIND HD209G MULTIPURPOSE SCARIFIER

Working width (max) 200 mm | 8 inch HONDA GX 270 | 9 HP Power source | HP 55 sqm/h (600 sqf) Cutting speed Included Vacuum connection Brake system Optional 103 kg Weight w/o drum Dimensions $96.5 \times 48.5 \times 106$ cm 11.4430022 Part Number no drum

PROGRIND LGR





PROGRIND LOW GRAVITY ROAD WALK-BEHIND SCARIFIER

BRAKE SYSTEM

- √ Slow down speed
- ✓ Entire brake STOP
- √ Hand brake no foot / body weight needed

ROAD KIT

- √ Easy to maneuver
- √ Industrial swivel wheel

CUTTING DRUMS

- √ Side loaded
- √ Multiple cutting drum ~ tools options
 - Wire brush
 - Steel star
 - Steel beam
 - Carbide flail
 - Carbide flat
 - Carbide tipped miller
 - Full carbide miller

PG CONTROLLER

- √ Cutting depth control
- √ Brake system
- √ Kill switch
- √ Engine throttle
- √ System ON-OFF

INCLINATION KITS

√ Optional kits available

ADD-ON COUNTER WEIGHT KITS

√ Optional kits available

INDUSTRIAL TIRES HD

- √ Rear long lasting tires
- √ Brake pads available
- √ Multiple sizes available

VACUUM CONNECTION - PRE INSTALLED

- √ Dust free operation
- √ Double side inlets

CUTTING DEPTH (MAX)

√10' - 250mm cutting depth

STEADY & HD STRUCTURE

- √ No skidding
- √ Steady drive system
- √ Low gravity design

APPLICATIONS

- √ Industrial flooring
- √ Asphalt
- Line, rubber, leveling...
- √ Concrete

PROGRIND LGR

PROGRIND LGR2513G LOW GRAVITY ROAD PACK

Working width (max)
Power source | HP
Cutting speed
Vacuum connection
Brake system
Weight w/o drum
Dimensions

Part Number no drum

250 mm| 10 inch HONDA GX 390 | 13 HP 75 sqm/h (800 sqf) Included Optional 135 kg 150 x 55 x 106 cm

PROGRIND LGR209G LOW GRAVITY ROAD PACK

Working width (max)
Power source | HP
Cutting speed
Vacuum connection
Brake system
Weight w/o drum
Dimensions
Part Number no drum

200mm| 8 inch
HONDA GX 270 | 9 HP
55 sqm/h (600 sqf)
Included
Optional
127 kg
150 x 55 x 106 cm
11.4430028





PROGRIND DRUM CUTTING TOOLS

	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
Cutter Type	er Type	**	*				
Profile Fine							
Profile Medium							
Profile Course							

PROGRIND LG





PROGRIND LOW GRAVITY WALK-BEHIND SCARIFIER

BRAKE SYSTEM

- √ Slow down speed
- ✓ Entire brake STOP
- √ Hand brake no foot / body weight needed

CUTTING DRUMS

- √ Side loaded
- ✓ Multiple cutting drum ~ tools options
 - Wire brush
 - Steel star
 - Steel beam
 - Carbide flail
 - Carbide flat
 - Carbide tipped miller
 - Full carbide miller

PG CONTROLLER

- √ Cutting depth control
- √ Brake system
- √ Kill switch
- √ Engine throttle
- √ System ON-OFF

INCLINATION KITS

√ Optional kits available

ADD-ON COUNTER WEIGHT KITS

√ Optional kits available

INDUSTRIAL TIRES HD

- √ Rear long lasting tires
- √ Brake pads available
- √ Multiple sizes available

VACUUM CONNECTION - PRE INSTALLED

- √ Dust free operation
- √ Double side inlets

CUTTING DEPTH (MAX)

√10' - 250mm cutting depth

STEADY & HD STRUCTURE

- √ No skidding
- √ Steady drive system
- √ Low gravity design

APPLICATIONS

- √ Industrial flooring
- √ Asphalt
- Line, rubber, leveling...
- √ Concrete

PROGRIND LG



PROGRIND LG209G LOW GRAVITY SCARIFIER

Working width (max) 200 mm | 8 inch Power source | HP HONDA GX 270 | 9 HP 55 sqm/h (600 sqf) Cutting speed Vacuum connection Included Optional Brake system 121 kg Weight w/o drum $121 \times 55 \times 106$ cm Dimensions 11.4430025 Part Number no drum



PROGRIND LG2513G LOW GRAVITY SCARIFIER

Working width (max) 200 mm | 8 inch Power source | HP HONDA GX 390 | 13 HP Cutting speed 70 sqm/h (750 sqf)Included Vacuum connection Brake system Optional Weight w/o drum 136 kg $121 \times 55 \times 106$ cm Dimensions 11.4430027 Part Number no drum



PROGRIND LG258E LOW GRAVITY SCARIFIER

Working width (max) 200 mm | 8 inch Power source | HP Electric motor | 7.5 HP 65 sqm/h (700 sqf)Cutting speed Included Vacuum connection Optional Brake system Weight w/o drum 135 kg $121 \times 55 \times 106$ cm Dimensions 11.4430026 Part Number no drum

VEZOS designs and manufactures, a full range of hydraulic operated line striping machinery equipped with innovative technology and cost efficient solutions. Among the range, contractors can find walk-behind and self-propelled line stripers ideal for parking marking intersections and local applications; Truck mounted road marking modules that

can be adapted to any van or truck, a full custom built series of road striping trucks for long line road striping and a wide series of scarifying equipment for line removals. Among VEZOS product range, painting contractors in the commercial & residential industry can find solutions for airless paint spraying units, drywall sanders and

Each product that is designed MUST offer a difference to its user, it MUST be innovative and cost effective to the industry. VEZOS design team has an aim, an aim to differ from the competition with cutting edge solutions that define the brands unique character.

piston pumps for all types of coating applications. With over 150 products, VEZOS has the right solution for all contractors. The company was founded in 1970, designing and manufacturing pneumatic pumps for the marine and industrial market. Over the years and under second generation management, VEZOS group expanded its manufacturing line offering innovative products to the contracting and road marking industries.

Today, VEZOS GROUP has a wellorganized distribution network around the globe, offering solutions & cost effective products to contractor in all three industries.

With offices in the UK, USA and Europe, VEZOS offers a wide series of innovative and heavy duty spraying and surface preparation equipment to private contractors, municipalities, governmental organizations and construction firms.

vezosusa.com | vezoseu.com

line striping & road treatment equipment







SELF-PROPELLED | WALK-BEHIND | TRUCK KITS | LINE REMOVAL







