



EXPRIMER 10X12 Wireless DR Panel




10x12 inch Wireless CsI Tethered, cassette size DR Flat Panel Detector,
with advanced acquisition VOYANCE software and PACS

Specifications


1	PL-DRT-1012	EXPRIMER (Gen 3) 1012" Cesium Wireless, cassette sized DR flat panel
		~ 10"x12" CsI wireless detector, 2 Batteries and Battery charger
		~ 10x12 Active area (Real Image Size) with <1 second acquisition time and <3.6 cycle time
		~ Overall Dimensions : L267.5 x W327.5 x H15 mm
		~ 16 bit depth - 65,535 shades of gray
		~ CsI Direct Deposition, low dose Imaging
		~ 76µm Pixel Pitch
		~ Resolution 3,072 X 3,840 or over 9.2 MP
		~ Lossless AED/Sync trigger
		~ IP4 rated - water resistant panel
		~ Weight 4.1 lb with battery
		~ 5 year Manufacturers parts warranty on DR panel



MEDICATECH USA®



Excellent Dose Reduction



Exceptional Diagnostic Clarity



2X Higher DQE at Low-dose



OLED Display & 3 Buttons Check all information at once through OLED display.
3 buttons design for quick and easy access to various functions.




Reliable
2.5GHz
5GHz
Wifi Performance



Errorless Wireless There is absolutely no chance to lose x-ray images caused by connection failure because of EVS 4343W's perfect wireless performance and built in memory.

Focus Scintillator Technology

FOCUS (Fluorescent Optical Csi Upgraded Structure) has more focused optical signal compared to conventional Csl. As a result, ultra low noise is achieved by FOCUS technology



Errorless
Wireless



WPCS



OLED Display




IP54



USB C type



VOYANCE ACQUISITION SOFTWARE



General Features

- Superior Image Quality
- Exam-specific algorithms image processing
- Automatic image optimization
- Edit existing patient information/search patient by patient name, patient ID, Accession number, bar code, etc.
- True size for printing
- Resend / Reprint image
- Send/Print queue management
- User-friendly touch GUI
- Useful functions: Auto Cropping, Auto Grid Suppression, Auto Labeling, Auto Rotation, Free Rotation, Multi Layout, etc.
- Fully DICOM 3.0 Compatible: MWL, Send, Print, MPPS, etc.
- Customized functions and various themes

User Interface

- User-Friendly Interface Supporting Touch Screen Functions
- One Screen to Access All Functions
- Same Interface for the Acquisition Software and Viewers

Image Processing With Advanced Algorithm

- Fast Processing with Superior Image Quality
- Intelligent Algorithms for Sharp Edges without noise amplification
- Automatic image optimization



VOYANCE PACS



- Voyance Server is a complete and cost effective Voyance Imaging solution that provides imaging departments with a scalable and upgradable solution to archive patient studies. The Voyance Server solution includes features to archive patients, retrieve studies, print studies, edit patient reports, record voice notes with patient study, and transmit studies over telephone lines or internet.
- Voyance Server solution consists of a group of software and hardware components that has specifically chosen to provide the maximum performance and scalability.
- Supports all DICOM modalities.
- Archiving on PACS server and on the Network.
- Multi-Level relational database structure for patients/studies/series and images.
- Supports pre-fetching and auto-routing of patients to the modalities.
- Scalable and Upgradable
- Multi-Lingual
- Easy Administration
- All DICOM Features

Workstation (Min. Configuration):

- i5 Intel Core
- Windows 10 Professional
- 1 TB Hard Disk
- 8 GB RAM
- 24 inch Monitor
- Workstation pre-configured and with the Software installed



MEDICATECH USA®



T. +1 800-817-5030

T. +1 949-679-2881

F. +1 949-679-2882



www.medicattechusa.com



info@medicatechusa.com