

1 - Current Substrate, Printhead, Ink System and Sensors Information

Date:	May 18, 2023	Product Name:	HP Latex 1500	Serial Number:	
Firmware version:	LYRA_09_00_15.2	Product number:	K4T88A	Service ID:	28164
Printer status:	OP cartridge is low on ink	Upgrade Number:	-		

1.1 - Current Printer Configuration

Language:	English	Memory:	1.47 GB	Disk capacity:	320.0 GB
-----------	---------	---------	---------	----------------	----------

1.1.1 - Printer Disk Partition Configuration

Disk Partition Name	Available Space
Sda2	63%
Sda1	92%
Sda6	84%
Sda7	88%
Sda8	99%
Sda9	98%
Sda10	99%
Sda11	97%

1.2 - Substrate Loaded Information

Substrate Path:	Roll	Substrate Loaded Status:	Out of substrate
-----------------	------	--------------------------	------------------

1.3.1 - Current Printhead Info (I)

	Warranty status	Status	Error ID Code	Product Number	Product Name	Serial Number	Warranty Date
1 - Optimizer	In warranty	OK	0	CR330A	HP881	00033220510396904	2024-02-18
2 - Black-Cyan	In warranty	OK	0	CR328A	HP881	KC029220510387361	2024-01-21
3 - Magenta-Yellow	In warranty	OK	0	CR327A	HP881	MY011220510341276	2023-09-17
4 - Light cyan-Light magenta	In warranty	OK	0	CR329A	HP881	NT043220510424021	2024-04-29

1.3.2 - Current Printhead Info (II)

	Printhead Service Code	Used non-HP ink	Used expired ink	Ink Used	% warranty used	Usage Time	Scan Axis Shutdown
1 - Optimizer	y8QDH8q9bYPReBib2qEdxw==	false	false	7120 ml	59	356 h	0
2 - Black-Cyan	0BKXIbX3CcMikRvG64pMg==	false	false	10640 ml	88	630 h	0
3 - Magenta-Yellow	xhMohwXRD706sHbMS/YaOA==	false	false	11470 ml	95	457 h	0
4 - Light cyan-Light magenta	urRExWCd+JlCmDbUlwdBXQ==	false	false	360 ml	2	8 h	0

1.3.3 - Current Printhead Info (III)

	Max recovery level	Num recoveries	Last recovery data
1 - Optimizer	1	17	2023-05-18
2 - Black-Cyan	1	29	2023-05-18
3 - Magenta-Yellow	1	19	2023-05-18
4 - Light cyan-Light magenta	1	1	2023-05-18

1.5 - Current Ink Cartridge Info (I)

	Status	Error ID Code	Product Name	Product Number	Serial Number	Install Date	Warranty Status
Black	OK	0	HP881	CR334A	2821688-27-12	2023-03-19	In warranty
Cyan	OK	0	HP881	CR331A	2453328-19-12	2023-04-02	In warranty
Magenta	OK	0	HP881	CR332A	609464-1-12	2023-03-19	In warranty
Yellow	OK	0	HP881	CR333A	3498372-43-12	2023-05-07	In warranty
Light cyan	Low	8	HP881	CR335A	2955208-27-12	2023-02-12	In warranty
Light magenta	Low	8	HP881	CR336A	1574888-43-12	2023-04-16	In warranty
Optimizer	Low	8	HP881	CR337A	2203304-43-12	2023-04-02	In warranty

1.6 - Current Ink Cartridge Info (II)

	Expiration Date	Manufacturer	Capacity	Level	Used non-HP Ink
Black	2024-01-08	HP	5000 ml	25 %	false
Cyan	2023-11-23	HP	5000 ml	60 %	false
Magenta	2023-07-14	HP	5000 ml	25 %	false
Yellow	2024-04-29	HP	5000 ml	75 %	false
Light cyan	2024-01-08	HP	5000 ml	10 %	false
Light magenta	2024-05-06	HP	5000 ml	15 %	false
Optimizer	2024-05-07	HP	5000 ml	10 %	false

1.7 - Supply Status

	Connected?	Main valve	Presure sensor level
Black	YES	OPEN	-1958 mpsi
Cyan	YES	OPEN	-1941 mpsi
Magenta	YES	OPEN	-2070 mpsi
Yellow	YES	OPEN	-1835 mpsi
Light Cyan	YES	OPEN	-1998 mpsi
Light Magenta	YES	OPEN	-1966 mpsi
Optimizer	YES	OPEN	-1913 mpsi

1.8 - ISS temperature sensor

External temperature:	NA C
-----------------------	------

1.9 - Pressure sensor calibration values

	Gain	Offset
Black	10175000	4281698823
Cyan	10408333	4285407845
Magenta	9750000	4284423613
Yellow	10890000	4288654851
Light Cyan	9800000	4284848024
Light Magenta	9941667	4285014128
Optimizer	10641667	4287925020

Intermediate tank side in use: 1

1.10 - Intermediate tanks values

Life counter	Ink level (%)	Life cycles
--------------	---------------	-------------

Black				85		663				
Cyan				81		556				
Magenta				91		579				
Yellow				95		103				
Light Cyan				82		1088				
Light Magenta				77		1314				
Optimizer				98		1173				
1.11 - Air pressure system										
			Pressure sensor value		Release valve					
Air pressure sensor 0			2129 mpsi		CLOSED					
Air pressure sensor 1			NA mpsi		NA					
1.12 - PPS system										
Current status:		MEDIA_LOAD		Current height position:		944 EU				
1.13 - PPS HOMING switch status										
Front left:		NA	Rear left:		OPEN	Front right:	NA	Rear right:		OPEN
1.14 - Vacuum system										
Vacuum level:		0.933783		Blower PWM:		6250				
1.15 - Three phase system voltage configuration										
Voltage:						208V				
1.16 - Sensor system										
Top Window sensor:		Not Available		Safety interlock 1:		1	Safety interlock 2:		1	
1.17 - Substrate advance calibration values										
Slope:		-0.0034488	User slope correction:		0.0	Substrate settings slope:		0.0006		
Amplitude 1:		70.0	Phase 1:		2.30059	Frequency 1:		1.0		
Amplitude 2:		0.0	Phase 2:		0.0	Frequency 2:		2.0		
Amplitude 3:		0.0	Phase 3:		0.0	Frequency 3:		0.0		
Last calibration done:		Date:		2017-10-31	Result:		OK	Code:	0	
Last calibration check done:		Date:		2017-10-31	Result:		OK	Code:	0	
1.18 - Analog encoder calibration										
		Gain		Digital gain		Digital offset				
Channel A		2.0		3.0		-5.0				
Channel B		2.0		3.0		-1.0				
1.19 - Printhead cleaner roll										
Status:		OK		Level:		32 %				
High calibration:		5328 EU		X Calibration:		-12973 EU				
1.20 - Web wipe blade configuration										
Status:						N/A				

2 - Printer Usage Information

Date:	May 18, 2023	Product Name:	HP Latex 1500	Serial Number:	
Firmware version:	LYRA_09_00_15.2	Product number:	K4T88A	Service ID:	
Printer status:	OP cartridge is low on ink	Upgrade Number:	-		
2.1 - Printer Usage					
Total printed substrate: 190599.11 m² / 2051589.8 ft² DR = 167685.33 m² / 1804948.1 ft² RTF = 7207.77 m² / 77583.7 ft² TUR = 296.82 m² / 3194.9 ft² Ink Collector = 0.00 m² / 0.0 ft²					
Total number of prints:		11641 VOC filter: N/A			
Total ink used:	Black = 118491.61 ml	Cyan = 98168.19 ml	Magenta = 100282.6 ml	Yellow = 225136.2 ml	Light cyan = 190153.97 ml Light magenta = 234091.9 ml
2.2 - Usage per Printhead Slot					
	Color	Product Number	Printheads Used		
Slot 1	Optimizer-Optimizer	CR330A	18		
Slot 2	Black-Cyan	CR328A	14		
Slot 3	Magenta-Yellow	CR327A	28		
Slot 4	Light cyan-Light magenta	CR329A	22		
2.3 - Usage per Cartridge Slot					
	Product Number	HP Ink Usage	Cartridge n		
1 - Black	CR334A	118491.61 cc	10		
2 - Cyan	CR331A	98168.19 cc			
3 - Magenta	CR332A	100282.6 cc			
4 - Yellow	CR333A	225136.2 cc			
5 - Light cyan	CR335A	190153.97 cc	1		
6 - Light magenta	CR336A	234091.9 cc	14		
7 - Optimizer	CR337A	204572.12 cc	1		
2.4 - Substrate per Substrate Type					
Generic self-adhesive vinyl	1032.70 m² / 11115.8 ft²	Generic self-adhesive vinyl For FST	1.97 m² / 21.2 ft²	Generic Backlit Polyester Film	
Generic PVC Banner	23.37 m² / 251.6 ft²	HP Perm Gloss Adh Vinyl	130.89 m² / 1408.9 ft²	HP PVC-free Durable Smooth Wall Paper	
Vescom Matte test	8.48 m² / 91.2 ft²	Missing Paper	152.42 m² / 1640.6 ft²	Missing Paper	
22_7100_SSC_8P_062018	4138.74 m² / 44549.0 ft²	22_HP DURABLE SMOOTH_06252018	6212.74 m² / 66873.3 ft²	Dreamscape Terralon	
22 Dreamscape Terralon 06282018	25.09 m² / 270.1 ft²	Missing Paper	2.28 m² / 24.6 ft²	22 Type II Sihl 2512 06292018	
Missing Paper	2.19 m² / 23.6 ft²	Missing Paper	2.53 m² / 27.2 ft²	22 Sihl 2512 NWV 08092018	
3M IJ40-10	54.18 m² / 583.2 ft²	Generic Backlit Self-Adhesive Vinyl	2.45 m² / 26.4 ft²	22_7100_SCC_091218	
Missing Paper	12.35 m² / 132.9 ft²	Twenty2 Paperweave cln 010718 FG	2038.52 m² / 21942.4 ft²	22_ Dreamscape_Matte_01082019	
HP Everyday Matt Polyp	82.66 m² / 889.7 ft²	Missing Paper	4.66 m² / 50.2 ft²	Missing Paper	
Missing Paper	0.54 m² / 5.8 ft²	Missing Paper	2.06 m² / 22.2 ft²	Missing Paper	
Missing Paper	0.15 m² / 1.6 ft²	22_7100_SCC_8P_022519	76136.94 m² / 819530.4 ft²	22 Sihl 2512 NWV 06062019	
22_HP DURABLE SMOOTH_07192019	828.95 m² / 8922.7 ft²	HP Premium Poster Paper	5.73 m² / 61.7 ft²	HP Professional Gloss Photo Paper	
HP Everyday Satin Photo Paper	9.95 m² / 107.1 ft²	7100_0921_CMG	14739.80 m² / 158657.7 ft²	SCC_1021_22	

7100_030422_22	62218.65 m² / 669715.3 ft²	DuravinyL_CA	44.02 m² / 473.8 ft²	NWV 081922-01
AHL147_100722	2.43 m² / 26.2 ft²			

2.5 - Component Usage				
Aerosol fan 1 working time (h)	10520339	Aerosol fan 2 working time (h)	10520356	Curing bottom plate assembled
Vapor removal device PCA	CZ056-60580	Blower fan controlled by	CZ056-60580	Drying 1 device, HW revision
Drying 1 device, FW version	1287	Drying 2 device, HW revision	3	Drying 2 device, FW version
Drying 3 device, HW revision	3	Drying 3 device, FW version	1287	Drying 4 device, HW revision
Drying 4 device, FW version	1287	Curing 1 device, HW revision	2	Curing 1 device, FW version
Curing 2 device, HW revision	2	Curing 2 device, FW version	1283	Curing 3 device, HW revision
Curing 3 device, FW version	1283	Curing 4 device, HW revision	2	Curing 4 device, FW version
Curing 5 device, HW revision	2	Curing 5 device, FW version	1283	Curing 6 device, HW revision
Curing 6 device, FW version	1283	Vapor removal 7 device, HW revision	3	Vapor removal 7 device, FW version
Printing time (h)	10384	Power on time (h)	40714	Belt usage (#cycles)
Usage oil reservoir (m)	33801374	Usage slider rodes (m)	33801374	SAX motor # cycles
SAX motor usage (m)	33801374	Tube ISS # cycles	4210610	Carriage # cycles
Line sensor working time (h)	27	Drop detection	1049	PH cleaner roll # engage cycles
PH cleaner roll adv. (m)	657	# OMAS nav. success	3246	# OMAS nav. fail
OMAS usage (m. media length)	24147	Vacuum FAN usage (h)	10801	Media driver usage (m)
PPS # cycles	6895	PPS usage (mm)	92799	# cartridges insertion 1
# cartridges insertion 2	117	# cartridges insertion 3	160	# cartridges insertion 4
# cartridges insertion 5	184	# cartridges insertion 6	148	# cartridges insertion 7
# PH insertion 1	100	# PH insertion 2	136	# PH insertion 3
# PH insertion 4	130			

2.6 - Job Accounting				
Date	Job name	Optimized for	Image quality	Max detail
2023-05-18 12:53:05	Service - Color calibration plot			
2023-05-18 12:24:10	Service - Printhead cleaning			
2023-05-18 05:01:23	a4518da2-848b-4dcd-8b25-fd48633c2f50	Images	Normal	Off
2023-05-17 19:43:04	f50a88aa-db8e-4822-a588-8018cc39473b	Images	Normal	Off
2023-05-17 18:57:00	d1f71c9f-8272-4f90-ba46-4402090fb505	Images	Normal	Off
2023-05-17 18:05:54	01712a4d-770e-47ea-8eaa-159d8538b4b6	Images	Normal	Off
2023-05-17 17:55:03	8e577945-ffa4-42f0-9cf0-b6e41632db9d	Images	Normal	Off
2023-05-17 17:30:11	525ddabf-1180-47a5-bfca-74b064722e14	Images	Normal	Off
2023-05-17 16:11:50	91ed5575-fc1b-46f3-bd4c-853c038c9410	Images	Normal	Off
2023-05-17 16:03:20	8e69fcb7-4320-4fcb-9679-81a3987b1816	Images	Normal	Off
2.7 - Carriage Rail Cleaning				
Date	Number Cycles	Average Pwm	Standard Dev Pwm	

3 - Event Logs

Date:	May 18, 2023	Product Name:	HP Latex 1500	Serial Number:
Firmware version:	LYRA_09_00_15.2	Product number:	K4T88A	Service ID:
Printer status:	OP cartridge is low on ink	Upgrade Number:	-	

3.1 - System Errors				
Event #	Severity	Error Code	F/W Version	Substrate Usage
1	severe	79:04	LYRA_09_00_15.2	189648.531250
2	severe	22.10.01:32	LYRA_09_00_15.2	189460.031250
3	severe	22.10.01:32	LYRA_09_00_15.2	189460.031250
4	severe	22.10.01:32	LYRA_09_00_15.2	189460.031250
5	severe	22.10.01:32	LYRA_09_00_15.2	189460.031250
6	severe	22.10.01:32	LYRA_09_00_15.2	189460.031250
7	severe	22.10.01:32	LYRA_09_00_15.2	173358.578125
8	severe	22.02.04:74	LYRA_09_00_15.2	173284.265625
9	severe	22.02.04:74	LYRA_09_00_15.2	173284.265625
10	severe	22.02.04:74	LYRA_09_00_15.2	173284.265625
11	severe	11.05.02:04	LYRA_09_00_15.2	173260.000000
12	severe	11.05.02:04	LYRA_09_00_15.2	173260.000000
13	severe	11.05.02:04	LYRA_09_00_15.2	173260.000000
14	severe	22.02.04:74	LYRA_06_00_03.4	173260.000000
15	severe	79:04	LYRA_06_00_03.4	137383.609375
16	severe	22.10.01:32	LYRA_06_00_03.4	119119.632812
17	severe	22.10.01:32	LYRA_06_00_03.4	119119.632812
18	severe	22.10.01:32	LYRA_06_00_03.4	119119.632812
19	severe	22.10.01:32	LYRA_06_00_03.4	119116.343750
20	severe	79:04	LYRA_06_00_03.4	92477.140625

3.2 - System Warnings				
Event #	Severity	Error Code	F/W Version	Substrate Usage
1	silent	79.05.00:01	LYRA_09_00_15.2	189406.734375
2	advisory	41.00.01:62	LYRA_09_00_15.2	188064.046875
3	advisory	41.00.01:62	LYRA_09_00_15.2	182306.500000
4	advisory	16.01.06:09	LYRA_09_00_15.2	181947.140625
5	advisory	16.01.02:09	LYRA_09_00_15.2	181947.140625
6	advisory	16.01.04:09	LYRA_09_00_15.2	181947.140625
7	advisory	16.01.05:09	LYRA_09_00_15.2	181947.140625
8	advisory	16.01.01:09	LYRA_09_00_15.2	181947.140625
9	advisory	16.01.03:09	LYRA_09_00_15.2	181947.140625
10	advisory	41.00.01:62	LYRA_09_00_15.2	181920.312500
11	advisory	41.00.01:62	LYRA_09_00_15.2	181437.203125
12	advisory	41.02.00:61	LYRA_09_00_15.2	180556.218750
13	silent	79:03	LYRA_09_00_15.2	178825.265625
14	advisory	86.01.00:01	LYRA_09_00_15.2	178825.265625
15	advisory	49.01.02:01	LYRA_09_00_15.2	178486.437500
16	advisory	49.01.02:01	LYRA_09_00_15.2	178394.500000
17	advisory	49.01.02:01	LYRA_09_00_15.2	176693.640625
18	advisory	49.01.02:01	LYRA_09_00_15.2	176124.390625
19	advisory	41.00.01:62	LYRA_09_00_15.2	175349.328125

3.3 - Printhead Error Log									
Printheads name	Serial Number	Status	Usage time	% warranty used	Max Recovery Level	Error Code	Pri		
1 Optimizer	00033220510396904	0	356 h	59	1	0	y8QDH8q		
	00009220510327914	0	592 h	101	1	262144	CSQem/OC		
	00006220510323071	0	706 h	114	1	262144	PFNe7/TO		
	00006220510322362	4	628 h	99	1	16400	eCxYTQe		
	00037120510266549	0	762 h	139	1	262144	mRwoaFs		
	00018120510218536	2	596 h	115	1	262176	6hg241UV		
	00050020510152298	4	183 h	34	1	16384	stgfmVsf		
2 Black-Cyan	KC029220510387361	0	630 h	88	1	0	0BKXIbX		
	KC024220510371914	0	770 h	109	1	262144	6MFCdQvr		
	KC023220510361172	0	68 h	9	1	0	2Eg1az		
	KC006220510323695	0	817 h	127	2	262144	hojF6N		
	KC027120510243818	0	732 h	140	1	262144	NxHPcF0		
	KC022120510231333	0	616 h	152	1	262144	XyLISJ+i		
	KC041020510123776	0	679 h	134	1	262144	DJAqyLe		
3 Magenta-Yellow	MY011220510341276	0	457 h	95	1	0	xhMohwXF		
	MY050120510299648	0	491 h	121	1	262144	J3ZIn		
	Unknown	1	0 h	0	2	512			
	MY001220510307738	0	0 h	2	2	8194	/U8DN		
	MY024220510373309	0	1 h	2	3	0	TAlxaXi		
	MY001220510307782	0	211 h	44	1	0	tQbPn1l		
	MY011220510338593	0	451 h	117	1	262144	/2u0aFNJC		
4 Light cyan-Light magenta	NT043220510424021	0	8 h	2	1	0	urRExWC		
	NT043220510424008	0	348 h	105	1	262144	Kol/Jle		
	NT033220510399315	0	337 h	112	1	262144	PP7W1lPv		
	NT020220510361575	0	396 h	122	1	262144	TFnkzy0th		
	NT015220510351291	0	839 h	127	1	262144	dKSMWbl		
	NT007220510327007	0	461 h	141	1	262144	c5FRTYzGw		
	NT011220510340311	0	534 h	145	1	262144	MuUZ7C		
3.4 - Ink Supplies History Log									
Color name	Serial Number	First Insertion Date	Last Validation Date		Non HP Ink Used		Ink Delivered (cc)		
1 - Black	714612-20-12	2023-03-05	2023-04-12		false		850		
1 - Black	2821688-27-12	2023-03-19	2023-05-18		false		726		
1 - Black	794840-20-12	2023-01-22	2023-04-04		false		854		
1 - Black	1592604-9-12	2022-10-29	2023-01-25		false		3358		
1 - Black	2312580-35-11	2022-05-14	2022-11-03		false		848		
1 - Black	62128-1-12	2022-08-06	2022-10-25		false		4232		
2 - Cyan	2453328-19-12	2023-04-02	2023-05-18		false		400		
2 - Cyan	1837728-1-12	2023-01-29	2023-04-04		false		0		
2 - Cyan	1207584-14-12	2023-02-12	2023-04-12		false		4198		
2 - Cyan	1857412-1-12	2022-12-03	2023-03-28		false		802		
2 - Cyan	155364-47-11	2022-09-03	2022-11-30		false		3208		
2 - Cyan	1799364-43-11	2022-07-23	2022-12-05		false		4304		
3 - Magenta	3495600-40-11	2022-07-30	2023-04-04		false		0		
3 - Magenta	609464-1-12	2023-03-19	2023-05-18		false		760		
3 - Magenta	599668-1-12	2023-01-29	2023-03-24		false		842		
3 - Magenta	565680-1-12	2022-11-19	2023-03-28		false		800		
3 - Magenta	2157152-43-11	2022-09-10	2022-11-16		false		4236		
3 - Magenta	1720736-34-11	2022-05-21	2022-11-22		false		4650		
4 - Yellow	3498372-43-12	2023-05-07	2023-05-18		false		244		
4 - Yellow	2630344-40-12	2023-04-02	2023-05-08		false		816		
4 - Yellow	2639632-40-12	2023-03-26	2023-05-08		false		4484		
4 - Yellow	2815256-30-12	2023-03-12	2023-04-04		false		810		
4 - Yellow	2852972-30-12	2023-02-12	2023-03-09		false		3698		
4 - Yellow	3147556-30-12	2023-01-22	2023-03-28		false		896		
5 - Light cyan	767272-43-12	2023-04-16	2023-05-10		false		4492		
5 - Light cyan	3452208-40-12	2023-04-02	2023-04-25		false		4240		
5 - Light cyan	838292-43-12	2023-03-12	2023-04-03		false		848		
5 - Light cyan	2955208-27-12	2023-02-12	2023-05-18		false		902		
5 - Light cyan	1644336-20-12	2023-01-01	2023-02-08		false		4254		
5 - Light cyan	2851520-35-11	2022-11-26	2023-01-04		false		3516		
6 - Light magenta	1574888-43-12	2023-04-16	2023-05-18		false		812		
6 - Light magenta	1811412-29-12	2023-04-02	2023-04-18		false		4272		
6 - Light magenta	1816556-29-12	2023-03-26	2023-04-05		false		2420		
6 - Light magenta	1281404-43-12	2023-03-12	2023-04-11		false		850		
6 - Light magenta	1733292-29-12	2023-02-12	2023-03-28		false		4254		
6 - Light magenta	161920-24-12	2023-01-22	2023-04-11		false		890		
7 - Optimizer	2203304-43-12	2023-04-02	2023-05-18		false		900		
7 - Optimizer	2223740-43-12	2023-04-09	2023-05-08		false		4436		
7 - Optimizer	2202508-43-12	2023-03-19	2023-04-11		false		0		
7 - Optimizer	2214356-43-12	2023-03-26	2023-04-05		false		3028		
7 - Optimizer	2203084-43-12	2023-03-05	2023-05-11		false		4426		
7 - Optimizer	1851712-19-12	2022-09-24	2023-05-10		false		4462		

3.5.1 - Last non expired ink used Quantity (in cc)									
Optimizer:	NA	Black:	NA	Yellow:	NA	Magenta:	NA	Cyan:	NA
								Light Magenta:	NA

3.5.2 - Last non Non-HP ink used Quantity (in cc)									
Optimizer:	NA	Black:	NA	Yellow:	NA	Magenta:	NA	Cyan:	NA
								Light Magenta:	NA

3.5.3 - Supplies Warranty Status									
Optimizer expired used data:	NA	Black expired used data:	NA	Yellow expired used data:	NA	Magenta expired used data:	NA	Cyan expired used data:	NA
Optimizer non HP used data:	NA	Black non HP used data:	NA	Yellow non HP used data:	NA	Magenta non HP used data:	NA	Cyan non HP used data:	NA
								Light Magenta non HP used data:	NA
								Light Cyan n	

3.6 - Diagnostic Log									
Date	Time		Name						

4 - Media settings and CLC					
Date:	May 18, 2023	Product Name:	HP Latex 1500	Serial Number:	
Firmware version:	LYRA_09_00_15.2	Product number:	K4T88A	Service ID:	28164
Printer status:	OP cartridge is low on ink	Upgrade Number:	-		
4.1 - Loaded Substrate					
Status:	no media	Ink collector:	no	Media input:	dual
Media output:	roll	Substrate collector:	off	Ink limits:	C=, M=, Y=, K=, lc=, lm=
Vacuum	15	MI Tension	60	MO Tension	50
Curing Temp	40	Advance Factor	0		
4.2 - Substrate-specific Calibrations					
Substrate Name	Print Mode	Temp(°C)	Substrate ID	Color Status	Color Date
Generic Paper			200100	Recommended	N.A.
Generic Backlit Polyester Film			301100	Recommended	N.A.
Generic Side B - Translucent PVC Banner			103100	Recommended	N.A.
NWV 081922-01			24B30BD133DD8AF5B90303B8EF9D9C84	Obsolete	2023-05-18
	8p 6c 120%	55			
	6p 6c 100%	55			
	12p 6c 110%	55			
	8p 6c 90%	55			
22_Dreamscape_Matte_01082019	8p 6c 120%	45	1AA71ED67DF668CB2845FD848342EE9C	Obsolete	2023-05-18
Expand_022423			87D31F80EBB9F67E2DC50D27B8B9150A	Obsolete	2023-05-18
	8p 6c 100% EXPAND	55			
	8p 6c 120%	45			
	8p 6c 110%	45			
HP Premium Satin Canvas			350208	Recommended	N.A.
7100_0921_CMG			5D6B9D1C5EB41B0276247538D321469B	Obsolete	2023-05-18
	8p 6c 100%	55			
	8p 6c 120%	55			
Sihl 2510 Non-Woven Design2Wall Aqua 180			DC8F7DB324A98E62E0367D8450B94FCC	Obsolete	2023-05-18
	8p 6c 120ink	55			
	6p 6c 100ink	55			
	12p 6c 150ink	55			
Generic Cast Self-Adhesive Vinyl			150102	Recommended	N.A.
Generic self-adhesive vinyl			150100	Recommended	N.A.
Generic Backlit PP & PE Synthetics			251100	Recommended	N.A.
HP Premium Poster Paper			200213	Recommended	N.A.
Generic PVC Banner			100100	Recommended	N.A.
Generic backlit paper			201100	Recommended	N.A.
Generic Mesh PVC Banner			104101	N/A	N.A.
22_7100_SSC_8P_062018			04AFB38FFC3528C26E71C74761DF0320	Obsolete	2023-05-18
	8p 6c 100%	55			
	6p 6c 90	55			
7100_030422_22			8CAA951E0CDFAEDB01FE94AF7182066A	OK	2023-05-18
	8p 6c 100% Revised	45			
	8p 6c 120%	45			
	8p 6c 110%	45			
Omni DG-MYNW20SIL	8P 6C 120INK	45	E946861E55A0B143BAFBB1E23D170D6E	Obsolete	2023-05-18
22 Dreamscape Terralon 06282018	8p 6c	48	7A31FB8D776B9837698AF116FA2F2810	Obsolete	2023-05-18
HP Professional Gloss Photo Paper			18B791D3495E0F9160E2411F2FDF8D7D	Obsolete	2023-05-18
	8p 6c 120ink	45			
	6p 6c 100ink	45			
HP Everyday Matte Polypropylene,3 in-Core			250205	Recommended	N.A.
SCC_1021_22			04D66E22EE8257876D2FCA1D8248472D	Obsolete	2023-05-18
	8p 6c 120%	55			
Generic self-adhesive vinyl For FST			8C487FF3E3D27BAC6FE7E56ECC99DF4C	Obsolete	2023-05-18
	6p 6c 120%	45			
	4p 6c 100%	45			
	12p 6c 150%	45			
	8p 6c 130%	45			
Generic Backlit Self-Adhesive Vinyl			151100	Recommended	N.A.
HP Durable Backlit Fabric			BF6DD54F0C2E08EE8EC05C93D5CC449F	Obsolete	2023-05-18
	18p 6c 230%	45			
	18p 6c 200%	45			
HP Photo-realistic Poster Paper			200202	Recommended	N.A.
HP PVC-free Wall Paper			200200	Recommended	N.A.
Generic Backlit PVC Banner			101100	Recommended	N.A.
AHL147_100722			23ED497A738396CBA5AD5330E830EF92	Obsolete	2023-05-18
	8p 6c 120%	55			
	12p 6c 110%	55			
	8p 6c 110%	55			
HP Backlit Polyester Film			301200	Recommended	N.A.
Generic Side A - Translucent Paper			202100	Recommended	N.A.
22 Sihl 2512 NWV 06062019			CF28C63DA2BE476669009A00D494E5D7	Obsolete	2023-05-18
	8p 6c 100%	55			
	12p 6c 100%	55			
	8p 6c 120%	55			
22_HP DURABLE SMOOTH_06252018	8p 6c 120%	45	0E19EC2724FC32413B60225D73983DF7	Obsolete	2023-05-18
	6p 6c 100%	45			
HP Premium Removable Gloss Adhesive Vinyl			150204	Recommended	N.A.
HP Permanent Matte Adhesive Vinyl			150202	Recommended	N.A.
HP Permanent Gloss Adhesive Vinyl			150201	Obsolete	2023-05-18
Generic Canvas			350102	Recommended	N.A.
Generic Textile Flag			354104	N/A	N.A.

Generic Textile			350100	Recommended	N.A.
Generic Textile Banner			354103	N/A	N.A.
22_7100_SCC_091218	8p 6c 100%	54	F76EA3FF1EBABA8649ABD37CE6042E1F	Obsolete	2023-05-18
	6p 6c 90%	38			
22_HP DURABLE SMOOTH_07192019	8p 6c 120%	45	7C98C89C0A96F0FAF092E124C72E2969	Obsolete	2023-05-18
	6p 6c 100%	45			
Generic Polyester Film			300100	Recommended	N.A.
Generic Side A - Translucent PVC Banner			102100	Recommended	N.A.
Twenty2 Paperweave cln 010718 FG	6p 6c 110%	45	F13C33A21BD940621D4A6280DD8F1F85	Obsolete	2023-05-18
	6p 6c 120	35			
	8p 6c 110	45			
Generic Side B - Translucent Paper			203100	Recommended	N.A.
Vescom Matte test	8p 6c 110%	45	1DF71F23553CE70025A7501E9FD2E78A	Obsolete	2023-05-18
	4P 6c 110%	45			
Dreamscape High Performance Suede	8p 6c 120ink	45	702FD08F4F0FC85787B09481345A1350	Obsolete	2023-05-18
	6p 6c 100ink	45			
HP Everyday Satin Photo Paper	8p 6c 120ink	45	243CD0BA4BDFCE0C139825350FC16EA6	Obsolete	2023-05-18
	6p 6c 100ink	45			
Dreamscape Terralon	12p 6c 100ink	45	B5260C021EB4CF2FB71052C94030DC27	Obsolete	2023-05-18
	12p 6c 120ink	45			
DuravinyL_CA	8p 6c 130%	45	69266A51865174B92B2AD3DDFE2D525D	Recommended	N.A.
	4p 6c 100%	45			
	6p 6c 120%	45			
	12p 6c 150%	45			
Vescom Matte Vinyl - Tiling	8p 6c 110%	45	440D0439734B81222A6896A6A5A1FF87	Recommended	N.A.
3M IJ40-10	4p 6c 100ink	45	902F74137F458EB18F70FCAB281788DC	Obsolete	2023-05-18
	8p 6c 130ink	45			
	6p 6c 120ink	45			
22_7100_SCC_8P_022519	8p 6c 100%	55	6D6E7E32B4261FD56A3AD5EC1582F2B0	Obsolete	2023-05-18
	12p 6c 100%	55			
22 Sihl 2512 NWV 08092018	8p 6c 100%	55	B5597CEF5E17108EF31348553C6B6F78	Obsolete	2023-05-18
22 Type II Sihl 2512 06292018			9929D258A20FD46A6BB032C5CA872DC3	Obsolete	2023-05-18
	8p 6c 100	55			
Generic PP & PE Synthetics			250100	Recommended	N.A.
HP PVC-free Durable Smooth Wall Paper			350210	Recommended	N.A.
Generic Non-woven Wallpaper			200103	Recommended	N.A.
Generic Backlit Textile			351100	Recommended	N.A.
Generic Coated Paper			200101	Recommended	N.A.