




Soft signage for the
serious pro.



EFI™ Reggiani PRO series printers are the superior choice for established soft signage producers looking to further grow business with industry-leading image quality and higher volume capacity.

At a glance

- Dramatic four colour printing with a wide colour gamut
- Ultra-high resolution up to 2,400 dpi with four level greyscale printing with 4 pL to 18 pL drop sizes
- 1.8-metre and 3.4-metre wide aqueous-based soft signage printers
- Print direct to textile or transfer paper with the ability to change over from one to the other
- Sticky belt technology ensures consistent image quality at high speeds on a wide range of materials
- Auto print head cleaning station increases printer uptime
- Capping station to keep your system up and running
- Patented ink recirculation system for improved ink yield
- Wrinkle detect system protects against costly repairs due to head strikes
- Revolving turret enables the quick change between materials while keeping the press in production





EFI Reggiani PRO 180

Media/Handling

- Prints up to 180 cm wide
- Fabric weight from 30 to 450 gr/m²
- Entry: configured with both a standard roll unwinder up to 400 mm OD and heavy-duty unwinder for rolls up to 900 mm OD
- Exit: configured with either a heavy-duty rewinder for rolls up to 900 mm OD or a revolving turret
- Dryer: one chamber industrial available in either gas or electric

Resolution

Up to 2,400 dpi

Productivity

Production speeds (max.) up to 570 m²/hr

Formats

All popular desktop file formats, including PostScript[®]3[™], EPS, TIFF, PDF, RGB/CMYK

Environmental considerations

- Temperature: 20-24 °C
- Humidity: 50-60%
- Weight: 6,800 kg
- Printer and dryer dimensions: 810 cm x 487 cm x 170 cm
- Printer electrical: 3 Phase, 400V, 50Hz, 10kW
- Dryer electrical (gas is available as alternative): 3 Phase, 400V, 50Hz, 70kW
- Water pressure: min. 1.5 bar; max. 2 bar
- Water volume: 5 litres/min
- Water temperature: 20-25 °C

RIP

ErgoSoft or neoStampa available upon request

Genuine EFI Inks

Water-based CMYK dispersed dye inks

EFI Reggiani PRO 340 8H and 16H

Media/Handling

- Reggiani PRO 340 (8H)
 - Prints up to 340 cm wide
 - Fabric weight from 30 to 450 gr/m²
 - Entry and exit: standard roll unwinder up to 400 mm outside diameter
 - Dryer: one chamber industrial available in either gas or electric
- Reggiani PRO 340 (16H)
 - Prints up to 340 cm wide
 - Fabric weight from 30 to 450 gr/m²
 - Entry: jumbo roll unwinder up to 900 mm outside diameter
 - Exit: jumbo roll winder up to 900 mm outside diameter or revolving turret
 - Dryer: one chamber industrial available in either gas or electric

Resolution

Up to 2,400 dpi

Productivity

- Reggiani PRO 340 (8H upgradable to highest level printing system available): production speeds (max.) up to 400 m²/hr
- Reggiani PRO 340 (16H): production speeds (max.) up to 800 m²/hr

Formats

All popular desktop file formats, including PostScript®3™, EPS, TIFF, PDF, RGB/CMYK

Environmental considerations

- Temperature: 20-24 °C
- Humidity: 50-60%
- Weight:
 - 8H: 12,006 kg
 - 16H: 12,406 kg
- Printer and dryer dimensions: 810 cm x 487 cm x 170 cm
- Printer electrical: 3 Phase, 400V, 50Hz, 10kW
- Dryer electrical (gas is available as alternative): 3 Phase, 400V, 50Hz, 70kW
- Water pressure: min. 1.5 bar; max. 2 bar
- Water volume: 5 litres/min
- Water temperature: 20-25 °C

RIP

ErgoSoft or neoStampa available upon request

Genuine EFI Inks

Water-based CMYK dispersed dye inks

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalised documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com or call 0808 101 3484 (UK only) or +44 (0)1246 298000 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, Best, the Best logo, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, DockNet, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DocStream, DSDesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, Fabrividu, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, InkIntensity, Inkware, Jettrion, the Jettrion logo, LapNet, Logic, MiniNet, Monarch, MicroPress, OneFlow, Pace, PhotoXposure, Printcafe, PressVu, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Rastek, the Rastek logo, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.