

Quotation

Zünd Digital Cutter S3 L-1600

Date:

Our ref.:

Phone:

Email:

Your ref.:

Phone:

Email:

Thank you very much for your interest in a Zund Cutter, the world`s most productive cutting/routing system! It is my pleasure to send you the below quotation based on our conversation and the input you have provided regarding your specific application and cutting needs.



As you will see, this quotation is for a complete Zund cutting system and covers all aspects of the machine, including hardware and software components, installation/training, as well as warranty and terms based on our General Conditions of Sale and Delivery.

I will be more than happy to go over the quote with you in detail and, wherever applicable, provide additional information or suggest possible additional or alternative options. Please keep in mind that the Zund cutting system is completely modular--it is our goal to make sure the configuration you pick matches your cutting/routing needs as closely as possible!

Configuration:



Illustration	Description	Qty	Total price in USD
	S3 Digital Cutter		
	Zünd digital cutter S3 L-1600	1	
	Work area: Width = 1800 mm (70"), Length = 1630mm (64"), 2 tool module slots		
	3 phase 200 V (170V - 229V)		
	60 Hz		
	Material clearance 30 mm		
	compressed air supply required		
	High performance PC included		





Illustration	Description	Qty	Total price in USD
	vacuum plate, standard, included adjustable vacuum area		
	Operating manual English (USA), included		
	Workstation incl. supports for 1 module and 2 tools, monitor mount, PC storage cabinet; max. PC dimensions: width 240 mm (9.4"), height 560 mm (22"), length 470 mm (18.5"), with compact keyboard (USB+PS/2 connectors)	1	2,235.00
	Vacuum pump 4.0/4.6kW, Vacuum pump 4.0/4.6kW material hold-down, quick release, vacuum reversal	1	5,530.00
	mounted besides the cutter		
	Automatic initialization tool, AKI automatic initialization of cutting and routing tools	1	2,115.00
Material handling			
	Material transport 30, 3 transport elements for L-line recommended for board material	1	15,211.00
	Transport bar L-line for processing roll- and sheet material	1	
	Cutter extension L-CE1600 (mounted front) 1600 mm (63") extension for unloading area	1	
	Conveyor belt S3 L-1600+L-CE1600	1	
	Material guide-roll L-line for improved textil transport.	1	23,853.00
	Roll off unit, Cradle feeder, active, L-line, 200V De-energized material feed for textiles, automatic cutter-synchronized forward feed and backfeed, easy loading with loading position lowered by motor, web edge control, roll diameter Ø400 mm, max. roll weight 80 kg.	1	






Illustration	Description	Qty	Total price in USD
Module and accessories			
	Universal Module, UM-S* accommodates wide range of cutting-, creasing-, drawing tools	1	
	Pre glider for UM-S for hold-down of flexible materials	1	
Tools and accessories			
	Cutting tool UCT Universal Cutting Tool. Incl. spring-loaded gliding disc 2 knife holders type 1 + 3	1	
	Set of knives for cutting tool UCT/SCT 14 knives: 4 x Z10, 10 x type 6	1	
	Set of knives for high-speed cutting for cutting tool UCT/SCT 2 knives: 2 x Z46 knives 1 knife holder: type 5	1	
	Cutting tool DRT* Driven Rotary Tool	1	
	Set of knives, single ply textiles/mesh for driven rotary tool DRT 2 knives: 2 x Z50	1	
Software			
	Zünd Cut Center, Software suite V3.x for intuitive and easy operation of Zünd digital cutters; incl. Cut Server, Cut Manager, one Cut Editor for one PC.	1	
	Cut Queue for automated workflow and reporting, incl. unlimited number of hot-folders	1	

Illustration	Description	Qty	Total price in USD
	Camera Option for vision registration with border recognition, best-fit, fit-to-object, and fit-to-job compensation features;	1	
	Additional Software		
	Prep Center V3 Prep Center V3 with built-in true-shape nesting	1	
	Computer hardware		
	Barcode Scanner	1	
	Registration and Projection		
	Integrated, compact color camera ICC for perfect recognition of virtually any reference mark even under imperfect conditions, e.g. low contrast, poor ambient lighting, reflective substrates Incl. 3 sockets for the connection of driven tools.	1	
	Framegrabber board For controlling the ICC camera via Zünd Cut Center software.	1	
	Miscellaneous		
	Universal Roll off for L Line	1	
	Maintenance unit, pneumatic for external compressed-air supply	1	
	Installation and Training		
	Flat rate for installation net price	1	
	Flat rate for user training before installation Travel expenses not included Customized user pre installation training at the Zünd training center. Travel expenses not included. Net price	2	