

# TS.10106 Extreme Door Closer

Power  
Adjustable  
EN1-6 by  
Spring

Extreme heavy  
duty arm

Endurance Ansi tested to 2  
million cycles

Manufactured to withstand the  
most demanding circumstance



Silver (SE)



Satin Nickel Plate (SNP)

## Product Overview

- ✓ Variable power size EN 1-6
- ✓ ANSI and UL listed
- ✓ Extremely heavy duty with immense torque and strength
- ✓ Universal fitting
- ✓ Tested to 2 million cycles
- ✓ Easy to read instructions, saving over 12 minutes of fitting time
- ✓ Corrosion Grade 3 – Recommended for internal use



## Specification Overview




Fire Tested  
to UL 10C



Max Door Weight  
up to 150kg



Opening Angle  
180° (Fig 66)  
120° (Fig1 or 61)



Max Door Width  
1400mm



Adjustable  
Closing Speed



Universal  
Application



Power Size  
1- 6



Adjustable  
Latch Speed



Guarantee






Min Door  
835mm

Mechanism

Cover

All dimensions shown are in mm.



For fitting instructions see website - [www.rutlanduk.co.uk](http://www.rutlanduk.co.uk)

## Technical Information

- Extreme heavy usage
- UL listed to 2 million cycles

### UL Listed

The TS.10106 has been certified and labelled to the Underwriters' Laboratories (UL) testing, inspection, certification, auditing and validation.

### ANSI Grade 1

The TS.10106 has been tested to the American National Standards Institute (ANSI) Grade 1, part of which includes the 2 million cycle performance.

### ADA Compliant

Fire doors shall have a minimum opening force allowable by the appropriate administration authority, and doors other than fire doors 5 pounds maximum opening force (22.2N) from push or pull side.

## Options

- Hold-Open arm (Not to be used on fire doors)
- Cushion arm
- Cushion Hold-Open arm (Not to be used on fire doors)

## Other Benefits

- Standard colour Silver
- Plated cover SNP



Bread Bar, Guelph Canada








STARBUCKS COFFEE

Starbucks, Guelph Canada



# TS.10106 Components

Description	EN Size	Finish	Re-order Code	Product Code	Box Qty
 <p>TS10106 Heavy duty door closer (Including back check &amp; delayed action)</p>	1-6	Silver	<b>11357</b>	10106DABC.SLFB.SESE	4
		Satin Nickel	<b>12210</b>	TS.10106DABC.SRFB.SNPSNP	4

	TS.10106 Mechanism only with Back Check and Delayed Action	-	Silver	<b>11356</b>	TS.10106DABC	10
	TS.10106 Hold open armset (includes fixings)	-	Silver	<b>11152</b>	HOA.106.SE	12
			Satin Nickel	<b>11154</b>	HOA.106.SNP	12
	TS.10106 Cushion stop armset (includes fixings)	-	Silver	<b>11036</b>	CA.106.SE	12
			Satin Nickel	<b>11037</b>	CA.106.SNP	12
	TS.10106 Covers	-	Silver	<b>11256</b>	SL.106.SE	12
			Satin Nickel	<b>11139</b>	SL.106.SNP	12
	TS.10106 Flat Bar Arm	-	Silver	<b>11094</b>	FBA.106.SE	12
			Satin Nickel	<b>11095</b>	FBA.106.SNP	12