



800 AUGER DRILL



800 AUGER DRILL

KEEPS ON DRILLING



Drilling is a tough business with tight deadlines, harsh environments, difficult soils and ever-changing applications. Whether you're drilling for commercial construction, electrical power grid or oil and gas development, it's essential to operate the right equipment.

Terex understands your business. That's why our experienced, knowledgeable engineers developed a range of drill and auger tooling products to meet your needs. Our 800 Auger Drill presents a productive, reliable, cost-effective solution for a wide array of drilling applications.

Built Tough

The 800 Auger Drill features a robust, straightforward design with heavy-duty components for long life.

Drilling Muscle

The 800 Auger Drill has the power needed to get the job done in difficult soil conditions. Thanks to torque levels of up to 75,377 ft-lb (102,512 Nm) and the unlimited capability to drill in low gear range, the 800 model provides superior productivity.

Fast Cycle Time

With fast cycle times in and out of the hole, the 800 Auger Drill efficiently generates finished holes as deep as 95 ft (29 m) and offers you greater productivity in less time.



Parts Resilience

The components that make up the 800 Auger Drill are designed to offer long life and ease of maintenance. That means lower operating costs and more uptime to keep you drilling.

Easy Maintenance

The 800 Auger Drill features a maintenance-friendly design with thoughtfully placed components, service access walkways, externally mounted filters, a removable tank access cover and environmentally friendly quick couplers for the fluid drain. It all adds up to an incredibly serviceable, easily maintained machine that offers more uptime and productivity.

Mounting Versatility


Capable of being mounted on a truck chassis or crawler undercarriage, the 800 Auger Drill offers maximum mounting versatility to fit the application.


Total Package

Terex manufactures a complete line of auger drills and tools.

- Robust, straightforward design
- Fast cycle times in and out of the hole
- Finish holes as deep as 95 ft (29 m)
- Heavy-duty components for long life
- Maintenance-friendly design
- Versatile: chassis or crawler-mounted

All of these key features found on the Terex® 800 Auger Drill combine to offer you a “Drilling Solution—where it counts” in low total cost of ownership, and a healthy bottom line.






Model 800

Terex® 800 Auger Drill

| Dimensions | Chassis-Mounted | Crawler-Mounted |
|----------------------------|-------------------------------|-------------------------------|
| Height (mast up) | 52 ft 2 in (15.92 m) | 52 ft 2 in (15.92 m) |
| Height (mast down) | 13 ft 4 in (4.08 m) | 13 ft 4 in (4.08 m) |
| Length | 43 ft 1 in (13.11 m) | 43 ft 1 in (13.11 m) |
| Width | 8 ft 6 in (2.59 m) | 10 ft (3.05 m) |
| Weight (drill only) | Approx. 47,000 lb (21,318 kg) | |
| Weight (drill and crawler) | | Approx. 67,000 lb (30,390 kg) |

General Specifications

| | |
|------------------|--|
| Drill Depth | 63 ft (19.21 m) 95 ft (28.97 m) |
| Drill Torque | 75,377 ft-lb (102,512 Nm) |
| Drill Diameter | Rated up to 96" (2,438 mm) dependent on soil conditions |
| Crowd | 28,000 lb (12,700 kg) |
| Hoist | 25,000 lb (11,339 kg) |
| Rotary Clearance | 104 in (2,641 mm) |



Model 800

Aftermarket Support

The 800 Auger Drill is backed by a strong aftermarket parts and field service support network. Our experienced technicians and support specialists will help keep you up and running, enabling you to meet your deadlines and maintain your bottom line. For complete parts and aftermarket support, please call 800-292-1931.

Effective Date: February 2010. Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and Terex makes no other warranty, expressed or implied. Products and services listed may be trademarks, service marks or trade-names of Terex Corporation and/or its subsidiaries in the USA and other countries. All rights are reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Copyright 2010 Terex Corporation.

Terex Utilities
500 Oakwood Rd, Watertown, SD 57201-6150, U.S.A.
Tel +1 (605) 882-4000 Fax +1 (605) 882-1842
utilities.sales@terex.com www.terexutilities.com

