



**WINKLER+
DÜNNEBIER**

WD

29G



**Rotary
Envelope Making Machine
for Window Envelope**







Rotary Envelope Making Machine for Window Envelopes, Type 29G

The HELOS 29 G is of our approved combined envelope making and window cutting and patching machines for manufacturing windowed or normal envelopes. The machine can be equipped with to 2 outside printing and 1 inside unit.


The windows are cut out one operation by longitudinal and side knife rollers. The flassing section is simple and reliable. As supplementary equipment a glassine reel changer can be supplied. A roller gumming device for the seal flap guarantees an even adhesive application. The new folding section allow quick size changing. The solid desing of the machine guarantees a continuously high output. If the machine is stoped the gumming units are automatically separated. This versatile machine is capable of handling papers from 40 up to 120 g/m². Its ranges allow to manufacture all of frequently used envelope size



Verstellbarkeit



Window area



max. 70 x 160 mm = 2 1/4 x 6 5/16

man. 20 x 50 mm = 25/22 x 1 31/31

40 g/m² - 120 g/m²

31 kVA

12kW


8378 kg

1


2

375

size ranges



Floor space required



window size

paper weight abt.

power required qbt.
motors
electrical heater max

net weight

aniline inside printing unit
aniline outside printing unit

output r. p. m. max

