

LIVE ONSITE & WEBCAST AUCTION

COMPLETE CLOSURE OF 220,000 SQ. FT. PLASTIC & RUBBER COMPOUNDING FACILITY

- BANBURY MIXING/PELLETIZING LINES • EXTRUSION/PELLITIZING LINES • RIBBON BLENDERS
- HIGH INTENSITY MIXERS • LAB EQUIPMENT • MATERIAL HANDLING • PLANT SUPPORT

PLASTIC DIVERSITY SOLUTIONS

347 Lake Road

Dayville, Connecticut USA

SALE DATE: THURS., MARCH 17, 10:30 AM (ET)

INSPECTION: MARCH 15 & 16, 9 AM TO 4 PM



Farrel Banbury Model F80 Mill, 800 HP



New
2009

300
HP

Davis Standard 8" Extruder Model 80IN60T



Gala Industries Model 7 Underwater Pelletizer



New
1993

Leistriz 27 mm Extruder, Model Micro 27.320

Sale under Management of:

Thomas Industries, Inc.


2414 Boston Post Road, Guilford, CT 06437-2310

Phone (203) 458-0709 • Fax (203) 458-0727

email: gavel@thomasauction.com • www.thomasauction.com



(3) COMPLETE BANBURY MIXING / PELLETIZING LINES




Installed
2008

Farrel Banbury Model F80 Mill,
800 HP



Gala Industries Spin Dryer




New
2009



Xaloy 8" Screen Changer

300
HP

Davis Standard 8" Extruder Model 80IN60T



Merritt Davis 8" Hot Fed Extruder, 150 HP



New
1990

600
HP

Skinner Banbury Mill Model 3D Mill



84" Farrel, 400HP Two Roll Mill

(3) BANBURY MIXING / PELLETIZING LINES

LINE#1 INCLUDING:

Farrel Banbury Model F80, 800 HP DC motor with SCR control, 460 volt AC input, Mixer S/N 086080 (New 1995 - Installed in Dec. 2008 - This was a Farrel Lab Machine). Has Lufkin Gearbox with 11.16/1 reduction ratio & Uni Drive Construction, Drop Door Discharge, 4-Wing Rotors, 80 Liter/132 Lb. Batch.

Davis Standard 8" Hot Fed Extruder Model 80IN60T S/N BY774 (New 2009), with Ram Feed assist, 300 HP Yaskawa Digital Controls, 8" Xaloy Screen Changer. Has 12/1 L/D vented/plugged barrel.

Gala Industries Model 7 Underwater Pelletizer / 250GPM Water Tempering System & Gala spin dryer

Witte SS Classifier

LINE#2 INCLUDING:

Skinner Banbury Model 3D, 600 HP AC motor with Inverter, (New 1996), Lufkin gearbox with Uni Drive construction, has Pendant Controls & Drop Door discharge.

Merritt Davis 8" Hot Fed Extruder with ram feed assist, Has 12/1 L/D Vented/ Plugged barrel, S/N CM-02668-01, 150 HP DC Motor & SCR controller.

Gala Industries Model 7 Underwater Pelletizer with 140 GPM Water Tempering System & Gala Model 16.2 Easy Clean Spin Dryer (New 1998/1999), S/N 982619

Witte SS Classifier

LINE#3 INCLUDING:

Guix Banbury, Model 745, with 250/125 HP 2-speed motor, approximately 75 Liter/135 lb batch, (1980'S Vintage)
Guix 24" X 60" Unitized 2 Roll Mill

COMPLETE EXTRUSION / PELLETIZING LINES



New 1994
Leistritz 67 mm Extruder, Model ZSE67GI/34D



New 1993
Leistritz 27 mm Extruder, Model Micro 27.320



300 HP
Sterling 4.5" Extruder, 42:1 L/D



200 HP
Sterling 4.5" Extruder, 30:1 L/D



Sterling 2" Extruder, 30:1 L/D



Merrit 3.5" Extruder, 28:1 L/D



Guix 24" x 60" Unitized 2-Roll Mill



Partial View of Raw Materials

EXTRUSION / PELLETIZING LINES

27mm Leistritz Co Rotating Twin Screw Extruder Model Micro 27.320, (New 1993), 500-RPM Screw speed, 9-Zone Barrel heat with Eurotherm Controls, Has Strand Die, Stainless Steel Water Bath; **Conair** Pelletizer; **Witte** SS Classifier

67mm Leistritz Co Rotating Twin Screw Extruder, 32/1 L/D, (New 1994), ZSE67GI/34D S/N 310-2190-01, driven by 150 HP DC motor and SCR control. Includes strand die, Stainless Steel Water Bath; **Conair** Pelletizer; **Witte** SS Classifier

4.5" Sterling Extruder with Double Vented 42:1 L/D barrel, Extruder Driven by 300 HP DC motor & SCR control, S/N 45761, Has 11:2 Gear Box, 125 Screw RPM, 20 hole Strand Die, S/N 5500-85-001-F2; Stainless Steel Water Bath; **Conair** Pelletizer; **Witte** Shaker Table

4.5" Sterling Extruder, 30/1 L/D Vented barrel. Extruder Driven by 200 HP DC Motor & SCR control. Includes Strand Die; Stainless Steel Water Bath; **Cumberland** 11" Quietizer Pelletizer; SS **Witte** Classifier

2" Sterling Extruder, 30/1 L/D Vented barrel, Extruder S/N 20460, 30:1, Digital Controls; Stainless Steel Water Bath; **Conair** Pelletizer; SS **Witte** Classifier

3.5" Merrit Extruder with 28/1 L/D vented barrel. Extruder S/N CM01226-01, Driven by 50 HP DC motor and SCR control. Gear Ratio 14:1, 175-RPM; Includes Stainless Steel Water Bath; **Cumberland** Pelletizer & SS **Witte** Classifier

(2) **80mm Anger** Counter Rotating Twin Screw Extruders Type AZ, S/N 5590/1 & N/A, Driven 20-HP, DC Motor Stainless Steel Water Bath; **Conair** Pelletizer & SS **Witte** Classifier

2" HPM Extruder with 38/1 L/D barrel, S/N 84282; Has Stainless Steel Water Bath; **Conair** Pelletizer; & SS **Witte** Classifier.

2-ROLL MILLS

Farrel 84" x 26" Unitized, Semi Unidrive 2-Roll Mill, Hot Oil Heated drilled rolls; Equipped with 400HP DC motor and control.

**OVER 100,000 LBS.
OF RAW MATERIALS:
RESINS, ADDITIVES, ETC.**

BLENDERS – MIXERS – MATERIAL HANDLING – LAB



Conair Pelletizer



Conair Pelletizer



Littleford SS FM100 Jacketed mixer w/ 5 HP Chopper



Witte SS Classifier



Process Cooling Chilled Water System



Stainless Steel Water Bath

RIBBON BLENDERS

- 150 CuFt Kelly Duplex** Stainless Steel Horizontal Paddle Mixer, Model 6008HRM, S/N 67848 Has Dimple Jacket, Center Bottom Outlet, Torit Dust Collector, 1-Ton Hopper Dumper & Mezzanine
- 80 CuFt Kelly Duplex** Stainless Steel Horizontal Paddle Mixer, Model 4808HRM Has Panel Coil Jacket, AAF Dust Collector, 1-Ton Hopper Dumper, Mezzanine
- 110 CuFt Kelly Duplex** Stainless Steel Horizontal Double Ribbon Blender, Model 4804HRM, Has Dust Collector, 1-Ton Hopper Dumper & Mezzanine
- 45 CuFt Falcon** SS Jacketed Double Ribbon Blender Model 504 S/N 110162, Stainless Steel, Bottom Discharge with Mezzanine
- 22 CuFt Falcon** SS Ribbon Blender, Stainless Steel, Bottom Discharge, with Mezzanine

HIGH INTENSITY MIXERS

- (4) **Prodex Henschel** 500 Liter, Model 115JSS, High Intensity Mixer w/AC Motor & Benshaw Inverter Package
- (1) **Prodex Henschel** 200 Liter, Model 60JSS High Intensity Mixer w/AC Motor & Benshaw Inverter Package



Evapco & Thermal Care Cooling Towers

COMPLETE CLOSURE OF 220,000 SQ. FT. FACILITY



1 of 2

Kelly Duplex Mixer Model 4808HRM



75 CuFt Gemco SS Double Cone Blender



175 CuFt Patterson Kelly, Jacketed Conical Rotary Vacuum Dryer



1 of 2

350 CuFt SS Double Cone Blender



Kelly Duplex Mixer Model 6008HRM

Inside View of Kelly 6008HRM



1 of 2

Falcon Ribbon Blender Model 504



(2) Polypropylene Treatment Tanks



Beckheart HY-Pack Filter Press

DOUBLE CONE BLENDERS

- 175 CuFt Patterson Kelly** Conical Rotary Vacuum Dryer. Has Butterfly Valve Discharge, Top Access, Stainless Steel Interior, Sterlco 200KW Hot Oil Heater, Vacuum Pumping System & Motor/Reducer Drive, Mounted on Twin Pylons w/Roller Bearings
- (2) **350 CuFt SS** Double Cone Blender, 8,000 lb., Stainless Steel Interior, Has 30-HP Drive Motor w/Speed Reducers, 15" Bottom Butterfly Discharge, Mounted On Steel Pylons w/Roller Bearings
- 75 CuFt Gemco SS** Double Cone Blender, 2,000 lb. Stainless Steel Interior, 10-HP Motor & Speed Reducer, Mounted On Steel Pylons w/Roller Bearing

CHILLED WATER / TREATMENT SYSTEMS

- Process Cooling System** Chilled Water System Including: 3,000 Gallon Circulation Tank Model SSINK1478, S/N M10034-99W, (2) Evapco Cooling/Evaporation Towers, Circulation Pumps, Valves, etc.
- (2) 6,500-Gal. Polypropylene Water Treatment Tanks, w/ Central Mixers, Pumps, Valves, Baffles
- Beckheart Environmental** HY Pack Filter Press,
- Schrieber** Chiller Model 250AC, S/N 5297
- (2) **Thermal Care** 1050-Gal. Water Tanks W/Pumps, Electric Motors & Control Panel, Mdl. Pump Deck, S/N 53050019604

INJECTION MOLDERS

- 35 Ton Arburg** Injection Molding Machine Model 270M-500-90 Allrounder, S/N 166732 (New 1996), Arburg Multronica Controls
- 35 Ton Battenfeld** Injection Molding Machine Model Plus 350, S/N 1056 (New 1993), Battenfeld 1020 Control Panel
- 15 Ton Boy** Injection Molding Machine Model 15S

DICERS/PELLETIZERS/GRANULATORS

- 9" Henion** Dicer S/N 0706-R-24, 30 HP Drive with Spare Rotors
- 8" Accrapac** Pelletizer Series 900 Model 90018, S/N 512415/95. Has 36 KN Helical Rotor design
- Cumberland** 10 HP Granulator, 8 x 10 Granulator
- Brown** 10 HP Granulator,

SCREENER

- Rotex** Classifier Mdl. 242 AAL/M8, S/N 040470 W/Support Mezzanine Consisting Of Uprights, Beams, Flooring, Access Ladder & Attachments
- Witte** Classifiers, 10" x 36" to 20" x 60", single and two deck classification.

DRYERS

- Conair** Roto-Bin-Dryer/Hopper Load System w/GSE 350 Digital Scale, Mdl. 20916101, Electronic 5 Control Conair
- Conair** Dryer Model 700-041-02, S/N 58-2186
- Conair** Compu-Dry Computer Controller Dryer, Model D04A50003, S/N 5D2118

HIGH QUALITY LAB EQUIPMENT - FORKLIFTS - PLANT SUPPORT



Schrieber Chiller Model 250AC



Arburg 270M-500-90 Injection Molder, 35 Ton



Boy Injection Molder Model 15S, 15 Ton



Torit Downflo 24-Cartridge Dust Collector



Accrapac Pelletizer Model 90018



Spencer Industravac



NBE 1500 lb. Surge Bin Silos



Rotex Screener Mdl. 242 AAL/M8

6 Available

MATERIAL HANDLING / HOPPERS/ SILOS

National Bulk Equipment 10,000 lb. Silo, Surge Bin Type, Pneumatic Gate & Kongslied RF20 Air Lock, Bag Filter, Mounted on Metal Stand

National Bulk Equipment 3,000 lb. Silo, Surge Bin Type, Conair Control Package, Mounted on Metal Stand

(6) **National Bulk Equipment** 1,500 lb. Silos, Surge Bin Type, Mounted on Metal Stand

Gaylord MBE 2,500 Lb Dumper, Motorized

(2) **Gaylord** Resin Storage Bins W/ Conair Hopper

(11) **Welded Storage Silos**, Steel Construction (located outside), Include: (6) 12' OD x 40'; (1) 12' OD x 60'; (2) 12' OD x 30'; (2) 12' OD x 20'

Smoot Company Vacuum Blower w/Baldor 50-HP Super-E-Motor, 1780-RPM, S/N 0990528

Conair Stainless Steel Hopper Model 10052501, S/N 122630

25HP Conair Vacuum/Blower Push/Pull Pneumatic Conveyor Model 10033401, S/N 7F0017, Lincoln 25-HP High Service Heavy Duty Motor, 1750 RPM, S/N 45688

Vacuum Turbo Blower Unit Model 3006-2112, S/N 40808-9908 (shipping dock)

Morse Gaylord Type Semi-Automatic Tub Dumper (21) Stainless Steel Vats w/Cone Bottom, Gravity Discharge,

Kongslied Poly-VAC 40 Series Silo, S/N 15010007 Tote Filling Station w/GSE 455 Digital Scale

SALE DATE: THURSDAY, MARCH 17, 10:30 AM (ET)

DUST COLLECTOR

- (2) **Donaldson Torit** Dust Collectors Model DFT3-24, S/N IG579266-001 & N/A, 12-Cartridge, 40-HP Blower
- Torit** Downflo Dust Collector, 16-Cartridge, Model T4-32 S/N IG558086-001, Located Outside
- Torit** Downflo Dust Collector, 24-Cartridge (located outside)
- Donaldson Torit** Dust Collector Model ECB-3, S/N 1G562733-001-2 Auto Cleaning Bath, 12' X 9'
- Torit** Downflo Dust Collector Model 2DF8, S/N 209033
- AAF** Portable Dust Collector

MAINTENANCE DEPARTMENT

- Bridgeport** 1 HP Vertical Milling Machine, 9" x 42" Table, S/N J102345
- Armstrong Blum** Horizontal/Vertical Metal Cutting Band Saw Model 8
- Norton** Surface Grinder, 6" X 18" Magnetic Chuck
- Pexto** 36" Mechanical Shear Model 137, Foot Operated, S/N J11291
- Miller** Welder Model Syncrowave 250 S/N Kk107611
- Miller** Welder Model CP-300, S/N N/A W/ Miller Wire Feed Attachment
- Doall** Vertical Band Saw
- Southbend** Gear Head Engine Lathe, 14 X 60, S/N 169085
- Tennsmith** 48" Apron Type Brake, Model 4816, S/N 0685
- Ridgid** Pipe Threader Model 300 w/Tooling, S/N 18283
- Doall** Die Filer Model 43165
- Rockwell** Table Saw Model 10

OVENS

- Grieve** Vacuum Atmosphere Laboratory Oven, Model VA220, S/N 063357 500.00W/Busch Vacuum Pump
- Grieve** Oven Model PC-226, 100 to 450 Degree Temperature Range
- Grieve** Industrial Oven Model PI225, 1,000 Watt
- Beringer** Oven Model 1724, S/N J17-241
- Lydson Brothers** 2-Door Oven, Electric

BOILERS

- Volcanic** Gas Boiler Model 086, S/N 0301-1169, (New 2003) w/Burner Model J50A-15
- Fulton** Steam Boiler Model ICS-0101A, (New 1993), 345 Lbs Steam/Hr

LAB

- Alpha Technology** Rheometer Model MDR2000, S/N 39Ajh4186, (New 2009)
- Kayness** Capillary Rheometer Model D6052M-115 S/N 9706444
- Montano Rheometer** Model 100 Montano, S/N 12783T
- Instron** Model 4411 Tensile Tester, Digital Control, Late Model, S/N C1511
- Benz** Calibration Tester
- Extrusion** Plastometer Model Audio 987
- TA Instruments** Thermographic Analyzer Model Tga2050
- TA Instruments** Differential Scanner Colorimeter
- Perkin Elmer** Atomic Absorption Spectrometer, Model 3100, S/N 139347 2,000.00 (New 1996)
- TMI** Tensile Type Testing Machine
- Grievess** Vacuum Dryer Type Oven, Bench Model
- QUV** Accelerated Weathering Tester, Digital Control
- Extrusion Plastometer** Melt Indexer
- CEM** Lab Microwave Model 7000, (1993),
- VWR** Water Bath System; **Ohaus & Mettler** Lab Scales, **FTA** Flammability Unit W/ Oven; **Quincy** Lab Oven Model AF 40; **Dupont** Polymer Recovery Unit, Lab Counters, Lab Cabinets, Microscopes, Light Sources, Glassware, etc.

FORKLIFTS/MATERIAL HANDLING

- (2) **Toyota** 4,000 lb. LPG Forklift Model 42-6FGCOU, S/N 64911 & 64908, Solid Tire
- Clark** 4,500 lb. LPG Forklift, S/N G365L0033-8523FB, Solid Tire
- (2) **Clark** 5,000 lb. LPG Forklift Model CGC25, S/N 0524-9516 & C3651-0656-95223FB, Triple Mast, Side Shift, Solid Tire
- Clark** 4,000 lb. LPG Forklift, S/N C3551-335-9516FB, Triple Mast, Side Shifter, Solid Tire
- TCM** 3,000 lb. LPG Forklift, Triple Mast, Solid Tire
- Clark** 4,000 lb. Electric Pallet Jack Model HWP40E Electric
- Clark** 2500 lb. Electric Order Picker Model CSP15, S/N CSP-0089-6841FDB.
- Grove** Scissor Lift Model SM2232E, Electric, 500 lb. cap.
- EZ-Go** Golf Cart W/ Battery Charger (White)



Volcanic Gas Boiler Model 086




Beringer Oven Model 1724



Rotary Stretch Pallet Wrapper



Tennsmith 48" Brake, Model 4816



Cardinal Digital Platform Scale

COMPLETE CLOSURE OF 220,000 SQ. FT. FACILITY

SCALES

- Fairbanks** Portable Digital Weighing Scale, Silverline Model 3250 Digital Scale
- Cardinal & Ideal** Plus Portable Platform Scales W/Digital Readouts, 1,000-Lb. Cap.

AIR COMPRESSORS

- Sullair** Rotary Air Compressor Model 10-25 AC/AC, S/N 005-79268, Max Air Pressure 115/125-PSI, w/Motivair Compressed Air Dryer
- Brook** Reciprocating Air Compressor, 3-Stage, 20-HP, Model X349802

PLANT SUPPORT

- Large Assortment of **Fairbanks, Cardinal & Ideal** Digital Platform Scales
- Wabash** Platen Press 18" X 18" Approx., Electric Heated Platen
- (2) **American Forge** 20-Ton Twin Platen Style Hot Press
- Advance** Electric Walk-Behind Floor Washer Model 280 HD, w/charger
- Advance** Ride-On Auto Floor Washer Model 3800 w/charger
- (3) **Stanley** Vidmar Multi Drawer Tool Cabinets
- (5+) **Sentra** Advantage Mold Temperature Controllers
- 10 **Liter Welex** Mixer Hi Intensity Mixer
- (2) Pneumatic 24" Air Actuated Guillotines
- St. Regis** Shaker Bagger, Model 106FGS, S/N 712048
- Pallet Wrapper, 48" Rotary, Series 500
- (2) **Red Devil** Model 5410 Paint Mixers
- Macbeth** View Station Model Spectro Light
- Dayton** Portable Crane, Model 3ZC72, 1-Ton
- Rockwell** Mixer Drill Press Model 17-600
- (8+) Stainless Steel Water Baths, 6"-18" wide x 4' - 26' Long
- Miscellaneous Including: Impulse Sealers, Conveyors, Pallet Jacks, Barrel Trucks, Ladders, Hand Tools, Power Tools, Resin Shakers, Motorized Gaylord Dumpers, Pedestal Fans, Double End Grinder, Arbor Press, Drill Presses, Shop Vacuums, Hoppers, Material Blowers and Much More!!

OFFICE

- Office Furniture & Equipment Including: Executive Desks, Conference Tables, File Cabinets, Copiers, Fax Machines, Shredders, Lunch Room Equipment, etc.



Torit Downflo 16-Cartridge Dust Collector



Henion Dicer, 30 HP



Alpha Technology Rheometer Model MDR2000



Kayness Capillary Rheometer Model D6052M-115



Montano Rheometer Model 100



Instron Tensile Tester Model 4411



Benz Rheometer



Pneumatic 24" Guillotine



Wabash Platen Press 18" X 18"



Toyota 4,000 lb. Forklift Model 42-6FGCOU



Clark 5,000 lb. LPG Forklift Model CGC25

AUCTION INFORMATION

Live Onsite & Webcast Auction

COMPLETE CLOSURE OF 220,000 SQ. FT. PLASTIC & RUBBER COMPOUNDING FACILITY

PLASTIC DIVERSITY SOLUTIONS 347 Lake Road – Dayville, Connecticut USA

SALE DATE: THURS., MARCH 17, 10:30 AM (ET)
INSPECTION: MARCH 15 & 16, 9 AM TO 4 PM or by Appointment

WEBCAST BIDDING AVAILABLE:



Register at www.bidspotter.com

ONSITE REGISTRATION

Onsite registration is on the morning of the sale. In order to obtain a bid paddle a \$100.00 refundable fee is due at time of registration.

DISCLAIMER:

Auctioneer is not responsible for errors, omissions, additions or deletions. Items offered may not necessarily be sold as described and/or photographed. Buyers should verify all aspects of their potential purchases during inspection as all items offered will be sold "as is, where is" with all faults. Please check with the auctioneer's office for additions or deletions.

PROXY BIDS:

If you are unable to participate in this sale Proxy Bids are accepted. Proxy bids may be submitted online directly from the lot catalog or call (203) 458-0709 for a proxy bid form.

DIRECTIONS:

I-395 Traveling Northbound - Take Exit 94 (Attawaugan). Turn Left at end of exit. Go .3 Miles. The plant will be on your right side.

I-395 Traveling Southbound - Take Exit 94 (Attawaugan). Turn Right at end of exit. Go .3 Miles. The plant will be on your right side.

TERMS AND CONDITIONS:

Buyer's Premium On site 13%

Buyer's Premium Webcast 16%

Payment Due In Full: Friday, March 18, 2011

Payment Types: Cash, Certified Check or Wire Transfer

Final Date for Removal: Thursday March 31, 2011

Complete Terms & Conditions Available at www.thomasauction.com

ALL ITEMS SUBJECT TO PRIOR SALE

THOMAS INDUSTRIES APPRAISAL DIVISION

Accurate appraisals supported by over 56 years of conducting worldwide auctions and liquidations.



Call (203) 458-0709 for a confidential appraisal of your assets. One piece of equipment or an entire plant.

SALE UNDER MANAGEMENT OF



THOMAS INDUSTRIES
2414 Boston Post Road
Guilford, CT 06437-2310

(203) 458-0709 Phone
(203) 458-0727 Fax
www.thomasauction.com

Under Management of:



THOMAS INDUSTRIES
2414 Boston Post Road
Gulford, CT 06437-2310
(203) 458-0709 • (203) 458-0727 Fax
<http://www.thomasauction.com>



PRESORTED FIRST CLASS MAIL
U.S. POSTAGE
PAID
Permit No. 80
Milford, CT

LIVE ONSITE & WEBCAST AUCTION

PLASTIC DIVERSITY SOLUTIONS

FORWARDING SERVICE REQUESTED

SALE SITE:

347 Lake Road, Dayville, Connecticut

SALE DATE:

THURS., MARCH 17, 10:30 AM (ET)

INSPECTION:

MARCH 15 & 16, 9 AM TO 4 PM
or By Appointment

LIVE ONSITE & WEBCAST AUCTION COMPLETE CLOSURE OF 220,000 SQ. FT. PLASTIC & RUBBER COMPOUNDING FACILITY

Kelly Duplex
Mixer Model
6008HRM



Alpha
Technology
Rheometer
Model
MDR2000



New
2009

AUCTION INFORMATION: WWW.THOMASAUCTION.COM OR 203-458-0709