

LIVE ONSITE & WEBCAST AUCTION

400,000 SQ. FT. MULTI-MILLION DOLLAR AEROSPACE MFG AUCTION
CNC MACHINING & TURNING CENTERS • CNC VTL'S
• MACHINE TOOLS • INSPECTION TOOLING • PLANT SUPPORT

SURPLUS TO THE FUTURE MANUFACTURING REQUIREMENTS OF

BEACON INDUSTRIES

SALE DATE: WEDNESDAY, AUGUST 14th, 10:30 AM (ET)



New
2009

78"
Swing

Milling-
Drilling &
C-Axis

63"
Chuck

HANKOOK # VTC-160E CNC
VERTICAL TURNING CENTER



Most CNC
Machines Available
For Sale Immediately
Through Private
Negotiation!
Contact Auctioneer

AUCTION SITE:
549 CEDAR STREET
NEWINGTON, CT

LOCATION #2:
85 GRANBY STREET
BLOOMFIELD, CT



New
2004

78"
Swing

Milling-
Drilling &
C-Axis

63"
Chuck

OLYMPIA # V-60-L CNC
VERTICAL TURNING CENTER



Large Capacity

1 of 4

New
1996

35.4"
Swing

MORI-SEIKI # SL-65B CNC TURNING CENTER



Large Capacity

1 of 4

Fanuc
Controls

35.4"
Swing

DAEWOO PUMA # 450-A CNC TURNING CENTER

INSPECTION DATE: TUESDAY, AUGUST 13th, 9 AM TO 5 PM AT BOTH PLANTS
PLEASE SEE PAGE 19 FOR IMPORTANT INSPECTION INFORMATION & SCHEDULE

Sale under Management of:

Thomas Industries, Inc.

2414 Boston Post Road, Guilford, CT 06437-2310

Phone (203) 458-0709 • Fax (203) 458-0727

email: gavel@thomasauction.com • www.thomasauction.com



EXCEPTIONAL OFFERING OF HIGH QUAL

CNC VERTICAL TURNING CENTERS

(NEW 2009) HANKOOK # VTC-160E CNC Vertical Turning Center W/ full "C" axis and live tooling, (24) Automatic Tool Changer, No.50 taper, 63" Dia. 3-jaw power chuck with (3) top jaws, T-Slotted for (4) faceplate jaw use, (4) faceplate jaws, Table load cap. 22,100 lbs., Max. Turning Dia. 78 3/4", Max. Turning Height 55.1", Max. Swing 78 3/4", X-axis travel 75", Z-axis travel 35.4", Vertical travel of cross rail 27.8", Index of table "C" .001", "C" axis speed 3,333 RPM, milling speeds 15-1500 RPM, Milling Drive 25 HP, Table Drive 60 HP, Table Speeds: (2) Range 0.7-71 & 72 -280 RPM, Way Covers, Hardened ways, Automatic chip conveyor, Full coolant enclosure & FANUC 31i-A CNC Control, S/N 40E0881

(New 2004) OLYMPIA # V-60-L CNC Vertical Turning Center W/ full "C" axis and live tooling, (24) Automatic Tool Changer, 66" Dia. Combination Hyd. Power/Manual 3-jaw chuck with (4) single slots for use of (4) faceplate jaws, Max. Swing 80", Max. Turning dia. 80", Max. Under Rail 56.1", Max. Under Tool 42.2", Max. Table Load 65,000 lbs., Vertical Ram Travel 39.4", Saddle Travel -56.3"/+56.3", Rail Vertical Travel 28.3", 25 HP Live spindle drive, Live speeds to 3000 RPM, ISO 50 taper, Table Speeds 5-450 RPM, 80 HP Drive, Full Coolant enclosure, Automatic chip conveyor, Way covers & GE FANUC 180i-M CNC Control, S/N 2002-468

(New 2000) OKUMA & HOWA # V-80R CNC "2-Axis" Vertical Turning Center W/ 40" Max. Turning Diameter, 33" Max. Turning Length, 24" 3-Jaw Chuck, Spindle Speeds in (2) Ranges 4 - 1,250 R.P.M., (12) Station Tool Turret, Travels: X-18.5", Z-33", 629.2 IPM Rapid Traverse Rate, .0001-18.19 I.P.R. Cutting Feed Rate, Chip Conveyor, Constant Surface Speed, 30/18.5 H.P., Coolant System, Full Enclosure & FANUC 18i-T CNC Control, S/N 9009

(2) EX-CELL-O # 453 "2-Axis" CNC Vertical Turning Centers W/ Square turret & Power indexing, Max. Swing 36", Vert. Travel of Turret Head 20", Horizontal Travel of Turret Head 15", Table speeds 36-360RPM, Table Dia. 30", with 36" Dia. Fixture plate, Work Height. 20", 60 HP AC Drive, Pan & Coolant System, New AC Drive, Hydraulic System & Retrofitted Mitsubishi CNC Control in 1997, S/N 453-0026, 453-004

(3) EX-CELL-O # 452 "2-Axis" "Twin Head" CNC Vertical Turning Centers W/ Hexagon Turrets & Power indexing, Table Dia. 30", Work height 39.25", Coolant System, Travels: X-Axis 18", Z-Axis 24" (vertical), Max. Swing 30", Table Speeds 30-900 RPM & Allen Bradley 7360 CNC Control, S/N 452-0012, 452-0013

EX-CELL-O # 453 "2-Axis" CNC Vertical Turning Center W/ Square turret & power indexing, Swing 40", Table Dia. 30", Vert. Travel of Turret 20", Horizontal Travel of Turret 15", Table Speeds 36-360 RPM, Work height 20", 20 HP DC Drive & GE Mark Century control, S/N 453-0002

(EX-CELL-O PHOTOS ON PAGE 16)

Indicates Equipment Located in Bloomfield, CT

HANKOOK # VTC-160E CNC VERTICAL TURNING CENTER



New 2009

Milling-Drilling & C-Axis



SIDE VIEW



REAR VIEW



ATC



FANUC CONTROL

CHUCK

OLYMPIA # V-60-L CNC VERTICAL TURNING CENTER



New 2009

Milling-Drilling & C-Axis



OLYMPIA FANUC CONTROL



OLYMPIA Chuck

OKUMA & HOWA # V-80R CNC "2-AXIS" VERTICAL TURNING CENTER



New 2000

24" Hyd. Chuck



INTERIOR VIEW



FANUC CONTROL



REAR VIEW

QUALITY MACHINE TOOLS & CNC EQUIPMENT

MORI-SEIKI # SL-65B CNC TURNING CENTER



Large Capacity

1 of 4

New 1996

35.4" Swing

CHUCK

INTERIOR VIEW

CNC "SLANT BED" TURNING CENTERS

(New 1996) (4) MORI-SEIKI # SL-65B CNC Turning Centers W/ 35" Swing Over Bed, 35.4" Max. Turning Diameter, 22" Swing Over Saddle, Programmable Tailstocks, 35.4" Maximum Distance Between Centers, Z-33.9", X-17.1", 6.6" Diameter Spindle Bore, 5.7" Maximum Bar Capacity, 24" Diameter Three-Jaw Chucks, (12) Station Turret, Tool Pre-Setter, 4-1,010 RPM in (2) Geared Ranges, Chip Conveyors, 50/40 H.P. & Mori-MS-C-516 (FANUC 16MB) CNC Control, S/N's 1291, 1295, 1303, & 1309

(New 1998) (2) DAEWOO Puma # 450-A CNC Turning Centers W/ 35.4" Swing Over Bed, 27.6" Max. Turning Diameter, 24.8" Swing Over Carriage, Tailstock With Programmable # 6 Morse Taper Quill, 62" Max. Dist. Between Centers, Cap. Z - 62", X - 14.5", 5.2" Spindle Bore, 4.6" Max. Bar Cap., 24" Diameter Three-Jaw Chuck, (12) Station Turret, 5-2,000 RPM Spindle Speed, Chip Conveyor, 49.6/40.2 H.P. & FANUC 18i-T CNC Control, S/N's PM1450154 & PM1450155

(New 2001) (2) DAEWOO Puma # 400-B CNC Turning Centers W/ 27.6" Swing Over Bed, 21.7" Max. Turning Diameter, 18.9" Swing Over Saddle, Tailstock With Programmable # 6 Morse Taper Quill, 41.3" Max. Work Length, Cap. Z - 43.5", X - 14.3", 5.2" Spindle Bore, 4.6" Max. Bar Cap., 18" Hyd. 3-Jaw Chuck, (10) Station Turret, 20-2,000 RPM Spindle Speeds, Chip Conveyor, Tool Pre-Setter, 37/30 H.P. & FANUC 18i-T CNC Control, S/N's PM351006 & PM351027

(New 2000) DAEWOO PUMA # 250-MB CNC Turning/Milling Center W/ Swing 22.44", 25.6" Length Cap., 10" Hyd. 3-jaw Chuck, 3500 RPM, Spindle Bore 3.03", (12) Station Turret, Tailstock, "C" axis, Tool-Arm, Chip Conveyor, Parts Catcher & FANUC 18-T CNC control, S/N P25M0174

MORI-SEIKI # SL-7A CNC Turning Center W/ Swing 35.8", Length Cap. 68.8", Cap. Z - 61", X - 15.7", Swing over Carriage 22.8", 19 1/2" 3-jaw power chuck, (12) Station Turret, Tailstock, Spindle Bore 4.13", Spindle Speeds 10-1800 RPM, 50 HP, Chip Conveyor & FANUC 6TB CNC Control, S/N 255

OKUMA # LC-40 CNC Turning Center W/ 15" Chuck, Swing 27", (12)-station turret, Chip Conveyor, Okuma OSP-3000 CNC Control, S/N 5407-0092

(2) OKUMA # LC-30 CNC Turning Centers W/ 12" Chuck, (12)-station turret, (1) with Chip Conveyor, Okuma OSP-3000 CNC Control, S/N 5408-0051, 7908-0045

OKUMA # LC-20 CNC Turning Center W/ 8" Chuck, 18" Swing, (8)-Station turret, Chip Conveyor, Okuma OSP-3000 CNC Control, S/N 5409-0081

AMERICAN CNC Turning Center W/ 22"x 60" Cap., 12" Chuck, (7) Station Upper Turret, (5)-Station Lower Turret, Tailstock, Chip Conveyor & General Automation CNC Control, S/N 79790/76

DAEWOO PUMA # 450-A CNC TURNING CENTER



Large Capacity

1 of 2

Fanuc Controls

35.4" Swing

CHUCK

INTERIOR VIEW

DAEWOO PUMA # 400-B CNC TURNING CENTER



New 2001

1 of 2

CHUCK

INTERIOR

FANUC CONTROL

DAEWOO PUMA # 250-MB CNC TURNING/MILLING CENTER



New 2000

C-Axis Milling

CHUCK

INTERIOR VIEW

FANUC CONTROL

Indicates Equipment Located in Bloomfield, CT

INSPECTION: TUES, AUGUST 13TH, 9 AM TO 5 PM (PLEASE SEE PAGE 19 FOR INFORMATION)

IMPORTANT NOTICE: DUE TO STRICT GUIDELINES, TIME RESTRICTIONS & CONTINUING MFG. IN BOTH FACILITIES - ALL RIGGING & REMOVAL (OTHER THAN HAND CARRY ITEMS) MUST BE PERFORMED BY PEDOWITZ RIGGING CO. PLEASE CONTACT A.J. OR ANDY CONTI (888) 404-9142 FOR PRICING & SCHEDULING.



Large Capacity

MORI-SEIKI # SL-7A CNC Turning Center



Several Available

OKUMA # LC-40 CNC Turning Center



Several Available

OKUMA # LC-30 CNC Turning Center



9 Available

Large Capacity

32" Chuck

OKUMA # L-50-N-DB "Flat Bed" CNC Chucking Lathe



VIEW OF OKUMA LH-50N TOOLHOLDERS

CNC FLATBED & CHUCKING LATHES

(9) OKUMA # L-50-N-DB "Flat Bed" CNC Chucking Lathes W/ 43.3" Swing Over Bed, 39.4" Swing Over Carriage, 55" Maximum Distance Between Spindle Nose & Turret Face, 6-Station Turret, 6-7/8" Spindle Bore, 5-600 R.P.M., Travels: X - 26.625", Z - 47.1", 32" Dia. 3-Jaw Chuck, Chip Conveyor, 50 H.P., Okuma # OSP 2200L CNC Control. S/N's 0025, 0026, 0027, 0028, 0030, 0031, 0033, 0034



Large Capacity Flat Bed

AMERICAN "Flat Bed" CNC Lathe W/ 34" x 108" Cap., 21" 3-jaw Chuck, Tailstock, 5-station & 4-station Turrets & General Automation CNC Control, S/N 80033/73

Indicates Equipment Located in Bloomfield, CT

CNC "4-AXIS" HORIZONTAL MACHING CENTERS



Full 4th-Axis

New 2004

Thru-Spindle High Pressure Coolant

60 ATC

O.K.K. # HM-80-S CNC Horizontal Machining Center



FANUC CONTROL



10,000 RPM

O.K.K. INTERIOR VIEW

(New 2004) O.K.K. # HM-80-S "Full 4-Axis" CNC HMC W/ (2) 31.5" x 31.5" Pallets, 360,000 Deg. Pallet Indexing (Full B-Axis), Max. Table Load Cap. 2,425 lb., Travels: X-39.37", Y-33.46", Z-32.29", CAT # 50 Spindle Taper, 35-10,000 R.P.M. Spindle Speeds, (60) Station Automatic Tool Changer, High Pressure Coolant Thru Spindle, 1.2"/34.6" Minimum/Maximum Distance From Centerline of Spindle To Top Of Pallet, 7.9"/40.2" Minimum /Maximum Distance From Center of Pallet To Spindle Nose, Chip Conveyor, 40/33.5 H.P., Full Coolant Enclosure, Chip Conveyor & FANUC 160is-M, S/N MA76637



New 1998

HAAS # HS-1 CNC Horizontal Machining Center

(New 1998) HAAS # HS-1 CNC HMC W/ (2) 16" x 16" Pallets, (24) Automatic Tool Changer, CAT # 40 Spindle Taper, Travels: X-Axis 24", Y-Axis 20", Z-Axis 22", 710 IPM Rapid Traverse, Spindle Speed to 10,000 RPM, Brushless Servos, 20 HP Vector drive, Automatic Chip Conveyor, 16 MB expanded memory, Rigid tapping, Coordinate Rotation and Scaling, Macros, M-code relay board, Haas CNC Control with Pulse generator, Floppy disc, S/N 50456

OVER (45) CNC MACHINES " 3, 4 & 5" AXIS AVAILABLE



FULL
RETROFIT
2000

5-Axis

SNK # FSP-100-V "5-Axis" CNC Horizontal Machining Center



FULL
REBUILD &
RETROFIT
2004

5-Axis

WHITE-SUNSTRAND # S-80 "5-Axis" CNC Horizontal Machining Center



TILTING
SPINDLE

40"x 40"
Pallets

SNK FRONT VIEW



TILTING
SPINDLE

New
MICRON-Z
CNC
CONTROL

SIDE VIEW OF WHITE-SUNSTRAND



(90) ATC

TILTING HEAD

CNC CONTROL



VIEW OF INTERIOR

TILTING HEAD

MICRON CNC CONTROL



60 ATC

FULL
FANUC
RETROFIT
2004

FANUC CONTROL

TOYODA # FHN-80T "5-Axis" CNC Horizontal Machining Center



VIEW OF TSUDAKOMA A-AXIS OVER B-AXIS ROTARY TABLE

CNC "5-AXIS" HORIZONTAL MACHINING CENTERS

(Full CNC Retrofit In 2004)

TOYODA # FHN-80T "5-Axis" CNC Horizontal Machining Center W/ (2) 31.5" x 31.5" Pallets, 360,000 Deg. Pallet Indexing (Full B-Axis), Max. Table Load Cap. 3000 lb., Travels: X-39.37", Y-35.43", Z-31.5", CAT # 50 Spindle Taper, Spindle Speeds 20-4,000 RPM, (48) Station Automatic Tool Changer, 3.9"/31.9" Minimum/Maximum Distance From Centerline of Spindle To Top Of Pallet, 7.8"/35.8" Minimum/Maximum Distance From Center of Pallet To Spindle Nose, Chip Conveyor, Box Way Design, 20/15 H.P., #RNCK-501 TSUDAKOMA 19-3/4" Diameter Rotary Table (A-Axis), Five-Axis Contouring Capability & FANUC 16i-M Five-Axis CNC Control, (New AC Servo Drives/Motors On All Axis's with Retrofit), S/N NM5965

(CNC Retrofit 2000)

SNK # FSP-100-V "5-Axis" CNC Horizontal Machining Center W/ (2) 39.3" x 39.3" Pallets, (90) Automatic Tool Changer, No.50 taper, Table to spindle horizontal 55.1", Vertical 39.3", X-Axis travel 60", Y-Axis travel 56.3", Z-Axis travel 55.1", Spindle head swivel "A-Axis" 150°, rotary Table Full "C" (4th-Axis 360,000), Spindle Speeds 10-4000 RPM, Max. Table load 5000 lbs., 30 HP Spindle, Tilting Spindle, Way covers, Thru Spindle Coolant, Automatic chip conveyor, (Retrofitted with MDSI CNC Control), S/N 450633

(CNC Retrofit 2004)

WHITE SUNSTRAND # S-80 "5-Axis" OMNI-MILL CNC Horizontal Machining Center W/ (60) Automatic Tool Changer, # 50 Taper Spindle, 42" Dia. Table with travel 48", Travels: Y-Axis 60", Z-Axis 54", Table Load Cap. 12,000 lbs., Spindle Speeds 10-4000 RPM, Contouring of head 150°, 25 HP drive, Way covers, Hanson oil cooler, Semi-Coolant Enclosure & Pendant Type **Micron OMN-Z/MWC10 CNC Control with Pulse Generator**, S/N 169

Indicates Equipment Located in Bloomfield, CT

CNC TURNING CENTERS – CNC MACHINING CENTERS – CNC COORDINATE MEASURING MACHINES



CNC TOOL-SETTER

1 of 2


New 1996



BROWN & SHARPE # 7.10.7 "X-CEL" "3-Axis" CMM



DEA # 10-TA-1202 CMM



New 2008

FULL CNC DCC

WENZEL # XO-87 "X-ORBIT" Bridge-Type DCC CMM



RENISHAW PROBE

WENZEL CNC CMM




OPEN DMIS SOFTWARE

VIEW OF WENZEL COMPUTER

ZEISS CNC CMM

NEW COST OVER \$300K



VIEW OF PROBE CHANGER RACK



UMESS UX Universal Software

VIEW OF ZEISS COMPUTER



REMOVABLE 4th-Axis Table

VIEW OF ZEISS 4th-Axis ROTARY TABLE



New 2007

RARE ACCURACY

ZEISS "PRISMO" "4-Axis" Bridge-Type DCC CMM



LARGE CAP. TO 72" x 144"

VIEW OF LARGE GRANITE PLATE



20 AVAILABLE ALL SIZES

VIEW OF GRANITE PLATE



50 AVAILABLE ALL SIZES

VIEW OF STEEL LAYOUT-INSPECTION TABLE

CNC COORDINATE MEASURING MACHINES-CMM'S

(New 2007) ZEISS "PRISMO" "4-Axis" Bridge-Type DCC Coordinate Measuring Machine W/ (New 2007), 400 mm Rotary Table (Removable), Measuring Range: X-35.4", Y-47.2", Z-27.6", (5) Station Probe Rack, ZEISS Probe, UMESS UX Universal Software, S/N 110451

(New 2008) WENZEL # XO-87 "X-ORBIT" "Three-Axis" Bridge-Type DCC Coordinate Measuring Machine W/ Measuring Range: X-31.5", Y-39.4", Z-27.6", # MCR20 RENISHAW 6-Station Probe Rack, #PH-10T RENISHAW Motorized Head With TP20 Probe (3.0 mm Diameter x 200 mm Length), Open DMIS Software, S/N XO805-135

(New 1990) BROWN & SHARPE # 7.10.7 "X-CEL" "3-Axis" Manual Coordinate Measuring Machine W/ Measuring Range: X-25.6", Y-39.4", Z-25.6", 3,000 Lb. Maximum Part Weight, PH-1 RENISHAW Head, Air Bearing Design, S/N 0990-118

DEA # 10-TA-1202 CNC Coordinate Measuring Machine, M-1H Renishaw probe, approx. cap. 40" x 64"x24"H, PC, S/N 545-1389

Indicates Equipment Located in Bloomfield, CT

LATE MEASURING MACHINES – VERTICAL TURRET LATHES – BORING MILLS



60"-X TRAVEL

MATSUURA # MC-2000V "4-Axis" CNC VMC



FANUC 11MB

MATSUURA # MC-1000V-DC "Twin Spindle" "4-Axis" CNC VMC




VIEW OF CNC TOOLHOLDERS



5-Axis

MONARCH-CORTLAND # VMC-150 "5-Axis" CNC VMC



VIEW OF MONARCH TILTING 5th-AXIS TABLE



VIEW OF CNC TOOLHOLDERS

CNC VERTICAL MACHINING CENTERS



MITSUBISHI-MELDAS CNC CONTROL

BROWN & SHARPE # 1500-VC "3-Axis" CNC VMC

Indicates Equipment Located in Bloomfield, CT

MATSUURA # MC-2000V "4-Axis" CNC VMC W/ (40) ATC (Side Mounted), CAT # 50 Spindle Taper, 30"x 84" Table, Cap. 4400 lbs., Travels: X-Axis 60", Y-Axis 30.7", Z-Axis 29.5", 30 HP, 3600 RPM & FANUC 6MB CNC Control, S/N 81072003

MATSUURA # MC-1000V-DC "Twin Spindle" "4-Axis" CNC VMC W/ 2 (30) ATC's, # 50 Taper Spindle, Table Size 19 1/2" x 55", X -Axis 41.3", Y- Axis 20", Z- Axis 22", 3600 RPM, 25HP, Table Cap. 2200 lbs. & FANUC 11MB CNC Control S/N 85065018

MATSUURA # MC-1000V "4-Axis" CNC VMC W/ (30) ATC, Table Size 19 1/2" x 55", Travels: X-Axis 41.3", Y-Axis 20", Z-Axis 22", 3600 RPM, Table Cap. 2200 lbs., 25HP Drive, 6M FANUC CNC control, S/N 81082291

MONARCH-CORTLAND # VMC-150 "5-Axis" CNC VMC W/ Tilting CNC Trunnion Type Tilting Rotary Table, (40) ATC, # 45 Spindle Taper, Table Size 36" x 84", Travels X-74", Y-30", Z-28", Table Cap. 5000 lbs., 45- 3500 RPM, 6" column risers, Way covers, 15 HP , Coolant System, GE-2000 CNC Control, S/N 88508

MONARCH-CORTLAND # VMC-150 "5-Axis" CNC VMC W/ Tilting CNC Trunnion Type Tilting Rotary Table, (40) ATC, # 45 Spindle Taper, Table Size 36" x 60", Travels: X-Axis 50", Y- Axis 30", Z-Axis 24", Quill travel 10", 45 to 3500 RPM, Way covers, 15 HP , Coolant System, GE-2000 CNC Control, S/N 85536

BROWN & SHARPE # 1500-VC "3-Axis" CNC VMC W/, (40) ATC, # 50 Spindle Taper, Table Size 30"x62", Table Cap. 4400 lbs., Travels: X-Axis 60", Y-Axis 30", Z-Axis 25", 15 HP, 4000 RPM, (Retrofitted 1997 with Mitsubishi CNC Control), S/N 517-3-348

O.K.K # MCV-500 "3-Axis" CNC VMC W/ (20) ATC, # 50 Taper Spindle, Table Size: 21 1/2" x 51", Travels: X-Axis 40", Y-Axis 20", Z-Axis 20" & Meldas 5000C CNC Control ,S/N 381

CNC 4TH-AXIS ROTARY TABLES & INDEXERS

Standard, Tilting, Full 4th-Axis's, Heavy Duty all Kinds w/ Sizes From 12" to 50" including TSUDAKOMA, NIKKEN, KOMA, WALTER, Pratt & Whitney, Michigan, LaPointe, Rotab and More!!!!



VIEW OF TSUDAKOMA 4th-AXIS ROTARY TABLES



(39) ROTARY & 4th-AXIS TABLES AVAILABLE



PRATT & WHITNEY 50" ROTARY TABLE



ROTAB ROTARY TABLE

SALE DATE: WEDNESDAY, AUGUST 14TH, 10:30 AM (ET)

MACHINES HAVE LOW HOURS OF AEROSPACE USAGE



BULLARD 66" "Dynatrol" Vertical Turret Lathe



BULLARD 46" "Dynatrol" Vertical Turret Lathe

VERTICAL BORING MILLS / TURRET LATHES

BULLARD 66" "Dynatrol" Vertical Turret Lathe W/ Table Dia. 66", Max. Swing with Side Head up 72", with Side Head below Table 78", Travel of Ram Head 60", Vert. Travel of Turret Head 30 3/4", Swivel of heads ± 30°, Table Seeds 5-167 RPM, All Hard Ways, L.H. Swivel Ram Head, R.H. Swivel Square Turret with Power including and Dupli-matic Tracer on R.H. Side Head, Double Grip pendant, TDA Taper Attach. LH Ram Head, Pan & Coolant, 75 HP AC Drive, S/N 32544

BULLARD 46" "Dynatrol" Vertical Turret Lathe W/ 46" Dia. 3-jaw chuck, Swing with Side Head up 49", Swing with Side Head below Table 58", Height under Rail 40", Turret Head Vert. Slide Travel 26", Side Head Ram Travel 23 3/4", Table Speeds 7-250 RPM, Full Pendant, Swivel Square Turret Head on rail with Power Indexing, R.H. Side Head, TDA Attach., All hardened Ways, 50 HP AC Drive, Pan & Coolant, S/N 32434

MORANDO 47" Vertical Turret Lathe W/ Table Dia. 47 1/4", Max. Swing 59", Max. under Rail 49", Table Speeds 2, 9-252 RPM, Swivel Square Turret Head on Rail, R.H. Side Had, Acu-Rite Mill-Vision 2-Axis DRO, Full Pendant, Pan & Coolant, Hydraulic/Manual 3-jaw power chuck, Power Index, Hardened Rail, 50 HP DC Drive w/ MG Cabinet, S/N 675088

BULLARD 36" Spiral Drive Vertical Turret Lathe W/ 34" 3-jaw chuck, Swivel Pentagon Turret Head on Rail, R.H. Side head, Pan & Coolant, Fine Feeds, Newall 2-Axis DRO, 25 HP Drive, S/N 23552

BULLARD 36" Spiral Drive Vertical Turret Lathe W/ 34" Dia. 3-jaw chuck, Max. Swing 38", Max. Height under Rail 24", Turret Head Vert. Travel 26", Table Speeds to 84 RPM, Swivel 5-sided turret head, Side Head, 20 HP Drive, S/N 20238

*** LARGE QUANTITY OF BULLARD TOOLHOLDERS & TOOLING**



MORANDO 47" Vertical Turret Lathe



36" BULLARD VERT. TURRET LATHE



LARGE QUANTITY of BULLARD TOOLHOLDERS & TOOLING



LUCAS #42B-84, 4" Table Type Horizontal Boring Mill

TABLE TYPE HORIZONTAL BORING MILL

LUCAS #42B-84, 4" Table Type Horizontal Boring Mill W/ Table Size 48" x 86", Table Cross Travel 78", Vert. Travel 60", Table longitudinal Travel 74", Spindle Speeds to 1200 RPM, # 6 MT Spindle, Hardened Built-in 4-way Bed, Sony 3-Axis DRO, 20 HP Drive, Pendant, Rt. Angle Head, S/N 42B-2606

Indicates Equipment Located in Bloomfield, CT

LARGE CAP. BROACHING, GEAR & GRINDING MACHINES



FELLOWS # 36-8 Vert. Gear Shaper



FELLOWS # 36 Vert. Gear Shaper

VERTICAL GEAR SHAPERS

FELLOWS # 36-8 Vert. Gear Shaper W/ 18"

Column Risers, S/N 34235

FELLOWS # 36 Vert. Gear Shaper W/ 36"

Column Risers, S/N 27616

ROTARY SURFACE GRINDER



ARTER # B-30, 30" Horizontal Spindle Rotary Surface Grinder W/ 31" Dia. Magnetic chuck, Tilting Table, Swing 41", Max. Work Height 18", Wheel Size 20", Coolant System S/N 1106



SRHE-LAPOINTE # 50/240 Double Rail Horizontal Broach



VIEW OF 240" STROKE RAIL



LAPOINTE 240" STROKE BROACHING MACHINE

UNIVERSAL CYLINDRICAL GRINDER



ERWIN JUNKER # BUA-J28 14" x 40" Cap. "Universal" Cylindrical Grinder W/ Swivel Workhead, 3-jaw chuck, Wheel Balancer, Sony DRO, Steadyrest, Universal Swivel Table, S/N 357107



VIEW OF LAPOINTE GE FANUC CONTROL



VIEW OF LAPOINTE DRO

BROACHING MACHINES

SRHE-LAPOINTE # 50/240 Double Rail Horizontal Broach, tilt cradle feature, Sony DRO, full pendant, stroke 240", GE Fanuc power mate control, 50 HP DC w/ Reliance cabinet, S/N H70035

LAPOINTE-DETRIOT # 150 Horizontal Broach, single rail, 144" stroke, 25 HP DC Drive, S/N M556774002

LAPOINTE # 150 Horizontal Broach, single rail, 144" stroke, 25 HP Reliance DC Drive, S/N M546323003

SRHE-LAPOINTE-ELECTRO # 50/180 Mechanical Horizontal Broach, Single Rail, 180" stroke, tilt cradle feature, 50 HP DC Drive, Sony DRO, new Vickers hydraulic unit, GE Silem VI S.S. Controls, S/N H70025

LAPOINTE-DETRIOT # 140 Horizontal Broach, 140" stroke, single rail, swivel cradle attach., 25 HP DC Reliance Plus Max Pak Drive, S/N M54639010

LAPOINTE # H-50 Single Rail Horizontal Broach, tilt cradle attachment, stroke 154", 25 HP DC w/ Reliance cabinet, S/N M5463530006

XLO-LAPOINTE # SRH-E Horizontal Broach W/ 2-rail hydraulic Broaching Stroke, extra HD cradle attach., full pendant, 240" stroke, S/N 4819

Indicates Equipment Located in Bloomfield, CT

AUCTION SITE: 549 Cedar Street – Newington, CT
Additional equipment location: 85 Granby Street – Bloomfield, CT

LOCATION #2: 85 GRANBY STREET – BLOOMFIELD, CT

TOOLROOM • TOOL & CUTTER GRINDERS • LATHES



BROWN & SHARPE 8"x 24" Hyd. Surface Grinder


REID # 612-H Surface Grinder

CINCINNATI-MILACRON # 2 Univ. Tool & Cutter Grinder

O.K. # 2 Universal Radius Tool & Cutter Grinder



HAMMOND # 51-07 (2) Headed Auto. Wet Buffing Machine



GUN DRILL

ELDORADO # M-75 "MEGA" Horizontal Gun Drill W/ Stroke 15", Speeds to 11,740 RPM, Ball Screw-Feed, Hi-Pressure Coolant System, Rotary Work Fixture, 3 HP, S/N M-75-1032-509

CENTER LAPPER

36" EX-CELL-O # 174 Center Lapper

SURFACE GRINDERS

BROWN & SHARPE 8"x 24" Hyd. Surface Grinder W/ 6"x 18" magnetic chuck, coolant, S/N 523-824-587

OKAMOTO # 618 "Linear" Surface Grinder W/ 6" x 18" Fine Pole Electro-mag chuck, S/N 88654

(4) REID # 612-H Surface Grinders W/ 6"x12" magnetic chuck, S/N 14486, 14487, 14467, 14485

HARIG # Super-612 Surface Grinder W/ 6"x12" magnetic chuck, S/N 11184

BUFFERS AND D.E. GRINDERS

BALDOR 12" DE Buffer/Grinder, S/N 116-691

TOOL & CUTTER GRINDERS

(2)EX-CELL-O 6" single end carbide tool grinders, A18, CK4017

(2)DUMORE Bench type tool grinders

(5) CINCINNATI # 2 Univ. Tool & Cutter Grinders, S/N 1D2T6T-330, D2T65-224, 1D2T5D-343, 1D2T5L-207, F5562-E-80-09-63

O.K. # 2 Universal Radius Tool & Cutter Grinder, S/N R80162

XLO-LAPOINTE Broach Grinder W/ 8 1/2" x 76 1/2" Table, 6 1/2" x 30" Tilting Electromagnetic chuck & Mitotoyo DRO, S/N AF92656

BUFFING MACHINE

ACME # 52 Single Station Automatic Wet (3) Head Buffing & Finishing Machine W/ 6-jaw chucks, S/N 23273

HAMMOND # 51-07 (2) Headed Auto. Wet Buffing Machine & Finishing Machine W/ 3-jaw work table, 3 HP, S/N 10522 and UC 20 Uni-Wash Unit, S/N 17697

BELT SANDERS

POWERMATIC 6" Vert. belt sander

WILTON 6" Vert. belt sander

ROCKWELL 6" Vert. belt sander

BALDOR 6" Grinder & 2" belt sander

WILTON 6" Vert. belt sander, 12" disc sander, S/N 06112123

ROCKWELL 12" Disc sander

DELTA 6" Vert. belt sander



XLO-LAPOINTE BROACH GRINDER

TOOLROOM • JIG BORERS • GRINDERS • LATHES



ATLANTIC # 7000 JIG BORER



PRATT & WHITNEY JIG BORER



Bridgeport 2 HP "Series Special"



Kearney & Trecker # 3K Vert. Miller



OKK # MH-2P Plain Horizontal Miller



BOKO "Universal" Vertical Bed Type Miller



PRATT & WHITNEY 6" Vert. Shaper Slotter



VIEW OF BRIDGEPORT MILLS

THOMAS INDUSTRIES APPRAISAL DIVISION
 Accurate appraisals supported by over 56 years of conducting worldwide auctions and liquidations.
 Call (203) 458-0709 for a confidential appraisal of your assets. One piece of equipment or an entire plant.

JIG BORERS

PRATT & WHITNEY # M-1620, 2A Vert. Jig Bore W/ Table Size 16" x 32", 7" Column Riser, Heidenhein DRO, S/N 1006 📍

(2) MOORE # 1 JIG BORERS

ATLANTIC # Series 7000 Vert. Jig Bore W/ Table 24" x 62", 1500 RPM, Sony DRO, S/N 7000-13567

HORIZONTAL MILLS

HITACHI SEIKI # 3ML-P Plain Horizontal Miller W/ No.50 taper, 14" x 63" auto, cycle table, speeds 18-900 RPM, Arbor support, S/N N-4656 📍

OKK # MH-2P Plain Horizontal Miller W/, No. 50 taper, 12" x 51 1/2" table, auto. Cycle, arbor support, S/N 2210 📍

VERTICAL SHAPER-SLOTTER

PRATT & WHITNEY 6" Vert. Shaper-Slotter

📍 Indicates Equipment Located in Bloomfield, CT

VERTICAL MILLING MACHINES

Bridgeport 2 HP "Series Special" Vertical Milling Machine W/4200 RPM, R-8 taper, 11" x 58" PF Table, Anilam 3-Axis DRO, S/N 6580S

Kearney & Trecker # 3K Vertical Milling Machine W/ Table Size: 15.5" x 64.5", # 50 Taper Spindle, 34" Cross-Travel, Power Downfeed, 15-1500 RPM, S/N 01-3656

BOKO "Universal" Vertical Bed Type Miller W/Table Size 31" x 51", No.50 Taper Spindle, Swivel Vertical Spindle, 1800 RPM, Newall D.R.O., Pendant Controls, S/N 165 📍

(3) BRIDGEPORT "Series I" 2HP Vertical Milling Machines W/ 4200 RPM, R-8 taper, 9" x 42" PF Table, DRO, S/N 210722, 193203, 193138, 📍

(2) BRIDGEPORT "Series I" 1.5 HP Vertical Milling Machines W/ R-8 taper, 4200 RPM, 9" x 42" PF Table, 7" Column Riser, S/N 167831, 165395 📍

(2) EX-CELL-O 1.5 HP Vertical Milling Machines W/ 9" x 36" Table, 3800 RPM, S/N 6021455

LARGE SELECTION OF TOOLROOM & CNC MACHINERY



New 2005

MARLEY COOLING TOWER



OKAMOTO SURFACE GRINDER



1 of 2

AMF SPIN TESTER W/ Updated Controls



PNEUMO AIR BEARING ROTARY GAGE W/ Controls



33 Available

H.D. (3) to (18) DRAWER TOOL CABINETS



LODGE & SHIPLEY # AVS Engine Lathe

LATHES

LODGE & SHIPLEY # AVS Engine Lathe W/ 24" x 72" Cap., 25-1500 RPM, Hardened Bed, 3-Jaw Chuck, Camlock Spindle & Threading, S/N 46300

WILLIS MICRO CUT "Gap Bed" Engine Lathe W/ 14"/19" x 40" Cap., Spindle Bore 1 7/16", Hardened Bed, Inch/Metric Threading, Taper Attach., 3&4 jaw chucks, 2000 RPM, Sony 2-Axis DRO, S/N 7829

SOUTHBEND 10" x 24" Toolroom Lathe W/ Collet closer, S/N C1-187AB

HARRISON "Gap Type" Engine Lathe W/ 16"/24" x 60" Cap., Spindle Bore 2 5/8", 3-jaw chuck, faceplate, thread dial, 10 HP, S/N 401118-1586

LONG EM "Gap Type" Engine Lathe W/ 20/30" x 60", Spindle Bore 3 1/8", hard bed, thread dial, 3-jaw chuck, foot brake, speeds to 1600 RPM, Model LG-20005, S/N 960545



Late Model

CARBORUNDUM 20" Chop Saw

CHOP SAWS

CARBORUNDUM 20" Chop Saw, S/N 20-15-67167

MILWAUKEE 10" Chop Saw



WILSON-ROCKWELL HARDNESS TESTER

DRILLS

(2)CLAUSING # 2283, 20" Spindle Variable Speed Drill W/ Production Type Table, #3 MT, 2000 RPM, Power Feed, S/N 509719, 509615

BUFFALO 18" Drill W/ No.3 MT Spindle ORBIT 14" Bench Drill, S/N D2-500990

SHOP & ARBOR PRESSES

DAKE 50 Ton H-Frame hyd. shop press

GREENERD # 3 Bench arbor press

(2)DAKE 1 1/2 Bench arbor presses

EDM

INGERSOLL Ram Type EDM Machine, S/N 21103

FABRICATING • WELDERS • PLANT SUPPORT • PARTS WASHERS



Low Hours

WYSONG # 1096 (8'x 10G.) Mechanical Shear



PEXTO (36"x 16G.) Power Slip Roll



CHICAGO D&K Apron Brake, 8' x 14ga



CHICAGO Box & Pan Brake, 36" x 14ga.



SEVERAL AVAILABLE

VIEW OF MILLER WELDERS



CRYSTAL PARTS WASHER



1 of 3

#5V-16 VERTICAL HONE



1 of 2

WILTON 6" Belt Sander



LATE MODEL- LIKE NEW

RIDGID # 535 Portable Pipe Threading Machine



Like New

PROCECO PARTS WASHER

VERTICAL HONES

- MICROMATIC # H-721 vertical hone, S/N 132
- MICROMATIC # 723 vertical hone, S/N 203
- MICROMATIC #5V-16 vertical hone, 16" Stroke, table size 18" x 24", timers, 10 HP, S/N 133

SHEARS

- WYSONG # 1096 (8'x 10G.) Mechanical Shear W/ 24" front operated power back gauge, 6' LH squaring arm, (2) front arms, S/N P7-537
- PEXTO 12G. Hand Shear, 24" Throat, Mdl 241-6, S/N 12/58
- WEINRICH # S Hand Shear

SHEET METAL BRAKES

- CHICAGO D&K # S-840 Apron Brake, 8' x 14ga., S/N 308135
- CHICAGO # BP-314-6 Box & Pan Brake, 36" x 14ga. W/ Fingers, S/N 308134

WELDERS

- MILLER # Syncrowave 500 TIG Welder W/ Cooler, S/N KB026534
- MILLER DELTAWELD # 451MIG Welder W/ Miller digital wire feed & Cooler, S/N KB040043
- HOBART # Mega-Arc 400 Welder, S/N 80WS15595
- (2)MILLER # Syncrowave 300 TIG Welders, S/N JG011751, JF-899445
- WESTINGHOUSE 300 AMP Welder, S/N J3149
- LINCOLN 150 AMP AC Welder
- LINCOLN # SP-125 Welder, S/N 10161-U1950613295
- MILLER 50 AMP TIG Welder, S/N JH176637

THREADER

- RIDGID # 535 Portable Pipe Threading Machine, S/N EBE114380908

SLIP ROLL

- PEXTO # 3418-F (36"x 16G.) Power Slip Roll, S/N 59541

PLASMA BURNER-CUTTER

- THERMAL DYNAMICS # 50-XL Portable Plasma Cutter

PARTS WASHERS

- PROCECO # PC28X-36L-500SS Parts Washer, Max. Dia. 38", 28" Dia. Rotary table, 36" Height, S/N 99-121 (New 1999)
- CRYSTAL CLEAN parts cleaning booth, 48"LR x 42" Deep

OVENS

- GRIEVE HENDRY Electric Oven, 80" x 120" x 72"H, Indust-ronics controller, carts, S/N 13721

Indicates Equipment Located in Bloomfield, CT

CAT LOADER • DUMP TRUCK • STEER LOADER • LAWN EQUIPMENT



ISUZU Turbo Diesel Box Truck

New 2001



MACK DUMP TRUCK

Low Hours



CATERPILLAR # 980 LOADER

Low Hours



CASE STEER UNI-LOADER



TORO Z-Master Riding Lawn Mower



HIGHWAY EQUIPMENT SALT SPREADER



D&B # CDS-281 Chillers

1 of 2



MTA-SRL Air Dryer

New 2004



TORIT DUST-MIST COLLECTOR

1 of 2

SPRAY BOOTH

DEVILBISS Spray Booth, 96"x120"x96"H,

OIL STORAGE TANK

MASSACHUSETTS 2000 gal. Hydraulic oil storage tank

MODULAR OFFICES

24'x24' 2-Story Modular office, w/ stairs
(2)10'x16' Modular offices
(2)15'x22' Modular offices

DUST COLLECTORS

TORIT # A-30 Dust Collector, S/N 1G410484
KGC Dust collector
(2)TORIT Dust collectors
RAPID dust collector

COOLING TOWERS

MARLEY Cooling Tower, skid mounted, S/N NC805560-AINC830-4G1GG

AIR COMPRESSORS & RELATED EQUIP.

(New 2002) MTA-SRL Air Dryer, S/N 220009645
(2)D&B # CDS-281 CHILLERS, 350 PSI, S/N M9589, M9490
SPEEDAIR 7.5 Vert. Tank Air Compressor
(3) Steel Air Receiver Storage Tanks

BOX TRUCK

(New 2002) ISUZU # NRRHD Turbo Diesel Box Truck w/ 12' Box, S/N JALC4B14127006705

OUTDOOR MAINTENANCE EQUIPMENT

MACK # OM-800 Dump Truck w/ Dual Axle, 25,000 lb. Cap., S/N 1100, Chassis # DM885SX
CATERPILLAR # 980 Front End Loader w/ Diesel Eng., 60,000 lb Cap. S/N 42H-789
CASE # 1740 STEER UNI-LOADER, S/N 9823352
WAUSAU 10' Snow plow, S/N 2344
Storm-Guard HD 8' Snow Plow w/ lights
HIGHWAY EQUIPMENT Salt Spreader w/ conveyor, S/N 86282
TORO # CCR-365 Snow Blower
TROY BUILT 3550 Watts Portable Generator
JACKSON # 40 Cement mixing box
STIHL BR-400 Blower
TORO Z Master Commercial Riding Lawn Mower w/ 40" W Cut & Kohler SP-27 gas engine
KOHLER # DRO-10 blower attachment

IMPORTANT NOTICE: DUE TO STRICT GUIDELINES, TIME RESTRICTIONS & CONTINUING MFG. IN BOTH FACILITIES - ALL RIGGING & REMOVAL (OTHER THAN HAND CARRY ITEMS) MUST BE PERFORMED BY PEDOWITZ RIGGING CO. PLEASE CONTACT A.J. OR ANDY CONTI (888) 404-9142 FOR PRICING & SCHEDULING.

Indicates Equipment Located in Bloomfield, CT

FORKLIFTS • CAT. DOZER • SNORKEL-LIFT • FLOOR WASHERS



UNO # 33 Electric Portable Snorkel-Lift



CATERPILLAR # D-4D Bulldozer/Tug



ELECTRIC SHOP CART



HYSTER # S-155XL Fork Lift W/ 15,000 lb. Cap



HYSTER # H-60XL Forklift W/ 6000 lb. Cap



VIEW OF PALLET RACKING



ADVANTAGE # 3800 Electric Riding Floor Scrubber/Washer



TENNANT # 235 Electric Riding Floor Sweeper



HYSTER Electric Pallet Truck

FORK LIFTS & PALLET TRUCK

HYSTER # S-155XL Fork Lift W/ 15,000 lb. Cap., Solid Tires, Side Shift, 94.5 High Lift, S/N B024D02083M

HYSTER # H-60XL Forklift W/ 6000 lb. Cap., Propane, Triple Mast, S/N C177B01770L

CATERPILLAR # GC-15K1 Forklift W/ 3000 lb. Cap., Propane, Triple Mast, Solid Tires, S/N AT81D01101

YALE # G51C-080-CFT-083 Forklift W/ 7000 lb. Cap., Solid Tires, Propane, S/N A166053

HYSTER Electric Pallet Truck, 4000 lb. Cap., 36" length, S/N B218N15017F

BULLDOZER/TUG

CATERPILLAR # D-4D Bulldozer/Tug (Less Blade), Series # D, S/N 78A5629

MISC. MATERIAL HANDLING

Crane magnet 1000 lb Cap., 35" x 48" portable steel dump cart, (2)**TUGIT** Come-A-Longs, **COOKE** portable carrier, **LEWIS SHEPARD** walk behind lift, **PRESTO** 340 lb Cap. lift, (4) 25 ton **ROL-TOE** hydraulic jacks, (1)10ton **ROL-TOE** hydraulic jack, Fork lift fork extensions, Fork lift extension boom, Fork lift barrel attachment, (2)2000 lbs. Crane spreader beams

(2)ROLL-OUT STORAGE RACKS

(2)2000 lbs. (each shelf) steel roll-out storage racks, shelf size 36" x 36"

(4)ELECTRIC SHOP CARTS

(4)**EZ-GO** Electric riding shop carts

ELECTRIC SCISSORS MANLIFT

UNO # 33 Electric Portable Snorkel-Lift, 500 lb.Cap., Max Height 32' 8", S/N 883160388

PALLET RACKING & SHELVING

Large quantities of pallet racks and steel shelving

FLOOR CLEANING MACHINES

TENNANT # 235 Electric Riding Floor Sweeper, S/N 235-3551

ADVANTAGE # 3800 Electric Riding Floor Scrubber/Washer W/ charger, S/N 1206217

Indicates Equipment Located in Bloomfield, CT

CNC MACHINERY • LATHES • MILLS • VTL'S



O.K.K. # HM-80-S CNC Horizontal Machining Center



O.K.K. CHIP CONVEYOR & (60) ATC



O.K.K. HIGH PRESSURE COOLANT



DAEWOO Puma # 400-B CNC Turning Center



OKUMA # LC-20 CNC LATHE



O.K.K # MCV-500 CNC VMC

MISCELLANEOUS MACHINERY & EQUIPMENT

HOTSY Portable pressure washer, **MIZOGUCHI** right angle milling head for CNC machining center, **IMPERIAL NEWBOULD** motorized indexer, **PENNSYLVANIA** table scale, Portable steel job box, **COATS** 10.10 tire changer, Oxygen/Acetylene portable cart w/ gauges, Electric floor polisher, **PIG** spill kit, **DAYTON** 1JYU3 Fleet battery charger, **CONDOR** battery charger, **E-Z ARM** fume extractor, (3)18" x 30" x 12" Deep, matched set of T-Slotted angle plates, Shop Built Vibratory Media separator w/ Hako Vacuum, **KNAACK** Tool box, **CHEM STATION** Fiberglass tank, (3) Forklift maintenance platforms, **SO-LOW** Ultralow freezer, **AERCOLOGY** portable fume extractor, (3)**DUMORE** tool post grinders, bench type, **WELDON** grinding fixture, **SMOG HOG** portable fume extractor, **PARKER** Hose crimper, **PRYOR** # V-2068 Marking Machine, S/N 206840422, **SIoux** portable power washer, **DELPAK** filtration unit for grinder, (36) Ceiling mounted air cleaner/heaters, **DEVLIEG** T-Slotted angle plate, **SWECO VIBRO** Energy separator, (11) Flammable storage cabinets, (7)**CECOR** portable oil suckers, (5)**HILCO** portable oil pumps, (3) 50 taper portable tool carts, (7)**HUOT** 50 taper portable tool carts, Portable shop Vacuums, (32) Pallet jacks and Much Much More !!

Indicates Equipment Located in Bloomfield, CT


EX-CELLO # 452 "2-AXIS" "TWIN HEAD" CNC VERTICAL TURNING CENTER



DUAL 30" POWER CHUCKS



CNC CONTROL



DAKE 50 Ton H-Frame Hyd. Press



REBUILT & RETROFIT WITH MITSUBISHI CNC CONTROL

EX-CELLO # 453 CNC Vertical Turning Center

LARGE ASSORTMENT OF CRANES - JIBS & HOISTS

(150) CRANES, HOISTS & JIBS

- (4) P&H 5 ton double girder top running, OH Cranes, approx. span 30', pendant
- (2) P&H 5 ton double girder, top running, OH Cranes, approx. span 35', pendant
- P&H 3 ton double girder, top running, OH Crane, approx. span 35', pendant
- P&H 2 ton double girder, top running, OH Crane, approx. span 35', pendant
- (4) BUDGIT 1 ton single girder under-hung OH Cranes, approx. span 15', pendant
- BUDGIT 1 ton single girder under slung, OH Crane, approx span. 10', pendant

ALSO AVAILABLE: (Over 130) BUDGIT, CM, YALE, CHICAGO Electric & Pneumatic Hoists & Chain Falls



3 TON BRIDGE CRANE



5 Ton BRIDGE CRANE



FLOOR TYPE MODULAR JIB ARM



PORTABLE OIL SUMP SYSTEM



VIEW OF WIRE & ELECTRICAL SUPPLIES



VIEW OF GRANITE & STEEL SURFACE PLATES

OIL AND COOLANT FILTRATION

ABCOR Coolant filtration system including
(2) tanks, pumps, controls
ALLEN Filtration system

(68) STEEL PRECISION SURFACE PLATES

Sizes From 12" x 18" to 52" x 100" (See Lot Catalog for your Size Needs)

(15) GRANITE SURFACE PLATES

Sizes From 18" x 24" to 72" x 144" (See Lot Catalog for your Size Needs)



VIEW OF MODULAR OFFICES



VIEW OF SHOP & PLANT SUPPLIES

INSPECTION & MEASURING

- (2) AMF Proof Spin Testers, 48" Dia. Opening vacuum pump, S/N XLO-L-3163, XLO-L-8120
- (2) EX-CELL-O Tool Pre-setters, LP-6 profile, DRO, S/N 492-178, 492-206
- ECOI MICROSET Tool Pre-setter, No.50 taper, 17" length, projector, 2-axe D.R.O., S/N 80-10-187, (New 1996)

LABORATORY TESTING DEPARTMENT

M&R optical microscope, Exhaust hood, FISHER SCIENTIFIC Isotemp 500 Series oven, ABRAMIN Machine, BRANSON Ultrasonic cleaner, DISERTOM-2 cut-of-Saws, (2) BARNSTEAD Water purifier, ORION AQUA fast tester, THERMADYNE NUORA II Stir plate, Cabinets, shelves, tables, Glass containers & beakers, UNIVERSAL UNITRON 7886 Microscope, MARVEL refrigerator, SCIENTIFIC SG5000 scale, SARTORIUS scale, TEMP-TROL viscosity bath



72" ROUND GRANITE SURFACE PLATE

Indicates Equipment Located in Bloomfield, CT

REMOVAL DATE AUGUST 31ST, 2013- SEE WEBSITE FOR COMPLETE TERMS

PLANT SUPPORT • RIGGING EQUIPMENT • MAINTENANCE SHOP



Large Quantity

VIEW OF REPAIR PARTS



VIEW OF H.D. TOOL CABINETS



KNAACK TOOL BOX



ROL-TOE HYD. RIGGING JACKS



New Controls

OVEN WITH LATE MODEL HONEYWELL CONTROLS



FORKLIFT BOOM EXTENSION



ALPHIL SPOT WELDER



YALE 7000 Lb Cap. Forklift



VIEW OF DRILL & TAPPING ARM



CATERPILLAR Forklift W/ 3000 lb. Cap.

PLANT SUPPORT & MISCELLANEOUS

Including: (55) pieces of KM63 Kennametal quick change Toolholders, wire and electrical spares, electronic spares, plumbing, cooper piping, tool steel, Lathe tooling, Bullard tooling, R-8 Bridgeport tooling, milling vises, drill vises, tie downs & set-up tooling, tables, vises, shelving, cabinets, supplies, maint. supplies, turning tools, No.50 arbors, cutters, drill bits, Right Angle heads, boring heads, boring bars, tapping equip., collets, collet chucks, 3&4 jaw chucks, carbide tooling, carbide inserts, chuck jaws, carbide tooling, carbide inserts, chuck jaws, misc. burning & welding equip. & supplies, c-clamps, hardware, belts, bearings, pumps, motors, diving heads, rotary tables, indexers, angle plates, ladders, lighting, floor fans, work carts, portable carts, trash containers, grinding heads, milling heads, reamers, shop furniture, stock racks, pallet racking, steel shelving, misc. material handling equip., hand truck, dollies, hydraulic jacks, welding fixtures, plant support, Huge quantities of No.45, No.50, No.40 CNC Toolholders w/ tooling, Right Angle tools, milling, vises, PMP2 Renishaw probe, (7) Kennametal Toolholders, Hi-Speed spindle, boring bars, cutters, end mills, spade drills, drills, retention knobs, carbide tooling, inserts, tool racks, shelving, etc.



Many Available

HUOT CNC TOOL CART

Indicates Equipment Located in Bloomfield, CT

MAJOR LIVE ONSITE & WEBCAST AUCTION

AUCTION INFORMATION LIVE ONSITE & WEBCAST AUCTION

400,000 SQ. FT. MULTI-MILLION

DOLLAR AEROSPACE MFG AUCTION

CNC MACHINING & TURNING CENTERS • CNC VTL'S
• MACHINE TOOLS • INSPECTION TOOLING • PLANT SUPPORT

SURPLUS TO THE FUTURE MANUFACTURING REQUIREMENTS OF

BEACON INDUSTRIES

AUCTION SITE:

549 CEDAR STREET
NEWINGTON, CT

LOCATION #2:

85 GRANBY STREET - BLOOMFIELD, CT

Sale Date: Wednesday, AUGUST 14th,

Starting at 10:30 AM (ET) Newington Site ONLY

Inspection Date: Tuesday AUGUST 13th, 9 AM TO 5 PM

IMPORTANT NOTICE FOR INSPECTION

INSPECTIONS WILL BE HELD ON TUESDAY AUGUST 13TH FROM 9 AM- 5 PM AT BOTH PLANTS BY TOUR STARTING AT THE TOP OF EACH HOUR...PLEASE TIME YOUR VISIT ACCORDINGLY...OR BY APPOINTMENT.

NOTE: THE AUCTION WILL TAKE PLACE ONLY AT THE NEWINGTON, CT. FACILITY. (BLOOMFIELD ITEMS WILL BE SOLD THEATER STYLE IN NEWINGTON ON AUCTION DAY AUGUST 14th).

Buyer's Premium: 15% Onsite & 18% Webcast

Webcast Bidding



Register at www.bidspotter.com



THOMAS INDUSTRIES
2414 Boston Post Road
Guilford, CT 06437-2310

(203) 458-0709 Phone
(203) 458-0727 Fax
www.thomasauction.com

IMPORTANT NOTICE: DUE TO STRICT GUIDELINES, TIME RESTRICTIONS & CONTINUING MFG. IN BOTH FACILITIES - ALL RIGGING & REMOVAL (OTHER THAN HAND CARRY ITEMS) MUST BE PERFORMED BY PEDOWITZ RIGGING CO. PLEASE CONTACT A.J. OR ANDY CONTI (888) 404-9142 FOR PRICING & SCHEDULING.

Onsite Registration

Onsite registration is on the morning of the sale. In order to obtain a bid paddle a \$100.00 refundable fee is due at time of registration.

Disclaimer: Auctioneer is not responsible for errors, omissions, additions or deletions. Items offered may not necessarily be sold as described and/or photographed. Buyers should verify all aspects of their potential purchases during inspection as all items offered will be sold "as is, where is" with all faults. Please check with the auctioneer's office for additions or deletions.

Proxy Bids

If you are unable to participate in this sale Proxy Bids are accepted. Proxy bids may be submitted online directly from the lot catalog or call (203) 458-0709 for a proxy bid form.

TECHNICAL INFORMATION

Tom DeCosmo (413) 478-0030

PAYMENT INFORMATION

Irina Lekhmus (203) 458-0709 X108

ONSITE INFORMATION

Jon Standish (203) 915-3430

Most CNC
Machines Available
For Sale Immediately
Through Private
Negotiation!
Contact Auctioneer

THOMAS INDUSTRIES APPRAISAL DIVISION

Accurate appraisals supported by over 56 years of conducting worldwide auctions and liquidations.


Call (203) 458-0709 for a confidential appraisal of your assets. One piece of equipment or an entire plant.



Under Management of:



THOMAS INDUSTRIES
2414 Boston Post Road
Guilford, CT 06437-2310
(203) 458-0709 • (203) 458-0727 Fax
<http://www.thomasauction.com>



PRESORTED FIRST CLASS MAIL
U.S. POSTAGE
PAID
Permit No. 80
Milford, CT

MAJOR LIVE ONSITE & WEBCAST AUCTION

Surplus to the Future Manufacturing Requirements of
Beacon Industries

FORWARDING SERVICE REQUESTED

Auction Location:

549 Cedar St, Newington, CT
Location #2: 85 Granby Street - Bloomfield, CT

SALE DATE:

WED., AUGUST 14th, 10:30 AM (ET)

INSPECTION:

TUESDAY, AUGUST 13th, 9 AM TO 5 PM
PLEASE SEE PAGE 19 FOR IMPORTANT
INSPECTION INFORMATION & SCHEDULE

Buyer's Premium: 15% Onsite & 18% Webcast

LIVE ONSITE & WEBCAST AUCTION



New 2007

\$300K NEW

ZEISS "PRISMO" "4-AXIS" BRIDGE-TYPE DCC CMM



New 2001

1 of 2

DAEWOO PUMA # 400-B CNC TURNING CENTER



New 2004

FULL 4th-AXIS

O.K.K. # HM-80-S CNC HORIZONTAL MACHINING CENTER



5-AXIS

FULL BEBUILD & RETROFIT 2004

WHITE-SUNSTRAND # S-80 "5-AXIS" CNC HORIZONTAL MACHINING CENTER

Surplus to the Future Manufacturing Requirements of

Beacon Industries

Newington and Bloomfield, CT

SALE DATE: WEDNESDAY, AUGUST 14th, 10:30 AM (ET)
INSPECTION: TUESDAY, AUGUST 13th, 9 AM TO 5 PM

AUCTION INFORMATION: WWW.THOMSAUCTION.COM OR 203-458-0709