



Alpine NDT Services Inc.

Report #: 1096-1

Item Examined: Pressure Vessel

Client: Enlyn Process Systems

Branch: Blackfalds, AB

Location: Enlyn Shop

Client Rep: Tony

Serial #: A#401844

Inspection Date: 10/31/2014

PO #:

WO #:

Reference #: Job# E-358

TESTING EQUIPMENT

UT Machine

Make: GE Inspection Technologies

Model: USM Go

Serial #: 13016019

Calibration Date: 3/1/2013

Transducer

Make: Stresstel

Serial #: 13A0213R

Frequency: 5 MHz

Size: .250"

Angle: 0°

Mode: Longitudinal

Calibration Block

Type: 4 Step Block

Serial #: 12-4685

Reflector: BWE

Thickness: .250" – 1.000"

Code: ASME V Article 23 SE797

Acceptance Criteria: Client Specification

Temperature: Ambient

Material: Carbon Steel

Surface Prep: Bare Metal


Procedure: UT-1 Thickness Testing

EXAMINATION RESULTS:

Examination was conducted on the vessel & nozzles for thickness as requested.

Thickness measurements include the paint thickness of approximately .005" thick.

See the following pages for results.




Technician: Mitch O'Meara

Assistant:

Signature:

Qualifications: CGSB - MT2

SNT - UT1





Alpine NDT Services Inc.

Report #: 1096-1

Serial #: A#401844

A# 401844	Item: Vessel & Nozzles					Date: Oct. 31, 2014	
Location	Size	Sch.	Nom.	Min.	Component	Min.	Avg.
H1	84"	Plate		1.625"	Head Scan	1.689"	1.750"
H2	84"	Plate		1.625"	Head Scan	1.693"	1.750"
H3	84"	Plate		1.625"	Head Scan	1.684"	1.750"
H4	84"	Plate		1.625"	Head Scan	1.661"	1.750"
H5	84"	Plate		1.625"	Head Scan	1.688"	1.750"
H6	84"	Plate		1.625"	Head Scan	1.693"	1.750"
H7	84"	Plate		1.625"	Head Scan	1.694"	1.750"
H8	84"	Plate		1.625"	Head Scan	1.704"	1.750"
H9	84"	Plate		1.625"	Head Scan	1.779"	1.800"
H10	84"	Plate		1.625"	Head Scan	1.763"	1.800"
H11	84"	Plate		1.625"	Head Scan	1.788"	1.810"
H12	84"	Plate		1.625"	Head Scan	1.791"	1.810"
S1	84"	Plate	1.563"	1.553"	Shell Scan	1.596"	1.610"
S2	84"	Plate	1.563"	1.553"	Shell Scan	1.587"	1.610"
S3	84"	Plate	1.563"	1.553"	Shell Scan	1.599"	1.615"
S4	84"	Plate	1.563"	1.553"	Shell Scan	1.594"	1.610"
S5	84"	Plate	1.563"	1.553"	Shell Scan	1.558"	1.600"
S6	84"	Plate	1.563"	1.553"	Shell Scan	1.582"	1.600"
S7	84"	Plate	1.563"	1.553"	Shell Scan	1.559"	1.600"
M1	24"	160	2.343"	2.050"	Manway	2.853"	2.870"
N1	4"	N/A	N/A	N/A	Nozzle	1.352"	1.395"
N2	2"	160	0.343"	0.300"	Nozzle	0.298"	0.330"
N3	2"	160	0.343"	0.300"	Nozzle	0.296"	0.330"
N4	4"	N/A	N/A	N/A	Nozzle	1.362"	1.380"
N5	3"	XS	0.300"	0.263"	Nozzle (Elbow)	0.246"	0.280"
N6	3"	XS	0.300"	0.263"	Nozzle (Elbow)	0.208"	0.250"
N7	3"	XXS	0.600"	0.525"	Nozzle	0.677"	0.750"
N8	3"	XXS	0.600"	0.525"	Nozzle	0.783"	0.810"
N9	3"	XXS	0.600"	0.525"	Nozzle	0.786"	0.820"
N10	3"	XXS	0.600"	0.525"	Nozzle	0.794"	0.820"