


FILLERS & CAPPERS

AD

Built by **FILLER SPECIALTIES**
SINCE 1973

Built with Dependability for the Future

- The model **AWFS-3010 Filler** is designed for filling the ultra light-weight 200 ml./ 1½ ltr. plastic and returnable containers
- This high speed filler is built to handle the 28mm and 38mm containers with ease, and great savings of product loss with Filler Specialties Fast Fill Valves.
- Maximum speeds are obtained on all machines of this model with the use of Filler Specialties Fast Fill Valves. The AWFS-3010 is engineered for filling 185 of the 28mm, 1½ ltr bottles per minute
- This all stainless steel, heavy construction filler, with Gear Driven System, is low in maintenance compared to others. It will give daily dependable service.




Standard Features:

Operator control panel mounted on the filler base for ease of operation.

Screw infeed for smoother operation.

Cap supply feeding equipment mounted on the filler base for ease of cleaning.

Capping station for screw or press-on caps mounted on the filler base.



FILLER SPECIALTIES

440 100th St., Zeeland, MI U.S.A. 49464


For more information call (616) 772-9235 or Fax (616) 772-4544

Containers per Minute


Speed will vary depending on product and container

No. of Valves	No. of Cappers	Milk		Water 28mm				
		Quart	½ Pint	1½ Liter	1 Liter	500 ml.	250 ml.	200 ml.
30	10	225	275	185	200	275	275	275


Left Hand and Right Hand Models Available. Cap Feeder Optional.





Left Hand with Rotary Cap Feeder



Right Hand with FS 12 Cap Feeder



Left Hand



FILLER SPECIALTIES

440 100th St., Zeeland, MI U.S.A. 49464

For more information call (616) 772-9235 or Fax (616) 772-4544

FILLERS & CAPPERS

AT

Built by **FILLER SPECIALTIES**
SINCE 1973



Cap Feeding System

Model #FS12ES

This Cap Feeder/Orientor serves as an elevator and bulk hopper. It orientates the cap in alignment to the capper.

Special Features:

- Easy loading of caps at a safe floor level.
- The cap feeder handles the caps gently with minimum agitation.
- Polished stainless steel construction.
- Stainless steel control panel.
- Variable speed control panel.
- Photo cell on cap chute to start and stop feeder.
- Cap overflow back to hopper.
- Very low maintenance.
- Easy to clean
- 4.1 cubic foot hopper standard, larger hopper upon request.





**FILLER
SPECIALTIES**

440 100th St., Zeeland, MI U.S.A. 49464
For more information call (616) 772-9235 or Fax (616) 772-4544

PRESSURE RELEASE VALVES

by FILLER SPECIALTIES

Model No. 960 B



FILLER SPECIALTIES

440 100th St, Zeeland, MI U.S.A. 49464

for more information write or call us at (616) 772-9235 Fax (616) 772-4544