



**SAMED INNOVAZIONI SRL**

---

by **REBORD®** machinery

**Semplicità  
nell'innovazione**

Sistemi per la fabbricazione di  
libri fotografici e scatole di lusso

**Simplicity  
into innovation**

Photo book systems and  
luxury packaging boxes

Company SAMED INNOVAZIONI is a family company and we are into the bookbinding and paper converting sector from more than 15 years. Into our Head office in Prato (PO) – close to Florence – ITALY, we project, upgrade, set up and test all our equipments, on our own drawings and Patent. The innovation of Company SAMED is into continuous Development, to satisfy our Customers' inquiries and, thanks to our flexible and exclusive systems into the sector, we are able to run particular luxury packaging boxes giving a great result to the product.

Photos give an idea of some particular sizes and, as per customer's fantasy joined to our systems, We can run the production as in automatic as in semi-automatic cycle, keeping the simplicity and Compactness that is our mark of distinction into the market.

Innovation is also the possibility to invest into a sole equipment that could run as Traditional book covers and photo-books as boxes, both with special sizes (for example "S" curved sides or "Windowed" particulars) our equipments only can run easily without any tool or substitution of mechanical part.

We take part to the most important Exhibitions into our sector, like:

**Simplicity  
into innovation**

|                      |                          |
|----------------------|--------------------------|
| DRUPA                | <i>Germany</i>           |
| Graphispag           | <i>Spain</i>             |
| Photokina            | <i>Germany</i>           |
| IPEX                 | <i>UK</i>                |
| Pack Print           | <i>Bangkok</i>           |
| IPMEX                | <i>Malaysia</i>          |
| Expoprint            | <i>São Paulo, Brazil</i> |
| Polygraphinter       | <i>Russia</i>            |
| Printing Expo        | <i>Shanghai, China</i>   |
| Print 2013           | <i>Chicago, USA</i>      |
| Printing South China | <i>Guangzhou, China</i>  |
| etc.                 |                          |

With our own booths or by our Agents' booth.  
Our equipments are well known everywhere  
and are present into all Countries  
of the World.

# Photofast Cold glue

## Photofast colla a freddo Incollatrice automatica per formare i foto album

|                            |                                              |
|----------------------------|----------------------------------------------|
| Formato minimo del blocco  | 150 mm x 150mm                               |
| Formato massimo del blocco | 480 mm x 400 mm                              |
| Peso supporto cartoncino   | Min: 250 gr                      Max: 350 gr |
| Produzione:                | Fino a 30 cicli/minuto                       |
| Ingombro esterno x export  | 160 x 160 x 150 cm (Lungh/Largh/Alt)         |
| Peso netto macchina        | Kg 600                                       |
| Peso lordo macchina        | Kg 700                                       |
| Alimentazione elettrica    | 400 Volts 3 fasi 50/60 Hz                    |
| Assorbimento               | 2.5 Kw                                       |
| Aria compressa             | 6 Bar 200 L/h                                |

### CARATTERISTICHE

- Grande flessibilità nell'uso.
- Due alimentatori separati (per foto e cartoncino di support)
- Cambio formato rapido e semplice
- Tempi di pulitura macchina ridottissimi.
- Cambio formato eseguito senza l'uso di attrezzi o sostituzione di parti meccaniche
- Ottimo registro.
- Perfetta apertura del blocco totalmente piatta per ottenere l'effetto "pagine panoramiche"

## Photofast Cold Glue Automatic gluing machine to form the book blocks

|                              |                                              |
|------------------------------|----------------------------------------------|
| Minimum size of the book     | 150 mm x 150mm                               |
| Maximum size of the book     | 480 mm x 400 mm                              |
| Board Support weight         | Min: 250 gr                      Max: 350 gr |
| Productivity:                | Up to 30 cycles/minute                       |
| Overall dimension (x export) | 160 x 160 x 150 cm (Length/Width/Height)     |
| Machine NET weight           | Kg 600                                       |
| Machine Gross Weight         | Kg 700                                       |
| Electrical Power             | 400 Volts 3 Phases 50/60 Hz                  |
| Power                        | 2.5Kw                                        |
| Compressed air               | 6 Bar 200 L/h                                |

### SPECIAL FEATURES

- Great flexibility in its use.
- Double separated hopper (photos and light board support)
- Fast and easy change over time.
- Very reduced cleaning time
- No tool and no mechanical parts to substitute during the change over size.
- Optimal register.
- Perfect lay flat opening in order to show uninterrupted "panoramic pages"



# Photofast Hot melt

## Sistema colla a caldo Incollatrice automatica x formare i foto album

|                                        |                                                                                                                                                                                                                |                  |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| Formato minimo:                        | Altezza 152,4 mm (6")                                                                                                                                                                                          | Larghezza 160 mm |
| Formato massimo                        | Altezza 508 mm (20")                                                                                                                                                                                           | Larghezza 400 mm |
| Peso delle foto                        | Min: 250 gr                                                                                                                                                                                                    | Max: 350 gr.     |
| Peso del support cartoncino:           | Min: 250 gr                                                                                                                                                                                                    | Max: 350 gr.     |
| Velocità                               | Fino a 30 cicli/minuto                                                                                                                                                                                         |                  |
| Dimensioni ingombro                    | mm 1400 x1400 x1500 (lung/larg/alt)                                                                                                                                                                            |                  |
| Peso Netto macchina                    | Kg700                                                                                                                                                                                                          |                  |
| Peso Lordo macchina                    | Kg 800                                                                                                                                                                                                         |                  |
| Alimentazione elettrica                | 400 V 3 Fasi 50/60 Hz                                                                                                                                                                                          |                  |
| Assorbimento                           | 7 Kw                                                                                                                                                                                                           |                  |
| Aria Compressa                         | circa. 200 NI/h 6 BAR                                                                                                                                                                                          |                  |
| Alimentazione                          | Doppio alimentatore separato x foto già piegate e cartoncino di supporto                                                                                                                                       |                  |
| Distanziatore                          | Dispositivo automatico per mantenere nel dorsino centrale la distanza di 2 mm fra le foto piegate ad il cartoncino inserito in modo da ottenere una apertura totalmente piatta per effetto "foto panoramiche". |                  |
| Controllo pressatura blocco            | Sistema di pressatura ulteriore all'uscita.                                                                                                                                                                    |                  |
| Alimentazione numero foto o cartoncino | Con Sistema computerizzato                                                                                                                                                                                     |                  |
| Cambio formato                         | Nessun uso di arnesi o parti meccaniche da sostituire x effettuare il cambio formato                                                                                                                           |                  |

## Automatic gluing machine to form the photo books

|                           |                                                                                                                                                                                                                                                                                |              |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Minimum size:             | Height 152,4 mm (6")                                                                                                                                                                                                                                                           | Width 160 mm |
| Maximum size              | Height 508 mm (20")                                                                                                                                                                                                                                                            | Width 400 mm |
| Weight for photos         | Min: 250 gr                                                                                                                                                                                                                                                                    | Max: 350 gr. |
| Board support weight:     | Min: 250 gr                                                                                                                                                                                                                                                                    | Max: 350 gr. |
| Speed                     | up to 30 cycles/minute                                                                                                                                                                                                                                                         |              |
| Overall dimension         | mm 1400 x1400 x1500 (Length/Width/Height)                                                                                                                                                                                                                                      |              |
| Machine Net weight        | 700 Kg                                                                                                                                                                                                                                                                         |              |
| Machine Gross weight      | 800 Kg                                                                                                                                                                                                                                                                         |              |
| Electric Power            | 400 V 3 Phasis                                                                                                                                                                                                                                                                 | 50/60 Hz     |
| Power                     | 7 Kw                                                                                                                                                                                                                                                                           |              |
| Compressed Air            | approx. 200 NI/h 6 BAR                                                                                                                                                                                                                                                         |              |
| Feeding by                | Double separated hopper (pre-folded photos and light board support)<br><br>Automatic device to keep 2 millimeters distance between pre-folded photos and light board insert into the spine, to get a perfect lay flat opening in order to show uninterrupted "panoramic pages" |              |
| Block control             | Pressing system at the exit                                                                                                                                                                                                                                                    |              |
| Photo or board feeding by | Computerized system                                                                                                                                                                                                                                                            |              |
| Change over time          | No tool and no mechanical parts to substitute during the change over size                                                                                                                                                                                                      |              |




**Darix Standard**



**Darix Evolution**  
con Posizionatore Automatico Cartoni



**Darix Evolution**  
«Turbo»



**Darix Evolution Light**



**Darix**  
con Posizionatore  
Automatico Cartoni



**MM1**



**Pendix**



**Oscar 100**



**Photofast  
Cold glue**



**Photofast  
Hot melt**




**Kostanza**



**Bordino**



**Hektor**





**encore**

Print & Finishing Equipment



Call 01582 562518

[sales@encoremachinery.co.uk](mailto:sales@encoremachinery.co.uk)

[www.encoremachinery.co.uk](http://www.encoremachinery.co.uk)