

## A CLEARER VISION FOR THE PERFECT FINISH







## A CLEARER VISION FOR THE PERFECT FINISH


## galaxy

industrial roll fed encapsulation machine

A simple control panel allows speed, temperature and cooling fans to be adjusted to suit the work being run.



Special heated rollers for scratch-free processing of polyester and OPP films.



A fully adjustable, positive side lay is provided to aid consistent feeding by hand. The feed table can be easily removed to allow the coupling of an automatic sheet feeder.



Side slitters are provided to minimise the need for trimming after the encapsulation process.

A twin bank of cooling fans is supplied to enhance film clarity and aid clean side trimming.



Films with either 57mm or 75mm cores may be used for flexibility of supply.



Nip and pull roller pressures are adjusted independently for best results.

Call 01582 562518 sales@encoremachinery.co.uk www.encoremachinery.co.uk



## Galaxy - Industrial roll fed encapsulation machine

Specifications			
Dimensions	L 950mm	W 970mm	H600mm
Weight		75kg	
Electrical requirements		Single phase, 16 amps, 4kw	
Speed		Up to 5m per minute	
Maximum recommended stock		2.5mm	
Maximum working width		540mm	
Core size		57mm (2") & 75mm (3")	

Maximum roll lengths		
37/42 micron	750m	
75 micron	500m	
125 micron	500m	
250 micron	250m	



