



Blow / Fill / Seal Specialists

Over 37 years in the BFS Industry




- ★ Turnkey Blow-Fill-Seal Production Lines Utilizing Fully Rebuilt BFS Machinery Delivered "Like-New"
- ★ Custom Molds & Parts Supply from Design Through Manufacturing
- ★ New, Used, & Rebuilt Equipment to Outfit Your Entire Plant!

BLOW/FILL/SEAL REBUILDING PROCESS



Machines are completely stripped to the bare frame. All surfaces cleaned, polished or painted. Extruder barrel and screw removed for complete overhaul. Gear box completely rebuilt. Repaint all mechanical spaces with white epoxy.



Mold carriage is completely disassembled and refinished. New bushings, tie bars and hydraulic cylinders installed. New rails installed in the base.



Under the base, **hydraulic power pack** is completely overhauled. New Hi/Low pressure pumps and heat exchangers added as are all new hoses. Mokon extruder cooling unit is replaced with new. All ASCO vacuum valves are new. Wiring simplified - LAN PLC eliminates "Home Run" device connection.



Hydraulic control valves are changed from 120VAC to NEW 24 VDC for added safety.




Completely new CIP/SIP system New sanitary control valves, filter housing and buffer tank are provided as part of the system. The system is completely automatic and a separate MMI is next to the system for easy operator control.



Man Machine Interface (MMI)

All buttons on the front panel go directly to device net device inside and communicate by single Ethernet wire to the PLC. Large color MMI Touch Screen is easy to read with intuitive screens that were designed by people with years of BFS operating experience.



Old electrical panel is completely stripped to bare mounting board.

The **finished electrical cabinet** is completely simplified as a result of the elimination of "Home Run Wiring".

Only the black Ethernet IP cable goes back to PLC. Local devices are easily plugged in or out for fast repair or troubleshooting.



THE HEALTHSTAR REBUILD

Filling System: Complete upgrade with stainless steel contact parts designed for specific applications and install new product filter housing(s).

Air System: New piping of air system as required with new filter housings

Extruder/Parison Head: Rework or replace barrel and screw, install new motor and drive, and/or rebuild existing new parison to meet new application.

Take Out/Deflashing Assembly: Build a patented top deflasher into the machine for smooth operation.

Guards and Safety: Complete safety interlocks with hydraulic lock-out and quick pressure dump. Additional guards incorporated where needed. Manual function security code through PLC for manual operation

Electrical Upgrade: Full PLC machine control with plasma touch screen interface and user-friendly prompts for easy and precise control.

The finished HealthStar machine is equivalent in quality to a new BFS machine and built custom to your requirement.

The result is a "LIKE NEW" machine at a significantly reduced total cost of ownership!

Complementary BFS Equipment

CUSTOM BUILT BY HEALTHSTAR
To User Specifications

★ Mold, Parison Head & Fill Station Lift

For Transport, Installation and Removal

★ Cap Welder & Over Capper

★ Deflasher for Hydraulic Trimming of BFS Strips

★ Vial/Ampoule Labeler

★ Cartoning Machinery



COMPLETE MOLD MANUFACTURING
& DESIGN SERVICES



THE FINISHED PRODUCTS

HealthStar, Inc.

www.healthstaronline.com

Head Office US: **781.961.5400** Fax: **781.961.5456** Email: info@healthstaronline.com
Sales Contact: **CJ Cote** Phone: **781.961.5400 x32** Email: ccote@healthstaronline.com