

JOB # 30495-02 COMPRESSOR PID COMPONENTS

QTY USED	PID	ANGI PART NUMBER	DESCRIPTION	ADDITIONAL
2	BV 6	338-07234	VALVE-PURGE 1/4 FNPT KF	VITON SEAL DELTRIN SEAT 6000 PSI
1	BV 7	330-07281	VALVE-PURGE 1/4 MNPT SS	6000 PSI @ 70 DEG F NO REBUILD KIT AVAILABLE
1	CV 48	336-07258	VALVE-CHECK KF 2	CL150 WAFFER SWING NO REBUILD KIT AVAILABLE
1	CV 50	336-07260	VALVE-CHECK HOKE 1/2 FML	SS 20 # CRACKING PRESSURE 6000 PSI
4	CV 55	336-07266	VALVE-CHECK HOKE 3/8 FML	SS 20 # CRACKING PRESSURE SPRG 6000 PSI
1	F 22	772-07235	FILTER-FINITE SAE-16 J4	COALESCING GR10 ELEMENT - 772-06840 BOWL ORING - 715-04427 1 5/16-12 FSAE PORTS HEAD - 41149 BOWL - 40871 SPRING - 41082 5000 PSI
1	F 25	772-07237	FILTER-FINITE SAE-16 J4	COALESCING GRD4 (SAE-16 = 1 5/16-12SAE) ELEMENT - 772-00824 BOWL ORING - 715-04427 1 5/16-12 FSAE PORTS HEAD - 41149 BOWL - 40871 SPRING - 41082 5000 PSI
2	F 74	772-07261	FILTER-FINITE SAE-16 J4 COALESING	100 MICRON ELEMENT REPLACEMENT ELEMENT - 770-07311 BOWL O'RING - 715-04427 1 5/16-12 FSAE PORTS HEAD - 41149 BOWL - 40871 SPRING - 41082 350 DEG F 5000 PSI
1	F 100	772-07273	FILTER-FINITE SAE-32	MS8S GRD3 USE W/ADAPTER-303-07346 ELEMENT - 770-07295 BOWL TO HEAD O'RING - 711-07230 2 1/2-12 FSAE PORTS ELEMENT 800 PSI

JOB # 30495-02 COMPRESSOR PID COMPONENTS

QTY USED	PID	ANGI PART NUMBER	DESCRIPTION	ADDITIONAL
1	F 105	770-07393	STRAINER-BASKET TYPETB	2 CL 150 & 300
1	G 22	741-07240	GAUGE-PRES 200#/B BM PM GF WIKA	BACK MOUNTS PANEL MOUNT GLYCERIN FILLED
1	G 23	741-07241	GAUGE-PRES 300#/B BM GF WIKA	BACK MOUNTS GLYCERIN FILLED
1	G 27	741-07245	GAUGE-PRES 3000#/B BM PM GF WIKA	BACK MOUNTS PANEL MOUNT GLYCERIN FILLED
2	G 30	741-07248	GAUGE-PRES 6000#/B BM PM GF WIKA	PSI/BAR BACK CENTER MOUNT PANEL MOUNT GLYCERIN FILLED
2	G 33	741-07251	GAUGE-PRES 1000#/B BM PM GF WIKA	PSI/BAR BACK CENTER MOUNT PANEL MOUNT GLYCERIN FILLED
1	LLS 7	485-02138	SWITCH-RECLVL MPHY L1100 EX1.5	11/2 " MNPT 1500 # MAX FLOAT COVER - 700-07798
1	LLS 10	485-07229	SWITCH-LIQLVL MURPHY	L150K1 25 # MAX IN 250 DEG F
1	MV 2	339-02423	VALVE-BALL HOKE 1/4 6000# SS	PACKING KIT-761-07264 SEAT KIT-761-01229 BALL-90200-2 STEM-90199-2 SS STEM RETAINER-90197-2 RETAINER RING-5294 SS PANEL MNT NUT-Y492-8 SS RED HANDLE-700-07761 HANDLE SCREW-90206-2 LOCKING HDL KIT - 30ñ
2	MV 9	334-02490	VALVE-BALL MV 1/2	W/ LOCKING HANDLE SS NO REBUILD KIT AVAILABLE 2000 PSI
1	MV 74	334-07264	VALVE-BALL MV 1	W / LOCKING HANDLE BRONZE NO REBUILD KIT AVAILABLES 300 DEG F 600 PSI
1	MV 124	334-07322	VALVE/ACT-ASSY HOKE (2) 3/8	NORMALLY OPEN W/07L90SR3ISO-M31 SR ACT DOUBLE ASSY-N.O. (for PP&rec. unload valves) ACTUATOR REBUILD KIT-761-07505 REBUILD KIT(D SERIES)-761-07276 SEAL KIT(D SERIES)-761-07391 SEAT KIT(OLD STYLE-NOT A D SERIES)-761-01230 PACKING KIT(OLD STñ

JOB # 30495-02 COMPRESSOR PID COMPONENTS

QTY USED	PID	ANGI PART NUMBER	DESCRIPTION	ADDITIONAL
1	MV 166	334-07362	VALVE-BALL SVF 1/2 6000#	FULL PORT W / LOCKING HANDLE SS 2-PC SEAL WELDED NO REBUILD KIT AVAILABLE 6000 PSI
2	MV 167	334-07284	VALVE-BALL MV 1/2	W / LOCKING HANDLE NO REBUILD KIT AVAILABLE 600 PSI
1	MV 204	334-07409	VALVE/ACT-ASSY SVF 2	VALVE REBUILD KIT - 761-07440 ACTUATOR REBUILD KIT - 761-07444 CL150 REG PORT W/A2S-75-11-NC ACT NC
1	MV 238	334-07443	VALVE-BALL SVF 2	CL150 REG PORT W / LOCKING HANDLE 3-PIECE FIRE SAFE REPLACES MV 126 (334-07324) VALVE REBUILD KIT - 761-07440
1	MV 265	334-07470	VALVE/ACT-ASSY SVF 1	FULL PORT W / A2S-35-NC VALVE R.K. = RKEZ910AT ACT R.K. = 761-07460 450 DEG F 1000 PSI
1	OC 2	150-07232	COOLER-OIL	8000 BTU / HR 1 FNPT
1	PR 13	500-01674	REG-MECO PRIMARY 125#	W/O ENV CAP 5500 # IN / 125 # OUT REBUILD KIT-840-04319 BRACKET-663-00230
1	PR 122	991-07317	REG-1"150-200# SPRG 3/8ORF 630-16	REBUILD KIT - 761-07237 SEAT RING - 300-07590
1	PT 2	410-03115	TRANSD-GEMS 0-100# IS	CL1 DIV2 GRP C & D 1/4 MNPT
1	PT 3	410-04408	TRANSD-GEMS 0-300# IS	CL1 DIV2 GRP C & D 4-20mA 1/4 MNPT
2	PT 5	410-03116	TRANSD-GEMS 0-1000# IS	CL1 DIV2 GRP C & D 4-20mA 1/4 MNPT
1	PT 6	410-03117	TRANSD-GEMS 0-3000# IS	CL1 DIV2 GRP C & D 4-20mA 1/4 MNPT

JOB # 30495-02 COMPRESSOR PID COMPONENTS

QTY USED	PID	ANGI PART NUMBER	DESCRIPTION	ADDITIONAL
2	PT 7	410-03118	TRANSD-GEMS 0-6000# IS	CL1 DIV2 GRP C & D 4-20mA 1/4 MNPT HARNESS ASSY 452-07231
1	PV 80	994-07263	TANK-VERT 100GAL 600#	24" OD 64 1/2" OAL ASME VESSEL RING BASE 796 PSI
3	RTD 5	400-07303	TRANSMITTER	TEMP 32 TO 392F !!NON-UL!! FOR UL USE #400-07889
1	SRV 37	331-04522	VALVE-RELIEF	CIRCLE SEAL 1/4 ASME W/VITON O'RINGS 125 PSI
		700-02978	THERMOWELL-2.5x1/2NPT	400 DEG F 5700 PSI
		303-07260	ADAPTER-PROBE	.215 SPRING LOADED NO O'RING
		700-07283	RTD-TIP SENSITIVE -58/500F 72"	USED WITH TRANSMITTERS - 400-07303, 400-07653 # 700-08048
1	SRV 112	331-08012	VALVE-RELIEF 275# MERCER D-ORF	3/4 MNPT IN x 1 FNPT OUT 550 SCFM REBUILD KITS - 761-07543 (1D1T1I1) & 761-07542 (1D1T1I2)
1	SRV 122	331-08022	VALVE-RELIEF 600# MERCER D-ORF	3/4 MNPT IN x 1 FNPT OUT 1200 SCFM REBUILD KITS - 761-07543 (1D1T1I1) & 761-07542 (1D1T1I2)
1	SRV 130	331-08030	VALVE-RELIEF 1000# MERCER D-ORF	3/4 MNPT IN x 1 FNPT OUT 2000SCFM REBUILD KITS - 761-07543 (1D1T1I1) & 761-07542 (1D1T1I2)
1	SRV 142	331-08042	VALVE-RELIEF 2400# MERCER C-ORF	3/4 MNPT IN x 1 FNPT OUT 2450SCFM
1	SRV 152	331-08052	VALVE-RELIEF 5200# C-ORF MERCER	3/4" MNPT INLET, 1" FNPT DISCH.5300 SCFM
3	SV 9	330-07243	VALVE-SOL 3WY 1/4 150#	120V BRASS UL NORMALLY CLOSED REBUILD KIT - 761-07358 RETAINING CAP - 780-07237 CV FACTOR = .12 (3/32 ORIFICE SIZE)
1	TS 8	480-07245	SWITCH-TEMP 190F	1/2 MNPT NORMALLY CLOSED
1	TV 3	330-07232	VALVE-THERMOSTATIC	3-WAY 100 DEG F 150 PSI
1	VS 2	480-07246	SWITCH-VIBRATION	NONEXPRF

JOB 30495-02 CUMMINS ENGING PID COMPONENTS

QTY USED	PID	ANGI PART NUMBER	DESCRIPTION	ADDITIONAL
1	A 10	402-07237	ACTUATOR-PNEU WATTS	PAS500 ACTUATOR REBUILT KIT - 761-07330
1	F 53	770-07282	FILTER-FINITE 1 H-SERIES	ELEMENT - 772-06941 O'RING - 710-07333 40092 FOR ENGINE GAS INLET 500 PSI
1	G 21	741-07239	GAUGE-PRES 30#/B BM PM GF WIKA	BACK MOUNT PANEL MOUNT GLYCERIN FILLED
1	G 23	741-07241	GAUGE-PRES 300#/B BM GF WIKA	BACK MOUNT GLYCERIN FILLED
2	LLS 10	485-07229	SWITCH-LIQLVL MURPHY	L150K1 25 # MAX IN 250 DEG F
1	MP 2	700-07237	GAUGE-PRES 30#/B BM PM GF WIKA	BACK MOUNT PANEL MOUNT GLYCERIN FILLED
1	MV 11	334-03567	VALVE-BALL MV 3/4 600#	NO REBUILD KIT AVAILABLE W / LOCKING HANDLE BRONZE
2	MV 74	334-07264	VALVE-BALL MV 1	W / LOCKING HANDLE BRONZE NO REBUILD KIT AVAILABLES 300 DEG F 600 PSI
1	PR 19	990-05861	REG-1"15-40# SPRG 1/4ORF 627-112	REBUILD KIT - 761-07229
1	PT 3	410-04408	TRANSD-GEMS 0-300# IS	CL1 DIV2 GRP C & D 4-20mA 1/4 MNPT HARNESS ASSY 452-07231
1	RTD 5	700-07283	RTD-TIP SENSITIVE -58/500F 72"	USED WITH TRANSMITTERS - 400-07303, 400-07653
1	SRV 244	331-08149	VALVE-RELIEF NUPRO	1/4 M Lx FML RL3 PRESSURE RANGE 10-225#
1	SV 5	330-05099	VALVE-SOL 2WY 11/4 25#	120V NORMALLY CLOSED UL EXPRF ASCO Kv FLOW FACTOR (m3/h) = 27.43 REBUILD KIT - 761-07248
2	SV 9	330-07243	VALVE-SOL 3WY 1/4 150#	120V BRASS UL NORMALLY CLOSED REBUILD KIT - 761-07358 RETAINING CAP - 780-07237 CV FACTOR = .12 (3/32 ORIFICE SIZE)
1	TG 5	740-07245	GAUGE-TEMP MURPHY 130-250F	(54-121 CELCIUS) 2" 1/2" MNPT

JOB 30495-02 CUMMINS ENGING PID COMPONENTS

QTY USED	PID	ANGI PART NUMBER	DESCRIPTION	ADDITIONAL
1	TS 5	480-07088	SWITCH-TEMP	NO/NC EXPRF 100-500F



WARRANTY

ANGI hereby warrants that the equipment shall be free of defects in material and workmanship appearing within ONE YEAR from the date the equipment is placed into service or eighteen months from availability to ship; whichever comes first. Purchaser must give written notice of any defect covered by this warranty to ANGI within eighteen (18) months of availability to ship. For any defect covered by this warranty, ANGI shall repair or replace the equipment. Repairs or replacement parts are warranted for 90 days from the date that the repaired or replaced products are shipped from the factory or until termination of the original warranty, whichever is longer. This warranty does not cover labor costs and other contingent expenses for the diagnosis of defects or for removal and reinstallation of the equipment. Such repair or replacement shall be Purchaser's exclusive remedy for breach of this Agreement or negligence.

This warranty does not extend to any equipment which has been (a) subject to misuse, neglect, accidents, Acts of God, or causes of a similar nature; (b) repaired or altered by anyone other than ANGI, without ANGI's prior approval; (c) improperly installed by anyone other than ANGI or someone under its direction or (d) to consumable parts or materials such as filter elements, seals, belts, fuses, and overload. This warranty does not extend to components such as motors and drive engines that are separately covered by a warranty issued by their respective manufacturers. This warranty is in lieu of all other warranties expressed or implied.

EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, THIS IS THE ONLY WARRANTY GIVEN FOR THE SALE OF PRODUCTS OR SERVICES. NO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE SHALL APPLY. IN NO EVENT WILL ANGI BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES RESULTING FROM THE PURCHASE OR USE OF ANGI PRODUCTS, OR RESULTING FROM ANY DELAYS OR FAILURE OF PERFORMANCE OF ANGI UNDER ANY AGREEMENT, OR RESULTING FROM ANY SERVICES FURNISHED BY ANGI.

This warranty may not be modified, amended, or otherwise changed except by a written document properly executed by ANGI.

For warranty issues contact:

Customer Service
ANGI Energy Systems, Inc.
15 Plumb Street
Milton, WI, USA 53563

Phone: 608-868-4626
Fax: 608-868-2723
E-mail: service@angienergy.com