



---

## 423-S-281

### Closed-End Automatic Baler

<i>Overall Length</i>	188-1/4
<i>Overall Width</i>	45
<i>Overall Height</i>	66-1/4
<i>Nominal Hopper Size</i>	30 wide x 40 long
<i>Product Bale Size</i>	30 wide x 30 deep x 42
<i>Number of Bale Ties</i>	
<i>Hydraulic Reservoir Capacity</i>	26 gal.
<i>Cycle (in seconds)</i>	18
<i>Ram Face Pressure:</i>	20.9 psi
<i>Ram Thrust</i>	18,800 lbs.
<i>Hydraulic System Pressure</i>	1,500 psi
<i>Pump Capacity</i>	19.5 gpm
<i>Main Cylinder</i>	4" bore x 56" stroke
<i>Main Motor Size</i>	15 HP, 208-220/440-550 Volt, 3 Phase, 60 Cycle, T.E.F.C.
<i>Total Press Weight</i>	4,000
<i>Reference Layout Drawing</i>	A281-A19

### Standard Features

- \* Pre-wired Standard Magnetic Starters
- \* Pushbutton Workstation
- \* T.E.F.C. Motors
- \* Full Oil Reservoir -- Ready to Run
- \* Access Door on In feed Chute with Safety Switch (Automatic Units)
- \* 5 feet of Discharge Roller Conveyor Included
- \* Option of Left or Right-hand Controls
- \* 30" wide X 40" long Feed Opening
- \* UL Listed Control Panel
- \* NEMA 12 Dust-tight Electrical Cabinet
- \* Solid Bridge Ring
- \* Solid End Ring
- \* Over the center door lock
- \* Heavy duty door hinges with 1-1/2" pins