

Programming Manual

Fanuc (Macro B) &

Haas Controls

(Tool Setting Cycles for Lathes)

RENISHAW 

Renishaw plc

New Mills, Wotton-under-Edge, Gloucestershire, GL12 8JR, United Kingdom

International Tel +44 1453 524524 Fax +44 1453 524901

National Tel 01453 524524 [07000 RENISHAW] Fax 01453 524901 Telex 437120 RENMET G
email genenq@renishaw.co.uk Internet <http://www.renishaw.com>

Table of contents

Before you begin

Measurement values used in this manual.....	1
About Renishaw software.....	2
Warnings, cautions and notes.....	2
Associated publications.....	2
Software and controllers covered by this manual	3
All Fanuc (macro B) T / Ti controls	3
Renishaw customer services	4
Calling a Renishaw subsidiary office	4

Chapter 1 Getting started

Why calibrate a measurement probe?	1-2
Software notes	1-3

Chapter 2 Software installation

Control options	2-2
Calling a cycle by G-code call	2-2
Tool offset type setting	2-2
Calibration data	2-3
Adjusting the software back-off distance.....	2-5
G94/G98 feed/minute mode.....	2-5

Chapter 3 Inputs

Inputs.....	3-2
Tool nose vector Hh.....	3-5
List of common variables used by Renishaw macro programs.....	3-6
List of common retained variables used by Renishaw macro programs	3-6

Chapter 4 Calibration

Manual calibration (macro O9011).....	4-2
Example.....	4-4

Chapter 5 Manual tool setting

Manual tool setting (macro O9011).....	5-2
Example: Setting a turning tool	5-4
Example: Setting a cutter to a centre line	5-4
Example: Setting the length of a cutter	5-5
Example: Setting a boring tool	5-5
Example: Broken tool checking.....	5-6
Example: Calibration and tool setting.....	5-7

Chapter 6 Auto tool setting

Auto tool setting (macro O9012)	6-2
Example: Simplified programming format.....	6-3
Example: Broken tool checking.....	6-5

Chapter 7 Macro alarms

Clearing an error	7-2
Error messages.....	7-2
Illegal tool offset number T.....	7-2
Illegal tool nose vector H.....	7-2
Inputs C and H1 – H4 mixed.....	7-3
Format error	7-3
Probe open.....	7-3
Probe fail	7-4
Broken tool	7-4