

# SPECIFICATIONS



## 1.25 MW 2009 Used MTU 12V4000 Diesel Generator Set

# 1.25 MW 2009 Used MTU 12V4000 Diesel Generator Set

## Description

This diesel generator set is powered by the MTU 12V4000 engine—a robust and reliable 12-cylinder, high-speed diesel engine designed for continuous or standby power applications. Built for demanding industrial environments, this unit is capable of delivering stable electrical output with excellent fuel efficiency and low operating costs. It is typically skid- or container-mounted and includes a brushless alternator, control panel, and cooling system.

The MTU 4000 series is well known for its durability, long maintenance intervals, and high load acceptance, making it a popular choice for prime power, backup systems, and critical infrastructure support.

### KEY FEATURES:

- **Speed:** 1500 RPM (50 Hz) or 1800 RPM (60 Hz)
- **Engine:** 12-cylinder, turbocharged, aftercooled diesel engine
- **Fuel System:** Base-frame mounted fuel tank or external fuel supply compatible

### ADVANTAGES:

- **Fuel Efficiency:** Optimized combustion for lower fuel consumption per kWh
- **Compact Design:** Suitable for installations with space constraints
- **Versatile Application:** Ideal for mining, manufacturing, data centers, hospitals, and commercial backup power

Manufacturer	MTU
Model	12V4000
Year	2009
Condition	Used
Location	USA
Qty Available	1 Units
Category	Diesel Generators
Subcategory	1 - 9 MW
Stock Number	USP010754
Wattage	1.25
Hours	NA
Frequency	60 Hz
Fuel Type	Diesel
Voltage	4160
Balance of Plant Available? (BOP)	-



# Asset Photos

---



speed with excellence  
& extreme ownership



[www.uspeglobal.com](http://www.uspeglobal.com) | [Info@uspeglobal.com](mailto:Info@uspeglobal.com)

*Images may be representative, and actuals can be supplied upon request.*

# Asset Photos

---



speed with excellence  
& extreme ownership



[www.uspeglobal.com](http://www.uspeglobal.com) | [Info@uspeglobal.com](mailto:Info@uspeglobal.com)

*Images may be representative, and actuals can be supplied upon request.*