



CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Vessels, High-Pressure "Loose - Tube Only " New and Used:

Stock No.	Qty.	Manufacture	Code	Capacity		PSIG	DxL Dimension	Weight Pounds
				Cu Ft	Gallons			
658	1	PECO-Autoclave-Filter	ASME	5	35	7,340	18"x 5'-11"	6,000
	7	Fiba "New"	ASME	8.6	65	15,000	24" x 24"x14'6"	
	1	CPI	ASME	10.1	76	7,252	24" x 24"x 10'6"	
	1	US Steel	ASME	11.1	83	7,253	16" x 11'3"	3900
34230	1	US Steel	ASME	12.2	92	4,100	16" x 13'-8.5" x 1.177"	
5059	1	CPI "New"	ASME	13.2	99	4,500	16" x 11'-6"	2,600
6512,13	2	CPI-U	ASME	14.8	111	5,500	20" x 10' x 1.303"	1,280
43384	1	CPI	ASME	16	120	5,500	20" x 11.5' x 1.303"	
23908	1	US Steel	ASME	16.2	122	6,668	16" x 19'5" x 1.416"	
5057	2	CPI	ASME	11	83	5,000	16" x 14'-3"	3,808
123-127	5	National Pitt	ASME	27.1	203	2,240	16" x 26'-10" x .902"	
6137	1	Naptech	ASME	28.3	212	5,500	20" x 19'9" x 1.463	
20118	1	US Steel	ASME	30.2	227	2,400	20" x 18.5' x .883	
20181	1	US Steel	ASME	32.6	245	4,133	16" x 31'11" x .902	
42375-LA	1	CPI	ASME	34.9	262	4,000	20" x 22'4" x 1.093	
42371-LA	1	CPI	ASME	39.5	296	4,000	20" x 25 x 1.093	
21214 LA	6	US Steel	ASME	38.9	292	2,513	16" x 36' x .738"	
5028	1	PECO-Autoclave-Filter	ASME	90	675	2,460	36" x 12'-0"	36,000
5021	1	Paul Hardeman	Mil-Spec	105	788	3,500	32" x 30'-0" OAL	19,000

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Stock No.	Qty.	Manufacture	Code	Capacity		PSIG	DxL Dimension	Weight Pounds
				Cu Ft	Gallons			
	1	AO Smith	Mil-Spec	181	1,358	5,000	38.5" x 33'4" OAL	43,000

Packaged Vessels:

Item		Qty	Mfg	Description	CuFt	MAWP	Year	N2	Hydrogen	Dimensions	Status
1	New	7	Fiba	(1t) I Beam.Frame ASME NB# 16"OD	9	15,000	2024	4,538	4,536	174" 24" x 24"	Ready-WAX
2	New	1	CPI	(1t) I Beam.Frame ASME NB# 16"OD	10	7,252	2023	4,019	3,950	128" 24" x 24"	Ready-WAX
3	New	4	Fiba	(1t) I Beam.Frame ASME NB# 20"OD	18	7,252	2024	7,234	7,110	174" 24" x 24"	Ready-WAX
4	45211	1	CPI	(3t) I Beam. Frame ASME NB# 45211,12,13	22	5,500	1997	6,605	6,160	109" x 48" x 55"	As-lsv
5	6512	1	CPI-U	(2t) M.Frame tube skid, NB 6512, 6513 ASME	30	5,500	2001	9,052	8,400	20" x 10'	6 wks. Aro
6	CALL	4	CPI	Various frames available NB ASME	34	5,500	2012	10,397	9,520	20" x 20'	WAX
7	New	1	Fiba	(2t) I Beam. Frame ASME NB# Div-3	39	15,000	2019	19,663	19,700	378" 24" x 36"	Ready

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Item		Qty	Mfg	Description	CuFt	MAWP	Year	N2	Hydrogen	Dimensions	Status
8		14	CPI	(3t) I Beam.Frame ASME NB# Div-1 (30 kg)	39.6	7,252	2019	15,000	15,750	13' x 7' x 2'	WAX
9		50	CPI	(4t) I Beam.Frame ASME NB# Div-1 (40 kg)	52.8	7,252	2019	20,000	21,000	13' x 7' x 2'	WAX
10	4836	1	CPI-U	(3t) Strap skid NB 4836, 4858, 4859 ASME	58	5,500	1996	16,600	16,240	16" x 19'10"	10 wks. Aro
11		1	CPI	(25t) DOT 3AA-2400 Skid	122	2,640	2011	20,000	20,891	15' x 8' x 6'	Ready-WAX
12		1	CPI	(4t) M.Frame ASME NB 20"OD	134	5,500	2012	38,400	37,520	25' x 5' x 5'	WAX
13	5072-4	2	US Steel	(4t) O.F. Skid DOT-107A	180	2,400	1960	35,845		34' x 6' x 6'	Ready-WAX
14	New	5	Fiba	(3t) I-beam tube skid New "Ready" ASME	187	5,500	2023	57,454	52,360	30'9" X 3'3" X 7'10"	Ready
15		1	CPI	(5t) I-Beam Frame tube skid DOT-107A	225	3,000	2025	43,610	43,610	36' x 7' x 2'	Ready
16		1	CPI	(6t) I-Beam Frame tube skid DOT-107A	270	2,906	2025	52,331	50,846	36' x 7' x 6'	Ready
17	New	1	Enric	(8) Tube skid New ASME	290	3,500	2024	63,836	66,093	20' x 8' x 6'	Ready
18		1	Fiba	(8t) DOT-3T-3150 20 ft ISO	341	3,250	2000	69,772	NA	20' x 8' x 6'	Ready
19	New	1	Enric	(8t)UN-DOT-3AX-2538 "NEW" (40' ISO frame")	651	2,650	2015	109,000	111500	40' x 8' x 6'	Ready

ADDRESS:

1501 FM-66 Waxahachie, TX 75167



Packaged Vessels:

The list below allows you to enter qty. of vessels to obtain gas capacity & price.																	
"NEW" Vessels, High Pressure ~ Packaged price							Gas Vol.	Fill pressure @ MOP deduct made for SRV									
LGT	DIA.	Qty.	MFG.	Code	Capacity CuFt	Design PSIG	Enter Vessel Qty Desired	MOP	Water Vol. ACF	Helium	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF	
11'-6"	16"	1	CPI	ASME N.B. "New"	10.6	4,500	1	4,100	10.6	2,620	2,518	2,640	2,715	3,029	3,035	3,411	
20'-0"	24"	3p	Fiba	ASME N.B. "New" Gr.J	46	4,000	1	3,800	46	9,874	9,551	10,132	10,402	11,463	11,795	13,632	
20'-0"	22"	1	Enric	(8) T Skid ASME N.B. CRN "New" Gr.J	289.84	3,500	1	3,200	289.84	57,475	55,649	59,304	66,576	66,826	78,758	69,478	
20'-6"	24"	o	US Steel	ASME N.B.	51	2,450	1	2,200	51	7,164	7,023	7,514	7,696	8,155	8,177	9,917	
22'-0"	20"	o	CPI	ASME N.B.	35	3,750	1	3,500	35	7,513	7,267	7,709	7,915	8,722	8,754	10,150	
23'-0"	20"	o	Fiba	ASME N.B. "New" Gr.J	34.1	5,500	6	5,000	204.6	60,132	57,210	58,653	60,678	68,418	68,302	73,028	

ADDRESS:

1501 FM-66 Waxahachie, TX 75167



The list below allows you to enter qty. of vessels to obtain gas capacity & price.																	
"NEW" Vessels, High Pressure ~ Packaged price							Gas Vol.	Fill pressure @ MOP deduct made for SRV									
LGT	DIA.	Qty.	MFG.	Code	Capacity CuFt	Design PSIG	Enter Vessel Qty Desired	MOP	Water Vol. ACF	Helium	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF	
				w/valves "Ready"													
23'-0"	20"	o	CPI	ASME N.B. "Used" Gr.J	34.1	5,500	2	5,000	68.2	20,044	19,070	19,551	20,226	22,806	22,767	24,343	
23'-0"	20"	o	CPI	ASME N.B. "Used" Gr.J	35	4,000	6	3,500	210	45,079	43,604	46,255	47,489	52,332	52,521	60,900	
24'-0"	24"	12p	Fiba	ASME N.B. "New" Gr.J	60.3	2,800	1	2,600	60.3	9,883	9,646	10,326	10,563	11,373	11,408	13,843	
29'-0"	16"	o	Fiba	ASME N.B. "New" Gr.J	24	8,000	1	6,000	24	10,030	9,298	10,502		10,591			
29'-0"	24"	o	Fiba	ASME N.B. "New" Gr.J	62.5	5,500	1	5,000	62.5	18,369	17,476	17,917	18,536	20,900			
33'-0"	24"	19p	Fiba	ASME N.B. "New" Gr.J 1.332"	75.4	6,000	1	6,000	75.4	25,890	24,276	24,337	25,188	28,675	28,724	29,113	
33'-0"	18"	11	US Steel	DOT-107A See skids below	45	2,900	1	2,900	45	9,660	9,344	9,912	10,176	11,214			

ADDRESS:

1501 FM-66 Waxahachie, TX 75167



The list below allows you to enter qty. of vessels to obtain gas capacity & price.																	
"NEW" Vessels, High Pressure ~ Packaged price							Gas Vol.	Fill pressure @ MOP deduct made for SRV									
LGT	DIA.	Qty.	MFG.	Code	Capacity CuFt	Design PSIG	Enter Vessel Qty Desired	MOP	Water Vol. ACF	Helium	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF	
38'-0"	20"	o	Fiba	ASME N.B. "New" Gr.J w/valves "Ready"	57.8	5,500	1	5,000	57.8	16,987	16,162	16,570	17,142	19,328	19,295	20,631	
38'-0"	20"	o	CPI	ASME N.B. "New" Gr.J	57.8	5,500	1	5,000	57.8	16,987	16,162	16,570	17,142	19,328	19,295	20,631	
36'-0"	24"	o	Fiba	ASME N.B. "New" Gr.L (inert only)	84.5	5,500	1	5,000	84.5	24,835	23,628	24,224	25,060	28,257			
38'-0"	24"	15p	Fiba	ASME N.B. "New" Gr.J	97.5	2,800	1	2,660	97.5	15,979	15,596	16,696	17,079	18,389	18,445		
39'-0"	24"	12p	Fiba	ASME N.B. "New" Gr. L. 989 (inert only)	94.1	4,400	1	4,000	94.1	20,200	19,539	20,726	21,280	23,450	24,128	27,886	
40'-0"	22"	o	Fiba	UN "DOT style" Inert only	91	3,169	3	3,169	273	54,136	N/A	55,859	62,708	62,943	74,182		

ADDRESS:

1501 FM-66 Waxahachie, TX 75167



The list below allows you to enter qty. of vessels to obtain gas capacity & price.																	
"NEW" Vessels, High Pressure ~ Packaged price							Gas Vol.	Fill pressure @ MOP deduct made for SRV									
LGT	DIA.	Qty.	MFG.	Code	Capacity CuFt	Design PSIG	Enter Vessel Qty Desired	MOP	Water Vol. ACF	Helium	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF	
40'-0"	24"	3p	Fiba	ASME N.B. "New" Gr.J .902"	101.1	4,000	1	3,800	101.1	20,048	20,992	22,268	22,863	25,194	25,923		
40'-0"	24"	o	Fiba	ASME N.B. "New" Gr.J	103	3,100	1	2,900	103	16,881	16,476	17,638	18,043	19,426	19,486		
40'-0"	24"	o	Fiba	ASME N.B. "New" Gr.L (inert only)	104	3,400	1	3,400	104	22,325	N/A	22,907	23,519	25,917	26,667		
p pipe available								Package price includes Paint and mounted into frames									
In Stock								No valves or reliefs ** Manifolds built to specific needs									

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Helium - Hydrogen - Nitrogen Trailers:

DOT Type	MAWP	Qty. Tubes	Tube Dimensions	Nominal Vol. Cu. Ft.	Nitrogen SCF
Dot-3T-2400 Trailer "Mini jumbo."	2640	6	22" x 6'	70.7	11,693
DOT-3AAX-2400 He>H2>O2>Ar	2640	8	22" x 19'6"	341.6	55,396
DOT-3T-3150 20 ft (8t) trailer	3150	8	22" x 19'6"	341	69,772
DOT-3T-3150 20 ft ISO no trailer	3150	8	22" x 19'6"	341	69,772
DOT-3T-3150 20 ft ISO w/Trailer	3150	8	22" x 19'6"	341	69,772
DOT-3T-2400 25 ft Skid w/Trailer	2640	6	24" x 23'6"	361	57,700
UN-DOT-3AX-2538 (40' ISO frame") w/new trailer	2650	8	22" x 36'	660	109,000
CT-0840 Trailer - 40 ft Type 4	4000	8	48" x 40'	1,383	339,817
CT-0430 Trailer - 30 ft Type 4	4000	4	48" x 30'	975	239,797

Helium - Hydrogen - Nitrogen Skids - ISO Modules:

DOT Type	MAWP	Qty. Tubes	Tube Dimensions	Nominal Vol. Cu. Ft.	Nitrogen SCF
DOT-3AA-2400 25 Tube skid	2640	25	15'x 8' x 8'	122	18,500
DOT-107A Oil Field Skid (2 ea)	2300	4	18" X 34'-0"	180	30,700
DOT-107A 6 tube skid	2960	6	18" X 34'-0"	270	52,331
DOT-3T-3150 (20 ft ISO frame)	3150	8	20'x 8' x 6'	341	69,772
UN-DOT-3AX-2538 (40' ISO frame)	2650	8	22" x 36'	660	109,000

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Process Tanks:

G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Damper								
Type	Stock No.	Gallon	PSI	Dia.	Length	Date & Manufacturer	Documents	Location
VT	199768	340	150	36	44" T/T	1996 Silivan (4 ea)	ASME N Bd. 199768 pics	WAX
VT	2015	450	150	36	87" T/T	2000 Industrial Piping Inc	ASME N Bd. 2015 pics (2 vessel skid)	WAX
HT	5472	500	265	42"	71" T/T	AmericanTank	ASME U Stamp	WAX
FS	5028	675	2,460	36"	12'-0" T/T	1977 Peco	ASME N Bd. 33385 ~150f	WAX
VT	2823	675	720	50"	10'5-5/8"	1982 Perry T316 S.Stl.	ASME N Bd. 2823 pics	WAX
PD	5376	983	715	42"	12'-6" T/T	1986 Pennington	ASME N Bd. 1221; V-1340A 135~f	WAX
VT		1,250	165	66"	62" T/T	Gulf Coast Alloy (2 mounted on skid)	ASME N Bd. pics	WAX
ISO	734026-1	1,522	58	2,200 mm		1988 Pays De Fabrication	ISO Material NFA 36209	WAX
HT		2,000	265	48"	20'	2013 Bulldog	ASME , U-Stp, U-1A, NB,	WAX
HV	5113	3,200	1,000	66"	16'10" T/T	2013 Silvan "Interior coated."	Tag, U-Stp, SN, NB, Pics -20f+200f	WAX
VT	(2) Ea.	4,055	125	77" id	150" T/T	2003 Lesena Steel	Rubber-lined ASME code	WAX
VT	CO-T	5,000	165	98"	183" OAL	1994 Mohawk Mfg.	Tag, U-Stp, NB#, 9088, Pics	WAX

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com
 Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Damper								
Type	Stock No.	Gallon	PSI	Dia.	Length	Date & Manufacturer	Documents	Location
HT	CO-T	5,000	150	87"	171" T/T	1981 Allied Steel Prod.Corp	Tag, U-Stp, NB#, 9565, Pics	WAX
VT	JV-TD	5,600	478	90"	13' T/T	1974 Delta Southern	Tag, U-Stp, NB#, 3809, Pics 650~f	WAX
HT	3520	6,000	100	8'-0"	15'-6"	1961 Moorhead Mach	Tag, U-Stp, S/N, Pics	N TX*
T50-ISO	P40519	6,416	323	8'	20'	2007 Gas Con	T-50-ASME/ISO Material SA 612 NB# 438	WAX
VT	4630	7,000	1,000	7'-0"	28'-2"	1961 Wyatt	Tag, U-Stp, U-1A, NB, Drwg, Pics	N TX
VT	4631	7,000	1,000	7'-0"	28'-2"	1961 Wyatt	Tag, U-Stp, U-1A, NB, Drwg, Pics	N TX
VT	4632	7,000	1,000	7'-0"	28'-2"	1984 Gulf States	Tag, U-Stp, U-1A, NB, Drwg, Pics	N TX
HT		7,000	Atmo	72"	37'3"	1996 Howe Baker	Tag, N-Code, Dwg, Pics	WAX
HT	nb4282	10,000	25	84"	34'-0" T/T	1996 East Coast Fabricators	Tag, U-Stp, U-1A, NB, Drwg, Pics	WAX
HT	5255	10,000	100	84"	38'-0" OAL	2008 Trinity SA612 nb RO800001	Tag, U-Stp, NB#, Pics	WAX

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com
 Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Auto Clave-Filter Separators								
Type	Stock No.	Gallon	PSI	ID"	ID Length	Date & Manufacturer	Documents	Location
HS	658	30	7,340	11.375"	71"	Perry 1983	Tag, U-Stp, Drwg, NB#, Pics	WAX
HS	5028	675	2,450	36"	85"	Peco 1997	Tag, U-Stp, Drwg, NB#, Pics	WAX

Stainless Tanks:

Type	Stock No.	Gallon	PSI	Dia.	Length	Date & Manufacturer	Documents	Location
HT	5176	33	250	14"	48" T/T	MVE @ 1,150 ~F	ASME N.B.# 10232	WAX
VT	5166	35	230	10"	84"	Air Liquide	ASME N.B.# 449	WAX
HT	6 each	60	400	24"	24" T/T	ECHO	ASME N.B.#	WAX
VT	2823	675	720	50"	10'5-5/8"	1982 Perry T316 S.Stl.	ASME N Bd. 2823 pics	WAX
ISO	734026-1	1,522	58	2,200 mm		1988 Pays De Fabrication	ISO Material NFA 36209	WAX

Gas Calculator:

PSIG	Capacity	Helium	Hydrogen	Nitrogen	Oxygen	Natural Gas
	SCF	Vol. Cu. Ft.	Vol. Cu. Ft.	Vol. Cu. Ft.	Vol. Cu. Ft.	Vol. Cu. Ft.
1,000	6,000	90	91	87	84	75
2,000	6,000	47	48	44	41	34
2,300	50,000	342	349	326	298	246

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

PSIG	Capacity	Helium	Hydrogen	Nitrogen	Oxygen	Natural Gas
	SCF	Vol. Cu. Ft.	Vol. Cu. Ft.	Vol. Cu. Ft.	Vol. Cu. Ft.	Vol. Cu. Ft.
2,500	6,000	38	39	36	33	27
2,600	6,000	37	38	35	32	26
2,800	146,000	814	855	799	718	596
3,000	130,000	696	716	671	599	501
3,500	50,000	341	241	227	200	172
4,000	50,000	207	215	205	178	158
5,000	50,000	170	179	174	150	140
5,200	50,000	164	173	169		
7,600	50,000	119	129	135		
9,000	50,000	105	114	124		
9,500	50,000	100	110	120		
10,000	100,000	193	214	237		
	^					
Note: insert the customer's required gas volume into the column Columns will auto calculate water volume needed at 70~f						
This color represents new vessels in the CCH Stocking program						

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Cylinder Contents Tables

In Engineering Units

PSIG	Water Vol. ACF	Helium SCF	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF
100	669.0	5,203	5,199	5,225	5,225	5,245	5,245	5,298
200	5,360.0	77,774	77,666	78,524	78,524	79,006	79,006	79,435
300	1.0	21	21	21	22	21	22	22
500	1.0	34	34	35	35	36	36	38
1,000	1.0	66	66	69	70	72	72	80
1,100	1.0	73	73	76	77	79	79	89
1,200	480.0	37,853	37,757	39,754	40,387	41,491	41,530	47,232
1,300	320.0	27,210	27,114	28,637	29,142	30,013	30,045	34,490
1,400	480.0	43,757	43,598	46,147	47,232	48,576	48,610	56,587
1,500	1.0	98	97	103	105	109	109	127
1,600	1.0	104	103	109	111	116	116	137
1,700	1.0	110	109	116	118	123	124	147
1,800	1.0	116	115	122	125	131	131	156
1,900	1.0	123	120	129	131	138	138	167
2,000	58.0	7,456	7,324	7,824	7,991	8,427	8,449	10,194
2,100	58.0	7,803	7,659	8,173	8,373	8,851	8,876	10,769
2,200	102.0	14,328	14,046	15,028	15,393	16,310	16,355	19,834
2,300	200.0	29,274	28,674	30,692	31,394	33,420	33,528	40,646

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

PSIG	Water Vol. ACF	Helium SCF	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF
2,400	125.0	19,031	18,621	19,935	20,380	21,788	21,865	26,674
2,500	70.7	11,176	10,922	11,693	11,956	12,832	12,870	15,650
2,600	122.0	19,995	19,515	20,891	21,371	23,009	23,080	28,008
2,700	82.4	13,980	13,631	14,588	14,934	16,117	16,173	19,514
2,800	540.0	96,876	92,254	98,653	101,142	109,350	109,760	132,257
2,900	270.0	48,897	47,574	50,846	52,210	56,538	56,765	68,129
3,000	341.0	63,692	61,888	66,093	67,845	73,758	74,028	88,547
3,100	642.0	123,534	119,958	127,848	131,225	143,166	143,718	170,509
3,200	341.0	67,528	65,496	69,772	71,552	78,328	78,621	92,660
3,300	859.0	174,892	169,489	180,270	184,917	202,982	203,738	239,197
3,400	1.0	209	203	215	221	243	244	285
3,500	289.8	62,213	60,178	63,836	65,540	72,223	72,484	84,117
3,600	35.0	7,705	7,436	7,881	8,105	8,943	8,974	10,372
3,700	210.0	47,376	45,717	48,321	49,743	54,978	55,152	63,193
3,800	1.0	231	223	235	242	268	269	306
3,900	58.0	13,712	13,207	13,903	14,298	15,892	15,935	18,091
4,000	153.0	36,994	35,592	37,392	38,455	42,825	42,941	48,432
4,100	58.0	14,334	13,775	14,443	14,857	16,576	16,608	18,666
4,200	58.0	14,642	14,056	14,704	15,137	16,913	16,943	18,902
4,300	58.0	14,936	14,334	14,959	15,417	17,243	17,265	19,133

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

PSIG	Water Vol. ACF	Helium SCF	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF
4,400	58.0	15,252	14,607	15,218	15,690	17,562	17,586	19,402
4,500	33.5	8,984	8,596	8,931	9,207	10,328	10,340	11,334
4,600	58.0	15,857	15,154	15,710	16,194	18,195	18,217	19,861
4,700	58.0	16,156	15,425	15,954	16,445	18,508	18,523	20,051
4,800	58.0	16,455	15,691	16,188	16,698	18,809	18,798	20,323
4,900	58.0	16,751	15,955	16,412	16,949	19,105	19,080	20,482
5,000	1.0	294	280	287	297	334	334	357
5,100	154.8	46,279	43,990	44,959	46,582	52,539	52,429	56,004
5,200	1.0	304	289	294	305	344	344	365
5,300	1.0	309	293	298	309	349	348	367
5,400	85.0	26,689	25,280	25,663	26,546	30,065	30,030	31,476
5,500	34.0	10,844	10,262	10,397	10,745	12,186	12,177	12,695
5,600	1.0	324	306	310	320	363	363	375
5,700	1.0	329	309	313	324	367	368	378
5,800	365.1	121,827	114,506	115,554	119,472	135,708	136,091	138,902
5,900	365.0	123,567	116,052	116,712	120,742	137,240	137,685	139,642
6,000	1.5	515	483	484	501	570	571	579
7,000	52.8	20,615	20,851	21,219	19,282	22,118		
9,000	186.0	88,945	81,375	75,075	77,597	89,354		
10,000	1.0	517	471	423	439	505		

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

PSIG	Water Vol. ACF	Helium SCF	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF
15,000	21.6	15,161		10,890	11,172			
20,000	1.0	856		548	571			
	^							
Note: insert water volume of pressure vessel into column will auto calculate gas capacity at 70~f								

Hydrogen:

"CURRENT INVENTORY HYDROGEN ONLY " New; Reconditioned Packages ~										
Item	Description	Qty.	Mfg.	Description	Cu. Ft.	MAWP	Year	H2 SCF		Status
1	(1t) I Beam.Frame ASME NB# 16"OD	7	Fiba	(1t) I Beam.Frame ASME NB# 16"OD	9	15,000	2024	4,538	174" 24" x 24"	Ready-WAX
2	(1t) I Beam.Frame ASME NB# 16"OD	1	CPI	(1t) I Beam.Frame ASME NB# 16"OD	10	7,252	2023	4,019	128" 24" x 24"	Ready-WAX
3	(1t) I Beam.Frame ASME NB# 20"OD	4	Fiba	(1t) I Beam.Frame ASME NB# 20"OD	18	7,252	2024	7,234	174" 24" x 24"	Ready-WAX
4	(3t) M.Frame tube skid, NB 45211,12,13 ASME	1	CPI	(3t) M.Frame tube skid, NB 45211,12,13 ASME	22	5,500	1997	6,605	109" x 48" x 55"	6 wks. Aro
5	(2t) M.Frame tube skid, NB 6512, 6513 ASME	1	CPI	(2t) M.Frame tube skid, NB 6512, 6513 ASME	30	5,500	2001	9,052	20" x 10'	6 wks. Aro

ADDRESS:

1501 FM-66 Waxahachie, TX 75167



"CURRENT INVENTORY HYDROGEN ONLY " New; Reconditioned Packages ~										
Item	Description	Qty.	Mfg.	Description	Cu. Ft.	MAWP	Year	H2 SCF		Status
6	(1t) M.Frame, NB ASME	5	CPI	(1t) M.Frame, NB ASME	34	5,500	2018	10,397	20" x 20'	10 wks. Aro
7	(2t) I Beam. Frame ASME NB# Div-3	2	Fiba	(2t) I Beam. Frame ASME NB# Div-3	39	15,000	2019	25,000	378" 24" x 36"	Ready
8	(3t) Strap skid NB 4836, 4858, 4859 ASME	1	PPI	(3t) Strap skid NB 4836, 4858, 4859 ASME	58	5,500	1996	16,600	16" x 19'10"	10 wks. Aro
9	(1t) M-Frame tube skid NBD ASME	1	CPI	(1t) M-Frame tube skid NBD ASME	62	2,450	1969	9,100	24' x 24" x 24"	
10	(2t) M-Frame tube skid NBD ASME	1	CPI	(2t) M-Frame tube skid NBD ASME	102	2,450	1969	15,028	21' x 24" x 48"	
11	(25t) DOT 3AA-2400 Skid	1	CPI	(25t) DOT 3AA-2400 Skid	122	2,640	2011	20,000	15' x 8' x 6'	Ready-WAX
12	(3t) I-Beam skd ASME "Epoxy lined."	1	CPI	(3t) I-Beam skd ASME "Epoxy lined."	105	4,000	1998	25,000	22'11" x 86" x 27"	Ready-WAX
13	(3t) M. Frame tube skid, NB 4380,4405, 4406 ASME	1	Naptech	(3t) M. Frame tube skid, NB 4380,4405, 4406 ASME	85	5,475	1995	25,700	24" x 13'8"	10 wks. Aro

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

"CURRENT INVENTORY HYDROGEN ONLY " New; Reconditioned Packages ~										
Item	Description	Qty.	Mfg.	Description	Cu. Ft.	MAWP	Year	H2 SCF		Status
15	(3t) I-beam tube skid New "Ready" ASME	3	Fiba	(3t) I-beam tube skid New "Ready" ASME	187	5,500	2023	57,454	29'8.5" x 2'3" x 7'3"	Ready
16	(3t) I-beam tube skid New "Ready" ASME	18	Fiba	(3t) I-beam tube skid New "Ready" ASME	187	5,500	2023	57,454	29'8.5" x 2'3" x 7'3"	Ready
17	(6t) M-Frame tube skid DOT-107A	1	CPI	(6t) M-Frame tube skid DOT-107A	270	2,800	2000	49,326	36' x 7' x 6'	10 wks. Aro
18	(8) Tube skid New ASME	1	Enric	(8) Tube skid New ASME	290	3,500	2024	63,836	20' x 8' x 6'	Ready-WAX
19	(8t)UN-DOT-3AX-2538 "NEW" (40' ISO frame")	1	Enric	(8t)UN-DOT-3AX-2538 "NEW" (40' ISO frame")	660	2,650	2015	109,000	40' x 8' x 6'	Ready

Hydrogen - Trailers:

Item	DOT Type	Qty.	Qty. Tubes	Tube Dimensions	Vol. Cu. Ft.	MAWP	h2 SCF	Status
20	GTM Trailer h2 20 ft ISO/Trailer Type 2	0	9	24" x 18'	445.5	3250	85,000	Ready
21	DOT-3AAX-2400 He>H2>O2>Ar	1	8	22" x 19'6"	341.6	2640	1,800	Ready
22	UN-DOT-3AX-2538 (40' ISO frame") w/new trailer	1	8	22" x 36'	660	2650	104,000	Oct.2025

ADDRESS:

1501 FM-66 Waxahachie, TX 75167





CONTACT:

Email: info@gasequipment4sale.com

Website: gasequipment4sale.com

PHONE:

1 (800) 716-6747

Hydrogen - Skids - ISO Modules:

Item	DOT Type	Qty.	Qty. Tubes	Tube Dimensions	Vol. Cu. Ft.	MAWP	h2 SCF	Status
1	DOT-3AA-2400 25 Tube skid	1	25	15'x 8' x 8'	122	2640	20,000	Ready
2	UN-DOT-3AX-2538 "NEW" (40' ISO frame")	1	5	22" x 36'	660	2650	104000	Ready

ADDRESS:

1501 FM-66 Waxahachie, TX 75167

