



Loose Vessel Inventory

(800) 716-6747
info@gasequipmentforsale.com
www.gasequipmentforsale.com



GAS
EQUIPMENT
4 SALE

WEB

~ August 2026

Vessels, High Pressure "Loose - Tube Only " New and Used									
View	Stock No.	Qty.	Manufacture	Code	Capacity		PSIG	Dimensions	Weight Pounds
					Cu Ft	Gallons			
Call	658	1	PECO-Autoclave-Filter	ASME	5	35	7,340	18"x 5'-11"	6,000
Call		1	CPI	ASME	10.1	76	7,252	24" x 24"x 10'6"	
Call	34230	1	US Steel	ASME	12.2	92	4,100	16" x 13'-8.5" x 1.177"	
Call	5059	1	CPI "New"	ASME	13.2	99	4,500	16" x 11'-6"	2,600
Details	6512,13	2	CPI-U	ASME	14.8	111	5,500	20" x 10' x 1.303"	1,280
Call	43384	1	CPI	ASME	16	120	5,500	20" x 11.5' x 1.303"	
Call	23908	1	US Steel	ASME	16.2	122	6,668	16" x 19'5" x 1.416"	
Call	5057	2	CPI	ASME	11	83	5,000	16" x 14'-3"	3,808
Details	6137	1	Naptech	ASME	28.3	212	5,500	20" x 19'9" x 1.463	
Call	20118	1	US Steel	ASME	30.2	227	2,400	20" x 18.5' x .883	
Call	20181	1	US Steel	ASME	32.6	245	4,133	16" x 31'11" x .902	
Call	42375-LA	1	CPI	ASME	34.9	262	4,000	20" x 22'4" x 1.093	
Call	42371-LA	1	CPI	ASME	39.5	296	4,000	20" x 25 x 1.093	
Call	21214 LA	6	US Steel	ASME	38.9	292	2,513	16" x 36' x .738"	
Details	5028	1	PECO-Autoclave-Filter	ASME	90	675	2,460	36" x 12'-0"	36,000
Call	5021	1	Paul Hardeman	Mil-Spec	105	788	3,500	32" x 30'-0" OAL	19,000
Call		1	AO Smith	Mil-Spec	181	1,358	5,000	38.5" x 33'4" OAL	43,000



~ August 2026

The list below allows you to enter qty. of vessels to obtain gas capacity & price.																	
"NEW" Vessels, High Pressure ~ Packaged price								Gas Vol.	Fill pressure @ MOP deduct made for SRV								
View	LGT	DIA.	Qty.	Mfg.	Code	Capacity	Design PSIG	Enter Vessel Qty Desired	MOP	Water Vol. ACF	Helium	Hydrogen SCF	Nitrogen SCF	Air SCF	Argon SCF	Oxygen SCF	Natural Gas SCF
						CuFt											
Call	11'-6"	16"	1	CPI	ASME N.B. "New"	10.6	4,500	1	4,100	10.6	2,620	2,518	2,640	2,715	3,029	3,035	3,411
Call	20'-0"	24"	3p	Fiba	ASME N.B. "New" Gr.J	46	4,000	1	3,800	46	9,874	9,551	10,132	10,402	11,463	11,795	13,632
Call	20'-0"	22"	1	Enric	(8) T Skid ASME N.B. CRN "New" Gr.J	289.84	3,500	1	3,200	289.84	57,475	55,649	59,304	66,576	66,826	78,758	69,478
Call	22'-0"	20"	o	CPI	ASME N.B.	35	3,750	1	3,500	35	7,513	7,267	7,709	7,915	8,722	8,754	10,150
Call	23'-0"	20"	o	Fiba	ASME N.B. "New" Gr.J w/valves "Ready"	34.1	5,500	6	5,000	204.6	60,132	57,210	58,653	60,678	68,418	68,302	73,028
Call	23'-0"	20"	o	CPI	ASME N.B. "Used" Gr.J	34.1	5,500	2	5,000	68.2	20,044	19,070	19,551	20,226	22,806	22,767	24,343
Call	23'-0"	20"	o	CPI	ASME N.B. "Used" Gr.J	35	4,000	6	3,500	210	45,079	43,604	46,255	47,489	52,332	52,521	60,900
Call	24'-0"	24"	12p	Fiba	ASME N.B. "New" Gr.J	60.3	2,800	1	2,600	60.3	9,883	9,646	10,326	10,563	11,373	11,408	13,843
Call	29'-0"	16"	o	Fiba	ASME N.B. "New" Gr.J	24	8,000	1	6,000	24	10,030	9,298	10,502		10,591		
Call	29'-0"	24"	o	Fiba	ASME N.B. "New" Gr.J	62.5	5,500	1	5,000	62.5	18,369	17,476	17,917	18,536	20,900		
Call	33'-0"	24"	19p	Fiba	ASME N.B. "New" Gr.J 1.332"	75.4	6,000	1	6,000	75.4	25,890	24,276	24,337	25,188	28,675	28,724	29,113
Details	33'-0"	18"	11	US Steel	DOT-107A See skids below	45	2,900	1	2,900	45	9,660	9,344	9,912	10,176	11,214		
Call	38'-0"	20"	o	Fiba	ASME N.B. "New" Gr.J w/valves "Ready"	57.8	5,500	1	5,000	57.8	16,987	16,162	16,570	17,142	19,328	19,295	20,631
Call	38'-0"	20"	o	CPI	ASME N.B. "New" Gr.J	57.8	5,500	1	5,000	57.8	16,987	16,162	16,570	17,142	19,328	19,295	20,631
Call	36'-0"	24"	o	Fiba	ASME N.B. "New" Gr.L (inert only)	84.5	5,500	1	5,000	84.5	24,835	23,628	24,224	25,060	28,257		
Call	38'-0"	24"	15p	Fiba	ASME N.B. "New" Gr.J	97.5	2,800	1	2,660	97.5	15,979	15,596	16,696	17,079	18,389	18,445	
Call	39'-0"	24"	12p	Fiba	ASME N.B. "New" Gr.L .989" (inert only)	94.1	4,400	1	4,000	94.1	20,200	19,539	20,726	21,280	23,450	24,128	27,886
Call	40'-0"	22"	o	Fiba	UN "DOT style" Inert only	91	3,169	3	3,169	273	54,136	N/A	55,859	62,708	62,943	74,182	
Call	40'-0"	24"	3p	Fiba	ASME N.B. "New" Gr.J .902"	101.1	4,000	1	3,800	101.1	20,048	20,992	22,268	22,863	25,194	25,923	
Call	40'-0"	24"	o	Fiba	ASME N.B. "New" Gr.J	103	3,100	1	2,900	103	16,881	16,476	17,638	18,043	19,426	19,486	
Call	40'-0"	24"	o	Fiba	ASME N.B. "New" Gr.L (inert only)	104	3,400	1	3,400	104	22,325	N/A	22,907	23,519	25,917	26,667	
			p	pipe available					Package price includes Paint and mounted into frames								
				In Stock					No valves or reliefs								
									** Manifolds built to specific needs								



Helium - Hydrogen - Nitrogen Transports

(800) 716-6747
info@gasequipmentforsale.com
www.gasequipmentforsale.com



WEB

~ August 2026

Helium - Hydrogen - Nitrogen Trailers

View	DOT Type	MAWP	Qty. Tubes	Tube Dimensions	Nominal Vol. Cu. Ft.	Nitrogen SCF	Condition
Details	Dot-3T-2400 Trailer "Mini jumbo"	2640	6	22" x 6'	70.7	11,693	Ready exp.2028
Details	DOT-3AAX-2400 He>H2>O2>Ar	2640	8	22" x 19'6"	341.6	55,396	Ready exp.2028
Details	DOT-3T-3150 20 ft (8t) trailer	3150	8	22" x 19'6"	341	69,772	Ready exp.2028
Details	DOT-3T-2400 25 ft Skid w/Trailer	2640	6	24" x 23'6"	361	57,700	Ready exp.2027
Details	UN-DOT-3AX-2538 (40' ISO frame") w/new traile	2650	8	22" x 36'	660	109,000	Ready exp.2030

Helium - Hydrogen -Nitrogen Skids - ISO Modules

View	DOT Type	MAWP	Qty. Tubes	Tube Dimensions	Nominal Vol. Cu. Ft.	Nitrogen SCF	Condition
Details	DOT-3AA-2400 25 Tube skid	2640	25	15'x 8' x 8'	122	18,500	Ready exp.11-2027
Details	DOT-107A Oil Field Skid (2 ea)	2300	4	18" X 34'-0"	180	30,700	Ready exp.2028
Details	UN-DOT-3AX-2538 (40' ISO frame)	2650	8	22" x 36'	660	109,000	Ready exp.2030



Process Tanks

(800) 716-6747
info@gasequipmentforsale.com
www.gasequipmentforsale.com

WEB

~ August 2026



G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Dampner									
View	Type	Stock No.	Gallon	PSI	Dia.	Length	Date & Manufacturer	Additional Info	Location
Call	VT	199768	340	150	36	44" T/T	1996 Silivan (4 ea)	ASME N Bd. 199768 pics	WAX
Call	VT	2015	450	150	36	87" T/T	2000 Industrial Piping inc	ASME N Bd. 2015 pics (2 vessel skid)	WAX
Call	HT	5472	500	265	42"	71" T/T	Americian Tank	ASME U Stamp	WAX
Details	FS	5028	675	2,460	36"	12'-0" T/T	1977 Peco	ASME N Bd. 33385 ~150f	WAX
Call	VT	2823	675	720	50"	10'5-5/8"	1982 Perry T316 S.Stl.	ASME N Bd. 2823 pics	WAX
Call	PD	5376	983	715	42"	12'-6" T/T	1986 Pennington	ASME N Bd. 1221; V-1340A 135~f	WAX
Call	VT		1,250	165	66"	62" T/T	Gulf Coast Alloy (2 mounted on skid)	ASME N Bd. pics	WAX
Call	ISO	734026-1	1,522	58	2,200 mm		1988 Pays De Fabrication	ISO Material NFA 36209	WAX
Call	HT		2,000	265	48"	20'	2013 Bulldog	ASME , U-Stp, U-1A, NB,	WAX
Details	HV	5113	3,200	1,000	66"	16'10" T/T	2013 Silvan "Interior coated"	Tag, U-Stp, SN, NB, Pics -20f+200f	WAX
Call	VT	(2) Ea.	4,055	125	77" id	150" T/T	2003 Lesena Steel	Rubber lined ASME code	WAX
Call	VT	CO-T	5,000	165	98"	183" OAL	1994 Mohawk Mfg.	Tag, U-Stp, NB#, 9088, Pics	WAX
Call	HT	CO-T	5,000	150	87"	171" T/T	1981 Allied Steel Prod.Corp	Tag, U-Stp, NB#, 9565, Pics	WAX
Call	VT	JV-TD	5,600	478	90"	13' T/T	1974 Delta Southern	Tag, U-Stp, NB#, 3809, Pics 650~f	WAX
Call	HT	3520	6,000	100	8'-0"	15'-6"	1961 Moorhead Mach	Tag, U-Stp, S/N, Pics	N TX*
Details	T50-ISO	P40519	6,416	323	8'	20'	2007 Gas Con	T-50-ASME/ISO Material SA 612 NB# 438	WAX
Call	VT	4630	7,000	1,000	7'-0"	28'-2"	1961 Wyatt	Tag, U-Stp, U-1A, NB, Drwg, Pics	N TX
Call	VT	4631	7,000	1,000	7'-0"	28'-2"	1961 Wyatt	Tag, U-Stp, U-1A, NB, Drwg, Pics	N TX
Call	VT	4632	7,000	1,000	7'-0"	28'-2"	1984 Gulf States	Tag, U-Stp, U-1A, NB, Drwg, Pics	N TX
Call	HT		7,000	Atmo	72"	37'3"	1996 Howe Baker	Tag, N-Code, Dwg, Pics	WAX
Call	HT	nb4282	10,000	25	84"	34'-0" T/T	1996 East Coast Fabricators	Tag, U-Stp, U-1A, NB, Drwg, Pics	WAX
Call	HT	5255	10,000	100	84"	38'-0" OAL	2008 Trinity SA612 nb RO800001	Tag, U-Stp, NB#, Pics	WAX

Auto Clave-Filter Seperators									
View	Type	Stock No.	Gallon	PSI	ID"	ID Length	Date & Manufacturer	Documents	Location
Call	HS	658	30	7,340	11.375"	71"	Perry 1983	Tag, U-Stp, Drwg, NB#, Pics	WAX
Details	HS	5028	675	2,450	36"	85"	Peco 1997	Tag, U-Stp, Drwg, NB#, Pics	WAX

Stainless Tanks									
View	Type	Stock No.	Gallon	PSI	Dia.	Length	Date & Manufacturer	Documents	Location
Call	HT	5176	33	250	14"	48" T/T	MVE @ 1,150 ~F	ASME N.B.# 10232	WAX
Call	VT	5166	35	230	10"	84"	Air Liquide	ASME N.B.# 449	WAX
Call	HT	6 each	60	400	24"	24" T/T	ECHO	ASME N.B.#	WAX
Call	VT	2823	675	720	50"	10'5-5/8"	1982 Perry T316 S.Stl.	ASME N Bd. 2823 pics	WAX
Call	ISO	734026-1	1,522	58	2,200 mm		1988 Pays De Fabrication	ISO Material NFA 36209	WAX