



LIQUID LEVEL CONVERSION CHART
CVA-UK-45-IMCs w/ 0% Slope
Narrow @ 0.0 mg

IN. H2O	GALLONS	POUNDS	MSCF	IN. H2O	LITERS	KGS	SCM
2.0	26	175	2.4	2.0	98	70	98
4.0	75	502	6.9	4.0	282	226	190
6.0	136	929	12.8	6.0	522	421	363
8.0	213	1,434	19.8	8.0	805	650	560
10.0	297	2,004	27.7	10.0	1,128	909	783
12.0	380	2,631	36.3	12.0	1,478	1,193	1,028
14.0	491	3,105	45.6	14.0	1,857	1,490	1,292
16.0	597	4,024	55.9	16.0	2,269	1,825	1,573
18.0	709	4,778	65.9	18.0	2,814	2,167	1,867
20.0	826	5,564	76.8	20.0	3,125	2,523	2,174
22.0	948	6,378	88.0	22.0	3,562	2,891	2,492
24.0	1,070	7,229	99.5	24.0	4,050	3,270	2,818
26.0	1,195	8,099	111.3	26.0	4,528	3,656	3,150
28.0	1,325	8,924	123.2	28.0	5,013	4,047	3,488
30.0	1,454	9,797	135.2	30.0	5,504	4,443	3,829
32.0	1,584	10,674	147.3	32.0	5,995	4,841	4,172
34.0	1,714	11,551	159.4	34.0	6,489	5,239	4,514
36.0	1,844	12,424	171.5	36.0	6,970	5,634	4,856
38.0	1,972	13,299	183.4	38.0	7,465	6,027	5,194
40.0	2,099	14,141	195.2	40.0	7,944	6,413	5,527
42.0	2,223	14,978	206.7	42.0	8,413	6,792	5,853
44.0	2,344	15,790	218.0	44.0	8,871	7,161	6,171
46.0	2,461	16,578	229.8	46.0	9,313	7,518	6,479
48.0	2,573	17,335	239.3	48.0	9,738	7,862	6,775
50.0	2,680	18,056	249.2	50.0	10,143	8,189	7,057
52.0	2,781	18,725	258.6	52.0	10,525	8,496	7,322
54.0	2,874	19,365	267.3	54.0	10,879	8,783	7,569
56.0	2,960	19,940	275.2	56.0	11,202	9,043	7,793
58.0	3,035	20,491	282.3	58.0	11,499	9,275	7,993
60.0	3,100	20,884	288.3	60.0	11,762	9,471	8,162
62.0	3,150	21,221	292.9	62.0	11,921	9,624	8,294
64.0	3,178	21,413	295.8	64.0	12,025	9,711	8,360
66.0	3,179	21,417	295.8	66.0			







SER. NO. WJH01932
 CERT. NO. 2700 M
 ALT. 8859 FT
 ENGINE MODEL C18
 MAX 596.5 kW
 MODIFICATION NO. SEE ORDER
 ELECTRONICS GP
 ECM SOFTWARE 254-7441
 PER. SPEC 0K-4938
 FTS (SLOPE) -17
 CORE AR. 5
 DEM NO. 800 HP
 ADV 596.5 kW
 FLS (INTERCEPT) 5
 USE SERVICE TOOL TO VERIFY CURRENT ENGINE SETTINGS

COMPLETE VEHICLE MANUFACTURED BY MERTZ MANUFACTURING
 MADE IN U.S.A.
 50162-02
 REG. 11/07 GVWR 8000
 GAWR ALL 20250 KG
 RIMS 22.5X8.25
 INFLATION PRESS 827 KPA (120 PSI)
 VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR
 VEHICLE STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHO
 IM91P44377A21130 TYPE: TRAILER

PIN 786315-1
 SIN 02WB7028

