

**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**JANUARY 2026 HIGH PRESSURE VESSELS INVENTORY LIST:**

| VESSELS, HIGH PRESSURE "LOOSE - TUBE ONLY" NEW & USED |       |                       |      |          |         |        |                         |            |
|-------------------------------------------------------|-------|-----------------------|------|----------|---------|--------|-------------------------|------------|
| STOCK NO.                                             | QT Y. | MANUFACTURER          | CODE | CAPACITY |         | PSIG   | D X L DIMENSION         | WEIGHT LBS |
|                                                       |       |                       |      | Cu Ft    | Gallons |        |                         |            |
| CH4005U                                               | 15    | Norris "clean"        | ASME | 1.46     | 11      | 7,000  | 9.56" x 54"             | 400        |
| 5068                                                  | 2     | Cameron "New"         | ASME | 2        | 15      | 4,000  | 10" x 68"               | 400        |
| 658                                                   | 1     | PECO-Autoclave-Filter | ASME | 5        | 35      | 7,340  | 18"x 5'-11"             | 6,000      |
|                                                       | 7     | Fiba "New"            | ASME | 8.6      | 65      | 15,000 | 174" 24" x 24"          |            |
|                                                       | 1     | CPI                   | ASME | 10.1     | 76      | 7,252  | 128" 24" x 24"          |            |
|                                                       | 1     | US Steel              | ASME | 11.1     | 83      | 7,253  | 16" x 11'3"             | 3900       |
| 34230                                                 | 1     | US Steel              | ASME | 12.2     | 92      | 4,100  | 16" x 13'-8.5" x 1.177" |            |
| 5059                                                  | 2     | CPI "New"             | ASME | 13.2     | 99      | 4,500  | 16" x 11'-6"            | 2,600      |
| 6512,13                                               | 2     | CPI-U                 | ASME | 14.8     | 111     | 5,500  | 20" x 10' x 1.303"      | 1,280      |
| 43384                                                 | 1     | CPI                   | ASME | 16       | 120     | 5,500  | 20" x 11.5' x 1.303"    |            |

1

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167





**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)  
 Website: [gasequipment4sale.com](http://gasequipment4sale.com)

**PHONE:**

1 (800) 716-6747

**VESSELS, HIGH PRESSURE "LOOSE - TUBE ONLY" NEW & USED**

| STOCK NO. | QT Y. | MANUFACTURER  | CODE | CAPACITY |         | PSIG  | D X L DIMENSION       | WEIGHT LBS |
|-----------|-------|---------------|------|----------|---------|-------|-----------------------|------------|
|           |       |               |      | Cu Ft    | Gallons |       |                       |            |
| 23908     | 1     | US Steel      | ASME | 16.2     | 122     | 6,668 | 16" x 19'5" x 1.416"  |            |
|           | 4     | Fiba          |      | 17.6     | 132     | 7,252 | 174" 24" x 24"        |            |
| 5057      | 2     | CPI           | ASME | 11       | 83      | 5,000 | 16" x 14'-3"          | 3,808      |
| 123-127   | 5     | National Pitt | ASME | 27.1     | 203     | 2,240 | 16" x 26'-10" x .902" |            |
| 6137      | 1     | Naptech       | ASME | 28.3     | 212     | 5,500 | 20" x 19'9" x 1.463   |            |
| 20118     | 1     | US Steel      | ASME | 30.2     | 227     | 2,400 | 20" x 18.5' x .883    |            |
| 20181     | 1     | US Steel      | ASME | 32.6     | 245     | 4,133 | 16" x 31'11" x .902   |            |
| 42375-LA  | 1     | CPI           | ASME | 34.9     | 262     | 4,000 | 20" x 22'4" x 1.093   |            |
|           | 2     | CPI           | ASME | 34       | 255     | 5,500 | 20" x 23'             | 5,500      |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

**VESSELS, HIGH PRESSURE "LOOSE - TUBE ONLY" NEW & USED**

| STOCK NO. | QT Y. | MANUFACTURER          | CODE     | CAPACITY |         | PSIG  | D X L DIMENSION   | WEIGHT LBS |
|-----------|-------|-----------------------|----------|----------|---------|-------|-------------------|------------|
|           |       |                       |          | Cu Ft    | Gallons |       |                   |            |
| 42371-LA  | 1     | CPI                   | ASME     | 39.5     | 296     | 4,000 | 20" x 25 x 1.093  |            |
| 21214 LA  | 6     | US Steel              | ASME     | 38.9     | 292     | 2,513 | 16" x 36' x .738" |            |
| MV50484   | 1     | AO Smith              | Mil-Spec | 52.8     | 396     | 2,800 | 19'3" x 26" x 36" | 7,000      |
| 5028      | 1     | PECO-Autoclave-Filter | ASME     | 90       | 675     | 2,460 | 36" x 12'-0"      | 36,000     |
| 5021      | 1     | Paul Hardeman         | Mil-Spec | 105      | 788     | 3,500 | 32" x 30'-0" OAL  | 19,000     |
|           | 1     | AO Smith              | Mil-Spec | 181      | 1,358   | 5,000 | 38.5" x 33'4" OAL | 43,000     |
| 5113      | 1     | Silvan                | ASME     | 427      | 3,199   | 1,000 | 66"OD x 16'10 T/T | 32,000     |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167

**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**PACKAGED PRESSURE VESSELS****"CURRENT INVENTORY" New; Reconditioned Packages ~ In order by N2 SCF Capacity**

| ITEM |           | QTY | MFG   | DESCRIPTION                                      | CuFt | MAWP   | YEAR | N2     | CNG    |                     |               |
|------|-----------|-----|-------|--------------------------------------------------|------|--------|------|--------|--------|---------------------|---------------|
| 1    | New       | 7   | Fiba  | (1t) I Beam.Frame<br>ASME NB# 16"OD              | 9    | 15,000 | 2024 | 4,538  |        | 174" 24"<br>x 24"   | Ready-<br>WAX |
| 2    | New       | 1   | CPI   | (1t) I Beam.Frame<br>ASME NB# 16"OD              | 10   | 7,252  | 2023 | 4,019  |        | 128" 24"<br>x 24"   | Ready-<br>WAX |
| 3    | New       | 4   | Fiba  | (1t) I Beam.Frame<br>ASME NB# 20"OD              | 18   | 7,252  | 2024 | 7,234  |        | 174" 24"<br>x 24"   | Ready-<br>WAX |
|      | 4521<br>1 | 1   | CPI   | (3t) I Beam.Frame<br>ASME NB#<br>45211,12,13     | 22   | 5,500  | 1997 | 6,605  | 8,065  | 109" x<br>48" x 55" | As-Is         |
| 4    | 6512      | 1   | CPI-U | (2t) M.Frame tube<br>skid, NB 6512,<br>6513 ASME | 30   | 5,500  | 2001 | 9,052  | 11,052 | 20" x 10'           | 6 wks.<br>Aro |
| 5    |           | 2   | CPI   | (1t) M.Frame, NB<br>ASME                         | 34   | 5,500  | 2018 | 10,397 | 12,650 | 20" x 20'           | WAX           |

4

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**PACKAGED PRESSURE VESSELS****"CURRENT INVENTORY" New; Reconditioned Packages ~ In order by N2 SCF Capacity**

| ITEM |        | QTY | MFG      | DESCRIPTION                                    | CuFt | MAWP   | YEAR | N2     | CNG    |                             |                |
|------|--------|-----|----------|------------------------------------------------|------|--------|------|--------|--------|-----------------------------|----------------|
| 6    | New    | 1   | Fiba     | (2t) I Beam.Frame<br>ASME NB# Div-3            | 39   | 15,000 | 2019 | 19,663 |        | 378" 24"<br>x 36"           | Ready          |
| 7    | 4836   | 1   | CPI-U    | (3t) Strap skid NB<br>4836, 4858, 4859<br>ASME | 58   | 5,500  | 1996 | 16,600 | 20,700 | 16" x<br>19'10"             | 10 wks.<br>Aro |
| 8    |        | 1   | CPI      | (25t) DOT 3AA-2400<br>Skid                     | 122  | 2,640  | 2011 | 20,000 |        | 15' x 8' x<br>6'            | Ready-<br>WAX  |
| 9    |        | 1   | CPI      | (3t) I-Beam skd<br>ASME "Epoxy                 | 105  | 4,000  | 1998 | 25,000 | 33,200 | 22'11" x<br>86" x 27"       | Ready-<br>WAX  |
| 10   | 5072-4 | 2   | US Steel | (4t) O.F. Skid<br>DOT-107A                     | 180  | 2,400  | 1960 | 35,845 |        | 34' x 6' x<br>6'            | Ready-<br>WAX  |
| 11   | New    | 3   | Fiba     | (3t) I-beam tube<br>skid New "Ready"<br>ASME   | 187  | 5,500  | 2023 | 57,454 | 70,151 | 29'8.5" x<br>2'3" x<br>7'3" | Ready          |

5

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**PACKAGED PRESSURE VESSELS****"CURRENT INVENTORY" New; Reconditioned Packages ~ In order by N2 SCF Capacity**

| ITEM |     | QTY | MFG   | DESCRIPTION                            | CuFt | MAWP  | YEAR | N2      | CNG    |                       |             |
|------|-----|-----|-------|----------------------------------------|------|-------|------|---------|--------|-----------------------|-------------|
| 12   | New | 18  | Fiba  | (3t) I-beam tube skid New "Ready" ASME | 187  | 5,500 | 2023 | 57,454  | 70,151 | 29'8.5" x 2'3" x 7'3" | Ready       |
| 13   |     | 1   | CPI   | (5t) I-Beam Frame tube skid DOT-107A   | 225  | 3,000 | 2025 | 43,610  |        | 36' x 7' x 2'         | Ready       |
| 14   |     | 1   | CPI   | (6t) I-Beam Frame tube skid DOT-107A   | 270  | 2,800 | 2025 | 52,331  |        | 36' x 7' x 6'         | 10 wks. Aro |
| 15   | New | 1   | Enric | (8) Tube skid New ASME                 | 290  | 3,500 | 2024 | 63,836  | 84,117 | 20' x 8' x 6'         | Ready-WAX   |
| 16   |     | 2   | Fiba  | (8t) DOT-3T-3150 20 ft ISO             | 341  | 3,250 | 2000 | 679,007 |        | 20' x 8' x 6'         | (1) ready   |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167





**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)  
 Website: [gasequipment4sale.com](http://gasequipment4sale.com)

**PHONE:**

1 (800) 716-6747

**PACKAGED PRESSURE VESSELS**

**"CURRENT INVENTORY" New; Reconditioned Packages ~ In order by N2 SCF Capacity**

| ITEM |     | QTY | MFG   | DESCRIPTION                                | CuFt | MAWP  | YEAR | N2      | CNG |               |       |
|------|-----|-----|-------|--------------------------------------------|------|-------|------|---------|-----|---------------|-------|
| 17   | New | 1   | Enric | (8t)UN-DOT-3AX-2538 "NEW" (40' ISO frame") | 651  | 2,650 | 2015 | 109,000 |     | 40' x 8' x 6' | Ready |

**NEW VESSELS: (PLEASE CALL AND CHECK LEAD TIME AND DEPOSIT AMOUNT, SOME VESSELS HAVE PIPE AVAILABLE OR TANK IN STOCK)**

| LGT    | DIA | QTY | MFG.     | CODE                                | CAPACITY CU FT | DESIGN PSI |
|--------|-----|-----|----------|-------------------------------------|----------------|------------|
| 11'-6" | 16" | 1   | CPI      | ASME N.B. "New"                     | 10.6           | 4,500      |
| 20'-0" | 24" | 3p  | Fiba     | ASME N.B. "New" Gr.J                | 46             | 4,000      |
| 20'-0" | 22" | 1   | Enric    | (8) T Skid ASME N.B. CRN "New" Gr.J | 289.84         | 3,500      |
| 20'-6" | 24" | o   | US Steel | ASME N.B.                           | 51             | 2,450      |

7

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**NEW VESSELS: (PLEASE CALL AND CHECK LEAD TIME AND DEPOSIT AMOUNT, SOME VESSELS HAVE PIPE AVAILABLE OR TANK IN STOCK)**

| LGT    | DIA | QT<br>Y | MFG.     | CODE                                  | CAPACITY<br>CU FT | DESIGN<br>PSI |
|--------|-----|---------|----------|---------------------------------------|-------------------|---------------|
| 22'-0" | 20" | o       | CPI      | ASME N.B.                             | 35                | 3,750         |
| 23'-0" | 20" | o       | Fiba     | ASME N.B. "New" Gr.J w/valves "Ready" | 34.1              | 5,500         |
| 23'-0" | 20" | 2       | CPI      | ASME N.B. "Used" Gr.J                 | 34.1              | 5,500         |
| 23'-0" | 20" | 3       | CPI      | ASME N.B. "Used" Gr.J                 | 35                | 4,000         |
| 24'-0" | 24" | 59p     | Fiba     | ASME N.B. "New" Gr.J                  | 60.3              | 2,800         |
| 29'-0" | 16" | o       | Fiba     | ASME N.B. "New" Gr.J                  | 24                | 8,000         |
| 29'-0" | 24" | o       | Fiba     | ASME N.B. "New" Gr.J                  | 62.5              | 5,500         |
| 33'-0" | 24" | 19p     | Fiba     | ASME N.B. "New" Gr.J 1.332"           | 75.4              | 6,000         |
| 33'-0" | 18" | 11      | US Steel | DOT-107A See skids below              | 45                | 2,900         |
| 38'-0" | 20" | o       | Fiba     | ASME N.B. "New" Gr.J w/valves "Ready" | 57.8              | 5,500         |
| 38'-0" | 20" | o       | CPI      | ASME N.B. "New" Gr.J                  | 57.8              | 5,500         |
| 36'-0" | 24" | o       | Fiba     | ASME N.B. "New" Gr.L (inert only)     | 84.5              | 5,500         |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**NEW VESSELS: (PLEASE CALL AND CHECK LEAD TIME AND DEPOSIT AMOUNT, SOME VESSELS HAVE PIPE AVAILABLE OR TANK IN STOCK)**

| LGT    | DIA | QT<br>Y | MFG. | CODE                                    | CAPACITY<br>CU FT | DESIGN<br>PSI |
|--------|-----|---------|------|-----------------------------------------|-------------------|---------------|
| 38'-0" | 24" | 15p     | Fiba | ASME N.B. "New" Gr.J                    | 97.5              | 2,800         |
| 39'-0" | 24" | 6p      | Fiba | ASME N.B. "New" Gr.L .989" (inert only) | 94.1              | 4,400         |
| 40'-0" | 22" | o       | Fiba | UN "DOT style" Inert only               | 91                | 3,169         |
| 40'-0" | 24" | 3p      | Fiba | ASME N.B. "New" Gr.J .902"              | 101.1             | 4,000         |
| 40'-0" | 24" | o       | Fiba | ASME N.B. "New" Gr.J                    | 103               | 3,100         |
| 40'-0" | 24" | o       | Fiba | ASME N.B. "New" Gr.L (inert only)       | 104               | 3,400         |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**HELIUM - HYDROGEN - NITROGEN TRAILERS**

| DOT TYPE                                       | MAW P | QTY. TUBE S | TUBE DIMENSION S | VOL CU FT | NITROGEN SCF |                |
|------------------------------------------------|-------|-------------|------------------|-----------|--------------|----------------|
| Dot-3T-2400 Trailer                            | 2640  | 8           | 22" x 8'         | 70.7      | 11,693       | Ready exp.2028 |
| DOT-3AAX-2400<br>He>H2>O2>Ar " Mini-Jumbo"     | 2640  | 6           | 22" x 19'6"      | 341.6     | 55,396       | Ready exp.2028 |
| DOT-3T-3150 20 ft ISO no trailer               | 3150  | 8           | 20'x 8' x 6'     | 341       | N/A          | jan. exp.2035  |
| DOT-3T-3150 20 ft ISO w/                       | 3150  | 8           | 20'x 8' x 6'     | 341       | N/A          | jan. exp.2035  |
| UN-DOT-3AX-2538 (40' ISO frame") w/new trailer | 2650  | 8           | 22" x 36'        | 660       | 109,000      | Ready exp.2030 |
| CT-0840 Trailer - 40 ft Type 4                 | 4000  | 8           | 48" x 40'        | 1,383     | 339,817      | Ready          |
| CT-0430 Trailer - 30 ft Type 4                 | 4000  | 4           | 48" x 30'        | 975       | 239,797      | Ready          |

**ADDRESS:**

1501 FM-66 Waxahachie. TX 75167



**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

| HELIUM - HYDROGEN - NITROGEN SKIDS ISO MODULES |       |           |                 |            |              |                |
|------------------------------------------------|-------|-----------|-----------------|------------|--------------|----------------|
| DOT TYPE                                       | MAW P | QTY TUBES | TUBE DIMENSIONS | VOL. CU FT | HYDROGEN SCF | STATUS         |
| DOT-3AA-2400 25 Tube skid                      | 2640  | 25        | 15'x 8' x 8'    | 122        | 18,500       | Ready exp.2028 |
| DOT-107A Oil Field Skid (2 ea)                 | 2300  | 4         | 18" X 34'-0"    | 200        | N/A          | Ready exp.2028 |
| DOT-3T-3150 ( 20 ft ISO frame)                 | 3150  | 8         | 20'x 8' x 6'    | 341        | N/A          | jan. exp.2031  |
| UN-DOT-3AX-2538 (40' ISO frame)                | 2650  | 5         | 22" x 36'       | 660        | 109,000      | Ready exp.2030 |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167





**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)  
 Website: [gasequipment4sale.com](http://gasequipment4sale.com)

**PHONE:**

1 (800) 716-6747

**PROCESS TANKS**

**G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Dampner**

| TYP E | STOC K NO. | GALLO N | PS I    | DIA | LENGTH  | MFG. / YEAR                | DOCUMENTS                            | LOCATION |
|-------|------------|---------|---------|-----|---------|----------------------------|--------------------------------------|----------|
| VT    | 5458       | 115     | 30<br>0 | 24" | 54" T/T | Brunner                    | ASME N Bd.                           | WAX      |
| MS    |            | 120     | 15<br>0 | 30" | 41" T/T | 1994 Kemp                  | ASME N Bd 12425                      | WAX      |
| VT    | 5454       | 240     | 16<br>5 | 30" | 92" OAL | 1999 Manchester            | ASME N Bd. 557057 pics               | WAX      |
| VT    | 19976<br>8 | 340     | 15<br>0 | 36  | 44" T/T | 1996 Silivan (4 ea)        | ASME N Bd. 199768 pics               | WAX      |
| VT    | 2015       | 450     | 15<br>0 | 36  | 87" T/T | 2000 Industrial Piping inc | ASME N Bd. 2015 pics (2 vessel skid) | WAX      |
| HT    | 5472       | 500     | 26<br>5 | 42" | 71" T/T | American Tank              | ASME U Stamp                         | WAX      |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

**PROCESS TANKS**

**G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Dampner**

| TYP<br>E | STOC<br>K NO. | GALLO<br>N | PS<br>I   | DIA             | LENGTH     | MFG. / YEAR                             | DOCUMENTS                         | LOCATION |
|----------|---------------|------------|-----------|-----------------|------------|-----------------------------------------|-----------------------------------|----------|
| FS       | 5028          | 675        | 2,4<br>60 | 36"             | 12'-0" T/T | 1977 Peco                               | ASME N Bd. 33385<br>~150f         | WAX      |
| VT       | 2823          | 675        | 72<br>0   | 50"             | 10'5-5/8"  | 1982 Perry T316<br>S.Stl.               | ASME N Bd. 2823 pics              | WAX      |
| PD       | 5376          | 983        | 71<br>5   | 42"             | 12'-6" T/T | 1986 Pennington                         | ASME N Bd. 1221;<br>V-1340A 135~f | WAX      |
| VT       |               | 1,250      | 16<br>5   | 66"             | 62" T/T    | Gulf Coast Alloy (2<br>mounted on skid) | ASME N Bd. pics                   | WAX      |
| ISO      | 73402<br>6-1  | 1,522      | 58        | 2,20<br>0<br>mm |            | 1988 Pays De<br>Fabrication             | ISO Material NFA 36209            | WAX      |
| HT       |               | 2,000      | 26<br>5   | 48"             | 20'        | 2013 Bulldog                            | ASME , U-Stp, U-1A, NB,           | WAX      |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167

**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

**PROCESS TANKS**

**G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Dampner**

| TYP<br>E | STOC<br>K NO. | GALLO<br>N | PS<br>I | DIA       | LENGTH     | MFG. / YEAR                      | DOCUMENTS                             | LOCATION |
|----------|---------------|------------|---------|-----------|------------|----------------------------------|---------------------------------------|----------|
| HV       | 5113          | 3,200      | 1,000   | 66"       | 16'10" T/T | 2013 Silvan<br>"Interior coated" | Tag, U-Stp, SN, NB, Pics<br>-20f+200f | WAX      |
| VT       | (2) Ea.       | 4,055      | 125     | 77"i<br>d | 150" T/T   | 2003 Lesena Steel                | Rubber lined ASME code                | WAX      |
| VT       | CO-T          | 5,000      | 165     | 98"       | 183" OAL   | 1994 Mohawk Mfg.                 | Tag, U-Stp, NB#, 9088,<br>Pics        | WAX      |
| HT       | CO-T          | 5,000      | 150     | 87"       | 171" T/T   | 1981 Allied Steel<br>Prod.Corp   | Tag, U-Stp, NB#, 9565,<br>Pics        | WAX      |
| VT       | JV-TD         | 5,600      | 478     | 90"       | 13' T/T    | 1974 Delta<br>Southern           | Tag, U-Stp, NB#, 3809,<br>Pics 650~f  | WAX      |
| HT       | 3520          | 6,000      | 100     | 8'-0<br>" | 15'-6"     | 1961 Moorhead<br>Mach            | Tag, U-Stp, S/N, Pics                 | N TX*    |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167

**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

**PROCESS TANKS**

**G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Dampner**

| TYP<br>E    | STOC<br>K NO. | GALLO<br>N | PS<br>I   | DIA       | LENGTH     | MFG. / YEAR                    | DOCUMENTS                                | LOCATION |
|-------------|---------------|------------|-----------|-----------|------------|--------------------------------|------------------------------------------|----------|
| T50-<br>ISO | P4051<br>9    | 6,416      | 32<br>3   | 8'        | 20'        | 2007 Gas Con                   | T-50-ASME/ISO Material<br>SA 612 NB# 438 | WAX      |
| VT          | 4630          | 7,000      | 1,0<br>00 | 7'-0<br>" | 28'-2"     | 1961 Wyatt                     | Tag, U-Stp, U-1A, NB,<br>Drwg, Pics      | N TX     |
| VT          | 4631          | 7,000      | 1,0<br>00 | 7'-0<br>" | 28'-2"     | 1961 Wyatt                     | Tag, U-Stp, U-1A, NB,<br>Drwg, Pics      | N TX     |
| VT          | 4632          | 7,000      | 1,0<br>00 | 7'-0<br>" | 28'-2"     | 1984 Gulf States               | Tag, U-Stp, U-1A, NB,<br>Drwg, Pics      | N TX     |
| HT          |               | 7,000      | At<br>mo  | 72"       | 37'3"      | 1996 Howe Baker                | Tag, N-Code, Dwg, Pics                   | WAX      |
| HT          | nb428<br>2    | 10,000     | 25        | 84"       | 34'-0" T/T | 1996 East Coast<br>Fabricators | Tag, U-Stp, U-1A, NB,<br>Drwg, Pics      | WAX      |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167

**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

| PROCESS TANKS                                                                                                                               |            |                                     |           |             |               |                                   |                             |          |
|---------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------|-----------|-------------|---------------|-----------------------------------|-----------------------------|----------|
| G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Dampner |            |                                     |           |             |               |                                   |                             |          |
| TYP E                                                                                                                                       | STOC K NO. | GALLO N                             | PS I      | DIA         | LENGTH        | MFG. / YEAR                       | DOCUMENTS                   | LOCATION |
| HT                                                                                                                                          | 5255       | 10,000                              | 10<br>0   | 84"         | 38'-0"<br>OAL | 2008 Trinity SA612<br>nb RO800001 | Tag, U-Stp, NB#, Pics       | WAX      |
|                                                                                                                                             |            | Auto Clave-<br>Filter<br>Separators |           |             |               |                                   |                             |          |
| HS                                                                                                                                          | 658        | 30                                  | 7,3<br>40 | 11.3<br>75" | 71"           | Perry 1983                        | Tag, U-Stp, Drwg, NB#, Pics | WAX      |
| HS                                                                                                                                          | 5028       | 675                                 | 2,4<br>50 | 36"         | 85"           | Peco 1997                         | Tag, U-Stp, Drwg, NB#, Pics | WAX      |
|                                                                                                                                             |            | STAINLES<br>STEEL                   |           |             |               |                                   |                             |          |
| TYP E                                                                                                                                       | STOC K NO. | GALLO N                             | PS I      | DIA         | LENGTH        | MFG. / DATE                       | DOCUMENTS                   | LOCATION |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167

**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

**PROCESS TANKS**

**G - Gas Sweetener HT - Horizontal Tank VT - Vertical Tank T - Tank HS - Horizontal Separator VS - Vertical Separator PD - Pulsation Dampner**

| TYP<br>E | STOC<br>K NO. | GALLO<br>N | PS<br>I | DIA             | LENGTH    | MFG. / YEAR                 | DOCUMENTS              | LOCATION |
|----------|---------------|------------|---------|-----------------|-----------|-----------------------------|------------------------|----------|
| HT       | 5176          | 33         | 25<br>0 | 14"             | 48" T/T   | MVE @ 1,150 ~F              | ASME N.B.# 10232       | WAX      |
| VT       | 5166          | 35         | 23<br>0 | 10"             | 84"       | Air Liquide                 | ASME N.B.# 449         | WAX      |
| HT       | 6 each        | 60         | 40<br>0 | 24"             | 24" T/T   | ECHO                        | ASME N.B.#             | WAX      |
| VT       | 2823          | 675        | 72<br>0 | 50"             | 10'5-5/8" | 1982 Perry T316<br>S.Stl.   | ASME N Bd. 2823 pics   | WAX      |
| ISO      | 73402<br>6-1  | 1,522      | 58      | 2,20<br>0<br>mm |           | 1988 Pays De<br>Fabrication | ISO Material NFA 36209 | WAX      |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167

**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**HYDROGEN HIGH PRESSURE VESSELS****"CURRENT INVENTORY HYDROGEN ONLY " New; Reconditioned Packages ~**

| ITEM | DESCRIPTION                                       | QTY | MFG  | DESCRIPTION                                       | CUFT | MAWP   | YEAR | H2 SCF | DIMENSIONS       | LOC.          |
|------|---------------------------------------------------|-----|------|---------------------------------------------------|------|--------|------|--------|------------------|---------------|
| 1    | (1t) I Beam.Frame<br>ASME NB# 16"OD               | 7   | Fiba | (1t) I Beam.Frame<br>ASME NB# 16"OD               | 9    | 15,000 | 2024 | 4,538  | 174" 24" x 24"   | Ready-WAX     |
| 2    | (1t) I Beam.Frame<br>ASME NB# 16"OD               | 1   | CPI  | (1t) I Beam.Frame<br>ASME NB# 16"OD               | 10   | 7,252  | 2023 | 4,019  | 128" 24" x 24"   | Ready-WAX     |
| 3    | (1t) I Beam.Frame<br>ASME NB# 20"OD               | 4   | Fiba | (1t) I Beam.Frame<br>ASME NB# 20"OD               | 18   | 7,252  | 2024 | 7,234  | 174" 24" x 24"   | Ready-WAX     |
| 4    | (3t) M.Frame tube<br>skid, NB<br>45211,12,13 ASME | 1   | CPI  | (3t) M.Frame tube<br>skid, NB<br>45211,12,13 ASME | 22   | 5,500  | 1997 | 6,605  | 109" x 48" x 55" | 6 wks.<br>Aro |
| 5    | (2t) M.Frame tube<br>skid, NB 6512,<br>6513 ASME  | 1   | CPI  | (2t) M.Frame tube<br>skid, NB 6512,<br>6513 ASME  | 30   | 5,500  | 2001 | 9,052  | 20" x 10'        | 6 wks.<br>Aro |
| 6    | (1t) M.Frame, NB<br>ASME                          | 5   | CPI  | (1t) M.Frame, NB<br>ASME                          | 34   | 5,500  | 2018 | 10,397 | 20" x 20'        | 10<br>wks.    |

18

**ADDRESS:**

1501 FM-66 Waxahachie. TX 75167



**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

**HYDROGEN HIGH PRESSURE VESSELS**
**"CURRENT INVENTORY HYDROGEN ONLY " New; Reconditioned Packages ~**

| ITEM | DESCRIPTION                                    | QT<br>Y | MFG  | DESCRIPTION                                    | CUF<br>T | MAW<br>P | YEA<br>R | H2<br>SCF | DIMENSION<br>S        | LOC.              |
|------|------------------------------------------------|---------|------|------------------------------------------------|----------|----------|----------|-----------|-----------------------|-------------------|
| 7    | (2t) I Beam.Frame<br>ASME NB# Div-3            | 2       | Fiba | (2t) I Beam.Frame<br>ASME NB# Div-3            | 39       | 15,000   | 2019     | 25,000    | 378" 24" x<br>36"     | Ready             |
| 8    | (3t) Strap skid NB<br>4836, 4858, 4859<br>ASME | 1       | PPI  | (3t) Strap skid NB<br>4836, 4858, 4859<br>ASME | 58       | 5,500    | 1996     | 16,600    | 16" x 19'10"          | 10<br>wks.<br>Aro |
| 9    | (1t) M-Frame tube<br>skid NBD ASME             | 1       | CPI  | (1t) M-Frame tube<br>skid NBD ASME             | 62       | 2,450    | 1969     | 9,100     | 24' x 24" x<br>24"    |                   |
| 10   | (2t) M-Frame tube<br>skid NBD ASME             | 1       | CPI  | (2t) M-Frame tube<br>skid NBD ASME             | 102      | 2,450    | 1969     | 15,028    | 21' x 24" x<br>48"    |                   |
| 11   | (25t) DOT<br>3AA-2400 Skid                     | 1       | CPI  | (25t) DOT 3AA-2400<br>Skid                     | 122      | 2,640    | 2011     | 20,000    | 15' x 8' x 6'         | Ready-<br>WAX     |
| 12   | (3t) I-Beam skd<br>ASME "Epoxy                 | 1       | CPI  | (3t) I-Beam skid<br>ASME "Epoxy lined"         | 105      | 4,000    | 1998     | 25,000    | 22'11" x 86" x<br>27" | Ready-<br>WAX     |

**ADDRESS:**

1501 FM-66 Waxahachie. TX 75167

**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**HYDROGEN HIGH PRESSURE VESSELS****"CURRENT INVENTORY HYDROGEN ONLY " New; Reconditioned Packages ~**

| ITEM | DESCRIPTION                                      | QTY | MFG     | DESCRIPTION                                      | CUFT | MAWP  | YEAR | H2 SCF | DIMENSIONS            | LOC.        |
|------|--------------------------------------------------|-----|---------|--------------------------------------------------|------|-------|------|--------|-----------------------|-------------|
| 13   | (3t) M. Frame tube skid, NB 4380,4405, 4406 ASME | 1   | Naptech | (3t) M. Frame tube skid, NB 4380,4405, 4406 ASME | 85   | 5,475 | 1995 | 25,700 | 24" x 13'8"           | 10 wks. Aro |
| 15   | (3t) I-beam tube skid New "Ready" ASME           | 3   | Fiba    | (3t) I-beam tube skid New "Ready" ASME           | 187  | 5,500 | 2023 | 57,454 | 29'8.5" x 2'3" x 7'3" | Ready       |
| 16   | (3t) I-beam tube skid New "Ready" ASME           | 18  | Fiba    | (3t) I-beam tube skid New "Ready" ASME           | 187  | 5,500 | 2023 | 57,454 | 29'8.5" x 2'3" x 7'3" | Ready       |
| 17   | (6t) M-Frame tube skid DOT-107A                  | 1   | CPI     | (6t) M-Frame tube skid DOT-107A                  | 270  | 2,800 | 2000 | 49,326 | 36' x 7' x 6'         | 10 wks.     |
| 18   | (8) Tube skid New ASME                           | 1   | Enric   | (8) Tube skid New ASME                           | 290  | 3,500 | 2024 | 63,836 | 20' x 8' x 6'         | Ready-WAX   |

20

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)Website: [gasequipment4sale.com](http://gasequipment4sale.com)**PHONE:**

1 (800) 716-6747

**HYDROGEN HIGH PRESSURE VESSELS****"CURRENT INVENTORY HYDROGEN ONLY " New; Reconditioned Packages ~**

| ITEM | DESCRIPTION                                | QTY | MFG   | DESCRIPTION                                | CUFT | MAWP  | YEAR | H2 SCF  | DIMENSIONS    | LOC.  |
|------|--------------------------------------------|-----|-------|--------------------------------------------|------|-------|------|---------|---------------|-------|
| 19   | (8t)UN-DOT-3AX-2538 "NEW" (40' ISO frame") | 1   | Enric | (8t)UN-DOT-3AX-2538 "NEW" (40' ISO frame") | 660  | 2,650 | 2015 | 109,000 | 40' x 8' x 6' | Ready |

**HYDROGEN - TRAILERS**

|    | DOT TYPE                                | QTY | QTY TUBES | TUBE DIMENSIONS | VOL CU FT | MAWP |  | H2 SCF |  | STATUS |
|----|-----------------------------------------|-----|-----------|-----------------|-----------|------|--|--------|--|--------|
| 20 | GTM Trailer h2 20 ft ISO/Trailer Type 2 | 0   | 9         | 24" x 18'       | 445.5     | 3250 |  | 85,000 |  | Ready  |

21

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167





**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)

**PHONE:**

1 (800) 716-6747

| HYDROGEN - TRAILERS |                                                       |     |           |                 |           |      |  |         |          |
|---------------------|-------------------------------------------------------|-----|-----------|-----------------|-----------|------|--|---------|----------|
|                     | DOT TYPE                                              | QTY | QTY TUBES | TUBE DIMENSIONS | VOL CU FT | MAWP |  | H2 SCF  | STATUS   |
| 21                  | DOT-3AAX-2400<br>He>H2>O2>Ar                          | 1   | 8         | 22" x 19'6"     | 341.6     | 2640 |  | 1,800   | Ready    |
| 22                  | UN-DOT-3AX-2538<br>(40' ISO frame") w/<br>new trailer | 1   | 8         | 22" x 36'       | 660       | 2650 |  | 104,000 | Oct.2025 |

| HYDROGEN - SKIDS - ISO MODULES |                                              |     |           |                 |           |      |  |         |        |
|--------------------------------|----------------------------------------------|-----|-----------|-----------------|-----------|------|--|---------|--------|
|                                | DOT TYPE                                     | QTY | QTY TUBES | TUBE DIMENSIONS | COL CU FT | MAWP |  | H2 SCF  | STATUS |
| 23                             | DOT-3AA-2400<br>25 Tube skid                 | 1   | 25        | 15'x 8' x 8'    | 122       | 2640 |  | 20,000  | Ready  |
| 24                             | UN-DOT-3AX-2538<br>"NEW" (40' ISO<br>frame") | 1   | 5         | 22" x 36'       | 660       | 2650 |  | 104,000 | Ready  |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)

Website: [gasequipment4sale.com](http://gasequipment4sale.com)
**PHONE:**

1 (800) 716-6747

| HIGH PRESSURE COMPRESSORS - CNG - HYDROGEN - HELIUM - NITROGEN - CO2 |            |                                                                        |          |             |              |             |             |      |
|----------------------------------------------------------------------|------------|------------------------------------------------------------------------|----------|-------------|--------------|-------------|-------------|------|
| STOCK No.                                                            | MFG.       | DESCRIPTION                                                            | TYPE     | HORSE POWER | FLOW RATE    | INLET PSIG  | OUTLET PSIG | YEAR |
| <a href="#"><u>537367</u></a><br><a href="#"><u>3</u></a>            | Hydro-Pac  | Hydrogen compressor<br>Hydro-Pac Model<br>#C06-60-70                   | HYDROGEN | 60          | 50 SCFM      | 70-140      | 6000        | 2011 |
| 537370<br>8                                                          | Greenfield | CNG COMPRESSOR<br>SKID                                                 | CNG      | 175         | 250 SCFM     | 80-115      | 4500        | 2009 |
| <a href="#"><u>766812</u></a><br><a href="#"><u>0</u></a>            | ANGI-50    | Complete CNG Station                                                   | CNG      | 50          | 75 SCFM      | 9           | 5000        | 2014 |
| <a href="#"><u>588850</u></a><br><a href="#"><u>7</u></a>            | Greenfield | CNG Compressor                                                         | CNG      | 125         | 196 SCFM     | 30          | 4500        | 2001 |
| <a href="#"><u>589004</u></a><br><a href="#"><u>8</u></a>            | Angi       | Angi NG 300 Complete<br>Station                                        | CNG      | 2 X 250     | 2000<br>SCFM | 150-26<br>0 | 4500        | 2020 |
| <a href="#"><u>537367</u></a><br><a href="#"><u>2</u></a>            | Greenfield | New Greenfield Model<br>B65 Skid W/ Dispenser<br>w/ Gas/Electric Motor | CNG      | 75 HP       | 120 SCFM     | 15          | 4500        | 2012 |

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167



**CONTACT:**

Email: [info@gasequipment4sale.com](mailto:info@gasequipment4sale.com)  
Website: [gasequipment4sale.com](http://gasequipment4sale.com)

**PHONE:**

1 (800) 716-6747

**ADDRESS:**

1501 FM-66 Waxahachie, TX 75167

