



N.I +44 (0) 28 3752 4731

UK +44 (0) 1977 666 805

Email: sales@cormacleonard.com

2015 Hitachi ZX130LCN-5B Excavator

Excavators - Tracked / 2015 / 4207 hours

Boxing Ring Check Valves

Hammer Piped

Camera

Rotation Piped





COUPLER RELEASE

COUPLER RELEASE PROCEDURE

1. POSITION DIPPER VERTICALLY
2. FULLY CROWD COUPLER (CLOSE BUCKET)
3. RELEASE ALL LEVERS
4. REDUCE ENGINE RPM TO 50% OR LESS
5. OPERATE COUPLER RELEASE SWITCH
6. OPERATE CROWD (CLOSE) LEVER
7. WAIT UNTIL BOTH HOOKS ARE FULLY OPEN
8. CONTINUE

COUPLER LOCKING PROCEDURE

1. TURN COUPLER RELEASE SWITCH OFF
2. FULLY CROWD COUPLER (CLOSE BUCKET)
3. WAIT WHILE BOTH HOOKS CLOSE
4. CHECK FRONT HOOK IS FULLY CLOSED
5. PERFORM CONNECTION TEST

READ THE OPERATORS MANUAL PRIOR TO USING THE COUPLER



2015 Hitachi ZX130LCN-5B Excavator

Boxing Ring Check Valves

Hammer Piped

Camera

Rotation Piped



N.I +44 (0) 28 3752 4731

UK +44 (0) 1977 666 805

Email: sales@cormacleonard.com

<https://www.cormacleonard.com>