



FUEL TRUCK 17606

Unit #: 17606

Manufactured by DTS

Date of MFR: 2008

Capacity: 1,000 gallons AVGAS

Serial: AR-1718

DOT 406 Compliant

1 hose over-the-wing

Automatic transmission.

Miles 7,732. Hours 4,494

Chassis

Make: Isuzu

VIN: JALC4W16087004431

Engine: Isuzu

Engine Model: 4HK1TC

Fuel type: Diesel

Output: (190 HP) / 2600 rpm.

Tank

Manufacturer: Almac

Shell Material: Aluminum 5454-H32

Head Material: Aluminum 5454-0

Weld Material: ER-5356

Flow Meter System

Flow Meter manufacturer: Total Control Systems (TCS)

Flow Meter 1 Model: TCS70015SPA2CXFP

Flow Meter 1 Max Pressure: 150 PSI

Flow Meter 1 Capacity: 5-60 GPM.

Top LED Display

Make: TARA Systems

Model: RM3-232. Serial: R0803025

Electronic Meter Register System

Electronic meter register manufacturer: Veeder-Root.

Model of electronic meter register: EMR3. (State-of-the-art precision counting for liquid inventory and delivery operations.)

Specs of EMR3:

- 3 I/O Com Ports (RS 232/485)
- ATEX and UL Approved
- Weights and Measures World-Wide Approval: OIML, CW&M, French, NCWM (NIST Standards)

Model: 8456 93-210

Pump

Manufacturer: Gormann-Rupp

Model: 02F1-GR

Serial: 1378519

Filter Vessel

Manufacturer: Facet

Model: HCS-D-122-109

Max Flow Rate 50 GPM

Requires the following filters:

- CAA22-5SB (Quantity 1)
- SS609FB-5 (Quantity 1)

Requires the following gasket:

- 609919 (Quantity 1)



OMEGA
AVIATION SERVICES INC.







J
A
L
C
4
W
1
6
0
8
7
0
0
4
4
3
1



OMEGA
AVIATION SERVICES INC.

MFD BY

DTA

CAPY 50 GPM

DATE 5-7-08

FINDLAY, OHIO

SER AR-1718 MO DOT

 **OMEGA**
AVIATION SERVICES INC.

ALMAC TANK INTERNATIONAL INC.

LANORAIE, QUEBEC, CANADA.

DOT SPEC. NUMBER	DOT	406	SHELL MAT'L	AL5454-H32
MANUFACTURER'S SERIAL NO.		08-14371	HEAD MAT'L	AL5454-0
ORIGINAL TEST DATE		04-08	WELD MAT'L	ER-5356
TANK (MAWP) IN PSIG		3.3	THICKNESS (IN)	MIN.: MFD.:
TANK TEST PRESS. IN PSIG		5	TOP SHELL	0.151 0.188
DESIGN TEMP. RANGE	-40 °F TO	150 °F	SIDE SHELL	0.151 0.188
NOMINAL TANK CAPACITY (USG)			BOTTOM SHELL	0.151 0.188
FRONT			HEADS	0.173 0.188
	REAR		EXPOSED SURFACE AREA	
1000			(FRONT TO REAR) IN SQ. FT.	
MAX. LADING DENSITY	6.8	LBS/GAL		
				158

ALMAC TAN
LANO

CTMV MFR : ALMAC TANK IN
CTMV CERT. DATE :
CT MFR : ALMAC TANK INTI





Facet

Facet USA, Inc.
9910 E. 56th Street North
Tulsa, OK. 74117-4011 USA
(918) 272-8700 Fax (918) 272-8787

FACET 5th EDITION SPECIFICATIONS

MODEL NO.

API-1581 5th EDITION: CATEGORY TYPE

FLOW RATE CERT #

REPLACE CARTRIDGES @

MODEL NO. QTY

MODEL NO. QTY

MODEL NO. QTY

TORQUE ON ELEMENTS

SCREW BASE / ROD MOUNT

TORQUE ON SEPARATORS

P/N 685803-5



OMEGA
AVIATION SERVICES INC.





**FOB Houston, TX Hobby Airport

**Offer is subject to prior sale

**Freight not included

Regards,

Doug Salinas

Sales Director

Omega Aviation

Houston, TX 77061

sales@omegaaviation.com

Office Tel: 713-649-6878

Mobile: 713-822-0955

Fax: 713-649-6766