

Black Clawson Ultra Clone

(80) Primary Cleaners

Serial: 94 UC 80 65 0190

Size: 80 6 UBT

Job: 335 7791

65 PSI 185* F

Weight: 5,500 lbs.

(2) 12" (1) 15 ½ Manifold

6" H Beam Frame

9' Tall x 15' long x 78" wide

(2) Stainless steel 14' long 12" x 12" Trough

No Valves

(80) Primary Cleaners

Serial: 94 UC 80 65 0191

Size: 80 6 UBT

Job: 335 7791

65 PSI 185* F

Weight: 5,500 lbs.

(2) 12" (1) 15 ½ Manifold

6" H Beam Frame

9' Tall x 15' long x 78" wide

(2) Stainless steel 14' long 12" x 12" Trough

No Valves

(56) Secondary Cleaners

Serial: 94 UC 56 6 0192

6" Ø 36" L + 12" Cone

Size: 56 6S

Job: 335 7891

65 PSI 185* F

Weight: 4,000 lbs.

6" H Beam Frame

8' Tall x 21' long x 4' wide

(2) 12" Ø Manifolds

20' x 12" x 12" stainless steel trough

16" FNW Stainless Steel slide gate lug type valve

(32) Teritary Cleaners

Serial: 94 UC 32 6S 0193

Size: 3265

Job: 335 7891

65 PSI 185* F

Weight: 2,500 lbs.

6" H Beam Frame

8' 8" Tall x 13' long

11'x 12" x 12" Stainless steel Trough

(2) 10" Ø Manifolds

2) 10" Dezurik slide gate S/T body S/S wet valves

(12) Quaternary Cleaners

Serial: 94 UC 12 6 SU 0194

Size: 12 6 UBT

Job: 335 8091

65 PSI 185* F

Weight: 1,700 lbs.

4" H Beam Frame

7' Tall x 4' Wide

(2) 51"x 6.5" x 6.5" Stainless steel Trough

(2) 4" Ø Manifolds

No Valves