



VIDA BEM

2,000 HP VFD LEWCO 370 Letourneau

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

Disclaimer / Confidentiality Statement

This document is strictly private and confidential, and is being submitted for the sole purpose of responding to an expression of interest related to the sale of rig equipment being offered by VIDA BEM, LLC. This document contains information that is proprietary and confidential ("Confidential Information") and is being provided for the sole purpose of evaluating this equipment package. Confidential Information includes information relating to the goods, equipment, and/ or services referred to in the proposal, but is not limited to, specifications, designs, drawings, product data, manufacturing processes, installation methods, price lists, technical information, visually transmitted information, trade secrets, software, firmware, and other confidential or proprietary information forming part of this document.

By continuing past this notice to review you agree to keep this information confidential and agree to limit disclosure of the information to only those authorized employees and representatives who need to know the information in order to evaluate this equipment package.

In addition, you agree not to; (i) disclose the information contained in this document to any third parties; (ii) use the information for any purpose other than to evaluate the rig equipment acquisition; (iii) use the information in any other way that might be prejudicial or detrimental to VIDA BEM, LLC and (iv) copy, distribute or reproduce the contents of the proposal information in whole or part.

In the event this equipment package is not considered any further and / or your client is not considered for the award letter, you agree to destroy this document in digital and hard copy forms, and all complete or partial replications or excerpts taken from it, or to return the same to VIDA BEM, LLC.

The rig owner owns its patents, copyrights, commercial secrets, technology, knowledge, information of any nature ("Intellectual Property"), revealed in connection with the subject matter of this proposal and nothing contained in the same shall be considered as an authorization or transference or license or property rights or rights of any nature of a party towards the other in any matter related with Intellectual Property.

All operating and controls systems mentioned in this document are used for identification purposes only and may be trademarks of their respective owners.

This equipment package is subject to a mutually agreed definitive agreement between our companies, and while the intent is to eventually negotiate and execute the same at a later date, it is expressly understood that this is an equipment description document only and no liability or obligation of any nature whatsoever is intended to be created hereunder.

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

HISTORY

Manufacturer: Letourneau Technologies, USA

Year of Manufacture: 2008

Current Condition: Cold Stacked

Notes: Rig can be recertified at an additional cost.

Proof of funds and LOI must be submitted prior to inspection.

Inspection will be at buyer's expense.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

SPECIFICATION AND EQUIPMENT LIST

| | |
|--------------|---------------------------|
| RIG TYPE | VFD SYSTEM |
| MANUFACTURER | Lewco 370 Letourneau, USA |
| OPERATING | 2,000 HP |
| YEAR BUILT | 2008 |

CROWN

| | |
|-----------------------------|---------------------------------------|
| CROWN BLOCK TYPE | Pyramid-DA-C345-06-03 |
| CROWN BLOCK SHEAVES | 12 Line Sheaves |
| CROWN BLOCK SHEAVES | 1-3/8" Drill Line |
| MAX RATING STATIC HOOK LOAD | 1,000,000 LBS |
| FAST LINE | 1 Unit DIA. 60" for 1-3/8" Drill Line |
| RATED CAPACITY | 583 Tons |
| DIMENSIONS | Crown Width 9 ft x 12 ft |

MAST

| | |
|-------------------------------|---|
| MANUFACTURER | Pyramid DA-M785-05-01 |
| MAST HEIGHT | 147 ft |
| GROSS NOMINAL CAPACITY | 1,000,000 lbs |
| API STATIC HOOK LOAD CAPACITY | 12 Line, 1,000,000 lbs |
| DIMENSIONS | Clear Height 147 ft, Mast Base: 38.42 ft x 21 ft |
| MAST RACKING CAPACITY | 216 Stands of 5" Drill Pipe and 6-3/8" tool joint, 12 stands of 8" Drill Collar |

SUB STRUCTURE

| | |
|---------------------------------|----------------------------------|
| HEIGHT | 30 ft |
| CLEAR HEIGHT BELOW ROTARY BEAMS | 25.53 ft |
| SETBACK LOAD | 600,000 lbs |
| ROTARY CAPACITY | 1,000,000 lbs |
| MAX. COMBINED LOAD | 1,000,000 lbs |
| DIMENSIONS | Drill Floor Size 33.5 ft x 31 ft |

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

DRAWWORKS

| | |
|------------------------|-----------------------|
| TYPE | LDW 100K 124 |
| DRIVEN | ELECTRIC SYSTEM |
| HP RATING 2 X 1500 | 2 X 1500 HP |
| AUXILLARY BRAKE | DISC MECHANICAL BRAKE |
| MAX. DESIGNED HOISTING | 1,000,000 lbs |
| DRUM SIZE | 30 DIA x 56-1/4" |

TOP DRIVE

| | |
|-----------------|---------------------------------|
| MODEL | DDTD500-112 |
| MANUFACTURER | Letourneau Technologies |
| SIZE | 500 ton with 7,500 psi mud path |
| CAPACITY | 500 TON (1,000,000 lbs) |
| MAKE-UP TORQUE | 75,000 ft-lbs |
| BREAKOUT TORQUE | 75,000 ft-lb |
| RATED POWER | 600 VAC |
| COOLING SYSTEM | Forced Air Cooled |

ROTARY TABLE

| | |
|-----------------------------|--|
| MANUFACTURER | Letourneau Technologies |
| MODEL | L375-125 |
| TORQUE CAPACITY | 50,000 ft-lb Torque Input at 50 rpm |
| SIZE | 37-1/2" |
| DRIVE MOTOR & MAX. INPUT HP | 1150 HP – AC MOTOR |
| STATIC LOAD | 575 Ton |
| BOWL INSERT FOR CASING | 30" , 20" , 13-3/8" , 10-3/4" , 9-5/8" , 8-5/8" , 7" |

GENERATOR

| | |
|--------------------------|----------------------|
| ENGINES | 4 X 3512 Caterpillar |
| CONTINUOUSE OUTPUT POWER | 1365 X 4 kW /HP |
| KVA | 1950 X 4 |
| VOLTAGE | 346-600 |
| ENGINES | 2 X 3406 Caterpillar |
| CONTINUOUSE OUTPUT POWER | 400 kW / HP |
| VOLTAGE | 380/50 |
| ENGINES | 4 X C15 Caterpillar |
| CONTINUOUSE OUTPUT POWER | 400 kW/HP |
| VOLTAGE | 380/50 |

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

MUD PUMPS

| | |
|-----------------------------------|--|
| MAKE/TYPE | Lewco/WH1612 (2 Units) |
| POWER RATING | 1600 HP |
| MAX. COMBINED PUMP OUTPUT | 5-1/2" LINER, 5,000 PSI, 444 GPM/120 SPM |
| MAX. PRESSURE AT MAX. FLOW | 7-1/4" LINER, 3,197 PSI, 772 GPM/120 SPM |
| MAKE/TYPE | BSOM/BSF-1600 (1Unit) |
| POWER RATING | 1600 HP |
| MAX. COMBINED PUMP OUTPUT | 5" LINER, 5,000 PSI, 367 GPM/120 SPM |
| MAX. PRESSURE AT MAX. FLOW | 7" LINER, 3,430 PSI, 719 GPM/120 SPM |

MUD SYSTEM

| | |
|----------------------------------|-------------|
| ACTIVE TANK CAPACITY | 2 X 500 BBL |
| RESERVE TANK CAPACITY | 2 X 500 BBL |
| SHAKER TANK CAPACITY | 200 BBL |
| WATER/BRINE TANK CAPACITY | 4 x 500 BBL |

SOLIDS CONTROL

| | |
|---------------------|------------|
| SHALE SHAKER | |
| MODEL | Letourneau |
| QUANTITY | 3 Each |
| CAPACITY | 120 GPM |

DESANDER

| | |
|---|---------------|
| COMBINED WITH SHALE SHAKER AND DESILTER AS MUD CLEANER | |
| MAKE | LEWCO |
| CAPACITY | Up to 120 GPM |

DEGASSER

| | |
|--------------------|----------|
| MODEL | VAK 1200 |
| VACUUM PUMP | 5 HP |
| CAPACITY | 1200 GPM |

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

MUD CLEANER

| | |
|-----------------|------------|
| MAKE | Letourneau |
| CAPACITY | 1000 GPM |

DESILTER

| | |
|-----------------|--------------|
| MAKE | Letourneau |
| CAPACITY | MIN. 120 GPM |

MUD LAB

| | |
|---|--|
| 2 m x 1.8 x 2.20 m with Electric, Water, Sink, Rig Air | |
|---|--|

BLOW OUT PREVENTER

| | |
|----------------------------|-----------------------------|
| ANNULAR PREVENTER | |
| MAKE | Hydrill |
| SIZE/PRESSURE | 21-1/4" / 2,000 PSI |
| SIZE/PRESSURE | 13-5/8" / 5,000 PSI |
| | |
| RAM TYPE PREVENTERS | |
| MAKE | Cameron |
| TYPE | Single Ram BOP U BOP |
| SIZE | 20-3/4" / 3000 PSI |
| DOUBLE RAM TYPE | Yes, 5" Pipe Ram |
| | |
| MAKE | Cameron |
| TYPE | Single Ram BOP U BOP |
| SIZE | 20-3/4" / 3000 PSI |
| DOUBLE RAM TYPE | Yes, 5" Blind Ram |
| | |
| MAKE | Cameron 2245115-02 |
| TYPE | U BOP |
| SIZE | 13-5/8" / 10,000 PSI |
| DOUBLE RAM TYPE | Yes, Pipe Ram and Blind Ram |
| SHEAR/BLIND RAM | Blind |

ACCUMULATOR UNIT

| | |
|---------------------------------|---|
| MANUFACTURER | CAD Control Systems Inc. |
| SERIAL NUMBER | 1107-31067-01 |
| | Meets or exceed API RP53, electrical motor, air pump and pneumatic. Must be of sufficient bottle capacity to close/open/close all |
| ACCUMULATOR PRESSURE | 900 Gallon, 3,000 PSI Working Pressure – 28 bottles @11 gal |
| ELECTRIC PUMP MODEL | 30HP, 480 vac |
| PNEUMATIC PUMP MODEL | 8-1/2" Pneumatic Pump, 60:1 Ratio |
| MAKE & SPECIFICATION | KOOMEY & Adjacent to dog house, length of control hose min. 100 ft from wellhead. |
| TOTAL BOTTLE CAPACITY | 28 Bottles, 320 Gallons |
| TOTAL USABLE FLUID | 280 Gallons |

CHOKE MANIFOLD

| | |
|------------------------|----------------------------|
| MAKE | Worldwide Oilfield Machine |
| SIZE | 4-1/16" Body 4130 |
| PRESSURE RATING | 10,000 PSI |
| WP MAXIMUM | 8,000 PSI |

TUBULARS

| | |
|-----------|--|
| 350 Joint | 5" DP, Minimal grade G-105, c/w Hardbanding Drill Collar |
| 100 Joint | 5" DP, Minimal grade G-135, c/w Hardbanding |
| 200 Joint | 3-1/2" DP, Minimal grade G-105, c/w Hardbanding |
| 45 Joint | 5" HWDP, c/w Casing Friendly Hardbanding |
| 25 Joint | 3-1/2" HWDP, c/w Casing Friendly Hardbanding |
| 6 Joint | 5" Drill Pipe Pup Joints, Grade G-105 |
| 6 Joint | 3-1/2" Drill Pipe Pup Joints, Grade G-105 |
| 15 Joint | 9-1/2" Drill Collar Spiral |
| 25 Joint | 8" Drill Collar Spiral |
| 15 Joint | 6-1/2" Drill Collar Spiral |
| 15 Joint | 4-3/4" Drill Collar Spiral |
| | Lifting Sub |
| | Lift Nubbins |
| | Hole Opener |
| | Float Sub with Valve |
| | Rotating Head BOP |
| | Casing Circulation Swage-Drill Pipe Circulation Head |
| | String Stabilizer-BIT Breaker and Gauge Rings |

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.


PICTURES



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



VIDA BEM

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



1-800-957-2391

TO SCHEDULE AN INSPECTION PLEASE CONTACT

Jose Lozano

Founder

VIDA BEM LLC

Office: 800 957 2391

Tel: 661 303 3190

Cell: 661 303 3190

Email: jlozano@vidabem.us

Visit Us: www.vidaeq.com



VIDA BEM

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.