



**Rig 8**

**2014 Oil Works Inc. 1500 HP**

**YOM: 2014**

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



## **Disclaimer / Confidentiality Statement**

This document is strictly private and confidential, and is being submitted for the sole purpose of responding to an expression of interest (February, 2025) related to the sale of rig equipment being offered by VIDA BEM, LLC. This document contains information that is proprietary and confidential ("Confidential Information") and is being provided for the sole purpose of evaluating this equipment package. Confidential Information includes information relating to the goods, equipment, and/ or services referred to in the proposal, but is not limited to, specifications, designs, drawings, product data, manufacturing processes, installation methods, price lists, technical information, visually transmitted information, trade secrets, software, firmware, and other confidential or proprietary information forming part of this document.

By continuing past this notice to review you agree to keep this information confidential and agree to limit disclosure of the information to only those authorized employees and representatives who need to know the information in order to evaluate this equipment package.

In addition, you agree not to; (i) disclose the information contained in this document to any third parties; (ii) use the information for any purpose other than to evaluate the rig equipment acquisition; (iii) use the information in any other way that might be prejudicial or detrimental to VIDA BEM, LLC and (iv) copy, distribute or reproduce the contents of the proposal information in whole or part.

In the event this equipment package is not considered any further and / or your client is not considered for the award letter, you agree to destroy this document in digital and hard copy forms, and all complete or partial replications or excerpts taken from it, or to return the same to VIDA BEM, LLC.

The rig owner owns its patents, copyrights, commercial secrets, technology, knowledge, information of any nature ("Intellectual Property"), revealed in connection with the subject matter of this proposal and nothing contained in the same shall be considered as an authorization or transference or license or property rights or rights of any nature of a party towards the other in any matter related with Intellectual Property.

All operating and controls systems mentioned in this document are used for identification purposes only and may be trademarks of their respective owners.

This equipment package is subject to a mutually agreed definitive agreement between our companies, and while the intent is to eventually negotiate and execute the same at a later date, it is expressly understood that this is an equipment description document only and no liability or obligation of any nature whatsoever is intended to be created hereunder.

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



## **2014 RIG 8 1,500 HP**

### **DRAWWORKS**

National P-110

Input Power: 1,500 hp

Main Brake: 1,500 hp Baylor Break 6032 (Dynomatic)

Aux Parking Brakes: OWI band brake system

### **SUBSTRUCTURE**

OWI Box on Box Floor Height: 25'

Clear Height (beneath rotary beams): 22' KB 25'

Rotary Capacity: 1,000,000 lbs.

Max Pipe Setback: 600,000 lbs.

### **WALKING SYSTEM**

OWI Stealth Stompers

### **ROTARY TABLE**

Ideal 27.5 500ton Chain Driven

### **HYDRAULIC CATWALK**

Forum Pipe Wrangler

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



## **MAST**

142' OWI

Drill Line: 1-3/8"

Racking Capacity: 23,000' of 5" DP

## **TOP DRIVE**

NOV TDS11 800 Ton Max Speed: 220 rpm Continuous Drill Torque: 37,000 ft-lbs.

Max Torque (Make/Break): 55,000 ft-lbs.

800hp AC induction motor & drive system w/ PLC Integral 525 ton Big Shorty block assembly

## **BLOCK**

McKissick, 500 Ton, Ideal, 6 Sheeve

## **POWER SYSTEM**

(3) 3512 Caterpillar

Max hp 1500

Max Torque 4580

Max RPM 1200

1100 KW x 3

## **SCR HOUSE**

IPS IDE 3X4

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



### **MUD PUMP #1**

Gardner Denver PZ-11 Stroke: 11"

Input Power: (1) 1,600

Pressure Rating: 7,500 psi (51.7 MPa)

### **MUD PUMP #2**

Gardner Denver PZ-11 Stroke: 11"

Input Power: (1) 1,600

Pressure Rating: 7,500 psi (51.7 MPa)

### **MUD PUMP #3**

Gardner Denver PZ-11 Stroke: 11"

Input Power: (1) 1,600

Pressure Rating: 7,500 psi (51.7 MPa)

### **MUD TANKS**

Two Tanks w/ 800 bbls total capacity Shakers: (2x) King Cobra Brandt Shakers

#### **SCALPING TANK (Optional)**

Main Tank 200 bbls

**TRIP TANK:** 120 BBL

**MUD GAS SEPARATOR:** (x1) PRW 48" (122cm) OD x 120" (305cm) tall

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



## **BOP**

13 5/8 Shaffer Annular 5000psi

13 5/8 Cameron Type-U Double Ram 10000psi

13 5/8 Cameron Type -U Single 10000psi

## **ACCUMULATOR**

Koomey 400 Gallons 8 stations, (x3) pneumatic pumps and (x1) electric triplex pump

## **CHOKE MANIFOLD**

Total Oilfield 4 1/16 HCR with 4 1/16 x 3 1/16 wings 5000 Manual Chokes

## **MISCELLANEOUSE:**

**Water Tank:** 1,000 bbls

**Fuel Tank:** 12,000 Gals

**Screw Compressor** - (x2) FS Curtis RSD-50HP


## **TOOL / STORAGE / CAMP**

Parts Storage Room and Tool House Room Rig Manager Trailer: One 14' x 62' Mobil Home

**PIPE** (Not Included)

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

## Rig No. 8



This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

## RIG INVENTORY DETAILS

Rig 8 Inventory						
Mo.	Da.	Yr.	Rig Classifications		Size Crews	
10/18/18			Diesel Electric - 7500 PSI		4 or 5 men (including driller)	
Depth Rating			Rating Elevation			
21,000 Feet w/ 5"OD Drill Pipe			3600 Feet			
Major Components	Drawworks	Rotary	Pump # 1	Pump # 2	Pump # 3	SCR House
Make	Oil Works	National	Gardner Denver	Gardner Denver		IPS-IDE
Type	OWI - 1500	Ideal 27.5	PZ 11	PZ 11		Custom
Manufacturer's Max.			7500 PSI Fluid Ends	7500 PSI Fluid Ends		
Input HP Rating	1000		HD1600	HD1600		
Independent Power						
Number			1	1		
Make			Caterpillar	Caterpillar		
Type			D 3512	D 3312		
Total Max. HP (hoisting for Dwks.) (continuous for other)			1475	1475		
Derrick: OIL Works Height: 142 feet Gross Nominal Capacity: 1,000,000 lbs. 8 Lines: 10 Lines: 800,000 lbs						
Substructure: Height 25 feet Casing Capacity 1,000,000 lbs Vertical Clearance for BOP's 21' KB 25'						
Traveling Block Description						
Size wire line: 1 3/8 in No. of Sheaves: 6 Make: Mckissick Type Ideal Capacity 500 tons						
Minimum Capacity Traveling Component (Top Drive, Hook, Block, Swivel, etc.)						
Top Drive: Make: Tesco Type: 1350						
Make: Tesco Type: Top Drive Capacity: 650 tons						
Blowout Prevention Description				BOP Accumulator		
Number	Size, inches	Make	Type	Wrkg Pressure, psi	Make: O.C.O Pressure Control	
1	13 5/8	Cameron	U	10,000	Type Custom	
1	13 5/8	Shaffer	90	5000	Total Usable Vol. 350 gal	
KILL AND CHOKE MANIFOLD				Precharge Press Rating 1500 lbs		
4 1/16" HCR with 4 1/16" X 3 1/16" wings				10,000		
Drill Pipe and Collars						
Contractor agrees to provide 100,000 # of overpull at all times.						
Drill Pipe Length (feet)	OD, inches	Wt./ft.	Grade	Tool Jt. Type	Ft. since Insp.	
656 Joints	5"	19.50#	S135	4.5 IF		
Additional Rental Pipe Available						
Drill Collar Length (feet)	OD, inches	ID, inches	Wt./ft.	Joint Description	Ft. since Insp.	
600'	8"	2.25"		6 5/8 Reg		
1000'	6 1/2"-6 3/4"	2.25"		4 1/2 XH		
Additional Rental Collars Available						
1200'	4.75"	2"		3.5 IF		
Steel Pits						
3- 7' X 8' X 47'		Total volume of Active Mud Tanks 1100 Bbl Premix Pit 120 bbls				
2 King Cobra Brandt Flow Line Cleaner						

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.





**To Schedule an Inspection Please Contact:**

Jose Lozano

Founder

VIDA BEM LLC

Office: 800 957 2391

Tel: 661 303 3190

Cell: 661 303 3190

Email: [jlozano@vidabem.us](mailto:jlozano@vidabem.us)

Visit Us: [www.vidaeq.com](http://www.vidaeq.com)

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.