



Rig 2

2018 Oil Works Inc. 1500 HP

YOM: 2018

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



Disclaimer / Confidentiality Statement

This document is strictly private and confidential, and is being submitted for the sole purpose of responding to an expression of interest (February, 2025) related to the sale of rig equipment being offered by VIDA BEM, LLC. This document contains information that is proprietary and confidential ("Confidential Information") and is being provided for the sole purpose of evaluating this equipment package. Confidential Information includes information relating to the goods, equipment, and/ or services referred to in the proposal, but is not limited to, specifications, designs, drawings, product data, manufacturing processes, installation methods, price lists, technical information, visually transmitted information, trade secrets, software, firmware, and other confidential or proprietary information forming part of this document.

By continuing past this notice to review you agree to keep this information confidential and agree to limit disclosure of the information to only those authorized employees and representatives who need to know the information in order to evaluate this equipment package.

In addition, you agree not to; (i) disclose the information contained in this document to any third parties; (ii) use the information for any purpose other than to evaluate the rig equipment acquisition; (iii) use the information in any other way that might be prejudicial or detrimental to VIDA BEM, LLC and (iv) copy, distribute or reproduce the contents of the proposal information in whole or part.

In the event this equipment package is not considered any further and / or your client is not considered for the award letter, you agree to destroy this document in digital and hard copy forms, and all complete or partial replications or excerpts taken from it, or to return the same to VIDA BEM, LLC.

The rig owner owns its patents, copyrights, commercial secrets, technology, knowledge, information of any nature ("Intellectual Property"), revealed in connection with the subject matter of this proposal and nothing contained in the same shall be considered as an authorization or transference or license or property rights or rights of any nature of a party towards the other in any matter related with Intellectual Property.

All operating and controls systems mentioned in this document are used for identification purposes only and may be trademarks of their respective owners.

This equipment package is subject to a mutually agreed definitive agreement between our companies, and while the intent is to eventually negotiate and execute the same at a later date, it is expressly understood that this is an equipment description document only and no liability or obligation of any nature whatsoever is intended to be created hereunder.

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



2018 RIG 2 1,500 HP

DRAWWORKS

National P-110UE

Input Power: 1,500 hp

Main Brake: 1,500 hp Baylor Break 6032 (Dynomatic) Aux

Parking Brakes: OWI band brake system

SUBSTRUCTURE

OWI Box on Box Floor Height: 28'

Clear Height (beneath rotary beams): 23' Rotary Capacity: 1,000,000 lbs.

Max Pipe Setback: 750,000 lbs.

WALKING SYSTEM

OWI Stealth Stompers

ROTARY TABLE

Gardner Denver 27.5

HYDRAULIC CATWALK

Forum Pipe Wrangler

MAST

142' OWI

Drill Line: 1-3/8"

Racking Capacity: 22,000' of 5 1/2 " DP

TOP DRIVE

CanRig 1250 AC 500 Ton Max Speed: 225 rpm Continuous Drill Torque: 65,300 ft-lbs. Max Torque (Make/Break): 95,000/ 128,800 ft-lbs. (2) 400 hp AC induction motor & drive system w/ PLC Integral 525 ton big shorty 5x42 block assembly

BLOCK

IDECO, 500 Ton

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



POWER SYSTEM

(3) 3512 Caterpillar

Max hp 1500

Max Torque 4580

Max RPM 1200

1365 KW x 3

SCR HOUSE

OMRON 3X4 with Auto Start, Auto Sync, and 3 Pump Capacity

MUD PUMP #1

Gardner Denver PZ-11 Stroke: 11"

Input Power: (1) 1,600

Pressure Rating: 7,500 psi (51.7 MPa)

MUD PUMP #2

Gardner Denver PZ-11 Stroke: 11"

Input Power: (1) 1,600

Pressure Rating: 7,500 psi (51.7 MPa)

MUD PUMP #3

Gardner Denver PZ-11 Stroke: 11"

Input Power: (1) 1,600

Pressure Rating: 7,500 psi (51.7 MPa)

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



MUD TANKS

Three Tanks w/ 1,500 bbls total capacity Shakers: (2x) Derrick Shale Shakers FLC 503

PREMIX TANK: 580 BBLS

TRIP TANK: 80 bbls

MUD GAS SEPARATOR: (x1) Mi Swaco 48" (122cm) OD x 120" (305cm) tall

BOP

13 5/8 Shaffer Annular 5000psi

13 5/8 Cameron Type-U Double Ram 10000psi

13 5/8 Cameron Type -U Single 10000psi

ACCUMULATOR

Scarborough 400 Gallons 7stations, (x4) pneumatic pumps and (x1) electric triplex pump

CHOKE MANIFOLD

Total Oilfield 4 1/16 HCR with 4 1/16 x 2 1/16 wings 10000 Manual Chokes

MISCELLANEOUSE:

Water Tank: 1,000 bbls

Fuel Tank: 12,000 Gals

Screw Compressor - None at this time

TOOL / STORAGE / CAMP

Parts Storage Room and Tool House Room Rig Manager Trailer: One 14' x 62' Mobil Home

PIPE (Not Included)

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



RIG INVENTORY DETAILS

Rig 2 Inventory						
Mo.	Da.	Yr.	Rig Classifications		Size Crews	
04	05	2019	OWI Diesel Electric Walking		4 or 5 men (including driller)	
Depth Rating			22,000 Feet			Rating Elevation
DP Capacity			22,000 5 1/2 DP			3600 Feet
Major Components		Drawworks	Rotary	Pump # 1	Pump # 2	Pump # 3
Make		National	Gardner Denver	Gardner Denver	Gardner Denver	Gardner Denver
Type		P-110-UE	27.5	PZ 11	PZ 11	PZ 11
Manufacturer's Max. Input HP Rating		1500		7500 PSI Fluid Ends 1600	7500 PSI Fluid Ends 1600	7500 PSI Fluid Ends 1600
Independent Power Number				1	1	1
Make				GE	GE	GE
Type				752 Series	752 Series	752 Series
Total Max. HP (hoisting for Dwks.) (continuous for other)				1000	1000	1000
Derrick: OWI Height: 142 Gross Nominal Capacity: 1,000,000 SHL 12 Lines						
Substructure: OWI Height 30' KB 28' BOP Clearance 22'						
Traveling Block Description						
Size wire line: 1 3/8in No. of Sheaves: 10 Make: National Type: Ideal Capacity: 500 tons						
Minimum Capacity Traveling Component (Top Drive, Hook, Block, Swivel)						
Top Drive: Make: Canrig Type: 1250AC 500Ton						
Block Make: IDECO Type: Big Shorty Capacity: 500 tons						
Blowout Prevention Description (13 5/8 10000 also available upon request)						
Number	Size, inches	Make	Type	Wrkg Pressure, psi	BOP Accumulator	
1	13 5/8	Shaffer	Annular	5000	Make: Koomey	
1	13 5/8	Shaffer	LWS	5000	Type: Custom 6 valve	
KILL AND CHOKE MANIFOLD				Total Usable Vol. 210 gal		
4 1/16"HCR WITH 4 1/16" X 2 1/16" WINGS				Precharge Press Rating 1500 lbs		
Drill Pipe and Collars						
Contractor agrees to provide 100,000 # of overpull at all times.						
Drill Pipe Length (feet)	OD, inches	WT./ft.	Grade	Tool Jt. Type	Ft. since Insp.	
10000	5	19.5	G-105			
10000	5	19.5	S-135			
Additional Rental Pipe Available						
Drill Collar Length (feet)	OD, inches	ID, inches	Wt./Ft.	Joint Description	Footage Since Inspection	
Additional Rental Collars Available						
Steel Pits						
3 Pits	Total volume of Active Mud Tanks		1500 Bbl	Premix Pit	580bbbls	TripTank 80bbbls
2 X Derrick Shale Shakers FLC503						

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.



To Schedule an Inspection Please Contact:

Jose Lozano

Founder

VIDA BEM LLC

Office: 800 957 2391

Tel: 661 303 3190

Cell: 661 303 3190

Email: jlozano@vidabem.us

Visit Us: www.vidaeq.com

This document is the confidential and proprietary property of VIDA BEM LLC. It may contain technical information, service descriptions, and commercial cost estimates pertaining to VIDA BEM products and services that are confidential. No part of this document may be reproduced, transmitted, or used for other than the designated purposes without prior permission of VIDA BEM LLC.