

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
		PIGMENT UNLOADING AND STORAGE FS-01			
P-853-100	1.00	Robbins Myers- PD moyno pump type 2G065G1 CDQ AAA , 180 gpm , 60 psi			X
GR-853-100	1.01	Dodge- APG gear red type DM4A-250TC-6.2 , 280 gpm out, 1.3 SF, A-1 assy pos			X
M-853-100	1.02	Marathon- AC motor , 15 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on base			X
FSL 7000	1.03	E+H- dry run protection unit type LSM 160C, AR, 1" npt			X
	1.04	Keystone- butterfly valve man 4" type 990-805			X
	1.05	Keystone- butterfly valve man 4" type 990-805			X
	1.06	Keystone- butterfly valve man 4" type 990-806			X
	1.07	Keystone- butterfly valve pn 3" type 999-805			X
HV 7002	1.07	Keystone- pneumatic actuator type F-790-200			X
HEV 7002	1.07	Asco- solenoid valve type 540 00 001			X
ZSC 7002	1.07	Efector- proximity switch type IF-2004 ABOW			X
	1.08	Keystone- butterfly valve man 3" type 999-805			X
	1.09	Keystone- butterfly valve man 3" type 990-805			X
ZSC 303	1.09	Efector- proximity switch type IF-2004 ABOW			X
	1.10	Apollo- ball valve manual 1 1/2" type 85-207			X
	1.11	Spray Hose- 1 1/2" , L= 20' 0"			X
	1.12	Apollo- ball valve manual 1/2" type 85-203			X
XA -7009	1.13	Rotating light , 120 v, ac model fed signal			X
CB01	1.14	Rittal Control Cabinet type XXXX, c/w terminal blocks, analog level			X
	1.14	Indicators for clay & carbonate tanks, push buttons, norgren filter			X
	1.14	Regulator type B08-421-A3MA, soleniod valves HEV 7001 HEV 7002			X
	1.15	Pipe Coupling- female 4" , AINSI 316 L , c/w cover			X
	1.16	Pipe Coupling- female 4" , AINSI 316 L , c/w cover			X
	1.17	Pipe Coupling- female 4" , AINSI 316 L , c/w cover			X
P-XXX	1.00A	Robbins Myers- PD moyno pump type 2G065G1 CDQ AAA , 180 gpm , 60 psi			X
GR-XXX	1.01A	Dodge- APG gear red type DM4A-250TC-6.2 , 280 gpm out, 1.3 SF, A-1 assy pos			X
M-853-XXX	1.02A	Reliance- AC motor , 15 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on base			X
FSL 301	1.03A	E+H- dry run protection unit type FTL 50-AGN2AA4E5A, 1" npt			X
	1.04A	Keystone- butterfly valve man 4" type 990-805			X
	1.05A	Keystone- butterfly valve man 4" type 990-805			X
	1.06A	Keystone- butterfly valve man 4" type 990-805			X
	1.04B	Jamesbury - butterfly valve man 4" type 815W-11-3600XZ / WSH36		X	
	1.05B	Jamesbury - butterfly valve man 4" type 815W-11-3600XZ / WSH36		X	
	1.06B	Jamesbury - butterfly valve man 4" type 815W-11-3600XZ / WSH36		X	
	1.04C	Jamesbury - butterfly valve man 4" type 815W-11-3600XZ / WSH36		X	
	1.05C	Jamesbury - butterfly valve man 4" type 815W-11-3600XZ / WSH36		X	
	1.06C	Jamesbury - butterfly valve man 4" type 815W-11-3600XZ / WSH36		X	
	1.15B	Dixon Valve & Coupling - 400-DL-SS Coupler x 150# ASA Flange Drilling		X	
	1.16B	Dixon Valve & Coupling - 400-DL-SS Coupler x 150# ASA Flange Drilling		X	
	1.17B	Dixon Valve & Coupling - 400-DL-SS Coupler x 150# ASA Flange Drilling		X	
	1.15C	Dixon Valve & Coupling - 400-DL-SS Coupler x 150# ASA Flange Drilling		X	
	1.16C	Dixon Valve & Coupling - 400-DL-SS Coupler x 150# ASA Flange Drilling		X	
	1.17C	Dixon Valve & Coupling - 400-DL-SS Coupler x 150# ASA Flange Drilling		X	
HV 300	1.07A	Keystone- butterfly valve pn 3" type 990-805, Keystone- pneumatic actuator type F-79U-006			X
HEV 300	1.07A	Asco- solenoid valve type 540 00 001			X
ZSC 300	1.07A	Efector- proximity switch type IF-2004 ABOW			X
	1.08A	Keystone- butterfly valve man 3" type 990-805			X
	1.09A	Keystone- butterfly valve man 3" type 990-805			X
ZSC 302	1.09A	Efector- proximity switch type IF-2004 ABOW			X
	1.10A	Flotek- ball valve manual 1 1/2" type 7307			X
	1.11A	Spray Hose- 1 1/2" , L= 20' 0"			X
	1.12A	Flotek- ball valve manual 1/2" type 7303			X
XA - 314	1.13A	Rotating light , 120 v, ac model fed signal			X
CB01A	1.14A	Rittal Control Cabinet type XXXX, c/w terminal blocks, analog level			X
	1.14A	Indicators for clay & carbonate tanks, push buttons, norgren filter			X
	1.14A	Regulator type B08-421-A3MA, soleniod valves HEV 7001 HEV 7002			X
	1.15A	Pipe Coupling- female 4" , AINSI 316 L , c/w cover			X
	1.16A	Pipe Coupling- female 4" , AINSI 316 L , c/w cover			X
	1.17A	Pipe Coupling- female 4" , AINSI 316 L , c/w cover			X
T-853-101	2.00	Tank, calcium carbonate storage, 25,000 gal, SS 316L			X
A-853-102	2.01	Prochem-agitator model 37BT21			X
GR-853-102	2.01	XXXX-gear motor, 10 hp, 1750 rpm, 3/60/480 V, shaft speed 56 rpm			X
LT-7003	2.03	Rosemount-level transmitter type 1151LT5s			X
	2.04	Keystone-butterfly valve pn 4" type fig 999-805			X
HV 7004	2.04	Keystone-pneumatic actuator type f-790-200			X
HEV 7004	2.04	Asco- solenoid valve type 540 00 001 , 1/8" npt, CB02			X
ZSC 7004	2.04	Efector- proximity switch type IF-2004 ABOW			X
	2.05	Keystone- butterfly valve manual 6" type fig 360-124			X
ZSC 7005	2.05	Efector- proximity switch type IF-2004 ABOW			X
	2.06	Keystone- butterfly valve manual 4" type fig 999-805			X
ZSC 304	2.06	Efector- proximity switch type IF-2004 ABOW			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
	2,07	Manhole 24"			X
	2,08	Manhole 24"x 24"			X
	2,09	Tank access platform, mildsteel			X
	2,10	Keystone- butterfly valve manual 6" type fig 360-124			X
P-853-103	3,00	Robbins/Myers- moyno pump type 2F050G1 CDQ DAA, 160 gpm, 60 psi			X
GR-853-103	3,01	Dodge- APG gear red type DM4A-210TC-5,06 , 350 rpm out, 2,0 SF, A-1 assy pos			X
M-853-103	3,02	Marathon- AC motor , 10 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on base			X
	3,03	Keystone- butterfly valve manual 3" type fig 999-805			X
	3,04	Keystone- butterfly valve manual 3" type fig 999-805			X
	3,05	Keystone- butterfly valve manual 3" type fig 999-805			X
	3,06	Pipe Coupling, male and female 3" , SS 316L			X
	3,07	Flexible hose 3", L= 2'0"			X
	3,08	Safematic- sealing water unit type			X
T-853-104	4,00	Tank, calcium carbonate storage, 25,000 gal, SS 316L			X
A-853-105	4,01	Prochem-agitator model 37BT21			X
GR-853-105	4,02	XXXX-gear motor, 10 hp, 1750 rpm, 3/60/480 V, shaft speed 56 rpm			X
LT-7006	4,03	Rosemount-level transmitter type 1151LT5s			X
	4,04	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7007	4,04	Keystone-pneumatic actuator type f-790-200			X
HEV 7007	4,04	Asco- solenoid valve type 540 00 001			X
ZSC 7007	4,04	Efector- proximity switch type IF-2004 ABOW			X
	4,05	Keystone- butterfly valve manual 6" type fig 360-124			X
	4,06	Keystone- butterfly valve manual 4" type fig 999-805			X
ZSC 305	4,06	Efector- proximity switch type IF-2004 ABOW			X
	4,07	Manhole 24"			X
	4,08	Manhole 24"x 24"			X
HV 306	4,09	Keystone- butterfly valve pn 4" type fig 990-805 ,Keystone-pneumatic actuator type 79U-006			X
HEV 306	4,09	Asco- solenoid valve type 540 00 001			X
ZSC 306	4,09	Efector- proximity switch type IF-2004 ABOW			X
	4,10	Apollo- ball valve manual 1 1/2" type 85-207			X
	4,11	Spray Hose- 1 1/2" , L= 20' 0"			X
	4,12	Flotek- ball valve manual 1 1/2" type 7307			X
	4,13	Flexible hose 1 1/2", L= 2'0"			X
	4,14	Pipe Coupling, male and female 1 1/2" , SS 316L			X
	4,15	Flotek- ball valve manual 1 1/2" type 7307			X
	4,16	Flotek- ball valve manual 1 1/2" type 7307			X
T-XXX	4,00A	Tank, clay storage, 25,000 gal, SS 316L			X
A-XXX	4,01A	GAW-agitator model LSH16/32			X
GR-XXX	4,02A	SEW-gear motor, 22 hp, 1750 rpm, 3/60/480 V, shaft speed 32 rpm			X
LT-310	4,03A	Rosemount-level transmitter type 1151LT5s			X
HV 307	4,04A	Keystone- butterfly valve pn 4" type fig 999-805 ,Keystone-pneumatic actuator type 79U-006			X
HEV 307	4,04A	Asco- solenoid valve type 540 00 001			X
ZSC 307	4,04A	Efector- proximity switch type IF-2004 ABOW			X
	4,05A	Keystone- butterfly valve manual 6" type fig 360-124			X
ZSO 311	4,05A	Efector- proximity switch type IF-2004 ABOW			X
	4,06A	Keystone- butterfly valve manual 4" type fig 990-805			X
ZSC 312	4,06A	Efector- proximity switch type IF-2004 ABOW			X
	4,07A	Manhole 24"			X
	4,08A	Manhole 24"x 24"			X
	4,09A	Tank access platform, mildsteel			X
T-XXX	4,00B	Tank, filler clay storage, 25,000 gal, SS 316L			X
A-XXX	4,01B	GAW-agitator model LSH16/32			X
GR-XXX	4,02B	SEW-gear motor, 22 hp, 1750 rpm, 3/60/480 V, shaft speed 32 rpm			X
LT-313	4,03B	Rosemount-level transmitter type 1151LT5s			X
HV 308	4,04B	Keystone- butterfly valve pn 4" type fig 990-805 ,Keystone-pneumatic actuator type 79U-006			X
HEV 308	4,04B	Asco- solenoid valve type 540 00 001			X
ZSC 308	4,04B	Efector- proximity switch type IF-2004 ABOW			X
HV 309	4,05B	Keystone- butterfly valve pn 4" type fig 990-805 , Keystone-pneumatic actuator type 79U-006			X
HEV 309	4,05B	Asco- solenoid valve type 540 00 001			X
ZSC 309	4,05B	Efector- proximity switch type IF-2004 ABOW			X
	4,06B	Manhole 24"			X
	4,07B	Manhole 24"x 24"			X
P-853-106	5,00	Robbins/Myers- moyno pump type 2F050G1 CDQ DAA, 160 gpm, 60 psi			X
GR-853-106	5,01	Dodge-APG gear red type DM4A-210TC-5,06 , 350 rpm out, 2,0 SF, A-1 assy pos			X
M-853-106	5,02	Marathon- AC motor, 10 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on base			X
	5,03	Keystone- butterfly valve manual 3" type fig 990-805			X
	5,04	Keystone- butterfly valve manual 3" type fig 990-805			X
	5,05	Keystone- butterfly valve manual 3" type fig 990-805			X
	5,06	Pipe Coupling, male and female 3" , SS 316L			X
	5,07	Flexible hose 3", L= 2'0"			X
	5,08	Flotek- ball valve manual 1 1/2" type 7307			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
	5,09	Spray Hose- 1 1/2" , L= 20' 0"			X
	5,10	Safematic- sealing water unit type			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
	6.00	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 400	6.00	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.01	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 401	6.01	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.02	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 402	6.02	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.03	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 403	6.03	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.04	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 404	6.04	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.05	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 405	6.05	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.06	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 406	6.06	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.07	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 407	6.07	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.08	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 408	6.08	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.09	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 409	6.09	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.10	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 410	6.10	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.11	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 411	6.11	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.12	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 412	6.12	StoneL Eclipse series proximity switch Type ECN3302R	X		
	6.13	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 413	6.13	StoneL Eclipse series proximity switch Type ECN3302R	X		
LATEX UNLOADING AND STORAGE FS-02					
P-853-XXX	9.00	Robbins/Myers- moyno pump type 2F036G1 CDQ AAA, 80 gpm, 60 psi			X
GR-853-XXX	9.01	Dodge- APG gear red type DM4A-215TC-7.59, 230 rpm out, 1.6 SF, A-1 assy pos			X
M-853-XXX	9.02	Marathon- AC motor, X hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on base			X
FSL 321	9.03	E+H- dry run protection unit type FTL 50-AGN2AA4E5A, 1" npt			X
	9.04	Keystone- butterfly valve pn 3" type fig 999-805			X
HV 7020	9.04	Keystone- pneumatic actuator type F-790-200			X
HEV 7020	9.04	Asco- solenoid valve type 540 00 001			X
ZSO 7020	9.04	Efeetor- proximity switch type IF-2400 ABOW			X
	9.05	Pipe coupling female 3" AINSI 316L c/w cover			X
	9.06	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
	9.07	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
HV 320	9.08	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 320	9.08	Asco- solenoid valve type 540 00 001			X
ZSC 320	9.08	Efeetor- proximity switch type IF-2400 ABOW			X
	9.09	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 420	9.09	StoneL Eclipse series proximity switch Type ECN3302R	X		
	9.10	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 421	9.10	StoneL Eclipse series proximity switch Type ECN3302R	X		
T-853-107	10.00	Tank, latex storage, 7,000 gal, SS 316L			X
LT 7021	10.03	Rosemount- level transmitter type 1151LT5S			X
HV 7022	10.04	Gemu- globe valve pn 1/2" type 514			X
HEV 7022	10.04	Asco- solenoid valve type 540 00 001			X
	10.05	Apollo- ball valve manual 1/2" type 85-203			X
	10.06	Keystone- butterfly valve manual 4" type fig 999-805			X
ZSC 7023	10.06	Efeetor- proximity switch type IF-2400 ABOW			X
	10.07	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 334	10.07	Efeetor- proximity switch type IF-2400 ABOW			X
	10.08	Manhole 24 diam"			X
	10.09	Manhole 24 diam"			X
	10.10	Apollo- ball valve manual 1/2" type 85-203			X
XA 7019	10.11	Rotating light 120 V, AC Fed signal			X
CB02	10.12	Rittal control cabinet type XXXX, c/w terminal blocks, analog level			X
	10.12	Indicators for latex storage tank, push buttons, norgren filter			X
	10.12	Regulator type B08-421-A3MA, soleniod valves HEV 7004, HEV 7007, HEV 7020			X
	10.13	DeZurik- isolation valve type KLS, 3, L1L, S2, C, T, MN-RM-CS			X
HV 322	10.14	Keystone- butterfly valve pn 3" type fig 990-805, Keystone- pneumatic actuator type 79U-006			X
HEV 322	10.14	Asco- solenoid valve type 540 00 001,			X
ZSC 322	10.14	Efeetor- proximity switch type IF-2400 ABOW			X
	10.15	Flotek- ball valve manual 1/2" type 7303			X
CB02A	10.16	Rittal control cabinet type XXXX, c/w terminal blocks, analog level			X
	10.17	Indicators for latex storage tank, push buttons, norgren filter			X
	10.17	Regulator type B08-421-A3MA, soleniod valves HEV 7004, HEV 7007, HEV 7020			X
	10.18	Jamesbury 3" High Performance Butterfly valve Model # 3" 815W-11-3600XZ / WSH36	X		
HV 422	10.18	StoneL Eclipse series proximity switch Type ECN3302R	X		
Jamesbury 3" High Performanc	10.18	Jamesbury 3" High Performance Butterfly valve Model # 3" 815W-11-3600XZ / WSH36	X		
HV 423	10.19	StoneL Eclipse series proximity switch Type ECN3302R	X		

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
T-853-XXX	10,00A	Tank, latex storage, 7,000 gal, SS 316L			X
LT 332	10,03A	Rosemount- level transmitter type 1151LT5S			X
HV 330	10,04A	Gemu- globe valve pn 1/2" type 514			X
HEV 330	10,04A	Asco- solenoid valve type 540 00 001			X
	10,05A	Flotek- ball valve manual 1/2" type 7303			X
	10,06A	Keystone- butterfly valve manual 4" type fig 990-805			X
ZSC 328	10,06A	Efector- proximity switch type IF-2400 ABOW			X
	10,07A	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 326	10,07A	Efector- proximity switch type IF-2400 ABOW			X
	10,08A	Manhole 24 diam"			X
	10,09A	Manhole 24 diam"			X
	10,10A	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 323	10,10A	Asco- solenoid valve type 540 00 001			X
ZSC 323	10,10A	Efector- proximity switch type IF-2400 ABOW			X
T-853-XXX	10,00B	Tank, latex storage, 7,000 gal, SS 316L			X
LT 333	10,03B	Rosemount- level transmitter type 1151LT5S			X
HV 331	10,04B	Gemu- globe valve pn 1/2" type 514			X
HEV 331	10,04B	Asco- solenoid valve type 540 00 001			X
	10,05B	Flotek- ball valve manual 1/2" type 7303			X
	10,06B	Keystone- butterfly valve manual 4" type fig 990-805			X
ZSC 329	10,06B	Efector- proximity switch type IF-2400 ABOW			X
	10,07B	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 327	10,07B	Efector- proximity switch type IF-2400 ABOW			X
	10,08B	Manhole 24 diam"			X
	10,09B	Manhole 24 diam"			X
HV 324	10,10B	Keystone- butterfly valve pn 3" type fig 999-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 324	10,10B	Asco- solenoid valve type 540 00 001			X
ZSC 324	10,10B	Efector- proximity switch type IF-2400 ABOW			X
HV 325	10,11B	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 325	10,11B	Asco- solenoid valve type 540 00 001			X
ZSC 325	10,11B	Efector- proximity switch type IF-2400 ABOW			X
P-853-108	11,00	Robbins/Myers- moyno pump type 2F036G1 CDQ AAA, 80 gpm, 60 psi			X
GR-853-108	11,01	Dodge- APG gear red type DM4A-215TC-7,59, 230 rpm out, 1,6 SF, A-1 assy pos			X
M-853-108	11,02	Marathon- AC motor, 10 hp, 1750 rpm, 3/60/480 V, clw dodge coupling mounted on base			X
	11,03	Keystone- butterfly valve manual 2" type fig 999-805			X
	11,04	Keystone- butterfly valve manual 2" type fig 999-805			X
	11,05	Keystone- butterfly valve manual 2" type fig 999-805			X
	11,06	Pipe coupling, male and female 2" SS 316L			X
	11,07	Flexible hose 2", L= 2' 0"			X
	11,08	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 425	11,08	StoneL Eclipse series proximity switch Type ECN3302R	X		
	11,09	Jamesbury 3" High Performance Butterfly valve Model # 3" 815W-11-3600XZ / WSH36	X		
ZSC 426	11,09	StoneL Eclipse series proximity switch Type ECN3302R	X		
	11,10	Jamesbury Ultraflo 2" 399 Series Butterfly valve Model #2" 399F-823516-1L	X		
	11,11	Pipe coupling, male and female 2" SS 316L	X		
A-023-063-029FA	12,00	Robbins/Myers- moyno pump type 2F036G1 CDQ AAA, 80 gpm, 60 psi	X		
A-023-063-029FA-032	12,01	Dodge- APG gear red type DM4A-215TC-7,59, 230 rpm out, 1,6 SF, A-1 assy pos	X		
A-023-063-029FA-005	12,02	Reliance - AC motor, 10 hp, 1750 rpm, 3/60/480 V, clw dodge coupling mounted on base	X		
	12,03	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 427	12,03	StoneL Eclipse series proximity switch Type ECN3302R	X		
	12,04	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSC 428	12,04	StoneL Eclipse series proximity switch Type ECN3302R	X		
	12,05	Jamesbury 3" High Performance Butterfly valve Model # 3" 815W-11-3600XZ / WSH36	X		
ZSC 429	12,05	StoneL Eclipse series proximity switch Type ECN3302R	X		
	12,06	Jamesbury Ultraflo 2" 399 Series Butterfly valve Model #2" 399F-823516-1L	X		
	12,07	Jamesbury 3" High Performance Butterfly valve Model # 3" 815W-11-3600XZ / WSH36	X		
ZSC 430	12,07	StoneL Eclipse series proximity switch Type ECN3302R	X		
A-023-063-029EA	13,00	Robbins/Myers- moyno pump type 2F036G1 CDQ AAA, 80 gpm, 60 psi	X		
A-023-063-029EA-032	13,01	Dodge- APG gear red type DM4A-215TC-7,59, 230 rpm out, 1,6 SF, A-1 assy pos	X		
A-023-063-029EA-005	13,02	Reliance - AC motor, 10 hp, 1750 rpm, 3/60/480 V, clw dodge coupling mounted on base	X		
FSL 431	13,03	E+H- dry run protection unit type FTL 50-AGN2AA4E5A, 1" npt	X		
	13,04	Jamesbury 4" High Performance Butterfly valve Model # 4" 815W-11-3600XZ / WSH36	X		
ZSO 432	13,04	StoneL Eclipse series proximity switch Type ECN3302R	X		
	13,05	Dixon/"Andrews" 400-DL-SS Coupler x 150# ASA Flange Drilling	X		
	13,06	Jamesbury 2.5" High Performance Butterfly valve Model # 2.5" 815W-11-3600XZ / WSH36	X		
	13,08	Jamesbury 2.5" High Performance Butterfly valve Model # 2.5" 815W-11-3600XZ / WSH36	X		
ZSO 433	13,08	StoneL Eclipse series proximity switch Type ECN3302R	X		
	13,09	Jamesbury 3" High Performance Butterfly valve Model # 3" 815W-11-3600XZ / WSH36	X		
ZSO 424	13,09	StoneL Eclipse series proximity switch Type ECN3302R	X		
		WARM WATER SYSTEM & ADDITIVES STORAGE FS-03			

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
T-853-150	20,00	Tank, warm water storage, 1,000 gal, SS 304L, isolated			X
LT 7030	20,01	Rosemount- level transmitter type 1151LT5S			X
TE 7031	20,02	R- temp trans 244RC007 na 00244500T0001 c/w rtd ass'bly 68N21C30A060T22			X
LCV 7030	20,03	Fisher- pn flow regulating valve, 1 1/2", type XXX			X
TCV 7031	20,04	Fisher- pn flow regulating valve, 1 1/2", type XXX			X
	20,05	Apollo- ball valve manual 1 1/2" type 85-207			X
	20,06	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
	20,07	Keystone- butterfly valve manual 3" type fig 999-805			X
	20,08	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 337	20,08	Efector- proximity switch type IF-2400 ABOW			X
P-853-151	21,00	Gould- centrifugal pump model 3196STX, 100 gpm, 10 hp, SS impeller			X
M-853-151	21,01	Marathon- AC motor, 10 hp, 3600 rpm, 3/60/480 V, c/w fault coupling mounted on base			X
	21,02	Keystone- butterfly valve manual 2" type fig 999-805			X
	21,03	XXXX- perssure holding valve, 1 1/2", type XXX			X
FE 7035	23,00	XXX- water meter, model XXXX, 1 1/2"			X
	23,01	Keystone- butterfly valve pn 1 1/2" type fig 999-805			X
HV 7036	23,01	Keystone- pneumatic actuator type F-790-200			X
HEV 7036	23,01	Asco- solenoid valve type 540 00 001			X
	23,02	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
T- 853-109	24,00	Tank, dye dilution, 1,000 gal, SS 304L			X
A-853-110	24,01	Prochem- agitator model JHR200, SS316L			X
GD-853-110	24,02	AC motor, 2 hp, 1750 rpm, 3/60/480 V, shaft speed 1750 rpm			X
LSL-7037	24,03	Endress+Haeuser- level switch LSC 1120 3/4" npt, L=XX			X
	24,04	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
ZSQ 7038	24,04	Efector- proximity switch type IF-2004 ABOW			X
	24,05	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
ZSQ 338	24,05	Efector- proximity switch type IF-2004 ABOW			X
P-853-111	25,00	Robbins/Myers- moyno pump type 2L3 SSQ SAA, 2 gpm, 60 psi			X
GR-853-111	25,01	Dodge- APG gear red type DM3A-140TC-7.59, 230 rpm out, 10.0 SF, A-1 assy pos			X
M-853-111	25,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
	25,03	Apollo- ball valve manual 1/2" type 85-203			X
T-853-112	26,00	Tank, 400 gal, SS316L, in tote bin rack unit (size)			X
	26,01	Keystone- butterfly valve manual 2" type fig 999-805			X
LSL 339	26,02	Endress+Haeuser- level switch FTL 51-AGN2CB4E5A , 1" npt. L=28"			X
P-853-113	27,00	Robbins/Myers- moyno pump type 2L4 SSQ SAA, 7 gpm, 60 psi			X
GR-853-113	27,01	Dodge- APG gear red type 140SM3A-5.06, 350 rpm out, 3.2 SF, A-1 assy pos			X
M-853-113	27,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
FSL 7039	27,03	Endress+Haeuser- dry run protection unit type LSM 160C, ar, 1" npt			X
	27,04	Apollo- ball valve manual 1/2" type 85-203			X
	27,05	Ball valve manual 1"			X
	27,06	Pipe coupling, female/ male 1", SS 316L c/w cover			X
	27,07	Flexible hose 1", L= 2'0"			X
	27,08	Flotek- ball valve manual 1" type 7305			X
T-853-114	28,00	Tank, 400 gal, SS316L, in tote bin rack unit (size)			X
	28,01	Keystone- butterfly valve manual 2" type fig 999-805			X
LSL 340	28,02	Endress+Haeuser- level switch FTL 51-AGN2CB4E5A , 1" npt. L=28"			X
P-853-115	29,00	Robbins/Myers-moyno pump type 2L4 SSQ SAA, 7 gpm, 60 psi			X
GR-853-115	29,01	Dodge- APG gear red type 140SM3A-5.06, 350 rpm out, 3.2 SF, A-1 assy pos			X
M-853-115	29,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
FSL 7040	29,03	Endress+Haeuser- dry run protection unit type LSM 160C, ar, 1" npt			X
	29,04	Apollo- ball valve manual 1/2" type 85-203			X
	29,05	Ball valve manual 1"			X
	29,06	Pipe coupling, female/male 1", SS 316L c/w cover			X
	29,07	Flexible hose 1", L= 2'0"			X
	29,08	Flotek- ball valve manual 1" type 7305			X
T-853-116	30,00	Tank, 400 gal, SS316L, in tote bin rack unit (Ca STEARATE)			X
	30,01	Keystone- butterfly valve manual 2" type fig 999-805			X
LSL 341	30,02	Endress+Haeuser- level switch FTL 51-AGN2CB4E5A , 1" npt. L=28"			X
P-853-117	31,00	Robbins/Myers- moyno pump type 2L4 SSQ SAA, 7 gpm, 60 psi			X
GR-853-117	31,01	Dodge- APG gear red type 140SM3A-5.06, 350 rpm out, 3.2 SF, A-1 assy pos			X
M-853-117	31,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
FSL 7041	31,03	Endress+Haeuser- dry run protection unit type LSM 160C, ar, 1" npt			X
	31,04	Apollo- ball valve manual 1/2" type 85-203			X
	31,05	Ball valve manual 1"			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
	31,06	Pipe coupling, female/male 1", SS 316L c/w cover			X
	31,07	Flexible hose 1 ", L= 2'0"			X
	31,08	Flotek- ball valve manual 1" type 7305			X
T-853-118	32,00	Tank, 400 gal, SS316L, in tote bin rack unit (10% NaOH)			X
	32,01	Keystone- butterfly valve manual 2" type fig 999-805			X
LSL 342	32,02	Endress+Haeuser- level switch FTL 51-AGN2CB4E5A , 1" npt. L=28"			X
P-853-119	33,00	Robbins/Myers- moyno pump type 2L3 SSQ SAA, 2 gpm, 60 psi			X
GR-853-119	33,01	Dodge- APG gear red type DM3A-140TC-7,59, 230 rpm out, 10,0 SF, A-1 assy pos			X
M-853-119	33,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
FSL 7042	33,03	Endress+Haeuser- dry run protection unit type LSM 160C, ar, 1" npt			X
	33,04	Apollo- ball valve manual 1/2" type 85-203			X
	33,05	Ball valve manual 1"			X
	33,06	Pipe coupling, female/male 1", SS 316L c/w cover			X
	33,07	Flexible hose 1 ", L= 2'0"			X
	33,08	Flotek- ball valve manual 1" type 7305			X
T-853-120	34,00	Tank, 400 gal, SS316L, in tote bin rack unit (dispersant)			X
	34,01	Keystone- butterfly valve manual 2" type fig 999-805			X
LSL 343	34,02	Endress+Haeuser- level switch FTL 51-AGN2CB4E5A , 1" npt. L=28"			X
P-853-121	35,00	Robbins/Myers- moyno pump type 2L3 SSQ SAA, 2 gpm, 60 psi			X
GR-853-121	35,01	Dodge- APG gear red type DM3A-140TC-7,59, 230 rpm out, 10,0 SF, A-1 assy pos			X
M-853-121	35,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
FSL 7043	35,03	Endress+Haeuser- dry run protection unit type LSM 160C, ar, 1" npt			X
	35,04	Apollo- ball valve manual 1/2" type 85-203			X
	35,05	Ball valve manual 1"			X
	35,06	Pipe coupling, female/male 1", SS 316L c/w cover			X
	35,07	Flexible hose 1 ", L= 2'0"			X
	35,08	Flotek- ball valve manual 1" type 7305			X
T-853-122	36,00	Tank, 400 gal, SS316L, in tote bin rack unit opt.brightener 1			X
A-853-123	36,01	Prochem- agitator model JHR50,			X
M-853-123	36,02	AC motor, 1/2 hp, 1750 rpm, 3/60/480 V, shaft speed 1750 rpm			X
LSL 7044	36,03	Endress+Haeuser- level switch unit type LSC 1120, L=XX			X
	36,04	Keystone- butterfly valve manual 2" type fig 999-805			X
P-853-124	37,00	Robbins/Myers- moyno pump type 3M1 SSQ SAA, 0-5 gph, 60 psi			X
GR-853-124	37,01	Dodge- APG gear red type 140DM3A-9,3, 190 rpm out, 8,1 SF, A-1 assy pos			X
M-853-124	37,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
VS 7045	37,03	Reliance- frequency control unit type gp 2000, 1 hp, 3/60/480 V			X
	37,04	Apollo- ball valve manual 1/2" type 85-203			X
	37,05	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
	37,06	Pipe coupling, female 1 1/2", SS 316L c/w cover			X
	37,07	Flexible hose 1 1/2", L= 2'0"			X
	37,08	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
T-853-125	38,00	Tank, 400 gal, SS316L, in tote bin rack unit opt.brightener 2			X
A-853-126	38,01	Prochem- agitator model JHR50,			X
M-853-126	38,02	AC motor, 1/2 hp, 1750 rpm, 3/60/480 V, shaft speed 1750 rpm			X
LSL 7046	38,03	Endress+Haeuser- level switch unit type LSC 1120, L=XX			X
	38,04	Keystone- butterfly valve manual 2" type fig 999-805			X
P-853-127	39,00	Robbins/Myers- moyno pump type 3M1 SSQ SAA, 0-5 gph, 60 psi			X
GR-853-127	39,01	Dodge- APG gear red type 140DM3A-9,3, 190 rpm out, 8,1 SF, A-1 assy pos			X
M-853-127	39,02	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
VS 7047	39,03	Reliance- frequency control unit type gp 2000, 1 hp, 3/60/480 V			X
	39,04	Apollo- ball valve manual 1/2" type 85-203			X
	39,05	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
	39,06	Pipe coupling, female 1 1/2", SS 316L c/w cover			X
	39,07	Flexible hose 1 1/2", L= 2'0"			X
	39,08	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
	39,09	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
	39,10	Spray hose diam, 1 1/2 ", L= 20' 0"			X
P-853-128	40,00	metering pump type XXXX, 0-20 gph, 40 psi with stroke impulse trans			X
M-853-128	40,01	XXXX- AC motor, 0,5 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basepla			X
P-853-129	41,01	metering pump type XXXX, 0-20 gph, 40 psi with stroke impulse trans			X
M-853-129	41,02	XXXX- AC motor, 0,5 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basepla			X
		STARCH PREPARATION SYSTEM FS-04			

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
T-853-130	50,00	Existing- starch silo			X
LE 7060	50,01	Endress+Haeuser- ultrasonic level transmitter type XXXX			X
LE 7061	50,02	Endress+Haeuser- level switch type XXXX			X
	50,03	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7058	50,03	Keystone-pneumatic actuator type F-790-200 for valve 50,03			X
HEV 7058	50,03	Asco- solenoid valve type 540 00 001, 1/8" npt, CB02			X
ZSO 7058	50,03	Efector- proximity switch type IF-2004 ABOW			X
	50,04	Apollo- ball valve manual 1/2" type 85-203			X
XA 7059	50,05	Federal signal- rotary light model XXX, 120 V			X
CBO3	50,06	Rittal control cabinet type XXXX, c/w terminal blocks, analog level			X
	50,06	Indicators for starch silo, push buttons, norgren filter			X
	50,06	Regulator type B08-421-A3MA, solenoid valves, HEV 7058, 7062, 7064, 7065			
FI-853-131	51,00	DCE-dust filter type UMA 150V			X
	51,01	AC motor for shaker , 0.25 hp, 1750 rpm, 3/60/460 V			X
OS-853-132	52,00	Oscillomat unit type N3N/150/G			X
GD-853-132	52,01	AC motor, 5 hp, 1750 rpm, 3/60/480 V			X
CV-853-133	53,00	Screw conveyor type S200			X
GD-853-133	53,01	AC motor, 5 hp, 1750 rpm, 3/60/480 V			X
HEV 7062	53,02	Asco- solenoid valve type 540 00 001, 1/8" npt, CB03			X
PSL 7062	53,03	Pressure Switch 1/4"			X
T-853-134	54,00	Tank, starch makedown, 430 gal working volume, SS316L			X
A-853-135	54,01	Prochem- agitator model 15HM2V			X
M-853-135	54,02	Gear motor, 3 hp, 1750 rpm, 3/60/480 V, shaft speed 196 rpm			X
WE 7063	54,03	Toledo- electronic weighing unit model XXX c/w 3 load cells model XXX			X
	54,04	Keystone- butterfly valve pn 2" type fig 999-805			X
HV 7065	54,04	Keystone- pneumatic actuator type F-790-200 for valve 54,04			X
HEV 7065	54,04	Asco- solenoid valve type 540 00 001, 1/8" npt, CBO3			X
ZSC 7065	54,04	Efector- proximity switch type IF-2004 ABOW			X
	54,05	Keystone- butterfly valve manual 2" type fig 999-805			X
	54,06	Flexible hose DIAM 3", L= 1' 0"			X
	54,07	Keystone- butterfly pn 3" type fig 999-805			X
HV 7064	54,07	Keystone- pneumatic actuator type F-790-300 for valve 54,07			X
HEV 7064	54,07	Asco- solenoid valve type 540 00 001, 1/8" npt, CBO3			X
ZSC 7064	54,07	Efector- proximity switch type IF-2004 ABOW			X
	54,08	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 345	54,08	Efector- proximity switch type IF-2004 ABOW			X
	54,09	Flexible hose DIAM 3", L= 1' 0"			X
P-853-136	55,00	Gould- centrifugal pump model3196MTX, 100 gpm, 60 psi			X
M-853-136	55,01	Marathon- AC motor, 1 hp, 1750 rpm, 3/60/480 V, c/w faulk coupling mounted on basep			X
	55,02	Keystone- butterfly valve manual 2" type fig 999-805			X
	55,03	Apollo- ball valve manual 1 1/2" type 85-207			X
	55,04	Spray hose diam, 1 1/2 ", L= 20' 0"			X
	55,05	Female coupling with cover, diam, 2", SS316L			X
T-853-137	56,00	Tank, starch cooker, 700 gal working volume, SS316L			X
GD-853-138	56,01	Prochem- agitator model 27HM2V			X
A-853-138	56,02	XXXX- gear motor, 10 hp, 1750 rpm, 3/60/480 V, shaft speed 156 rpm			X
LT 7066	56,03	Rosemount- level transmitter type 1151S5			X
TE 7067	56,04	R- temp trans 244R007 NA 00244500T0001 c/w rtd ass'bly 68N21C30A060T22			X
	56,05	Keystone- butterfly valve pn 2" type fig 999-805			X
HV 7068	56,05	Keystone- pneumatic actuator type F-790-200 for valve 56,05			X
HEV 7068	56,05	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
HV 7069	56,06	KTM steam ball valve 2 " dia fange # 150 type EB862R32ET, Keystone- pneumatic actuator type 79U-012			X
HEV 7069	56,06	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
	56,07	Apollo- ball valve manual 2" type 85-208			X
	56,08	Keystone- butterfly valve manual 2" type fig 999-805			X
	56,09	Keystone- butterfly valve pn 3" type fig 999-805			X
HV 7070	56,09	Keystone- pneumatic actuator type F-790-200 for valve 56,09			X
HEV 7070	56,09	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSC 7070	56,09	Efector- proximity switch type IF-2004 ABOW			X
	56,10	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 346	56,10	Efector- proximity switch type IF-2004 ABOW			X
P-853-139	57,00	Gould- centrifugal pump model3196MTX, 150 gpm, 60 psi			X
M-853-139	57,01	Marathon- AC motor, 15 hp, 1750 rpm, 3/60/480 V, c/w faulk coupling mounted on base			X
	57,02	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
T-853-140	58,00	Tank, starch paste storage, 2,500 gal working volume, SS304			X
A-853-141	58,01	Prochem- agitator model 27HM2V			X
GD-853-141	58,02	Gear motor, 5 hp, 1750 rpm, 3/60/480 V, shaft speed 105 rpm			X
LT 7071	58,03	Rosemount- level transmitter type 1151LT5S			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
TE 7072	58,04	R- temp trans 244R007 NA 00244500T0001 c/w rtd ass'bly 68N21C30A060T22			X
HV 7074	58,05	Gemu- globe valve pn 1/2", type 514, SS304			X
HEV 7074	58,05	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
HV-7073	58,06	Gemu- globe valve pn 1/2" type 514			X
HEV 7073	58,06	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
	58,07	Apollo- ball valve manual 1/2" type 85-203			X
	58,08	Apollo- ball valve manual 1/2" type 85-203			X
	58,09	Keystone- butterfly valve manual 2" type fig 999-805			X
ZSO 7075	58,09	Efector- proximity switch type IF-2004 ABOW			X
	58,10	Keystone- butterfly valve manual 2" type fig 999-805			X
ZSC 7076	58,10	Efector- proximity switch type IF-2004 ABOW			X
	58,11	Keystone- butterfly valve manual 3" type fig 999-805			X
	58,12	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 348	58,12	Efector- proximity switch type IF-2004 ABOW			X
	58,13	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 347	58,13	Efector- proximity switch type IF-2004 ABOW			X
	58,14	Keystone- butterfly valve manual 3" type fig 999-805 / REMOVED			
	58,14	Efector- proximity switch type IF-2004 ABOW / REMOVED			
	58,15	XXXX- steam trap, 1/2"			X
	58,16	Water overflow tank			X
P-853-142	59,00	Gould- centrifugal pump model3196MTX, 80 gpm, 60 psi			X
M-853-142	59,01	Marathon- AC motor, 15 hp, 1750 rpm, 3/60/480 V, c/w faulk coupling mounted on base			X
	59,02	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 349	59,02	Efector- proximity switch type IF-2004 ABOW			X
	59,03	Keystone- butterfly valve manual 2" type fig 999-805			X
ZSC 351	59,03	Efector- proximity switch type IF-2004 ABOW			X
P-853-143	60,00	Gould- centrifugal pump model3196MTX, 80 gpm, 60 psi			X
M-853-143	60,01	Marathon- AC motor, 15 hp, 1750 rpm, 3/60/480 V, c/w faulk coupling mounted on base			X
	60,02	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 350	60,02	Efector- proximity switch type IF-2004 ABOW			X
	60,03	Keystone- butterfly valve manual 2" type fig 999-805			X
ZSC 352	60,03	Efector- proximity switch type IF-2004 ABOW			X
	60,04	Female coupling diam, 2", with cover SS316L			X
	60,05	Keystone- butterfly valve manual 2" type fig 999-805			X
	60,06	Keystone- butterfly valve manual 2" type fig 999-805			X
	60,07	Flexible hose DIAM 2", L= 20' 0" with 2" male coupling, SS316L			X
		COATING COLOR PREPARATION FS-0!			
FE 7096	70,00	Rosemount- micromotion mass flowmeter modelDS065S113SU, 1/2" sensor (dye)			X
FT 7096	70,00	Rosemount- transmitter type RFT 97121PRU			X
HV 7097	70,01	Gemu- diaphragm valve pn 1/2" type 695, I D 55 34 5 1			X
HEV 7097	70,01	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7097	70,01	Gemu- limit switch type 1201			X
FE 7098	71,00	Rosemount- micromotion mass flowmeter modelDS100S128SU, 1" sensor (crosslinker)			X
FT 7098	71,00	Rosemount- transmitter type RFT 97121PRU			X
HV 7099	71,01	Gemu- diaphragm valve pn 1" type 695, I D 55 34 5 1			X
HEV 7099	71,01	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7099	71,01	Gemu- limit switch type 1201			X
FE 7100	72,00	Rosemount- micromotion mass flowmeter model DS100S128SV (size)			X
FT 7100	72,00	Rosemount- transmitter type RFT 97121PRU			X
HV 7101	72,01	Gemu- diaphragm valve pn 1" type 695, I D 55 34 5 1			X
HEV 7101	72,01	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7101	72,01	Gemu- limit switch type 1201			X
FE 7102	73,00	Rosemount- micromotion mass flowmeter model DS100S128SU, 1" sensor (stearate)			X
FT 7102	73,00	Rosemount- transmitter type RFT 97121PRU			X
HV 7103	73,01	Gemu- diaphragm valve pn 1" type 695, I D 55 34 5 1			X
HEV 7103	73,01	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7103	73,01	Gemu- limit switch type 1201			X
FE 7104	74,00	Rosemount- micromotion mass flowmeter model DS065S113SU, 1/2: sensor (10% NaOH)			X
FT 7104	74,00	Rosemount- transmitter type RFT 97121PRU			X
HV 7105	74,01	Gemu- diaphragm valve pn 1/2" type 695, I D 55 34 5 1			X
HEV 7105	74,01	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7105	74,01	Gemu- limit switch type 1201			X
FE 7106	75,00	Rosemount- micromotion mass flowmeter model DS065S113SU, 1/2: sensor (dispersant)			X
FT 7106	75,00	Rosemount- transmitter type RFT 97121PRU			X
HV 7107	75,01	Gemu- diaphragm valve pn 1/2" type 695, I D 55 34 5 1			X
HEV 7107	75,01	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
ZSO 7107	75,01	Gemu- limit switch type 1201			X
T-853-160	76,00	Gaw- dispersing unit, 1200 gal working volume, SS304L			X
A-853-161	76,01	Gaw-rotor/stator dispersing aggregate with oil lubrication system			X
M-853-161	76,02	AC two speed motor 133/200 hp, 1160/1750 rpm, 3/60/480 V			X
	76,03	Keystone- butterfly valve pn 2" type fig 999-805			X
HV 7090	76,03	Keystone- pneumatic actuator type F-790-200 for valve 76,03			X
HEV 7090	76,03	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7090	76,03	Efector- proximity switch type IF-2004 ABOW			X
	76,04	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7091	76,04	Keystone- pneumatic actuator type F-790-200 for valve 76,04			X
HEV 7091	76,04	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7091	76,04	Efector- proximity switch type IF-2004 ABOW			X
	76,05	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7092	76,05	Keystone- pneumatic actuator type F-790-200 for valve 76,05			X
HEV 7092	76,05	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7092	76,05	Efector- proximity switch type IF-2004 ABOW			X
	76,06	Keystone- butterfly valve pn 3" type fig 999-805			X
HV 7093	76,06	Keystone- pneumatic actuator type F-790-200 for valve 76,06			X
HEV 7093	76,06	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7093	76,06	Efector- proximity switch type IF-2004 ABOW			X
	76,07	Keystone- butterfly valve pn 2" type fig 999-805			X
HV 7094	76,07	Keystone- pneumatic actuator type F-790-200 for valve 76,07			X
HEV 7094	76,07	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7094	76,07	Efector- proximity switch type IF-2004 ABOW			X
	76,08	Keystone- butterfly valve pn 2" type fig 999-805			X
HV 7095	76,08	Keystone- pneumatic actuator type F-790-200 for valve 76,08			X
HEV 7095	76,08	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7095	76,08	Efector- proximity switch type IF-2004 ABOW			X
	76,09	Keystone- butterfly valve pn 3" type fig 999-805			X
HV 7110	76,09	Keystone- pneumatic actuator type F-790-200 for valve 76,09			X
HEV 7110	76,09	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7110	76,09	Efector- proximity switch type IF-2004 ABOW			X
	76,10	Keystone- butterfly valve manual 3" type fig 999-805			X
HV 7111	76,11	Gemu- globe valve pn 1/2", type 514, D 31 9 5 1 0, SS304			X
HEV 7111	76,11	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
	76,12	Apollo- ball valve manual 1/2" type 85-203			X
	76,13	Keystone- butterfly valve pn 6" type fig 999-805			X
HV 7112	76,13	Keystone- pneumatic actuator type F-790-300 for valve 76,13			X
HEV 7112	76,13	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSO 7112	76,13	Efector- proximity switch type IF-2004 ABOW			X
	76,14	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7113	76,14	Keystone- pneumatic actuator type F-790-200 for valve 76,14			X
HEV 7113	76,14	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSC 7113	76,14	Efector- proximity switch type IF-2004 ABOW			X
	76,15	Ball valve R 1/2" brass 1810 adjustable			X
	76,16	Pressure reducing valve R 1/2" D06Fwith manometer 0 - 90 psi			X
HV 7114	76,17	Slanted seat valve pn R 1/2" type 554/15/D. 1. 9. 5-1-5700 rg/pfte			X
HEV 7114	76,17	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
	76,18	Ball valve R 1/2" brass 1810 adjustable			X
	76,19	Oil cooling reservoir, 12" diam			X
	76,20	Sealing water reservoir, 12" diam			X
PT 7115	76,21	Rosemount pressure transmitter model 2090PG2S22C1E5, 0-100 psi			X
FISL 7116	76,22	Rotameter 3/4", 265 ghp, 867/20/7, 21, 14- 1- 34 max contact 1254			X
	76,23	Ball valve R 3/8" brass 1810 adjustable			X
WE 7117	76,24	Load cells on which dispersing unit 76,00 is mounted			X
WT 7117	76,24	Electronic weighing unit type XXXX			X
TE 7118	76,25	R- temp trans 244RC007 NA 00244500T0001 c/w rtd ass'bly 68N21C30A060T22			X
LE 7119	76,26	Endress+Haeuser- level switch type			X
HV 7137	76,27	Gaw- pn flow breaker unit to minimize vortex resulting from disp aggregate			X
	76,28	XXXX- expansion joint diam 4", made of buna, type XXX			X
	76,29	XXXX- expansion joint diam 6", made of buna, type XXX			X
	76,30	Flexible hose, diam 3", L= 12"			X
	76,31	Flexible hose, diam 1/2", L= 12"			X
	76,32	Flexible hose, diam 1", L=12"			X
	76,33	Expansion Joint 4" dia			X
	76,34	Expansion Joint 6" dia			X
	76,35	Jamesbury 3" High Performance Butterfly valve Model # 3" 815W-11-3600XZ	X		
HV 450	76,35	Jamesbury pneumatic actuator type VPL350SR4-5	X		
HEV 450	76,35	Asco- solenoid valve type 540 00 001, 1/8" npt, PB	X		
ZSO 450	76,35	StoneL Eclipse series proximity switch Type ECN3302R	X		
P-853-162	77,00	Robbins/Myers- moyno pump type 2G065GI CDQ DAA, 180 gpm, 60 psi			X
GR-853-162	77,01	Dodge- APG gear red type DM4A-250TC-6.2, 280 rpm out, 1.3 SF, A-1 assy pos			X
M-853-162	77,02	Marathon- AC motor, 15 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on base			X
	77,03	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7120	77,03	Keystone- pneumatic actuator type F-790-200 for valve 77,03			X
HEV 7120	77,03	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
ZSC 7120	77.03	Efector- proximity switch type IF-2004 ABOW			X
	77.04	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7121	77.04	Keystone- pneumatic actuator type F-790-200 for valve 77.04			X
HEV 7121	77.04	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSC 7121	77.04	Efector- proximity switch type IF-2004 ABOW			X
	77.05	Keystone- butterfly valve pn 4" type fig 999-805			X
HV 7122	77.05	Keystone- pneumatic actuator type F-790-200 for valve 77.05			X
HEV 7122	77.05	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSC 7122	77.05	Efector- proximity switch type IF-2004 ABOW			X
	77.06	Keystone- butterfly valve pn 2" type fig 999-805			X
HV 7123	77.06	Keystone- pneumatic actuator type F-790-200 for valve 77.06			X
HEV 7123	77.06	Asco- solenoid valve type 540 00 001, 1/8" npt, PB			X
ZSC 7123	77.06	Efector- proximity switch type IF-2004 ABOW			X
	77.07	Safematic- seal water unit with pressure and flow indication			X
		COATING COLOR STORAGE FS-06			
T-853-163	78.00	Tank, storage for coating color, 2500 gal working volume, SS316L			X
A-853-164	78.01	Prochem- agitator model 27HM2V			X
GD-853-164	78.02	Gear motor, 7.5 hp, 1750 rpm, 3/60/480 V, shaft speed 56 rpm			X
LT 7124	78.03	Rosemount- level transmitter type 1151LT5S			X
HV 367	78.04	Keystone- butterfly valve pn. 3" type fig 990-805 ,Keystone- pneumatic actuator type 79U-006			X
HEV 367	78.04	Asco- solenoid valve type 540 00 001			X
ZSC 367	78.04	Efector- proximity switch type IF-2004 ABOW			X
	78.05	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSO 7125	78.05	Efector- proximity switch type IF-2004 ABOW			X
	78.06	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSC 369	78.06	Efector- proximity switch type IF-2004 ABOW			X
HV 365	78.07	Keystone- butterfly valve pn. 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 365	78.07	Asco- solenoid valve type 540 00 001			X
ZSC 365	78.07	Efector- proximity switch type IF-2004 ABOW			X
T-853-165	79.00	Tank, storage for coating color, 2500 gal working volume, SS316L			X
A-853-166	79.01	Prochem- agitator model 27HM2V			X
GD-853-166	79.02	Gear motor, 7.5 hp, 1750 rpm, 3/60/480 V, shaft speed 56 rpm			X
LT 7128	79.03	Rosemount- level transmitter type 1151LT5S			X
HV 368	79.04	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 368	79.04	Asco- solenoid valve type 540 00 001			X
ZSC 368	79.04	Efector- proximity switch type IF-2004 ABOW			X
	79.05	Keystone- butterfly valve manual 3" type fig 999-805			X
ZSO 7126	79.05	Efector- proximity switch type IF-2004 ABOW			X
	79.06	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 370	79.06	Efector- proximity switch type IF-2004 ABOW			X
HV 366	79.07	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 366	79.07	Asco- solenoid valve type 540 00 001			X
ZSC 366	79.07	Efector- proximity switch type IF-2004 ABOW			X
P-853-167	80.00	Robbins/Myers- moyno pump type 2E012G1 CDQ DAA, 40 gpm, 60 psi			X
GR-853-167	80.01	Dodge- APG gear red type 180TC-DM3A-6.2, 230 rpm out, 2.2 SF, A-1 assy pos			X
M-853-167	80.02	Marathon- AC motor, 5 hp, 1750 rpm, 3/60/480 V, c/w dodge coupling mounted on basep			X
	80.03	Keystone- butterfly valve manual 1 1/2" type fig 999-805			X
	80.04	Keystone- butterfly valve manual 2" type fig 999-805			X
ZSC 7127	80.04	Efector- proximity switch type IF-2004 ABOW			X
	80.05	Coupling, female diam 2", SS 316L c/w cover			X
	80.06	Safematic- seal water unit with pressure and flow indication			X
P-XXX	81.00	Robbins/Myers- moyno pump type A2F CSQ3DPA , 5.5-22 / 33 gpm , 60 psi			X
GR-XXX	81.01	Dodge- APG gear red type XXXXXXXXX, 213 rpm out, 1.3 SF, A-1 assy pos			X
M-XXX	81.02	Reliance- AC motor , 5 hp, 1750 rpm, 3/60/480 V			X
VS 393	81.03	Siemens- frequency control unit, 5 hp			X
	81.04	Safematic- seal water unit with pressure and flow indication			X
	81.05	Flotek- ball valve manual 3/8" type 7302			X
	81.06	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 376	81.06	Efector- proximity switch type IF-2004 ABOW			X
	81.07	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 378	81.07	Efector- proximity switch type IF-2004 ABOW			X
	81.08	Keystone- butterfly valve manual 2" type fig 990-805			X
	81.09	Keystone- butterfly valve manual 2" type fig 990-805			X
ZSC 382	81.09	Efector- proximity switch type IF-2004 ABOW			X
	81.10	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
	81.11	Coupling, female diam 1 1/2", SS 316L c/w cover			X
	81.12	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
	81.13	Flexible hose, diam 1 1/2", L=8' 0"			X
	81.14	Coupling, male diam 1 1/2", SS 316L c/w cover			X
	81.15	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
	81,16	Flexible hose, diam 1 1/2", L=8' 0"			X
	81,17	Coupling, male diam 1 1/2", SS 316L c/w cover			X
HV-372	81,18	Kyestone- butterfly valve pn 2" type fig 990-805, Keystone- pneumatic actuator type 79U-003			X
HEV-372	81,18	Asco- solenoid valve type 540 00 001			X
ZSC-372	81,18	Efector- proximity switch type IF-2004 ABOW			X
P-XXX	82,00	Robbins/Myers- moyno pump type A2F CSQ3DPDA , 5.5-22 / 33 gpm , 60 psi			X
GR-XXX	82,01	Dodge- APG gear red type XXXXXXXXXX, 213 rpm out, 1.3 SF, A-1 assy pos			X
M-XXX	82,02	Reliance- AC motor , 5 hp, 1750 rpm, 3/60/480 V			X
VS 391	82,03	Siemens- frequency control unit			X
	82,04	Safematic- seal water unit with pressure and flow indication			X
	82,05	Flotek- ball valve manual 3/8" type 7302			X
	82,06	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 373	82,06	Efector- proximity switch type IF-2004 ABOW			X
	82,07	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 377	82,07	Efector- proximity switch type IF-2004 ABOW			X
	82,08	Keystone- butterfly valve manual 2" type fig 990-805			X
	82,09	Keystone- butterfly valve manual 2" type fig 990-805			X
ZSC 379	82,09	Efector- proximity switch type IF-2004 ABOW			X
	82,10	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
	82,11	Coupling, female diam 1 1/2", SS 316L c/w cover			X
HV-371	82,12	Kyestone- butterfly valve pn 2" type fig 990-805, Keystone- pneumatic actuator type 79U-003			X
HEV-371	82,12	Asco- solenoid valve type 540 00 001			X
ZSC-371	82,12	Efector- proximity switch type IF-2004 ABOW			X
	82,13	Kyestone- butterfly valve manual 2" type fig 990-805			X
P-XXX	83,00	Robbins/Myers- moyno pump type A2F CSQ3DPDA , 5.5-22 / 33 gpm , 60 psi			X
GR-XXX	83,01	Dodge- APG gear red type XXXXXXXXXX, 213 rpm out, 1.3 SF, A-1 assy pos			X
M-XXX	83,02	Reliance- AC motor , 5 hp, 1750 rpm, 3/60/480 V			X
VS 392	83,03	Reliance- frequency control unit type GP2000, 5 hp			X
	83,04	Safematic- seal water unit with pressure and flow indication			X
	83,05	Flotek- ball valve manual 3/8" type 7302			X
	83,06	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 374	83,06	Efector- proximity switch type IF-2004 ABOW			X
	83,07	Keystone- butterfly valve manual 3" type fig 990-805			X
ZSC 375	83,07	Efector- proximity switch type IF-2004 ABOW			X
	83,08	Keystone- butterfly valve manual 2" type fig 990-805			X
	83,09	Keystone- butterfly valve manual 2" type fig 990-805			X
ZSC 380	83,09	Efector- proximity switch type IF-2004 ABOW			X
	83,10	Keystone- butterfly valve manual 2" type fig 990-805			X
ZSC 381	83,10	Efector- proximity switch type IF-2004 ABOW			X
	83,11	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
	83,12	Coupling, female diam 1 1/2", SS 316L c/w cover			X
HV 383	84,00	GAW Ball feeding station 2" dia			X
HEV 383	84,00	Asco- solenoid valve type 540 00 001			X
ZSC 383	84,00	Efector- proximity switch type IF-2004 ABOW			X
ZSO 383	84,00	Efector- proximity switch type IF-2004 ABOW			X
HV 389	84,01	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 389	84,01	Asco- solenoid valve type 540 00 001			X
ZSC 389	84,01	Efector- proximity switch type IF-2004 ABOW			X
HV 385	84,02	Tyco- ball valve pn 2" type fig F170 (ID =2.067 ") , Keystone- pneumatic actuator type 79U-012			X
HEV 385	84,02	Asco- solenoid valve type 540 00 001			X
ZSC 385	84,02	Efector- proximity switch type IF-2004 ABOW			X
ZSO 385	84,02	Efector- proximity switch type IF-2004 ABOW			X
XS 387	84,03	GAW Ball indiction unit 2" dia (ID =2.067 ")			X
	84,04	Switch box			X
HV 384	85,00	GAW Ball feeding station 2" dia			X
HEV 384	85,00	Asco- solenoid valve type 540 00 001			X
ZSC 384	85,00	Efector- proximity switch type IF-2004 ABOW			X
ZSO 384	85,00	Efector- proximity switch type IF-2004 ABOW			X
HV 390	85,01	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 390	85,01	Asco- solenoid valve type 540 00 001			X
ZSC 390	85,01	Efector- proximity switch type IF-2004 ABOW			X
HV 386	85,02	Tyco- ball valve pn 2" type fig F170 (ID =2.067 ") , Keystone- pneumatic actuator type 79U-012			X
HEV 386	85,02	Asco- solenoid valve type 540 00 001			X
ZSC 386	85,02	Efector- proximity switch type IF-2004 ABOW			X
ZSO 386	85,02	Efector- proximity switch type IF-2004 ABOW			X
XS 388	85,03	GAW Ball indiction unit 2" dia (ID =2.067 ")			X
	85,04	Switch box			X
		WORKING STATION AT SPEED COATER / WIRE SIDE FS 01			
T-XXXX	90,00	Tank. storage for warm water, 1500 gal working volume. SS304			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
LT 200A	90,01	Rosemount- level transmitter type 1151LT5S			X
LCV 200A	90,02	Fischer- flow control valve type XXXX, 1 1/2" CI			X
	90,03	Apollo- ball valve manual 1 1/2" type 85-207			X
TE 200	90,04	R- temp trans 244RC007 NA 00244500T0001 c/w rtd ass'bly 68N21C30A060T22			X
TCV 200	90,05	Fischer- flow control valve type XXXX, 1 1/2" CI			X
	90,06	Apollo- ball valve manual 1 1/2" type 85-207			X
	90,07	Keystone- butterfly valve manual 6" type fig 999-805			X
	90,08	Keystone- butterfly valve manual 3" type fig 999-805			X
P-853-201	91,00	Gould- centrifugal pump model3196STX, 250 gpm, 60 psi			X
M-853-201	91,01	Marathon- AC motor, 20 hp, 3500 rpm, 3/60/480V, c/w faulk coupling mounted on base			X
	91,02	Keystone- butterfly valve manual 4" type fig 999-805			X
	91,03	XXX- pressure holding valve, type XXX, 4" dia			X
FE 104	92,00	Rosemount- micromotion mass flowmeter model F200S418SRAUEZZZ, 2" sensor (coating color)			X
FT 104	92,00	Rosemount- transmitter type RFT9739D4SUA			X
XS 101	92,01	GAW Ball indication unit 2" dia (ID =2.067 ")			X
HV 102	92,02	Tyco- ball valve pn 2" type fig F170 (ID =2.067 ") , Keystone- pneumatic actuator type 79U-012			X
HEV 102	92,02	Asco- solenoid valve type 540 00 001			X
ZSC 102	92,02	Efector- proximity switch type IF-2004 ABOW			X
ZSO 102	92,02	Efector- proximity switch type IF-2004 ABOW			X
	92,03	GAW Ball receiving station			X
HV 103	92,04	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 103	92,04	Asco- solenoid valve type 540 00 001			X
ZSC 103	92,04	Efector- proximity switch type IF-2004 ABOW			X
ZSO 103	92,04	Efector- proximity switch type IF-2004 ABOW			X
HV 105	92,05	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 105	92,05	Asco- solenoid valve type 540 00 001			X
ZSC 105	92,05	Efector- proximity switch type IF-2004 ABOW			X
ZSO 105	92,05	Efector- proximity switch type IF-2004 ABOW			X
FE 106	93,00	Rosemount- micromotion mass flowmeter model CMF025M313NRAUEZZZ, 1/2" (optical brightener)			X
FT 106	93,00	Rosemount- transmitter type RFT9739D4SUA			X
	93,01	Flotek- ball valve manual 1/2" type 7303			X
HV 107	93,02	Flotek- ball valve pn 1/2" type 7303 , Keystone- pneumatic actuator type 79U-003			X
HEV 107	93,02	Asco- solenoid valve type 540 00 001			X
ZSO 107	93,02	Efector- proximity switch type IF-2004 ABOW			X
	93,03	static mixer model XXXXXX			X
FE XXX 202	94,00	GAW ECO R rotary filter 215 x 600 .50 microns			X
	94,01	Driving gear motor SEW 1750/ 5 rpm, 0.16 HP, 460 VAC, 3 phase, 60 Hz.			X
	94,02	ball valve manual 3/8"			X
	94,03	ball valve manual 3/8"			X
	94,04	ball valve manual 3/8"			X
	94,05	set of flex hoses 3/8" dia , 3 pcs.			X
	94,06	set of flex hoses 3/8" dia , 3 pcs.			X
	94,07	Concetric reducer 4 x 1 1/2" , made of SS 316 L			X
	94,08	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
HV 111	94,09	Keystone- butterfly valve pn 1 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 111	94,09	Asco- solenoid valve type 540 00 001			X
ZSC 111	94,09	Efector- proximity switch type IF-2004 ABOW			X
	94,10	flex hose 1 1/2 " dia L= 2'0"			X
	94,11	Quick connector 1 1/2" dia. male/female			X
HV 112	94,12	Keystone- butterfly valve pn 1 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 112	94,12	Asco- solenoid valve type 540 00 001			X
ZSC 112	94,12	Efector- proximity switch type IF-2004 ABOW			X
	94,13	Switch box			X
HV 114	94,14	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 114	94,14	Asco- solenoid valve type 540 00 001			X
ZSC 114	94,14	Efector- proximity switch type IF-2004 ABOW			X
HV 113	94,15	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 113	94,15	Asco- solenoid valve type 540 00 001			X
ZSO 113	94,15	Efector- proximity switch type IF-2004 ABOW			X
HV 115	94,16	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 115	94,16	Asco- solenoid valve type 540 00 001			X
ZSO 115	94,16	Efector- proximity switch type IF-2004 ABOW			X
	94,17	Keystone- butterfly valve manual 2" type fig 990-805			X
	94,18	Quick connector 2" dia. female			X
	94,19	flex hose 2 " dia .with two male connectors , L=6'			X
	94,20	Keystone- butterfly valve manual 2" type fig 990-805			X
	94,21	Quick connector 2" dia. female			X
	94,22	Keystone- butterfly valve manual 2" type fig 990-805			X
PT 110	94,23	Rosemount pressure transmitter model 2090PG2S22C1E5, 0-100 psi			X
T-XXXX	95,00	Tank, working, 330/1000 gal working/total volume, SS 316 L			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
	95,01	deairation nozzle 6"			X
HV 122	95,02	Flotek- ball valve pn 1/2" type 7303 , Keystone- pneumatic actuator type 79U-003			X
HEV 122	95,02	Asco- solenoid valve type 540 00 001			X
	95,03	Flotek- ball valve manual 1/2" type 7303			X
LT-120	95,04	Rosemount-level transmitter type 1151LT4SAOF22C			X
TE-121	95,05	Platinum RTD ROSEMOUNT model 0068N21C30A060T22 with temperature transmitter model 644HNAJ6F6			X
	95,06	Keystone- butterfly valve manual 8" type fig 920-694 with gear			X
ZSO 132	95,06	Efector- proximity switch type IF-2004 ABOW			X
	95,07	Keystone- butterfly valve manual 3" type fig 990-805			X
	95,08	Concetric reducer 4 x 1 1/2" , made of SS 316 L			X
	95,09	Keystone- butterfly valve manual 2" type fig 990-805			X
	95,10	Keystone- butterfly valve manual 8" type fig 920-694 with gear			X
ZSO 130	95,10	Efector- proximity switch type IF-2004 ABOW			X
P-XXXX	96,00	GPM - lobe pump type AP601 , 110-440 gpm , 60 psi			X
	96,01	Dodge- APG gear red type XXXXXXXXX , 1750/225 rpm			X
	96,02	Relinace - AC motor , 30 hp, 1750 rpm, 3/60/460 V			X
VS-134	96,03	Variable speed drive, 30 HP			X
	96,04	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
	96,05	Quick connector 2 1/2" dia. male/female			X
	96,06	flex hose 2 1/2 " dia , L=2'			X
	96,07	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
	96,08	Keystone- butterfly valve manual 6" type fig 920-805			X
ZSO 131	96,08	Efector- proximity switch type IF-2004 ABOW			X
	96,09	Keystone- butterfly valve manual 3" type fig 990-805			X
	96,10	Flotek- ball valve manual 3/8" type 7302			X
	96,11	Safematic- seal water unit with pressure and flow indication			X
	96,12	Flotek- ball valve manual 3/8" type 7302			X
	96,13	Safematic- seal water unit with pressure and flow indication			X
P-XXXX	97,00	GPM - lobe pump type AP601 , 110-440 gpm , 60 psi			X
	97,01	Dodge- APG gear red type XXXXXXXXX , 1750/225 rpm			X
	97,02	Relinace - AC motor , 30 hp, 1750 rpm, 3/60/460 V			X
VS-135	97,03	Variable speed drive, 30 HP			X
	97,04	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
	97,05	Quick connector 2 1/2" dia. female/male			X
	97,06	Keystone- butterfly valve manual 3" type fig 990-805			X
	97,07	Keystone- butterfly valve manual 6" type fig 920-805			X
ZSO 133	97,07	Efector- proximity switch type IF-2004 ABOW			X
	97,08	Flotek- ball valve manual 3/8" type 7302			X
	97,09	Safematic- seal water unit with pressure and flow indication			X
	97,10	Flotek- ball valve manual 3/8" type 7302			X
	97,11	Safematic- seal water unit with pressure and flow indication			X
	97,12	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
	97,13	Flex hose 2 1/2" dia. L=2'0"			X
DE 140	98,00	Berthold density control unit , model NW2100 D detector , NW2100 , amplifier evaluation unit			X
HV 142	98,01	Flotek- ball valve pn 1" type 7305 , Keystone- pneumatic actuator type 79U-003			X
HEV 142	98,01	Asco- solenoid valve type 540 00 001			X
ZSC 142	98,01	Efector- proximity switch type IF-2004 ABOW			X
ZSO 142	98,01	Efector- proximity switch type IF-2004 ABOW			X
FISL 141	98,02	Gemu roto meter model 81725D602214155 with limit sitch 1252 , 0.7-7.5 gpm , 1" dia.			X
	98,03	Flotek- ball valve manual 1" type 7305			X
FE-XXXX	99,00	GAW ECO-S-CLEAN 7 element filter station 160x645, 150 microns sieve with deairation and recovery system.			X
HV 151	99,01	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 151	99,01	Asco- solenoid valve type 540 00 001			X
ZSC 151	99,01	Efector- proximity switch type IF-2004 ABOW			X
HV 152	99,02	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 152	99,02	Asco- solenoid valve type 540 00 001			X
ZSC 152	99,02	Efector- proximity switch type IF-2004 ABOW			X
HV 155	99,03	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 155	99,03	Asco- solenoid valve type 540 00 001			X
HV 154	99,04	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 154	99,04	Asco- solenoid valve type 540 00 001			X
ZSC 154	99,04	Efector- proximity switch type IF-2004 ABOW			X
ZSO 154	99,04	Efector- proximity switch type IF-2004 ABOW			X
HV 153	99,05	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 153	99,05	Asco- solenoid valve type 540 00 001			X
ZSC 153	99,05	Efector- proximity switch type IF-2004 ABOW			X
HV 156	99,06	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 156	99,06	Asco- solenoid valve type 540 00 001			X
ZSC 156	99,06	Efector- proximity switch type IF-2004 ABOW			X
HV 157	99,07	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 157	99,07	Asco- solenoid valve type 540 00 001			X
ZSC 157	99,07	Efector- proximity switch type IF-2004 ABOW			X
HV 160	99,08	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 160	99,08	Asco- solenoid valve type 540 00 001			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
HV 159	99,09	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 159	99,09	Asco- solenoid valve type 540 00 001			X
ZSC 159	99,09	Efector- proximity switch type IF-2004 ABOW			X
ZSO 159	99,09	Efector- proximity switch type IF-2004 ABOW			X
HV 158	99,10	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 158	99,10	Asco- solenoid valve type 540 00 001			X
ZSC 158	99,10	Efector- proximity switch type IF-2004 ABOW			X
HV 161	99,11	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 161	99,11	Asco- solenoid valve type 540 00 001			X
ZSC 161	99,11	Efector- proximity switch type IF-2004 ABOW			X
HV 162	99,12	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 162	99,12	Asco- solenoid valve type 540 00 001			X
ZSC 162	99,12	Efector- proximity switch type IF-2004 ABOW			X
HV 165	99,13	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 165	99,13	Asco- solenoid valve type 540 00 001			X
HV 164	99,14	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 164	99,14	Asco- solenoid valve type 540 00 001			X
ZSC 164	99,14	Efector- proximity switch type IF-2004 ABOW			X
ZSO 164	99,14	Efector- proximity switch type IF-2004 ABOW			X
HV 163	99,15	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 163	99,15	Asco- solenoid valve type 540 00 001			X
ZSC 163	99,15	Efector- proximity switch type IF-2004 ABOW			X
HV 166	99,16	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 166	99,16	Asco- solenoid valve type 540 00 001			X
ZSC 166	99,16	Efector- proximity switch type IF-2004 ABOW			X
HV 167	99,17	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 167	99,17	Asco- solenoid valve type 540 00 001			X
ZSC 167	99,17	Efector- proximity switch type IF-2004 ABOW			X
HV 170	99,18	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 170	99,18	Asco- solenoid valve type 540 00 001			X
HV 169	99,19	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 169	99,19	Asco- solenoid valve type 540 00 001			X
ZSC 169	99,19	Efector- proximity switch type IF-2004 ABOW			X
ZSO 169	99,19	Efector- proximity switch type IF-2004 ABOW			X
HV 168	99,20	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 168	99,20	Asco- solenoid valve type 540 00 001			X
ZSC 168	99,20	Efector- proximity switch type IF-2004 ABOW			X
HV 171	99,21	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 171	99,21	Asco- solenoid valve type 540 00 001			X
ZSC 171	99,21	Efector- proximity switch type IF-2004 ABOW			X
HV 172	99,22	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 172	99,22	Asco- solenoid valve type 540 00 001			X
ZSC 172	99,22	Efector- proximity switch type IF-2004 ABOW			X
HV 175	99,23	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 175	99,23	Asco- solenoid valve type 540 00 001			X
HV 174	99,24	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 174	99,24	Asco- solenoid valve type 540 00 001			X
ZSC 174	99,24	Efector- proximity switch type IF-2004 ABOW			X
ZSO 174	99,24	Efector- proximity switch type IF-2004 ABOW			X
HV 173	99,25	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 173	99,25	Asco- solenoid valve type 540 00 001			X
ZSC 173	99,25	Efector- proximity switch type IF-2004 ABOW			X
HV 176	99,26	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 176	99,26	Asco- solenoid valve type 540 00 001			X
ZSC 176	99,26	Efector- proximity switch type IF-2004 ABOW			X
HV 177	99,27	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 177	99,27	Asco- solenoid valve type 540 00 001			X
ZSC 177	99,27	Efector- proximity switch type IF-2004 ABOW			X
HV 180	99,28	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 180	99,28	Asco- solenoid valve type 540 00 001			X
HV 179	99,29	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 179	99,29	Asco- solenoid valve type 540 00 001			X
ZSC 179	99,29	Efector- proximity switch type IF-2004 ABOW			X
ZSO 179	99,29	Efector- proximity switch type IF-2004 ABOW			X
HV 178	99,30	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 178	99,30	Asco- solenoid valve type 540 00 001			X
ZSC 178	99,30	Efector- proximity switch type IF-2004 ABOW			X
HV 181	99,31	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 181	99,31	Asco- solenoid valve type 540 00 001			X
ZSC 181	99,31	Efector- proximity switch type IF-2004 ABOW			X
HV 182	99,32	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 182	99,32	Asco- solenoid valve type 540 00 001			X
ZSC 182	99,32	Efector- proximity switch type IF-2004 ABOW			X
HV 185	99,33	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 185	99,33	Asco- solenoid valve type 540 00 001			X
HV 184	99,34	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 184	99,34	Asco- solenoid valve type 540 00 001			X
ZSC 184	99,34	Efector- proximity switch type IF-2004 ABOW			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
ZSO 184	99.34	Efector- proximity switch type IF-2004 ABOW			X
HV 183	99.35	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 183	99.35	Asco- solenoid valve type 540 00 001			X
ZSC 183	99.35	Efector- proximity switch type IF-2004 ABOW			X
	99.36	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
	99.37	Keystone- butterfly valve manual 3" type fig 990-806			X
HV 188	99.38	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 188	99.38	Asco- solenoid valve type 540 00 001			X
ZSC 188	99.38	Efector- proximity switch type IF-2004 ABOW			X
ZSO 188	99.38	Efector- proximity switch type IF-2004 ABOW			X
HV 189	99.39	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 189	99.39	Asco- solenoid valve type 540 00 001			X
ZSC 189	99.39	Efector- proximity switch type IF-2004 ABOW			X
ZSO 189	99.39	Efector- proximity switch type IF-2004 ABOW			X
HV 190	99.40	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 190	99.40	Asco- solenoid valve type 540 00 001			X
ZSC 190	99.40	Efector- proximity switch type IF-2004 ABOW			X
ZSO 190	99.40	Efector- proximity switch type IF-2004 ABOW			X
HV 187	99.41	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 187	99.41	Asco- solenoid valve type 540 00 001			X
ZSC 187	99.41	Efector- proximity switch type IF-2004 ABOW			X
ZSO 187	99.41	Efector- proximity switch type IF-2004 ABOW			X
HV 186	99.42	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 186	99.42	Asco- solenoid valve type 540 00 001			X
ZSC 186	99.42	Efector- proximity switch type IF-2004 ABOW			X
ZSO 186	99.42	Efector- proximity switch type IF-2004 ABOW			X
PT 150	99.43	Rosemount pressure transmitter model 2090PG2S22C1E5, 0-100 psi			X
HV 191	99.44	Keystone- butterfly valve pn 4" type fig 990-805, Keystone- pneumatic actuator type 79U-006			X
HEV 191	99.44	Asco- solenoid valve type 540 00 001			X
ZSC 191	99.44	Efector- proximity switch type IF-2004 ABOW			X
ZSO 191	99.44	Efector- proximity switch type IF-2004 ABOW			X
HV 192	99.45	Keystone- butterfly valve pn 6" type fig 990-805 , Keystone- pneumatic actuator type 79U-012			X
HEV 192	99.45	Asco- solenoid valve type 540 00 001			X
ZSC 192	99.45	Efector- proximity switch type IF-2004 ABOW			X
ZSO 192	99.45	Efector- proximity switch type IF-2004 ABOW			X
HV 193	99.46	Keystone- butterfly valve pn 4" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 193	99.46	Asco- solenoid valve type 540 00 001			X
ZSC 193	99.46	Efector- proximity switch type IF-2004 ABOW			X
ZSO 193	99.46	Efector- proximity switch type IF-2004 ABOW			X
	99.47	Keystone- butterfly valve manual 4" type fig 990-805			X
HV 195	99.48	Keystone- butterfly valve pn 4" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 195	99.48	Asco- solenoid valve type 540 00 001			X
ZSC 195	99.48	Efector- proximity switch type IF-2004 ABOW			X
ZSO 195	99.48	Efector- proximity switch type IF-2004 ABOW			X
HV 197	99.49	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 197	99.49	Asco- solenoid valve type 540 00 001			X
ZSC 197	99.49	Efector- proximity switch type IF-2004 ABOW			X
ZSO 197	99.49	Efector- proximity switch type IF-2004 ABOW			X
HV 196	99.50	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 196	99.50	Asco- solenoid valve type 540 00 001			X
ZSC 196	99.50	Efector- proximity switch type IF-2004 ABOW			X
ZSO 196	99.50	Efector- proximity switch type IF-2004 ABOW			X
FE 194	100.00	ROSEMOUNT Magnetic Flow meter type 8711TPA040R1N0, including transmitter type 8712CR12NO			X
S XXXX	101.00	GAW Vibration screen G100			X
M XXX	101.01	Driving motor 1750 rpm, 1.5 HP, 460 VAC, 3 phase, 60 Hz.			X
HV 199	101.02	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 199	101.02	Asco- solenoid valve type 540 00 001			X
ZSO 199	101.02	Efector- proximity switch type IF-2004 ABOW			X
HV 198	101.03	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 198	101.03	Asco- solenoid valve type 540 00 001			X
ZSO 198	101.03	Efector- proximity switch type IF-2004 ABOW			X
HV 126	101.04	Flotek- ball valve pn 1/2" type 7303 , Keystone- pneumatic actuator type 79U-003			X
HEV 126	101.04	Asco- solenoid valve type 540 00 001			X
ZSC 126	101.04	Efector- proximity switch type IF-2004 ABOW			X
	101.05	Flotek- ball valve manual 1/2" type 7303			X
	101.06	Keystone- butterfly valve manual 8" type fig 990-694 with handle			X
	101.07	flex hose 1/2" dia L=8"			X
	101.08	flex hose 8" dia L=12"			X
HV 127	101.09	Keystone- pneumatic actuator type 79U-003			X
	101.10	Keystone- butterfly valve manual 8" type fig 920-694 with gear			X
	101.11	Single sphare expansion joint , flanged 8" dia			X
	101.12	Keystone- butterfly valve manual 3" type fig 990-805			X
LE 125	101.13	E+H Level indicator Type LSC 1120			X
		WORKING STATION AT SPEED COATER / FELT SIDE FS 06			

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
FE 204	110.00	Rosemount- micromotion mass flowmeter model F200S418SRAUEZZZ , 2" sensor (coating color)			X
FT 204	110.00	Rosemount- transmitter type RFT9739D4SUA			X
XS 201	110.01	GAW Ball indication unit 2" dia (ID =2.067 ")			X
HV 202	110.02	Tyco- ball valve pn 2" type fig F170 (ID =2.067 ") , Keystone- pneumatic actuator type 79U-012			X
HEV 202	110.02	Asco- solenoid valve type 540 00 001			X
ZSC 202	110.02	Efector- proximity switch type IF-2004 ABOW			X
ZSO 202	110.02	Efector- proximity switch type IF-2004 ABOW			X
	110.03	GAW Ball receiving station			X
HV 203	110.04	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 203	110.04	Asco- solenoid valve type 540 00 001			X
ZSC 203	110.04	Efector- proximity switch type IF-2004 ABOW			X
ZSO 203	110.04	Efector- proximity switch type IF-2004 ABOW			X
HV 205	110.05	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 205	110.05	Asco- solenoid valve type 540 00 001			X
ZSC 205	110.05	Efector- proximity switch type IF-2004 ABOW			X
ZSO 205	110.05	Efector- proximity switch type IF-2004 ABOW			X
FE 206	111.00	Rosemount- micromotion mass flowmeter model CMF025M313NRAUEZZZ, 1/2" (optical brightener)			X
FT 206	111.00	Rosemount- transmitter type RFT9739D4SUA			X
	111.01	Flotek- ball valve manual 1/2" type 7303			X
HV 207	111.02	Flotek- ball valve pn 1/2" type 7303 , Keystone- pneumatic actuator type 79U-003			X
HEV 207	111.02	Asco- solenoid valve type 540 00 001			X
ZSO 207	111.02	Efector- proximity switch type IF-2004 ABOW			X
	111.03	static mixer model XXXXXX			X
FE XXX XXX	112.00	GAW ECO R rotary filter 215 x 600 ,50 microns			X
GD XXXX	112.01	Driving gear motor SEW 1750/5 rpm, 0.16 HP, 460 VAC, 3 phase, 60 Hz.			X
	112.02	ball valve manual 3/8"			X
	112.03	ball valve manual 3/8"			X
	112.04	ball valve manual 3/8"			X
	112.05	set of flex hoses 3/8" dia , 3 pcs.			X
	112.06	set of flex hoses 3/8" dia , 3 pcs.			X
	112.07	Concetric reducer 4 x 1 1/2" , made of SS 316 L			X
	112.08	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
HV 211	112.09	Keystone- butterfly valve pn 1 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 211	112.09	Asco- solenoid valve type 540 00 001			X
ZSC 211	112.09	Efector- proximity switch type IF-2004 ABOW			X
	112.10	flex hose 1 1/2 " dia , L= 2'			X
	112.11	Quick connector 1 1/2" dia. male/female			X
HV 212	112.12	Keystone- butterfly valve pn 1 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 212	112.12	Asco- solenoid valve type 540 00 001			X
ZSC 212	112.12	Efector- proximity switch type IF-2004 ABOW			X
	112.13	Switch box			X
HV 214	112.14	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 214	112.14	Asco- solenoid valve type 540 00 001			X
ZSC 214	112.14	Efector- proximity switch type IF-2004 ABOW			X
HV 213	112.15	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 213	112.15	Asco- solenoid valve type 540 00 001			X
ZSO 213	112.15	Efector- proximity switch type IF-2004 ABOW			X
HV 215	112.16	Keystone- butterfly valve pn 2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 215	112.16	Asco- solenoid valve type 540 00 001			X
ZSO 215	112.16	Efector- proximity switch type IF-2004 ABOW			X
	112.17	Keystone- butterfly valve manual 2" type fig 990-805			X
	112.18	Quick connector 2" dia. female			X
	112.19	flex hose 2 " dia ,with two male connectors , L=6'			X
	112.20	Keystone- butterfly valve manual 2" type fig 990-805			X
	112.21	Quick connector 2" dia. female			X
	112.22	Keystone- butterfly valve manual 2" type fig 990-805			X
PT 210	112.23	Rosemount pressure transmitter model 2090PG2S22C1E5, 0-100 psi			X
T-XXXX	113.00	Tank, working, 330/1000 gal working/total volume, SS 316 L			X
	113.01	deaeration nozzle 6"			X
HV 222	113.02	Flotek- ball valve pn 1/2" type 7303 , Keystone- pneumatic actuator type 79U-003			X
HEV 222	113.02	Asco- solenoid valve type 540 00 001			X
	113.03	Flotek- ball valve manual 1/2" type 7303			X
LT-220	113.04	Rosemount-level transmitter type 1151LT4SAOF22C			X
TE-221	113.05	Platinum RTD ROSEMOUNT model 0068N21C30A060T22 with temperature transmitter model 644HNAJ6F6			X
	113.06	Keystone- butterfly valve manual 8" type fig 920-694 with gear			X
ZSO 230	113.06	Efector- proximity switch type IF-2004 ABOW			X
	113.07	Keystone- butterfly valve manual 3" type fig 990-805			X
	113.08	Concetric reducer 4 x 1 1/2" , made of SS 316 L			X
	113.09	Keystone- butterfly valve manual 2" type fig 990-805			X
	113.10	Keystone- butterfly valve manual 8" type fig 920-694 with gear			X
ZSO 232	113.10	Efector- proximity switch type IF-2004 ABOW			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
P-XXXX	114.00	GPM - lobe pump type AP601 , 110-440 gpm , 60 psi			X
	114.01	Dodge- APG gear red type XXXXXXXXX , 1750/225 rpm			X
	114.02	Relinace - AC motor , 30 hp, 1750 rpm, 3/60/460 V			X
VS-234	114.03	Variable speed drive, 30 HP			X
	114.04	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
	114.05	Quick connector 2 1/2" dia. male/female			X
	114.06	flex hose 2 1/2 " dia , L=2'			X
	114.07	Keystone- butterfly valve manual 2 1/2" type fig 990-805			X
	114.08	Keystone- butterfly valve manual 6" type fig 920-805			X
ZSO 231	114.08	Efector- proximity switch type IF-2004 ABOW			X
	114.09	Keystone- butterfly valve manual 3" type fig 990-805			X
	114.10	Keystone- butterfly valve manual 6" type fig 920-805			X
ZSO 233	114.10	Efector- proximity switch type IF-2004 ABOW			X
	114.11	Flotek- ball valve manual 3/8" type 7302			X
	114.12	Safematic- seal water unit with pressure and flow indication			X
	114.13	Flotek- ball valve manual 3/8" type 7302			X
	114.14	Safematic- seal water unit with pressure and flow indication			X
DE 240	115.00	Berthold density control unit , model NW2100 D detector , NW2100 , amplifier evaluation unit			X
HV 242	115.01	Flotek- ball valve pn 1" type 7305 , Keystone- pneumatic actuator type 79U-003			X
HEV 242	115.01	Asco- solenoid valve type 540 00 001			X
ZSC 242	115.01	Efector- proximity switch type IF-2004 ABOW			X
ZSO 242	115.01	Efector- proximity switch type IF-2004 ABOW			X
FISL 241	115.02	Gemu roto meter model 81725D602214155 with limit stich 1252 , 0.7-7.5 gpm , 1" dia.			X
	115.03	Flotek- ball valve manual 1" type 7305			X
FE-XXXX	116.00	GAW ECO-S-CLEAN 7 element filter station 160x645, 150 microns sieve with deairation and recovery system.			X
HV 251	116.01	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 251	116.01	Asco- solenoid valve type 540 00 001			X
ZSC 251	116.01	Efector- proximity switch type IF-2004 ABOW			X
HV 252	116.02	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 252	116.02	Asco- solenoid valve type 540 00 001			X
ZSC 252	116.02	Efector- proximity switch type IF-2004 ABOW			X
HV 255	116.03	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 255	116.03	Asco- solenoid valve type 540 00 001			X
HV 254	116.04	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 254	116.04	Asco- solenoid valve type 540 00 001			X
ZSC 254	116.04	Efector- proximity switch type IF-2004 ABOW			X
ZSO 254	116.04	Efector- proximity switch type IF-2004 ABOW			X
HV 253	116.05	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 253	116.05	Asco- solenoid valve type 540 00 001			X
ZSC 253	116.05	Efector- proximity switch type IF-2004 ABOW			X
HV 256	116.06	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 256	116.06	Asco- solenoid valve type 540 00 001			X
ZSC 256	116.06	Efector- proximity switch type IF-2004 ABOW			X
HV 257	116.07	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 257	116.07	Asco- solenoid valve type 540 00 001			X
ZSC 257	116.07	Efector- proximity switch type IF-2004 ABOW			X
HV 260	116.08	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 260	116.08	Asco- solenoid valve type 540 00 001			X
HV 259	116.09	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 259	116.09	Asco- solenoid valve type 540 00 001			X
ZSC 259	116.09	Efector- proximity switch type IF-2004 ABOW			X
ZSO 259	116.09	Efector- proximity switch type IF-2004 ABOW			X
HV 258	116.10	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 258	116.10	Asco- solenoid valve type 540 00 001			X
ZSC 258	116.10	Efector- proximity switch type IF-2004 ABOW			X
HV 261	116.11	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 261	116.11	Asco- solenoid valve type 540 00 001			X
ZSC 261	116.11	Efector- proximity switch type IF-2004 ABOW			X
HV 262	116.12	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 262	116.12	Asco- solenoid valve type 540 00 001			X
ZSC 262	116.12	Efector- proximity switch type IF-2004 ABOW			X
HV 265	116.13	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 265	116.13	Asco- solenoid valve type 540 00 001			X
HV 264	116.14	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 264	116.14	Asco- solenoid valve type 540 00 001			X
ZSC 264	116.14	Efector- proximity switch type IF-2004 ABOW			X
ZSO 264	116.14	Efector- proximity switch type IF-2004 ABOW			X
HV 263	116.15	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 263	116.15	Asco- solenoid valve type 540 00 001			X
ZSC 263	116.15	Efector- proximity switch type IF-2004 ABOW			X
HV 266	116.16	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 266	116.16	Asco- solenoid valve type 540 00 001			X
ZSC 266	116.16	Efector- proximity switch type IF-2004 ABOW			X
HV 267	116.17	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 267	116.17	Asco- solenoid valve type 540 00 001			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
ZSC 267	116,17	Efector- proximity switch type IF-2004 ABOW			X
HV 270	116,18	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 270	116,18	Asco- solenoid valve type 540 00 001			X
HV 269	116,19	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 269	116,19	Asco- solenoid valve type 540 00 001			X
ZSC 269	116,19	Efector- proximity switch type IF-2004 ABOW			X
ZSO 268	116,19	Efector- proximity switch type IF-2004 ABOW			X
HV 268	116,20	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 268	116,20	Asco- solenoid valve type 540 00 001			X
ZSC 268	116,20	Efector- proximity switch type IF-2004 ABOW			X
HV 271	116,21	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 271	116,21	Asco- solenoid valve type 540 00 001			X
ZSC 271	116,21	Efector- proximity switch type IF-2004 ABOW			X
HV 272	116,22	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 272	116,22	Asco- solenoid valve type 540 00 001			X
ZSC 272	116,22	Efector- proximity switch type IF-2004 ABOW			X
HV 275	116,23	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 275	116,23	Asco- solenoid valve type 540 00 001			X
HV 274	116,24	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 274	116,24	Asco- solenoid valve type 540 00 001			X
ZSC 274	116,24	Efector- proximity switch type IF-2004 ABOW			X
ZSO 274	116,24	Efector- proximity switch type IF-2004 ABOW			X
HV 273	116,25	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 273	116,25	Asco- solenoid valve type 540 00 001			X
ZSC 273	116,25	Efector- proximity switch type IF-2004 ABOW			X
HV 276	116,26	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 276	116,26	Asco- solenoid valve type 540 00 001			X
ZSC 276	116,26	Efector- proximity switch type IF-2004 ABOW			X
HV 277	116,27	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 277	116,27	Asco- solenoid valve type 540 00 001			X
ZSC 277	116,27	Efector- proximity switch type IF-2004 ABOW			X
HV 280	116,28	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 2180	116,28	Asco- solenoid valve type 540 00 001			X
HV 279	116,29	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 279	116,29	Asco- solenoid valve type 540 00 001			X
ZSC 279	116,29	Efector- proximity switch type IF-2004 ABOW			X
ZSO 279	116,29	Efector- proximity switch type IF-2004 ABOW			X
HV 278	116,30	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 278	116,30	Asco- solenoid valve type 540 00 001			X
ZSC 278	116,30	Efector- proximity switch type IF-2004 ABOW			X
HV 281	116,31	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 281	116,31	Asco- solenoid valve type 540 00 001			X
ZSC 281	116,31	Efector- proximity switch type IF-2004 ABOW			X
HV 282	116,32	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 282	116,32	Asco- solenoid valve type 540 00 001			X
ZSC 282	116,32	Efector- proximity switch type IF-2004 ABOW			X
HV 285	116,33	Flotek- ball valve pn 3/4" type 7304 , Keystone- pneumatic actuator type 79U-003			X
HEV 285	116,33	Asco- solenoid valve type 540 00 001			X
HV 284	116,34	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 284	116,34	Asco- solenoid valve type 540 00 001			X
ZSC 284	116,34	Efector- proximity switch type IF-2004 ABOW			X
ZSO 284	116,34	Efector- proximity switch type IF-2004 ABOW			X
HV 283	116,35	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 283	116,35	Asco- solenoid valve type 540 00 001			X
ZSC 283	116,35	Efector- proximity switch type IF-2004 ABOW			X
	116,36	Keystone- butterfly valve manual 1 1/2" type fig 990-805			X
	116,37	Keystone- butterfly valve manual 3" type fig 990-806			X
HV 288	116,38	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 288	116,38	Asco- solenoid valve type 540 00 001			X
ZSC 288	116,38	Efector- proximity switch type IF-2004 ABOW			X
ZSO 288	116,38	Efector- proximity switch type IF-2004 ABOW			X
HV 289	116,39	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 289	116,39	Asco- solenoid valve type 540 00 001			X
ZSC 289	116,39	Efector- proximity switch type IF-2004 ABOW			X
ZSO 289	116,39	Efector- proximity switch type IF-2004 ABOW			X
HV 290	116,40	Keystone- butterfly valve pn 2 1/2" type fig 990-805 , Keystone- pneumatic actuator type 79U-003			X
HEV 290	116,40	Asco- solenoid valve type 540 00 001			X
ZSC 290	116,40	Efector- proximity switch type IF-2004 ABOW			X
ZSO 290	116,40	Efector- proximity switch type IF-2004 ABOW			X
HV 287	116,41	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 287	116,41	Asco- solenoid valve type 540 00 001			X
ZSC 287	116,41	Efector- proximity switch type IF-2004 ABOW			X
ZSO 287	116,41	Efector- proximity switch type IF-2004 ABOW			X
HV 286	116,42	Keystone- butterfly valve pn 3" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 286	116,42	Asco- solenoid valve type 540 00 001			X
ZSC 286	116,42	Efector- proximity switch type IF-2004 ABOW			X
ZSO 286	116,42	Efector- proximity switch type IF-2004 ABOW			X
PT 250	116,43	Rosemount pressure transmitter model 2090PG2S22C1E5, 0-100 psi			X

Tag No.	No.	Item Description	LATEX UNLOAD	Clay CaCO3	EXIST.
HV 291	116,44	Keystone- butterfly valve pn 4" type fig 990-805, Keystone- pneumatic actuator type 79U-006			X
HEV 291	116,44	Asco- solenoid valve type 540 00 001			X
ZSC 291	116,44	Efector- proximity switch type IF-2004 ABOW			X
ZSO 291	116,44	Efector- proximity switch type IF-2004 ABOW			X
HV 292	116,45	Keystone- butterfly valve pn 6" type fig 990-805 , Keystone- pneumatic actuator type 79U-012			X
HEV 292	116,45	Asco- solenoid valve type 540 00 001			X
ZSC 292	116,45	Efector- proximity switch type IF-2004 ABOW			X
ZSO 292	116,45	Efector- proximity switch type IF-2004 ABOW			X
HV 293	116,46	Keystone- butterfly valve pn 4" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 293	116,46	Asco- solenoid valve type 540 00 001			X
ZSC 293	116,46	Efector- proximity switch type IF-2004 ABOW			X
ZSO 293	116,46	Efector- proximity switch type IF-2004 ABOW			X
	116,47	Keystone- butterfly valve manual 4" type fig 990-805			X
HV 295	116,48	Keystone- butterfly valve pn 4" type fig 990-805 , Keystone- pneumatic actuator type 79U-006			X
HEV 295	116,48	Asco- solenoid valve type 540 00 001			X
ZSC 295	116,48	Efector- proximity switch type IF-2004 ABOW			X
ZSO 295	116,48	Efector- proximity switch type IF-2004 ABOW			X
HV 297	116,49	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 297	116,49	Asco- solenoid valve type 540 00 001			X
ZSC 297	116,49	Efector- proximity switch type IF-2004 ABOW			X
ZSO 297	116,49	Efector- proximity switch type IF-2004 ABOW			X
HV 296	116,50	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 296	116,50	Asco- solenoid valve type 540 00 001			X
ZSC 296	116,50	Efector- proximity switch type IF-2004 ABOW			X
ZSO 296	116,50	Efector- proximity switch type IF-2004 ABOW			X
	116,51	Air pressure tank			X
	116,52	Pressure safety valve			X
	116,53	Apollo- ball valve manual 1/2" type 85-203			X
	116,54	Pressure gauge			X
	116,55	Apollo- ball valve manual 1 1/2" type 85-207			X
	116,56	Apollo- ball valve manual 3"			X
	116,57	HONEYWELL-BRAUKMAN Pressure regulating valve 3" dia.series D15 including DIN flanges			X
FE 294	117,00	ROSEMOUNT Magnetic Flow meter type 8711TPA040R1N0, including transmitter type 8712CR12NO			X
S XXXX	118,00	GAW Vibration screen G100			X
M XXX	118,01	Driving motor - 1750 rpm, 1.5 HP, 460 VAC, 3 phase, 60 Hz.			X
HV 299	118,02	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 299	118,02	Asco- solenoid valve type 540 00 001			X
ZSO 299	118,02	Efector- proximity switch type IF-2004 ABOW			X
HV 298	118,03	Keystone- butterfly valve pn 8" type fig 990-694 , Keystone- pneumatic actuator type 79U-024			X
HEV 298	118,03	Asco- solenoid valve type 540 00 001			X
ZSO 298	118,03	Efector- proximity switch type IF-2004 ABOW			X
HV 226	118,04	Flotek- ball valve pn 1/2" type 7303 , Keystone- pneumatic actuator type 79U-003			X
HEV 226	118,04	Asco- solenoid valve type 540 00 001			X
ZSC 226	118,04	Efector- proximity switch type IF-2004 ABOW			X
	118,05	Flotek- ball valve manual 1/2" type 7303			X
	118,06	Keystone- butterfly valve manual 8" type fig 990-694 with handle			X
	118,07	flex hose 1/2" dia L=8"			X
	118,08	flex hose 8" dia L=12"			X
HV 227	118,09	Keystone- pneumatic actuator type 79U-003			X
	118,10	Keystone- butterfly valve manual 8" type fig 992-694 with gear			X
	118,11	Single sphere expansion joint , flanged 8" dia			X
	118,12	Keystone- butterfly valve manual 3" type fig 990-805			X
LE 225	118,13	E+H Level Indicator Type LSC 1120			X