



Hitachi Seiko, Ltd.

HITACHI WIRE ELECTRICAL DISCHARGE MACHINE

NO.

WEDM-00-710-01

D315167001

**H-CUT 304P, S
MACHINING UNIT
INSTRUCTION MANUAL**

Hitachi Seiko, Ltd.

Kanagawa, Japan

Contents

	Page
1. Introduction	1
2. Specifications	1
3. Names of each part and main dimensions	3
4. Installation of machine	5
4.1 Required installation area	5
4.2 Ambient conditions	5
4.3 Input power connection and grounding	7
4.4 Piping	7
5. Transportation and installation	10
5.1 Preparation before transportation	10
5.2 Transportation method	11
5.3 Installation procedure	17
6. Lubrication and checkup before operation	20
6.1 Lubrication	20
6.2 Checkup before operation	22
7. Preparation for operation	26
7.1 Installation of electrode wire	26
7.2 Setting of wire tension	27
7.3 Discharge of wire electrode	29
7.4 Making wire perpendicular	32
7.5 Mounting of workpiece	34
7.6 Pattern drawing by dry run	37
8. Functions of devices	38
8.1 Wire drive unit	38
8.2 Wire guide unit	39
8.3 Wire discharge unit	51

Contents (cont'd)

	Page
8.4 Dielectric fluid tank	54
8.5 Dielectric fluid conductivity control unit	60
9. Standard accessories	69
9.1 Operation tools, workpiece mounting jigs, etc.	69
9.2 Spare parts	73
9.3 For machining test	73
10. Consumables and spare parts	74
Appendix No. 1 Instructions for dielectric fluid pumps	78
Appendix No. 2 Radio wave interference by electrical discharge machine and its remedies	86
Appendix No. 3 Wire reel	90
Appendix No. 4 Caution plate	91