

**Mazak**

**PARTS LIST**

MANUAL NO. : H 2 4 2 L A 0 0 1 7 E

---

SERIAL NUMBER :

---

Printed in Japan

M A S T E R   I N D E X

MODEL/MANUAL-NO. : FH-480/H242LA0017E

UNIT-NAME	UNI
HEAD	01 1/2
COLUMN	03 1/2
BASE	04 1/2
INDEX TABLE	07 1/2
ROTARY TABLE	08 1/2
X DRIVE	11 1/2
Y DRIVE	12 1/2
Z DRIVE	13 1/2
ATC	16 1/2
TOOL SHIFTER	17 1/2
MAGAZINE	18 1/2
TERMINAL BOX	29 1/2
HYDRAULIC	31 1/2
HEAD LUBE	32 1/2
WAY LUBE	34 1/2
COOLANT 1	36 2/2
AIR	38 2/2
WIRING	41 2/2
FRAME	44 2/2
X LIMIT	46 2/2
X WAY COVER	51 2/2
Y WAY COVER	52 2/2
Z WAY COVER	53 2/2
MAIN COVER	56 2/2
MAGAZINE COVER	58 2/2
COOLANT COVER	59 2/2
CHIP CARRY	60 2/2
TOOL MEASURE	71 2/2
APC	73 2/2
PALLET	74 2/2
SCALE	78 2/2
USER OPTION	85 2/2
OPTION TOOL	90 2/2
TOUCH SENSOR	92 2/2
TAP COOLANT	95 2/2

CONTENTS

MODEL/MANUAL-NO. : FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	LIST-PAGE	
01	HEAD		A	52420101609	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0074	01-9	01-13	
						024201A0202	01-12										
			B	52420101709	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0074	01-9		
						024201A0202	01-12										
			C	52420101809	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0063	01-7		
						024201A0074	01-9	024201A0202	01-12								
			D	52420101909	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0063	01-7		
						024201A0074	01-9	024201A0202	01-12								
			E	52420102009	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE, (CE)	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0074	01-9		
						024201A0202	01-12										
			F	52420102109	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE, (CE)	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0074	01-9		
						024201A0202	01-12										
			G	52420102209	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE, (CE)	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0063	01-7		
						024201A0074	01-9	024201A0202	01-12								
			H	52420102309	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE, (CE)	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0063	01-7		
						024201A0074	01-9	024201A0202	01-12								
			J	52420102406	W/O SPINDLE THRU. & REMOTE CONTROL NOZZLE	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0074	01-9		
						024201A0202	01-12										
	K	52420101007	W/O REMOTE CONTROL NOZZLE, SPARE CARTRIDGE	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0074	01-7				
				024201A0202	01-12												
	L	52420102504	W/O SPINDLE THRU. W/ REMOTE CONTROL NOZZLE	024201A0024	01-1	024201A0038	01-2	024201A0045	01-4	024201A0057	01-5	024201A0063	01-7				
				024201A0074	01-9	024201A0202	01-12										
	A	52420104107	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0073	01-8	024201A0146	01-10	01-27			
				024201A0151	01-11												

CONTENTS

MODEL/MANUAL-NO. :FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	LIST-PAGE	
01	HEAD		B	52420104207	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0073	01-8	024201A0146	01-10	01-27	
						024201A0151	01-11										
			C	52420104307	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0061	01-6	024201A0073	01-8		
						024201A0146	01-10	024201A0151	01-11								
			D	52420104407	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0061	01-6	024201A0073	01-8		
						024201A0146	01-10	024201A0151	01-11								
			E	52420104507	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE, (CE)	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0073	01-8	024201A0146	01-10		
						024201A0151	01-11										
			F	52420104607	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE, (CE)	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0073	01-8	024201A0146	01-10		
						024201A0151	01-11										
			G	52420104707	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE, (CE)	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0061	01-6	024201A0073	01-8		
						024201A0146	01-10	024201A0151	01-11								
			H	52420104807	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE, (CE)	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0061	01-6	024201A0073	01-8		
						024201A0146	01-10	024201A0151	01-11								
J	52420104907	W/O REMOTE CONTROL NOZZLE, SPARE CARTRIDGE	024201A0038	01-2	024201A0043	01-3	024201A0057	01-5	024201A0073	01-8	024201A0146	01-10					
			024201A0151	01-11													
A	52420103104	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE	024201A0084	01-41	024201A0092	01-42	024201A0101	01-43	024201A0113	01-44	024201A0122	01-45	01-47				
B	52420103204	W/ 8kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE	024201A0084	01-41	024201A0092	01-42	024201A0101	01-43	024201A0113	01-44	024201A0122	01-45					
			024201A0131	01-46													
C	52420103304	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU, W/O REMOTE CONTROL NOZZLE	024201A0084	01-41	024201A0092	01-42	024201A0101	01-43	024201A0113	01-44	024201A0122	01-45					
D	52420103404	W/ 15kgf/cm <sup>2</sup> SPINDLE THRU & REMOTE CONTROL NOZZLE	024201A0084	01-41	024201A0092	01-42	024201A0101	01-43	024201A0113	01-44	024201A0122	01-45					
			024201A0131	01-46													
03	COLUMN		C	52420300303	STD. (DAIDO METAL)	024203A0031	03-3	024203A0041	03-4					03-5			
			D	52420300403	W/ COOLING CIRCUIT(DAIDO METAL)	024203A0012	03-1	024203A0022	03-2								

CONTENTS

MODEL/MANUAL-NO. :FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	LIST-PAGE								
03	COLUMN		E	52420300500	STD. (THK GUIDE , DAIDO METAL)	024203A0031	03-3	024203A0041	03-4							03-5
			F	52420300600	W/COLUMN COOLING (THK GUIDE, DAIDO METAL)	024203A0012	03-1	024203A0022	03-2							
04	BASE		C	52420400302	STD., LUBRICATION(DAIDO METAL)	024204A0012	04-1	224204A0021	04-2	224204A0032	04-3					04-4
07	INDEX TABLE		E	52420700503	DAIDO METAL LUBRICATION	024207A0014	07-1	024207A0023	07-2	024207A0033	07-3	024207A0044	07-4	024207A0053	07-5	07-6
			F	52420700603	DAIDO METAL LUBRICATION, SEAT DETECTOR	024207A0014	07-1	024207A0023	07-2	024207A0033	07-3	024207A0044	07-4	024207A0053	07-5	
			G	52420700700	DAIDO METAL LUBRICATION	024207A0014	07-1	024207A0023	07-2	024207A0033	07-3	024207A0044	07-4	024207A0053	07-5	
08	ROTARY TABLE		C	52420800305	DAIDO METAL LUBRICATION	024208A0014	08-1	024208A0023	08-2	024208A0033	08-3	024208A0044	08-4	024208A0053	08-5	08-6
			D	52420800405	DAIDO METAL LUBRICATION, SEAT DETECTOR	024208A0014	08-1	024208A0023	08-2	024208A0033	08-3	024208A0044	08-4	024208A0053	08-5	
			E	52420800502	DAIDO METAL LUBRICATION	024208A0014	08-1	024208A0023	08-2	024208A0033	08-3	024208A0044	08-4	024208A0053	08-5	
11	X DRIVE		A	52421100100	RAPID FEED 30m/min	024211A0010	11-1									11-4
			B	52421100204	RAPID FEED 32m/min	024211A0013	11-3									
			C	52421100301	TO FEARFUL COUNTRIES	024211A0021	11-2									
12	Y DRIVE		B	52421200200	RAPID FEED 32m/min, Y-AXIS HOLLOW BALL SCREW	024212A0020	12-2									12-4
			C	52421200306	RAPID FEED 32m/min, Y-AXIS HOLLOW BALL SCREW	024212A0014	12-1									
			D	52421200401	TO FEARFUL COUNTRIES	024212A0031	12-3									
13	Z DRIVE		B	52421300204	RAPID FEED 32m/min	024213A0013	13-1									13-3
			C	52421300301	TO FEARFUL COUNTRIES	024213A0021	13-2									
16	ATC		A	52421600105	CAM ATC, MAS	024216A0011	16-1	024216A0022	16-2	024216A0032	16-3	024216A0043	16-4			16-5
			B	52421600205	CAM ATC, CAT	024216A0011	16-1	024216A0022	16-2	024216A0032	16-3	024216A0043	16-4			
			C	52421600302	CAM ATC, MAS, FOR M Plus	024216A0011	16-1	024216A0022	16-2	024216A0032	16-3	024216A0043	16-4			
			D	52421600402	CAM ATC, CAT, FOR M Plus	024216A0010	16-1	024216A0021	16-2	024216A0030	16-3	024216A0043	16-4			
17	TOOL SHIFTER		A	52421700101	FOR 30, 60TOOLS MAGAZINE	024217A0010	17-1	024217A0020	17-2							17-4
			B	52421700202	FOR 90, 120TOOLS TOOL-HIVE	024217A0030	17-3									
18	MAGAZINE		A	52421800103	30TOOLS, MAS	024218A0012	18-1	024218A0021	18-2	024218A0031	18-3	024218A0040	18-4			18-21

CONTENTS

MODEL/MANUAL-NO. :FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	LIST-PAGE									
18	MAGAZINE		B	52421800203	30TOOLS, CAT	024218A0012	18-1	024218A0021	18-2	024218A0031	18-3	024218A0040	18-4			18-21	
			C	52421800303	60TOOLS, MAS	024218A0051	18-5	023218A0060	18-6	023218A0070	18-7	023218A0081	18-8	023218A0090	18-9		
			D	52421800403	60TOOLS, CAT	024218A0051	18-5	023218A0060	18-6	023218A0070	18-7	023218A0081	18-8	023218A0090	18-9		
			E	52421800502	90TOOLS, MAS	024218A0120	18-12	023218A0130	18-13	024218A0142	18-14	024218A0151	18-15				
			F	52421800602	90TOOLS, CAT	024218A0120	18-12	023218A0130	18-13	024218A0142	18-14	024218A0151	18-15				
			G	52421800703	90TOOLS, TOOL ID, MAS	024218A0120	18-12	023218A0130	18-13	024218A0142	18-14	024218A0151	18-15				
			H	52421800803	90TOOLS, TOOL ID, CAT	024218A0120	18-12	023218A0130	18-13	024218A0142	18-14	024218A0151	18-15				
			J	52421800901	120TOOLS, MAS	024218A0181	18-16	024218A0190	18-17	024218A0200	18-18	023218A0210	18-19	023218A0220	18-20		
			K	52421801001	120TOOLS, CAT	024218A0181	18-16	024218A0190	18-17	024218A0200	18-18	023218A0210	18-19	023218A0220	18-20		
			L	52421801102	120TOOLS, TOOL ID, MAS	024218A0181	18-16	024218A0190	18-17	024218A0200	18-18	023218A0210	18-19	023218A0220	18-20		
			M	52421801202	120TOOLS, TOOL ID, CAT	024218A0181	18-16	024218A0190	18-17	024218A0200	18-18	023219A0210	18-19	023218A0220	18-20		
			A	52421801602	30TOOLS, TOOL ID, MAS	024218A0021	18-2	024218A0031	18-3	024218A0100	18-10	024218A0110	18-11				18-37
			B	52421801702	30TOOLS, TOOL ID, CAT	024218A0021	18-2	024218A0031	18-3	024218A0100	18-10	024218A0110	18-11				
			C	52421801802	60TOOLS, TOOL ID, MAS	023218A0060	18-6	023218A0070	18-7	023218A0081	18-8	024218A0121	18-12	023218A0130	18-13		
			D	52421801902	60TOOLS, TOOL ID, CAT	023218A0060	18-6	023218A0070	18-7	023218A0081	18-8	024218A0121	18-12	023218A0130	18-13		
			E	52421802002	30TOOLS, TOOL ID, MAS, M Plus	024218A0021	18-2	024218A0031	18-3	024218A0100	18-10	024218A0110	18-11				
			F	52421802102	30TOOLS, TOOL ID, CAT, M Plus	024218A0021	18-2	024218A0031	18-3	024218A0100	18-10	024218A0110	18-11				
			G	52421802201	60TOOLS, TOOL ID, MAS, M Plus	023218A0060	18-6	023218A0070	18-7	023218A0081	18-8	024218A0121	18-12	023218A0130	18-13		
			H	52421802301	60TOOLS, TOOL ID, CAT, M Plus	023218A0060	18-6	023218A0070	18-7	023218A0081	18-8	024218A0121	18-12	023218A0130	18-13		
			J	52421802402	90TOOLS, TOOL ID, MAS, M Plus	024218A0120	18-12	023218A0130	18-13	024218A0141	18-14	024218A0151	18-15				
	K	52421802502	90TOOLS, TOOL ID, CAT, M Plus	024218A0120	18-12	023218A0130	18-13	024218A0141	18-14	024218A0151	18-15						
	L	52421802602	120TOOLS, TOOL ID, MAS, M Plus	024218A0181	18-16	024218A0190	18-17	024218A0200	18-18	023218A0210	18-19	023218A0220	18-20				
	M	52421802702	120TOOLS, TOOL ID, CAT, M Plus	024218A0181	18-16	024218A0190	18-17	024218A0200	18-18	023218A0210	18-19	023218A0220	18-20				
26	CONTROL BOX		A	52422601605	FOR M-Plus, FOR YMC	024226A0013	26-1	024226A0023	26-2	024226A0032	26-3					26-7	

CONTENTS

MODEL/MANUAL-NO. :FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	LIST-PAGE	
26	CONTROL BOX		B	52422601704	FOR M-Plus, FOR JPN.	024226A0013	26-1	024226A0023	26-2	024226A0032	26-3					26-7	
			C	52422601803	FOR M-Plus, FOR YME (CE)	024226A0043	26-4	024226A0053	26-5	024226A0062	26-6						
			D	52422601900	FOR M-Plus, FOR YME, 25000rpm	024226A0013	26-1	024226A0023	26-2	024226A0032	26-3						
			E	52422602000	FOR M-Plus, FOR JPN., 25000rpm	024226A0013	26-1	024226A0023	26-2	024226A0032	26-3						
			F	52422602100	FOR M-Plus, FOR YME, (CE), 25000rpm	024226A0043	26-4	024226A0053	26-5	024226A0062	26-6						
			A	52422602200	STD.	024226A0071	26-14	024226A0081	26-15								
			B	52422602300	STD. (CE)	024226A0071	26-14	024226A0081	26-15								
			C	52422602400	W/ NC TABLE	024226A0071	26-14	024226A0081	26-15								
			D	52422602500	W/ NC TABLE (CE)	024226A0071	26-14	024226A0081	26-15								
			E	52422602600	25000rpm	024226A0091	26-16	024226A0101	26-17								
			F	52422602700	25000rpm (CE)	024226A0091	26-16	024226A0101	26-17								
			G	52422602800	NC TABLE+25000rpm	024226A0091	26-16	024226A0101	26-17								
			H	52422602900	NC TABLE+25000rpm (CE)	024226A0091	26-16	024226A0101	26-17								
29	TERMINAL BOX		B	52422900202	STD.	024229A0022	29-1									29-3	
			C	52422900302	(CE)	024229A0022	29-1										
			D	52422900400	STD.	024229A0030	29-2										
			E	52422900500	(CE)	024229A0030	29-2										
31	HYDRAULIC		A	52423100103	STD., (CE)	024231A0012	31-1								31-2		
32	HEAD LUBE		A	52423201102	FOR 25000rpm SPINDLE	024232A0041		024232A0051								32-8	
			B	52423201201	FOR 25000rpm SPINDLE (CE)	024232A0041	32-6	024232A0051	32-7								
			B	52423200204	12000rpm(CHILLER+FAN COOLER)	024232A0021	32-1									32-3	
			C	52423200301	12000rpm(CHILLER+FAN COOLER), (CE)	024232A0031	32-2										
34	WAY LUBE		B	52423400203	STD. (DAIDOMETAL PUMP)	024234A0021	34-1								34-2		
36	COOLANT 1		A	52423600502	IRON PACKAGE, 8kgf/cm <sup>2</sup> SPINDLE THRU A	024236A0064	36-1	024236A0073	36-2						36-27		

CONTENTS

MODEL/MANUAL-NO. : FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	LIST-PAGE	
36	COOLANT 1		B.	52423600603	IRON PACKAGE, 15kgf/cm <sup>2</sup> GUN DRILL THRU A(50Hz)	024236A0083	36-3	024236A0091	36-4							36-27	
			C	52423600703	IRON PACKAGE, 15kgf/cm <sup>2</sup> GUN DRILL THRU A(60Hz)	024236A0083	36-3	024236A0091	36-4								
			D	52423602001	IRON PACKAGE, W/O SPINDLE THRU COOLANT&NIAGARA COOLANT	024236A0064	36-1	024236A0073	36-2								
			J	52423601301	LARGE CAPACITY TANK(BUNRI), MIXED SHORT CHIP PACKAGE A	024236A0101	36-5	024236A0110	36-6								
			K	52423601401	LARGE CAPACITY TANK(BUNRI), MIXED SHORT CHIP PACKAGE B(50Hz)	024236A0121	36-7	024236A0130	36-8								
			L	52423601501	LARGE CAPACITY TANK(BUNRI), MIXED SHORT CHIP PACKAGE B(60Hz)	024236A0121	36-7	024236A0130	36-8								
			M	52423601601	IRON PACKAGE, 8kgf/cm <sup>2</sup> SPINDLE THRU A (CE)	024236A0064	36-1	024236A0073	36-2								
			N	52423601702	IRON PACKAGE, 15kgf/cm <sup>2</sup> GUN DRILL (50Hz), (CE)	024236A0083	36-3	024236A0091	36-4								
			P	52423601801	LARGE CAPACITY TANK(BUNRI), MIXED SHORT CHIP PACKAGE A, (CE)	024236A0101	36-5	024236A0110	36-6								
			Q	52423601901	L-CAPACITY TANK(BUNRI), MIXED SHORT CHIP PACKAGE B(50Hz), (CE)	024236A0121	36-7	024236A0130	36-8								
			A	52423605100	W/O C/V OR TANK FOR HINGE & SCRAPER SIDE DISCHARGEABLE C/V	024236A0550	36-9	024236A0560	36-10								36-34
			B	52423605200	8kgf/cm <sup>2</sup> COOLANT THRU, W/O C/V OR TANK FOR HINGE & SCRAPER C/V	024236A0570	36-11	024236A0580	36-12								
			C	52423605300	15kgf/cm <sup>2</sup> COOLANT THRU(50Hz), W/O C/V OR HINGE & SCRAPER C/V	024236A0590	36-13	024236A0600	36-14								
			D	52423605400	15kgf/cm <sup>2</sup> COOLANT THRU(60Hz), W/O C/V OR HINGE & SCRAPER C/V	024236A0590	36-13	024236A0600	36-14								
			E	52423605500	8kgf/cm <sup>2</sup> COOLANT THRU, W/O C/V OR HINGE & SCRAPER C/V 2nd AL-PROCESS	024236A0610	36-15	024236A0620	36-16								
			F	52423605600	15kgf/cm <sup>2</sup> (50Hz)COOLANT THRU, W/O C/V OR HINGE&SCRAPER C/V 2nd AL-PROCESS	024236A0630	36-17	024236A0640	36-18								
			G	52423605700	15kgf/cm <sup>2</sup> (60Hz)COOLANT THRU, W/O C/V OR HINGE&SCRAPER C/V 2nd AL-PRODESS	024236A0630	36-17	024236A0640	36-18								
			H	52423605800	8kgf/cm <sup>2</sup> COOLANT THRU, W/O C/V OR HINGE&SCRAPER C/V CAST 2nd PROCESS	024236A0610	36-15	024236A0620	36-16								
			J	52423605900	15kgf/cm <sup>2</sup> (50Hz)COOLANT THRU, W/O C/V HINGE&SCRAPER C/V CAST 2nd PROCESS	024236A0630	36-17	024236A0640	36-18								
	K	52423606000	15kgf/cm <sup>2</sup> (60Hz)COOLANT THRU, W/O C/V HINGE&SCRAPER C/V CAST 2nd PROCESS	024236A0630	36-17	024236A0640	36-18										
	A	52423608101	W/O COOL.-THRU-SP., W/ NIAGARA COOL. CHIP CON. (HINGE, SCRAPER) (F & R)	024236A0831	36-19	024236A0841	36-20							36-41			
	B	52423608201	8kgf/cm <sup>2</sup> COOLANT-THRU-SPINDLE. CHIP CONVEYOR(HINGE, SCRAPER) (F & R)	024236A0851	36-21	024236A0861	36-22										
	C	52423608301	15kgf/cm <sup>2</sup> HI-PRS. COOLANT-THRU(50Hz) CHIP CON. (HINGE, SCRAPER) (F & R)	024236A0871	36-23	024236A0881	36-24										
	D	52423608401	15kgf/cm <sup>2</sup> HI-PRS. COOLANT-THRU(60Hz) CHIP CON. (HINGE, SCRAPER) (F & R)	024236A0871	36-23	024236A0881	36-24										

CONTENTS

MODEL/MANUAL-NO. : FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	LIST-PAGE								
36	COOLANT 1		L	52423609100	PREPARATION FOR MOUNTING 70kgf/cm <sup>2</sup> HI-PRS. THRU, CHIP CON. (H & S) (F & R)	024236A0930	36-25	024236A0940	36-26							36-41
38	AIR		B	52423800201	STD.	024238A0021	38-1									38-3
			C	52423800301	FOR 25000rpm SPINDLE	024238A0031	38-2									
41	WIRING		B	52424100201	STD.	024241A0010	41-1	024241A0023	41-2	024241A0032	41-3	024241A0043	41-4			41-6
			C	52424100301	COLUMN COOLING CIRCUIT	024241A0010	41-1	024241A0023	41-2	024241A0032	41-3	024241A0043	41-4	024241A0051	41-5	
			D	52424100400	W/O SPINDLE THRU COOLANT	024241A0010	41-1	024241A0023	41-2	024241A0032	41-3	024241A0043	41-4			
44	FRAME		A	52424400101	STD.	024244A0010	44-1									44-5
			B	52424400200	(CE)	024244A0020	44-2									
			C	52424400300	25000rpm	024244A0030	44-3									
			D	52424400400	STD.	024244A0040	44-4									
46	X LIMIT		A	52424600102	X, Y, Z-AXIS L. S	024246A0012	46-1	123246A0020	46-2	223246A0030	46-3				46-4	
51	X WAY COVER		B	52425100201	STD.	024251A0011	51-1								51-2	
52	Y WAY COVER		B	52425200203	STD.	024252A0012	52-1	024252A0023	52-2						52-3	
53	Z WAY COVER		B	52425300202	STD.	024253A0012	53-1	024253A0022	53-2						53-3	
56	MAIN COVER		A	52425601601	STD. (W/O REAR FAN)	024256A0011	56-1								56-3	
			B	52425601700	STD.	024256A0021	56-2									
58	MAGAZINE COVER		A	52425800105	30TOOLS	024258A0013	58-1	024258A0023	58-2						58-19	
			B	52425800204	60TOOLS	024258A0032	58-3	024258A0041	58-4	024258A0053	58-5					
			C	52425800304	90TOOLS	024258A0062	58-6	024258A0071	58-7	024258A0082	58-8	024258A0092	58-9	024258A0102		58-10
			D	52425800402	120TOOLS	024258A0102	58-10	024258A0111	58-11	024258A0120	58-12	024258A0131	58-13	024258A0141		58-14
			E	52425800505	30TOOLS, (CE)	024258A0023	58-2	024258A0162	58-15							
			F	52425800602	60TOOLS, (CE)	024258A0041	58-4	024258A0053	58-5	024258A0171	58-16					
			G	52425800702	90TOOLS, (CE)	024258A0071	58-7	024258A0082	58-8	024258A0092	58-9	024258A0102	58-10	024258A0181		58-17
			H	52425800802	120TOOLS, (CE)	024258A0102	58-10	024258A0120	58-12	024258A0131	58-13	024258A0141	58-14	024258A0191		58-18

CONTENTS

MODEL/MANUAL-NO. :FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	LIST-PAGE	
59	COOLANT COVER		A	52425901606	2P/C, FOR JAPAN	024259A0014	59-1	024259A0026	59-2	024259A0035	59-3	024259A0042	59-4	024259A0052	59-5	59-21	
						024259A0066	59-6	024259A0076	59-7	024259A0083	59-8	024259A0093	59-9	024259A0103	59-10		
			B	52425901706	2P/C, FOR EX. (CE)	024259A0014	59-1	024259A0026	59-2	024259A0035	59-3	024259A0042	59-4	024259A0052	59-5		
						024259A0066	59-6	024259A0076	59-7	024259A0123	59-11	024259A0160	59-15	024259A0170	59-16		
			C	52425901806	6P/C, FOR JAPAN	024259A0026	59-2	024259A0035	59-3	024259A0066	59-6	024259A0103	59-10	024259A0133	59-12		
						024259A0141	59-13	024259A0151	59-14								
			D	52425901906	6P/C, FOR EX. (CE)	024259A0026	59-2	024259A0035	59-3	024259A0066	59-6	024259A0123	59-11	024259A0133	59-12		
						024259A0141	59-13	024259A0151	59-14								
			E	52425902004	2P/C FOR FMS (JPN)	024259A0026	59-2	024259A0035	59-3	024259A0066	59-6	024259A0103	59-10	024259A0182	59-17		
						024259A0191	59-18	024259A0201	59-19	024259A0211	59-20						
			F	52425902104	2P/C FOR FMS, (EX)	024259A0026	59-2	024259A0035	59-3	024259A0066	59-6	024259A0123	59-11	024259A0182	59-17		
						024259A0191	59-18	024259A0201	59-19	024259A0211	59-20						
			G	52425902203	6P/C FOR EX., 25000rpm SPINDLE, REINFORCED WINDOW GLASS	024259A0026	59-2	024259A0035	59-3	024259A0066	59-6	024259A0123	59-11	024259A0133	59-12		
						024259A0141	59-13	024259A0151	59-14								
			H	52425902302	2P/C FOR EX., 25000rpm SPINDLE, REINFORCED WINDOW GLASS	024259A0014	59-1	024259A0026	59-2	024259A0035	59-3	024259A0042	59-4	024259A0052	59-5		
						024259A0066	59-6	024259A0076	59-7	024259A0123	59-11	024259A0160	59-15	024259A0170	59-16		
			J	52425902401	2P/C FOR FMS (EX.), 25000rpm SPINDLE, REINFORCED WINDOW GLASS	024259A0026	59-2	024259A0035	59-3	024259A0066	59-6	024259A0123	59-11	024259A0182	59-17		
						024259A0191	59-18	024259A0201	59-19	024259A0211	59-20						
			K	52425902501	2P/C FOR JPN., 25000rpm SPINDLE, REINFORCED WINDOW GLASS	024259A0014	59-1	024259A0026	59-2	024259A0035	59-3	024259A0042	59-4	024259A0052	59-5		
						024259A0066	59-6	024259A0076	59-7	024259A0083	59-8	024259A0093	59-9	024259A0103	59-10		
L	52425902601	6P/C FOR JPN., 25000rpm SPINDLE, REINFORCED WINDOW GLASS	024259A0026	59-2	024259A0035	59-3	024259A0066	59-6	024259A0103	59-10	024259A0133	59-12					
			024259A0141	59-13	024259A0151	59-14											
M	52425902701	2P/C FOR FMS (JPN.), 25000rpm SPINDLE, REINFORCED WINDOW GLASS	024259A0026	59-2	024259A0033	59-3	024259A0103	59-10	024259A0182	59-17	024259A0191	59-18					
			024259A0201	59-19	024259A0211	59-20											

CONTENTS

MODEL/MANUAL-NO. :FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	LIST-PAGE								
60	CHIP CARRY		A	52426000103	STD., (W/ SPIRAL)	024260A0102	60-1									60-4
			B	52426000203	JET COOLANT, (W/O SPIRAL CARRIER)	024260A0201	60-2									
			C	52426000302	STD., (W/SPIRAL)	024260A0102	60-1									
			D	52426000401	IRON, CAST, (W/ SPIRAL), CHIP CONVEYOR(SIDE-DISCHARGE)	024260A0041	60-3									
			E	52426000501	IRON, CAST, (W/ SPIRAL), CHIP CONVEYOR(SIDE-DISCHARGE), (CE)	024260A0041	60-3									
			F	52426000600	HIGH-TORPUE (REDUCTION GEAR RATIO 1/40) FRONT/BACK FOR TANK	024260A0102	60-1									
71	TOOL MEASURE		A	52427100100	STD.	023271A0021	71-1									71-2
73	APC		A	52427300104	CAM TYPE 2P/C	024273A0013	73-1	024273A0022	73-2	024273A0031	73-3	024273A0042	73-4	024273A0050	73-5	73-32
						024273A0063	73-6									
			B	52427300206	6P/C, W/ LOADING STATION, (DOM.)	024273A0132	73-7	024273A0141	73-8	024273A0151	73-9	024273A0161	73-10	024273A0171	73-11	
						024273A0181	73-12	024273A0191	73-13	024273A0200	73-14	024273A0210	73-15	024273A0220	73-16	
						024273A0231	73-17	024273A0240	73-18	024273A0250	73-19	024273A0260	73-20	024273A0270	73-21	
			C	52427300306	6P/C, W/ LOADING STATION, (EX., W/ YME COVER), (CE)	024273A0280	73-22	024273A0291	73-23							
						024273A0132	73-7	024273A0140	73-8	024273A0151	73-9	024273A0161	73-10	024273A0171	73-11	
						024273A0181	73-12	024273A0191	73-13	024273A0200	73-14	024273A0210	73-15	024273A0220	73-16	
						024273A0231	73-17	024273A0240	73-18	024273A0250	73-19	024273A0261	73-20	024273A0270	73-21	
			D	52427300406	2P/C FOR FMS	024273A0360	73-29									
						024273A0312	73-24	024273A0320	73-25	024273A0330	73-26	024273A0341	73-27	024273A0350	73-28	
			F	52427300602	2P/C FOR FMS, W/ PALLET ID SENSOR W/O TOOL ID SENSOR	024273A0320	73-25	024273A0330	73-26	024273A0341	73-27	024273A0350	73-28	024273A0360	73-29	
						024273A0370	73-30	024273A0371	73-31							
			J	52427300901	6P/C, W/ LOADING STATION (JPN.), W/ MACHINING CONTROL FUNCTION (CE)	024273A0132	73-7	024273A0141	73-8	024273A0151	73-9	024273A0161	73-10	024273A0171	73-11	
						024273A0181	73-12	024273A0191	73-13	024273A0200	73-14	024273A0210	73-15	024273A0220	73-16	
						024273A0231	73-17	024273A0240	73-18	024273A0250	73-19	024273A0260	73-20	024273A0270	73-21	
			K	52427301001	6P/C, W/ LOADING STATION (EX.), W/ MACHINING CONTROL FUNCTION (CE)	024273A0132	73-7	024273A0141	73-8	024273A0151	73-9	024273A0161	73-10	024273A0171	73-11	

CONTENTS

MODEL/MANUAL-NO. : FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	LIST-PAGE									
73	APC		K	52427301001	6P/C. W/ LOADING STATION (EX.), W/ MACHINING CONTROL FUNCTION (CE)	024273A0181	73-12	024273A0191	73-13	024273A0200	73-14	024273A0210	73-15	024273A0220	73-16	73-32	
						024273A0231	73-17	024273A0240	73-18	024273A0250	73-19	024273A0261	73-20	024273A0270	73-21		
						024273A0280	73-22	024273A0290	73-23								
74	PALLET		A	52427400101	2P/C, mm	124274A0010	74-1									74-3	
			B	52427400200	2P/C, inch	124274A0010	74-1										
			G	52427400701	FOR FMS(FOR 1 PALLET), mm, W/ PALLET ID	124274A0041	74-2										
			H	52427400801	FOR FMS(FOR 1 PALLET), inch, W/ PALLET ID	124274A0041	74-2										
			A	52427400900	2P/C, mm, W/O LOCATION BORE	124274A0050	74-4										74-7
			B	52427401000	2P/C, mm, W/O LOCATION BORE	124274A0050	74-4										
			C	52427401100	6P/C, mm, W/O LOCATION BORE	024274A0060	74-5										
			D	52427401200	6P/C, inch, W/O LOCATION BORE	024274A0060	74-5										
			E	52427401300	FOR FMS(FOR 1 PALLET), mm, W/O LOCATION BORE	124274A0050	74-4										
			F	52427401400	FOR FMS(FOR 1 PALLET), inch, W/O LOCATION BORE	124274A0050	74-4										
			G	52427401500	FOR FMS(FOR 1 PALLET), mm, W/ PALLET ID	124274A0080	74-6										
H	52427401600	FOR FMS(FOR 1 PALLET), inch, W/ PALLET ID	124274A0080	74-6													
78	SCALE		B	52427800200	X, Y, Z-AXIS	024278A0010	78-1	024278A0020	78-2	024278A0030	78-3					78-4	
85	USER OPTION		A	52428500400	WORK AIR BREATH	024285A0010	85-1									85-2	
			A	52428508300	WORK AIR BREATH 25000rpm SPINDLE (W/O OIL HOLE DRILL)	024285A0020	85-3									85-4	
			B	52428508400	WORK AIR BREATH 25000rpm SPINDLE (W/ OIL HOLE DRILL)	024285A0020	85-3										
90	OPTION TOOL		A	52429000101	OIL HOLE DRILL UNIT	024290A0010	90-1									90-2	
92	TOUCH SENSOR		A	52429200101	MONITOR SYSTEM B(RENISHAW), MAS	024292A0011	92-1										92-2
			B	52429200201	MONITOR SYSTEM B(RENISHAW), CAT	024292A0011	92-1										
			C	52429200301	MONITOR SYSTEM B(RENISHAW), YME-CAT	024292A0011	92-1										
			D	52429200400	PREPARATION FOR MOUNTING MONITOR B LATER(MAS, CAT, YME-CAT)	024292A0011	92-1										

CONTENTS

MODEL/MANUAL-NO. :FH-480/H242LA0017E

UNIT	ASS' NAME	EFF.	SEC.	UNIT-NO.	(SPECIFICATIONS)	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	DWG. NO.	PAGE	LIST-PAGE
95	TAP COOLANT		A	52429500100	30, 60TOOLS MAGAZINE	024295A0010	95-1	024295A0020	95-2							95-3