


HSC 30 *linear*

Heidenhain TNC 640

TECHNICAL DOCUMENTATION >> ELECTRICAL SYSTEM



DECKEL MAHO SEEBACH GMBH
Neue Straße 1, D-99846 Seebach
Tel. +49 [0] 369 29 - 81 0, Fax +49 [0] 369 29 - 81 24 08

DECKEL MAHO
Seebach GmbH

TECHNICAL DOCUMENTATION/ ELECTRICAL SYSTEM HSC 30 *linear*

General information 1

Safety information 2

Layout 3

Circuit diagram 4

Equipment list, wear parts list 5

6

7

8

9

10

Table of contents

1 General Notes

1.1 Basic information ... 1-4
1.1.1 Extent of documentation ... 1-4
1.1.2 Operating instructions ... 1-4
1.1.2.1 General ... 1-4
1.1.2.2 Contents ... 1-5
1.1.2.3 Symbols ... 1-5
1.1.3 Term "main switch" ... 1-6
1.1.4 Basic information ... 1-6
1.1.4.1 Prerequisites ... 1-6
1.1.4.2 Environmental and water protection ... 1-7
1.1.4.3 Company responsibilities ... 1-7
1.1.4.4 Staff qualification ... 1-7
1.1.4.5 Maintenance ... 1-8
1.1.5 Warranty ... 1-8
1.1.6 Warranty exclusion ... 1-8
1.1.7 Directives, Standards ... 1-9
1.1.7.1 EC directives ... 1-9
1.1.7.2 EN Standards ... 1-9
1.1.8 Machine use ... 1-9
1.1.8.1 Materials ... 1-9
1.1.9 Declaration of conformity ... 1-10
1.2 In and on the machine ... 1-12
1.2.1 Name plate ... 1-12
1.2.1.1 Machine data ... 1-13
1.2.1.2 Electrical performance data ... 1-15
1.2.1.3 Manufacturer data ... 1-16
1.2.2 Virus scanner ... 1-16
1.2.3 Machining spindle ... 1-16
1.2.4 Periodical inspection of accumulators ... 1-17
1.2.5 Spindle warm-up ... 1-17
1.2.6 Information on continuous axis operation ... 1-18
1.2.6.1 Rotary axis in NC circular table ... 1-18
1.2.6.2 Machining spindle and linear axes ... 1-19
1.3 During production ... 1-20
1.3.1 Information on machining accuracy ... 1-20
1.3.1.1 Temperature ... 1-20
1.3.1.2 Installation site ... 1-20
1.3.1.3 Warming up the machine ... 1-20
1.3.1.4 Tool temperature ... 1-21
1.3.2 Taking over available components ... 1-21
1.3.2.1 Machining programs ... 1-21

1.3.2.2 Devices ... 1-21
1.3.3 Workpieces ... 1-21
1.3.4 Machine collision ... 1-22
1.3.4.1 Machine during warranty period ... 1-22
1.3.4.2 Behaviour in case of collisions ... 1-22
1.3.5 Temperature compensation of the machine ... 1-23
1.3.6 Note to be observed during short-stroke machining ... 1-23
1.4 What else is important? ... 1-25
1.4.1 Misuses ... 1-25
1.4.1.1 EC Machinery Directive ... 1-25
1.4.1.2 Definition of misuse ... 1-25
1.4.1.3 List of misuses ... 1-25
1.4.2 Disposal of the machine ... 1-26

2 Safety Notes

2.1 General ... 2-6
2.1.1 General Safety Instructions ... 2-6
2.1.1.1 Hazards ... 2-6
2.1.1.2 Machine state ... 2-6
2.1.1.3 Personnel ... 2-7
2.1.1.4 Noise protection ... 2-9
2.1.1.5 Safety circuits ... 2-9
2.1.2 General occupational safety ... 2-10
2.1.2.1 Periphery of the machine ... 2-10
2.1.2.2 Walk-in machining compartment ... 2-11
2.1.3 Fire protection ... 2-12
2.1.3.1 Fire extinguishing system ... 2-12
2.1.4 Behaviour in case of danger situations and accidents ... 2-13
2.1.4.1 Behaviour in case of danger situations ... 2-13
2.2 In and on the machine ... 2-16
2.2.1 Safety devices ... 2-16
2.2.1.1 General ... 2-16
2.2.1.2 Cabin ... 2-16
2.2.1.3 EMERGENCY STOP button ... 2-17
2.2.1.4 SMARTkey (operating mode selection) ... 2-18
2.2.1.5 Agreement key ... 2-18
2.2.1.6 Speed control ... 2-18
2.2.1.7 Tool / workpiece clamping ... 2-18
2.2.2 Operation ... 2-18
2.2.3 Operating modes (BA) ... 2-19
2.2.3.1 Safety instructions as to the operating modes 2, 3 and 4 ... 2-20
2.2.3.2 Operating mode 2 ... 2-21
2.2.3.3 Operating mode 3 ... 2-22
2.2.3.4 Operating mode 4 ... 2-23
2.2.4 Warning on blinding ... 2-25

2.2.5 Inspection windows 2-25
2.2.5.1 Retention capacity of inspection windows 2-25
2.2.6 Laminated safety window 2-26
2.2.6.1 General 2-26
2.2.6.2 Operation after a collision 2-26
2.2.7 Standing under lift doors 2-26
2.2.8 Media supply 2-27
2.2.8.1 Hydraulics 2-27
2.2.8.2 Pneumatic system 2-27
2.2.8.3 Coolant lubricant system 2-27
2.2.8.4 Coolant system 2-28
2.2.9 Chip disposal 2-28
2.2.9.1 Chip disposal inside and on the machine 2-28
2.2.9.2 Chip conveyor 2-29
2.2.10 Maintenance 2-29
2.2.10.1 Vertical or slanted axes 2-31
2.2.11 Transport and installation 2-31
2.3 During production 2-32
2.3.1 Hazardous materials 2-32
2.3.1.1 Explosive / flammable materials 2-32
2.3.1.2 Emissions 2-32
2.3.1.3 Coolant lubricants non soluble in water 2-33
2.3.2 Working with magnesium 2-33
2.3.2.1 Notes on the machining of magnesium 2-35
2.3.3 Workpiece machining 2-37
2.3.4 Tools and tool change 2-38
2.3.4.1 Tools 2-38
2.3.4.2 Manual tool change 2-39
2.3.4.3 Automatic tool change 2-39
2.3.5 Working on the tool magazine 2-39
2.3.5.1 Working from the outside 2-39
2.3.5.2 Working in the magazine area 2-40
2.3.6 Zero point clamping system 2-40
2.3.6.1 Intended use 2-40
2.3.6.2 Safety information 2-40
2.3.7 Tool-dependent speed monitoring 2-41
2.4 What else is important? 2-42
2.4.1 Residual risks 2-42
2.4.1.1 Residual hazard due to crushing 2-42
2.4.1.2 Residual hazard due to shearing 2-43
2.4.1.3 Residual hazard due to cutting, severing 2-43
2.4.1.4 Residual hazard due to entanglement 2-44
2.4.1.5 Residual hazard due to drawing in, trapping 2-45
2.4.1.6 Residual hazard due to impacts 2-45
2.4.1.7 Residual hazard due to stabbing, puncture 2-47
2.4.1.8 Residual hazard due to friction, abrasion 2-47
2.4.1.9 Residual hazard due to fluid ejection 2-48

2.4.1.10 Residual hazard due to whipping hoses 2-48
2.4.1.11 Residual hazard due to impact and crushing 2-48
2.4.1.12 Residual hazard due to impact, stabbing when slipping 2-49
2.4.1.13 Residual hazard due to falling, tripping 2-49
2.4.1.14 Residual hazard due to direct electrical contact 2-49
2.4.1.15 Residual hazard due to indirect electrical contact 2-50
2.4.1.16 Residual hazard due to high voltage 2-50
2.4.1.17 Residual hazard due to electrostatic discharges 2-50
2.4.1.18 Residual hazard due to short-circuit, overload 2-51
2.4.1.19 Residual hazard due to burns, frostbites 2-52
2.4.1.20 Residual hazard due to hot, cold working environment 2-52
2.4.1.21 Residual hazard due to scalding 2-52
2.4.1.22 Residual hazard due to noise causing hearing impairment 2-53
2.4.1.23 Residual hazard due to noise causing disturbance of acoustic signals 2-53
2.4.1.24 Residual hazard due to radiation, audio frequency, radio frequency, microwaves 2-53
2.4.1.25 Residual hazard due to radiation, infrared, visible and ultraviolet light 2-53
2.4.1.26 Residual hazard due to contact to or inhalation of vapours and dusts 2-54
2.4.1.27 Residual hazard due to fire or explosion 2-54
2.4.1.28 Residual hazard due to biological / microbiological dangers 2-54
2.4.1.29 Residual hazard due to leaking of liquids 2-55
2.4.1.30 Residual hazard due to neglecting ergonomic principles, unhealthy posture, excessive effort 2-56
2.4.1.31 Residual hazard due to careless use of personal protective equipment 2-56
2.4.1.32 Residual hazard due to inadequate local lighting 2-56
2.4.1.33 Residual hazard due to mental overload or underload 2-57
2.4.1.34 Residual hazard due to human behaviour / human error 2-57
2.4.1.35 Residual hazard due to a combination of hazards 2-57
2.4.1.36 Residual hazard due to unexpected over-run from failure/disorder of the control system 2-58
2.4.1.37 Residual hazard due to unexpected start-up, unexpected over-run form external influences on electrical equipment 2-58
2.4.1.38 Residual hazard due to unexpected start-up, unexpected over-run due to software bugs not detected 2-58
2.4.1.39 Residual hazard due to unexpected start-up, unexpected over-run due to operating errors 2-59
2.4.1.40 Residual hazard due to breakage of components during operation, during maintenance or in case of service 2-59
2.4.1.41 Residual hazard due to ejected objects or liquids 2-59
2.4.1.42 Residual hazard due to failure to execute maintenance work 2-60
2.4.1.43 Residual hazard due to improper machine installation / connections 2-60
2.4.1.44 Residual hazard due to unintentionally or accidentally being trapped 2-60
2.4.1.45 Residual hazard due to power failure 2-61

3 Site plans

4 Wiring diagram

4.1 Electrical diagram..... 4-3

5 Device list, wear parts list