OPEN WATERCRAFT LT SERIES

LTWCI, LTWC-X, LTWCII, & LTWCII-X

TRITON TRAILERS





LTWCI

STANDARD FEATURES

- All-Aluminum Construction
- Galvanized Leaf Spring Axle
- All Axles Standard w/ Bearing Lube Hubs
- Sealed LED Marker Lights
- Infinite Slide Adjustable (ISA) Bow Stops
- Infinite Slide Adjustable (ISA) Bunks (6' Bunks)
- Winch Mount Standard on all PWC Trailers
- 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	LTWCI FRAME ASSEMBLY ONLY	LTWCI (1-PLACE)	LTWCI (1-PLACE)	LTWCI (1-PLACE)
Model Number	PWC24002-FRAME	LTWCI-G	LTWCI-G2	LTWCI-A
Number of Watercraft	--	1	1	1
Dimensions (WxL)	59.5"x173"	59.5"x173"	59.5"x173"	59.5"x173"
Axle(s) - Qty/Rating	1-2000# Idler	1-2000# Idler	1-2000# Idler	1-2000# Idler
GVWR	1980#	1980#	2000#	2000#
Wheels	--	12" Galvanized	12" E-Rated Galvanized	12" E-Rated Aluminum
Tires	--	4.80 X 12C	ST145/R12E	ST145/R12E
Jack	Not Standard	Not Standard	Not Standard	Not Standard
Curb Weight	195#	195#	195#	195#
Payload	1785#	1785#	1805#	1805#
Hitch Height	--	20"	20"	20"
Coupler Size	--	2"	2"	2"
Trailer Weight	--	195 lb	195 lb	195 lb
Carrying Capacity	--	1785 lb	1785 lb	1785 lb

OPTIONS & ACCESSORIES

OPTIONS
Galvanized Wheels (2) [WV, LTWCI, LTWCI-X LTWCI-T, & LTWCI-TX]
Stainless Steel Hardware Upgrade (WV, LTWCI, LTWCI-X LTWCI-T, & LTWCI-TX)
Retractable Tiedowns (1 Pair)
Diamond Plate Cargo Box
1,000# Swivel Tongue Jack
Gas Tray Kit
Loaded 1-1/16 Hub: LXT-LK, LTWCI, LTWCI-X, EWCII (Not Torsion Models)
Loaded 1-3/8 Hub: LTWCII
Gas Can Kit (Fits 2): EWCIV, EWCII, WC2-2, LTWCII, LTWCI

TRITON TRAILERS

WATERCRAFT LT SERIES

LTWCI, LTWCI-X, LTWCII, & LTWCII-X CONTINUED

LTWCI-X

STANDARD FEATURES

- All-Aluminum Construction
- Galvanized Leaf Spring Axle
- All Axles Standard w/ Bearing Lube Hubs
- Sealed LED Marker Lights
- Infinite Slide Adjustable (ISA) Bow Stops
- Infinite Slide Adjustable (ISA) Bunks (6' Bunks)
- Winch Mount Standard on all PWC Trailers
- Tongue Jack (Standard on LTWCI-X/ LTWCII-X models only)
- Retractable Ratchet Straps (Standard on LTWCI-X/LTWCII-X models only)
- 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	LTWCI-X FRAME ASSEMBLY ONLY	LTWCI-X (1-PLACE)	LTWCI-X (1-PLACE)	LTWCI-X (1-PLACE)
Model Number	PWC24002-X-FRAME	LTWCI-X-SM	LTWCI-X-SM2	LTWCI-X-A
Number of Watercraft	--	1	1	1
Dimensions (WxL)	59.5"x173"	59.5"x173"	59.5"x173"	59.5"x173"
Axle(s) - Qty/Rating	1-2000# Idler	1-2000# Idler	1-2000# Idler	1-2000# Idler
GVWR	2000#	1980#	2000#	2000#
Wheels	--	12" Silver Mod	12" E-Rated Silver Mod	12" E-Rated Aluminum
Tires	--	4.80 X 12C	ST145/R12E	ST145/R12E
Jack	1000# Tongue Jack	1000# Tongue Jack	1000# Tongue Jack	1000# Tongue Jack
Curb Weight	195#	195#	195#	195#
Payload	1785#	1785#	1805#	1805#
Hitch Height	--	20"	20"	20"
Coupler Size	--	2"	2"	2"
Trailer Weight	--	195 lb	195 lb	195 lb
Carrying Capacity	--	1805 lb	1805 lb	1805 lb

OPTIONS & ACCESSORIES

OPTIONS
Galvanized Wheels (2) [WV, LTWCI, LTWCI-X LTWCI-T, & LTWCI-TX]
Stainless Steel Hardware Upgrade (WV, LTWCI, LTWCI-X LTWCI-T, & LTWCI-TX)
Retractable Tiedowns (1 Pair)
Diamond Plate Cargo Box
Gas Tray Kit
Loaded 1-1/16 Hub: LXT-LK, LTWCI, LTWCI-X, EWCII (Not Torsion Models)
Loaded 1-3/8 Hub: LTWCII
Gas Can Kit (Fits 2): EWCIV, EWCII, WC2-2, LTWCII, LTWCI

TRITON TRAILERS

WATERCRAFT LT SERIES

LTWCI, LTWCI-X, LTWCII, & LTWCII-X CONTINUED

LTWCII

STANDARD FEATURES

- All-Aluminum Construction
- Galvanized Leaf Spring Axle
- All Axles Standard w/ Bearing Lube Hubs
- Sealed LED Marker Lights
- Infinite Slide Adjustable (ISA) Bow Stops
- Infinite Slide Adjustable (ISA) Bunks (6' Bunks)
- Winch Mount Standard on all PWC Trailers
- 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	LTWCII FRAME ASSEMBLY ONLY	LTWCII (2-PLACE)	LTWCII (2-PLACE)
Model Number	PWC24003-FRAME	LTWCII-SM	LTWCII-A
Number of Watercraft	--	2	2
Dimensions (WxL)	96"x181"	96"x181"	96"x181"
Axle(s) - Qty/Rating	1-2700# Idler	1-2700# Idler	1-2700# Idler
GVWR	2500#	2500#	2500#
Wheels	--	12" E-Rated Silver Mod	12" E-Rated Aluminum
Tires	--	ST145/R12E	ST145/R12E
Jack	Not Standard	Not Standard	Not Standard
Curb Weight	320#	320#	320#
Payload	2180#	2180#	2180#
Hitch Height	--	18"	18"
Coupler Size	--	2"	2"
Trailer Weight	--	320 lb	320 lb
Carrying Capacity	--	2180 lb	2180 lb

OPTIONS & ACCESSORIES

OPTIONS
Galvanized Wheels (2) [WV, WAVE II, LTWCII, ELITE WCII]
Stainless Steel Hardware Upgrade (WV, WAVE II, LTWCII, ELITE WCII)
Retractable Tiedowns (1 Pair)
Diamond Plate Cargo Box
Gas Tray Kit
Loaded 1-1/16 Hub: LXT-LK, LTWCI, LTWCI-X, EWCII (Not Torsion Models)
Loaded 1-3/8 Hub: LTWCII
Gas Can Kit (Fits 2): EWCIV, EWCII, WC2-2, LTWCII, LTWCI

TRITON TRAILERS

WATERCRAFT LT SERIES

LTWCI, LTWCI-X, LTWCII, & LTWCII-X CONTINUED

LTWCII-X

STANDARD FEATURES

- All-Aluminum Construction
- Galvanized Leaf Spring Axle
- All Axles Standard w/ Bearing Lube Hubs
- Sealed LED Marker Lights
- Infinite Slide Adjustable (ISA) Bow Stops
- Infinite Slide Adjustable (ISA) Bunks (6' Bunks)
- Winch Mount Standard on all PWC Trailers
- Tongue Jack (Standard on LTWCI-X/ LTWCII-X models only)
- Retractable Ratchet Straps (Standard on LTWCI-X/LTWCII-X models only)
- 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	LTWCII-X FRAME ASSEMBLY ONLY	LTWCII-X (2-PLACE)	LTWCII-X (2-PLACE)
Model Number	PWC24003-X-FRAME	LTWCII-X-SM	LTWCII-X-A
Number of Watercraft	--	2	2
Dimensions (WxL)	96"x181"	96"x181"	96"x181"
Axle(s) - Qty/Rating	1-2700# Idler	1-2700# Idler	1-2700# Idler
GVWR	2500#	2500#	2500#
Wheels	--	12" E-Rated Silver Mod	12" E-Rated Aluminum
Tires	--	ST145/R12E	ST145/R12E
Jack	1000# Tongue Jack	1000 # Tongue Jack	1000 # Tongue Jack
Curb Weight	320#	320#	320#
Payload	2180#	2180#	2180#
Hitch Height	--	18"	18"
Coupler Size	--	2"	2"
Trailer Weight	--	320 lb	320 lb
Carrying Capacity	--	2180 lb	2180 lb

OPTIONS & ACCESSORIES

OPTIONS
Galvanized Wheels (2) [WV, LTWCI, LTWCI-X LTWCI-T, & LTWCI-TX]
Stainless Steel Hardware Upgrade (WV, LTWCI, LTWCI-X LTWCI-T, & LTWCI-TX)
Retractable Tiedowns (1 Pair)
Diamond Plate Cargo Box
Gas Tray Kit
Loaded 1-1/16 Hub: LXT-LK, LTWCI, LTWCI-X, EWCII (Not Torsion Models)
Loaded 1-3/8 Hub: LTWCII
Gas Can Kit (Fits 2): EWCIV, EWCII, WC2-2, LTWCII, LTWCI

TRITON TRAILERS

PWC PARTS

DESCRIPTION
Bracket, Bunk Mounting Tee
Roller, Bow Support - WC
Locking Plate, Bow Support - WC
Bow Stop Assembly, RD SS (EWCII-2013 & Before)
Assembly, Bunk 5' SS
Axle Bracket - Front (LTWCII)
Bow Stop Assembly, RH Z/Y (LTWCII-2013 & Before)
Bow Stop Assembly, RH SS (WCIV)
Shackle Bolt Kit (4-Bolts, 4-Nuts)
Bow Stop Assembly, LH WCIV
Bow Stop Assembly, RH WCIV
Bow Stop Assembly, LH Z/Y, (LTWCII-2013 & Before)
Bow Stop Assembly, LH SS, (EWCII-2013 & Before)
5' Bunk Assembly, Z/Y, LTWC
Bunk Bracket Assembly, Z/Y, LTWCII
Bunk Bracket Assembly, SS, EXCII/IV
Winch, 1200# LH W/Strap (2015 & Before)
Bow Stop Assembly, LH SS, EWCIV
Bracket, 8" Bolster-LXT-WAVE
Bracket, Swivel-LXT/WAVE
Bunk Bracket Assembly
5' Bunk Assembly, LXT/WAVE
Bow Support Bracket - WC

DESCRIPTION
Bow Stop Assembly, Z/Y-LTWCI
Bunk Assembly, 6' SS (EIITE WC)
Bunk Support Bracket
Cover, Winch 600# (2015 & Before)
Bunk Support Assembly
Cover, Winch 1200# (2015 & Before)
Assembly, Bow Stop RH (WC2-2-2013 & Before)
Assembly, Bow Stop LH (WC2-2-2013 & Before)
Torsion Conversion Kit
Assembly, Bow Stop LXT/WAVE
Assembly, ISA Bow Stop - LTWCI
Bunk Assembly, 6' - LTWC/II
SS Bunk Assembly, 6' - ELITEWC
Assembly, ISA Bow Stop RH - LTWCII
Assembly, ISA Bow Stop RH - SS-ELITEWCII
Assembly, ISA Bow Stop LH - LTWCII
Assembly, ISA Bow Stop LH - SS-ELITEWCII
Assembly, ISA Bow Stop RH - WC2-2
Assembly, ISA Bow Stop LH - WC2-2
Winch, 600# W/Strap (2016-Current)
Winch, 900# W/Strap (2016-Current)
Winch Strap 15' (2016-Current)
Winch Strap 25' (2016-Current)

TRITON TRAILERS

ADDITIONAL LIGHT OPTIONS

DESCRIPTION
Light, 2 1/2” Round Amber Clearance
Light, 2 1/2” Round Red Clearance
Grommet, 2 1/2” Round
Bracket, License Plate Light Kit
Tail Light, Oval
Bracket, License Plate (Plastic)
Light, 2” Round Red Clearance
Grommet, 2” Round
Lens, Side and Tail - LXT/XTV
Reflector, Amber
Light, 2” Round Amber Clearance
Grommet, Rectangle Clearance Light
Light, Rectangle License Plate, Clear
Reflector, Red
Grommet, Oval Tail
Light, Rectangle Clearance, Red
Light, Rectangle Clearance, Amber
Tail Light, RH (LXT/XTV/DOP)
Tail Light, LH (LXT/XTV/DOP)
Reflector, Amber - AUT
Light, ID Bar
Light, 2 1/2” Round Red Clearance - WCII
Grommet, 2 1/2” Closed Black
Amber Clearance Light - WAVE (2015)
Red Clearance Light - WAVE (2015)

DESCRIPTION
Light, Rect. Clearance Red - Enc.
Light, Rect. Clearance Amber - Enc.
Bracket, W/.180 Bullet - (07846/07847)
LED Light, 2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Amber
LED Light, Oval Tail Light
Light, Clearance Amber STICKON - LXT
Lens, Amber LXT
LED Light, Clearance - 4" Rec. Red - Enc.
LED Light, Clearance - 4" Rec. Amber - Enc.
LED Light, Clearance - 2 1/2" Rec. Red - Enc.
LED Light, Clearance - 2 1/2" Red - Super 10
LED Light, Clearance - 2" Round, Amber
LED Light, Clearance Rect., Amber
Light, Halogen
Light, Fender Clearance Combo
LED Light, License Plate
LED Light, Round White Flush Mount
LED Tail Light, Bar w/Reflex
LED Marker Light, Bullet Red W/Grom
LED Marker Light, Bullet Amber W/Grom
Tail Light Bar LED - Vault/Enc.
LED, CID Bar
Tail Light Oval LED - WAVE