




NEW CATALOG
UPDATES!



PAINT VALLEY EQUIPMENT PRODUCT CATALOG 2026

330-674-0081 | www.paintvalleyequipment.com

Durable U.S.-Manufactured Parts for Heavy Construction Equipment

WELCOME TO OUR DIGITAL CATALOG



Crop

Crop any part of the page and instantly share, print or download



Print

Print Catalog Page Range



Table of Contents

Toggles the interactive table of contents




Switch Page View

Click to switch page between single or double page views



Share

Click to share catalog page(s) on social media or email



Thumbnails

Brings up small page thumbnails at the bottom of the screen



Search

Easily search by brand, part number or product description



Add a Note

Click to add a note on a specific page



Wishlist

Any Product SKU that is highlighted is clickable and can be added to a personal quote list. Click the my quote icon to view your saved products, download related Technical and Product Data Sheets and print or email directly to our sales team for fulfillment.

TABLE OF CONTENTS

SECTION A	TRACK ADJUSTERS, SPRING ASSEMBLIES, ROCKGUARDS & WEAR PARTS
SECTION B	HYDRAULIC CYLINDERS & PUMPS
SECTION C	DOZER BLADE PARTS, CRAWLER LOADER PARTS, & SUSPENSION PARTS
SECTION D	EXCAVATOR BUCKET LINKAGE, PINS, & BUSHINGS
SECTION E	WHEEL LOADER LINKAGE, BELLCRANKS, PINS, & BUSHINGS
SECTION F	BRAKE PARTS, STEERING CLUTCH PARTS, & WINCH PARTS
SECTION G	LOADER BACKHOE FRONT & REAR AXLE PARTS
SECTION H	BACKHOE PARTS - STABILIZER PARTS, LINKAGE, PINS, & BUSHINGS
SECTION I	SWEEPS, SCREENS, SIDE SHIELDS, & ENGINE COMPARTMENT DOORS
SECTION J	TRANSMISSION, FINAL DRIVE PARTS, BEARING KITS, & DUO CONE SEALS
SECTION K	SEATS, EXHAUST PARTS, RADIATORS, WATER PUMPS, & MISC.
SECTION L	BUCKETS, CUTTING EDGES, THUMBS, RAKES, LOG ARCHES, & FORKS

SECTION A

TRACK ADJUSTERS, SPRING ASSEMBLIES, ROCK GUARDS & WEAR PARTS



www.paintvalleyequipment.com

Phone: 877-774-0081

Chain Guides

Idler Guide & Wear Plates

Recoil & Adjuster Assemblies

Rock Guards

Springs & Spring Assemblies

Track Adjusters (Dozers)

Track Adjuster & Spring Covers

SECTION A

TRACK FRAME COMPONENTS

	Page
CASE TRACK ADJUSTER COMPONENTS - DOZERS	
310, 350	A1
450	A2
450B, 450C	A3
550E, 550G, 550H	A3
650, 650G, 850B, 850C, 855C, 850D, 855D	A4
650, 650G, 650H, 650K, 650M	A5
750H, 750K, 750L, 750M	A5
850D, 850E, 850G, 850H, 850K, 850L, 850M	A5
1150B	A6
1150C, 1150D, 1150E, 1150G, 1150H, 1155D, 1155E	A7
1450, 1450B, 1455B, 1550	A7
JOHN DEERE TRACK ADJUSTER COMPONENTS - DOZERS	
350, 350B, 350C, 350D, 440, 400G, 1010	A8
450, 450B, 450C, 450D, 450E	A9
550, 550B, 555, 555B	A9
450G, 455G, 550G, 555G, 650G	A10, A11
450H, 550H, 650H	A12, A13
450J, 550J, 650J	A12, A13
450K, 450 P, 550K, 550 P, 650K, 650 P	A12, A13
700H, 700J, 700K, 700L, 700 P	A14 - A16
750J, 750K, 750L, 750 P, 850J, 850K, 850L, 850 P, 850X	A17
655, 655B, 750, 750B, 750C, 755, 755A, 755B	A18
850, 850B, 850C	A18
CATERPILLAR TRACK ADJUSTER COMPONENTS - DOZERS	
D3, D3B, D3C, D4, D4C	A19
D3C, D3G, D4C, D4G	A20
D5C, D5G	A21
D5K, D5K2, D3 Next Gen	A22, A23
D6K, D6K2	A24
DRESSER TRACK ADJUSTER COMPONENTS - DOZERS	A25, A26
KOMATSU TRACK ADJUSTER COMPONENTS - DOZERS	
D31, D37	A27
D61	A28
CASE ROCKGUARDS AND GUIDES - DOZERS	A29 - A31
JOHN DEERE ROCKGUARDS AND GUIDES - DOZERS	A32 - A34
CAT ROCKGUARDS AND GUIDES - DOZERS	A34
KOMATSU ROCKGUARDS AND GUIDES - DOZERS	A34
EXCAVATOR CHAIN GUIDES	A35
EXCAVATOR TRACK ADJUSTER / RECOIL ASSEMBLIES	
JOHN DEERE & HITACHI	A36, A37
KOMATSU	A37
CATERPILLAR	A38, A39


Meet The **PVE** Team



PVE Core Values




Be **RESPONSIVE** to your needs through excellence customer service




Continually be **INNOVATIVE** to provide premium industry solutions and unbeatable services to you




Be **RESPECTFUL** as we humbly serve you, the business partner and your customers



Be **COMMUNITY** oriented serving industry and local community involvement initiatives




Ref.	Part No.	Description	Notes	Qty.	Wt.
1	217-532	Plug	All adjusters	2	0.2
2	D35287	Fitting	Case track adjusters	2	0.1
CASE 310, 350					
3	D42202	Track Adjuster Assembly		2	14
	D42199	Tube		2	9
	R48241	Rod		2	8
	907001	Seal Kit		2	1
CASE 350B					
4	R41362	Track Adjuster Assembly		2	17
	D42199	Tube		2	9
	R48240	Rod		2	8
	907001	Seal Kit		2	1
CASE 310 For Manual Adjuster					
5	D39498	Track Tension Spring		2	25
6	D20845	Bolt		2	7
7	D20844	Threaded Ring		2	3.4
8	D20843	Threaded Nut		2	1.4
9	PV415	Adapter	To bolt Adjuster To New Style Idler	2	11
CASE 350, 350B					
10	R46068	Recoil Spring Assemb R/H or L/H		2	48
11	D43513	Adjuster Shield		2	7
12	D43510	Adjuster Mount	Not available	2	
13	D42198	Top Roller Bracket		2	8
To use R46068 on 310 machines, use Reference # 3 & # 12 with 350 style idler					
CASE 310, 350, 350B					
14	D35276	Wear Plate	3/8" thick	4	3
14A	PV432	Wear Plate	1/2" thick	4	3
15	D43509	Idler Guide Plate		4	3



Ref.	Part No.	Description	Notes	Qty.	Wt.
	217-532	Plug	All adjusters	2	0.2
	D35287	Fitting	Case track adjusters	2	0.1
CASE 450 to s/n 3050800					
1	D35504	Track Adjuster Assembly	2 Bolt	2	24
1A	D35507	Yoke	6 1/4" Center to Center	2	16
	D35506	Rod w/ hole		2	8
	907002	Seal Kit		2	1
CASE 450 to s/n 3050800					
1	D48596	Track Adjuster Assembly	2 Bolt	2	26
1B	D48595	Yoke	7 3/8" Center to Center	2	18
	D35506	Rod w/ hole		2	8
	907002	Seal Kit		2	1
CASE 450 after s/n 3050800					
2	R29709	Track Adjuster Assembly	4 Bolt	2	33
	R24561	Yoke		2	20
	R51793	Rod		2	8
	907002	Seal Kit		2	1

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 450B, 450C, 455, 455B, 455C					
3	R51909	Track Adjuster Assembly		2	39
	389390A1	Yoke		2	30
	R51793	Rod		2	8
	907002	Seal Kit		2	1
CASE 450C Long Track, 550 to s/n JAK0013968					
3	R54459	Track Adjuster Assembly		2	45
	389390A1	Yoke		2	30
	R54460	Rod		2	15
	907002	Seal Kit		2	1
CASE 550 after s/n JAK0013968					
3	R57442	Track Adjuster Assembly		2	45
	389390A1	Yoke		2	30
	R57443	Rod		2	15
	907002	Seal Kit		2	1
CASE 550E, 550G, 550H (steel track models only)					
3	R58480	Track Adjuster Assembly		2	41
	389390A1	Yoke		2	30
	R58450	Rod		2	9
	907002	Seal Kit		2	1
	R58451	Rod Spacer		2	6.5
CASE 450 to s/n 3050800					
4	PV603	Recoil Spring Assembly L/H		1	80
5	D35355	Top Roller Mounting Bracket L/H		1	28
6	PV604	Recoil Spring Assembly R/H		1	80
7	D35354	Top Roller Mounting Bracket R/H		1	28
8	D35277	Recoil Spring		2	40
9	D38668	Bolt		2	8
10	D47539	Nut		2	5.7
11	D35337	Spring Cover		2	12
12	D48593	Idler Bracket R/H	Use with D48596 Track Adjuster	2	26
13	D48592	Idler Bracket L/H	Use with D48596 Track Adjuster	2	26
CASE 450 (After s/n 3050800) 450B, 450C, 455C, 550, 550E, 550G, 550H					
14	187916A2	Recoil Spring Assembly L/H	Will replace 109711A2	2	100
15	187917A2	Recoil Spring Assembly R/H	Will replace 109712A2	2	100
16	R57631	Adjuster Cover	550, 550E, 550G, 550H	2	3
CASE 450, 450B, 450C, 455C, 550, 550E, 550G, 550H					
17	144392A3	Idler Wear Kit	For R58710 Idler	2	2.8
18	R52401	Spacer Plate	450C, 550, 550E	4	1
19	R58373	Wear Plate, 3/8" thick	550E, 550G, 550H	4	2
20	D35276	Wear Plate, 3/8" thick	450, 450B, 455B, 450C, 455C, 550	4	3
20A	PV432	Wear Plate, 1/2" thick	(D35276)	4	3
21	D35269	Idler Guide Plate	450	4	4
22	R48847	Idler Guide Plate	450B	4	4
23	R49772	Idler Guide Plate	450C, 455C, 550, 550E, 550G, 550H	4	4
	D35270	Idler Shaft	450, 450B, 455B	2	5




Ref.	Part No.	Description	Notes	Qty.	Wt.
2	217-532	Plug	All adjusters	2	0.2
3	D35287	Fitting	Case track adjusters	2	0.1
CASE 650, 650G					
1	R57098	Track Adjuster Assembly	5 roller track frame	2	54
4	R31976	Yoke		2	34
5	R57099	Rod		2	19
6	907004	Seal Kit		2	1
CASE 850, 1150					
7	D39930	Track Adjuster Assembly		2	28
8	D36357	Tube		2	17
5	D36361	Rod		2	11
6	907003	Seal Kit		2	1
4	D36360	Yoke	850, 1150 6 roller track frame	2	40
CASE 850B, 850C, 850D, 855C, 855D					
1	R32467	Track Adjuster Assembly	5 Roller track frame	2	52
4	R31976	Yoke		2	34
5	R31983	Rod		2	18
6	907004	Seal Kit		2	1
CASE 650, 650G, 650H, 750H, 850B, 850C, 850D, 850E, 850G, 850H, 855C, 855D, 855E					
9	334260A1	Recoil Spring Assembly	R/H & L/H are same	2	129
10	123529A2	Spring Cover	650G, 650H, 750H, 850G, 850H Only	2	22
11	R57604	Adjuster Shield, Front, 14.17" Long	Not for 650H	2	6
11	R46855	Adjuster Shield, Front 11.81" Long	NLA, Order R57604	2	
11	126564A1	Adjuster Shield, Front, 20.625" Long	850D LT, 850E LT, 850G	2	8
12	R35422	Adjuster Shield, Rear	L/H	1	4
13	R35423	Adjuster Shield, Rear	R/H	1	4


TRACK ADJUSTERS

CASE

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 650, 650G, 650H, 750H, 850B, 850C, 850D, 850E, 850G, 850H, 855C, 855D, 855E (Cont.)					
14	D45485	Top Roller Bracket		2	8
15	144393A3	Idler Wear Kit	For 103384A1 Idler	2	3.5
16	R45568	Spacer Plate		4	1
17	R32465	Wear Plate	3/8" thick	4	2
17	PV433	Wear Plate	1/2" thick	4	3
18	R45570	Idler Guide Plate		4	4



CASE 650G, 650H, 750H, 850D, 850E, 850G, 850H					
1	129162A1	Track Adjuster*	6 Roller track frame	2	52
23	R31976	Yoke		2	34
24	345091A1	Rod		2	15
26	907004	Seal Kit		2	1
25	345070A2	Tube, Rod Extension	650G, 750H, 850H	2	4.5
25	328671A2	Tube, Rod Extension	650H	2	3.6
25	345071A1	Tube, Rod Extension	850D LT, 850E, 850G	2	10
CASE 650K, 750K, 750L, 750M Tier4A, 850K, 850L, 850M Tier4A					
1	435383A1	Track Adjuster*	R/H	1	52
23	435378A1	Yoke	R/H	1	35
24	345091A1	Rod		2	15
26	907004	Seal Kit		2	1
1	435384A1	Track Adjuster*	L/H	1	52
23	435379A1	Yoke	L/H	1	35
24	345091A1	Rod		2	15
26	907004	Seal Kit		2	1
25	429594A1	Tube, Rod Extension	650K, 750K Ser. 1, 850K Ser. 1	2	4.5
25	87571955	Tube, Rod Extension	750K Ser. 2, 750L	2	3.5
25	436240A1	Tube, Rod Extension	850K Ser. 2, 850K Ser. 3, 850L	2	5.5
CASE 650L					
1	87631118	Track Adjuster*		2	47
23	NSS	Yoke		2	
24	345091A1	Rod		2	15
26	907004	Seal Kit		2	1
25	87650042	Tube, Rod Extension		2	9.5
CASE 650M					
1	48119441	Track Adjuster*		2	54
23	48119443	Yoke		2	38
24	48119445	Rod		2	15.5
26	48124898	Seal Kit	Also fits 750M Tier 4B, 850M Tier 4B	2	0.2
25	47976765	Extension Tube		2	10




Ref.	Part No.	Description	Notes	Qty.	Wt.
	217-532	Plug	All adjusters	2	0.2
	D35287	Fitting	Case track adjusters	2	0.1
CASE 1150B					
	R27161	Track Adjuster Assembly		2	30
25	R26024	Rod		2	19
26	R25658	Inner Tube		2	10
	907004	Seal Kit		2	1
27	R43258	Idler Yoke		2	28
28	R40630	Recoil Spring Assembly	Dozer models only	2	186
29	R25664	Large Tube	Threaded	2	11


TRACK ADJUSTERS

CASE


Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 1150C, 1150D, 1150E, 1155D, 1155E					
1	R45815	Track Adjuster Assembly	6 Roller track frame	2	58
	R45458	Yoke		2	38
	R39210	Rod		2	20
	907004	Seal Kit		2	1
CASE 1150C, 1150D, 1150E Long Track & LGP, 1150G, 1150H					
1	R45460	Track Adjuster Assembly	7 Roller track frame	2	72
	R45458	Yoke		2	38
	143807A1	Rod		2	33
	907004	Seal Kit		2	1
CASE 1450, 1455					
2	PV312	Track Adjuster Assembly	6 Roller track frame	2	64
	R54263	Yoke		2	48
	R28359	Rod		2	15
	907004	Seal Kit		2	1
CASE 1450B, 1455B, 1550					
2	R52132	Track Adjuster Assembly	6 Roller track frame	2	76
	R54263	Yoke		2	48
	R34798	Rod		2	31
	907004	Seal Kit		2	1
CASE 1450B, 1550 Long Track & LGP					
2	R52131	Track Adjuster Assembly	7 Roller track frame	2	95
	R54263	Yoke		2	48
	R43141	Rod		2	46
	907004	Seal Kit		2	1
CASE 1150C, 1150D, 1155D, 1150E, 1155E, 1150G, 1150H					
	R43094	Recoil Spring Assembly	1150C		
		(Order (1) R57728, (1) PV336, (2) R45634, brackets are welded on 1150C)			
3	R57728	Recoil Spring Assy.	1150D, 1155D, 1150E, 1155E, 1150G, 1150H, 1150K Ser.3	2	151
4	PV336	Recoil Spring Cover	1150C Dozer	2	31
	R45472	Recoil Spring Cover	1150D, 1155D, 1150E, 1155E, 1150G, 1150H	2	26
5	R45634	Bracket	1150D, 1155D, 1150E, 1155E, 1150G, 1150H	4	5
CASE 1150B, 1150C, 1150D, 1150E, 1150G, 1150H, 1155B, 1155C, 1155D, 1155E					
6	144394A3	Idler Wear Kit	For R58616 Idler	2	7
7	R25692	Wear Plate		4	4
8	R40782	Wear Plate	3/8" thick	4	3
8	PV434	Wear Plate	1/2" thick	4	4
9	R25694	Thrust Block Inner		8	3
11	R30204	Idler Guide Plate		4	5
12	R44516	Idler Guide Plate		4	5
13	R52679	Wear Plate		4	5
14	R27143	Top Roller Bracket		2	20
24	R36522	Bracket	Equalizer Beam, 1150C	2	38



Ref.	Part No.	Description	Notes	Qty.	Wt.
	217-532	Plug	<i>All adjusters</i>	2	0.2
	2S5925	Fitting	<i>Will not fit OEM Adjusters</i>	2	0.1
JOHN DEERE 440, 350, 350B, 350C, 350D, 1010, 400G					
1	PV303	Track Adjuster Assembly	<i>5 Roller track frame</i>	2	38
	T145145	Yoke		2	22
	AT36389	Rod		2	14
	905000	Seal Kit		2	1
JOHN DEERE 400G Long Track					
1	PV302	Track Adjuster Assembly	<i>6 Roller track frame</i>	2	46
	T145145	Yoke		2	22
	AT36390	Rod		2	17
	905000	Seal Kit		2	1
JOHN DEERE 350, 350B, 350C, 350D, 1010, 400G					
2	PV601	Recoil Spring Assembly		2	51
3	T10018	Spring Cover		2	10
4	T27516	Idler Guide Plate		8	0.4
5	T20850	Shim	<i>350, 350B, 350C, 350D, 400G</i>	AR	0.05
6	T20851	Threaded Plate		4	1.1
7	T20852	Shim	<i>350, 350B, 350C, 350D, 400G</i>	12	0.1
8	T16844	Idler Shaft	<i>350, 350B, 350C, 350D, 2010</i>	2	6.6
9	AT133230	Wear Plate		4	2




Ref.	Part No.	Description	Notes	Qty.	Wt.
	217-532	Plug	All adjusters	2	0.2
	2S5925	Fitting	Will not fit OEM Adjusters	2	0.1
JOHN DEERE 450 Loader, 450, 450B, 450C, 450D, 450E, 550, 550B, Dozer					
1	PV300	Track Adjuster Assembly	5 Roller track frame	2	50
	T20700	Yoke		2	34
	AT36391	Rod		2	15
	905000	Seal Kit		2	1
JOHN DEERE 450E, 550, 550B, Long Track					
1	PV305	Track Adjuster Assembly	6 Roller track frame	2	57
	T20700	Yoke		2	34
	AT113396	Rod		2	19
	905000	Seal Kit		2	1
JOHN DEERE 450B, 450C, 455D, 455E, 555, 555B, Loader					
1	PV301	Track Adjuster Assembly	5 Roller track frame	2	55
	T20700	Yoke		2	34
	AT36390	Rod		2	17
	905000	Seal Kit		2	1
JOHN DEERE 450, 450B, 450C, 450D, 450E, 455D, 455E, 550, 550B, 555, 555B					
2	T40826	Front Idler Shaft	T21393	2	9.5
3	AT31128	Top Roller Bracket		2	29
4	T106882	Recoil Spring		2	50
5	AT84806	Spring Cover		2	12
6	T112813	Idler Guide Plate		4	2
7	T20696	Threaded Plate		4	1.3
8	T20697	Shim	Idler Wear & Idler Guide	AR	0.1
9	AT21030	Wear Strip Set	Set of 4 pcs.	2	5
10	T32049	Cap, rear		2	14
11	T106909	Cap, front		2	9.2
12	PV3682	Bolt	To install spring	1	4




Ref.	Part No.	Description	Notes	Qty.	Wt.
	217-532	Plug	All adjusters	2	0.2
	2S5925	Fitting	Will not fit OEM Adjusters	2	0.1
JOHN DEERE 450G, 455G					
1	PV304	Track Adjuster Assembly	5 Roller track frame	2	60
	T147438	Yoke		2	34
	AT124172	Rod		2	28
	SK100103	Seal Kit		2	0.2
JOHN DEERE 550G to s/n 770862					
1	PV306	Track Adjuster Assembly		2	60
	T147438	Yoke		2	34
	AT124171	Rod		2	26
	SK100103	Seal Kit		2	0.2
JOHN DEERE 555G					
1	PV313	Track Adjuster Assembly	6 Roller track frame	2	60
	T147438	Yoke		2	34
	AT124174	Rod		2	33
	SK100103	Seal Kit		2	0.2
JOHN DEERE 450G LT & LGP, 550G after s/n 770862, 650G					
1	PV314	Track Adjuster Assembly	6 Roller track frame	2	60
	T147438	Yoke		2	34
	AT124173	Rod		2	30
	SK100103	Seal Kit		2	0.2

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450G, 455G, 550G					
2	T106882	Recoil Spring		2	50
3	T32049	Cap, rear		2	14
4	PV3682	Bolt	<i>To install spring</i>	1	4
5	T106909	Cap, front		2	9.2
6	T121455	Spring Cover	<i>s/n -770862</i>	2	1
7	AT161857	Top Roller Bracket	<i>455G s/n -770862, 450G, 550G</i>	2	32
7	AT161844	Top Roller Bracket	<i>455G s/n 770863-</i>	2	32
8	T40826	Idler Shaft		2	9.5
9	T112813	Idler Guide Plate		4	2
10	T20696	Threaded Plate		4	1.3
11	T20697	Shim	<i>Idler Wear & Idler Guide</i>	AR	0.1
12	T105530	Wear strip	<i>On track frame</i>	4	0.7
13	T144187	Plate		4	0.5
14	T144186	Shim		AR	0.5
JOHN DEERE 450G, 455G, after s/n 770862					
15	T158525	Cover L/H	<i>5 Roller track frame</i>	1	30
15	T158526	Cover R/H		1	30
16	AT175386	Cover, Rear	<i>R/H or L/H</i>	2	17
16	AT172539	Step	<i>All G Models</i>	2	8.5
JOHN DEERE 450G Long Track & LGP, 550G, after s/n 770862					
15	T158527	Cover R/H	<i>6 Roller track frame</i>	1	30
15	T158528	Cover L/H		1	30
16	AT175394	Cover, Rear R/H		1	18
16	AT175395	Cover, Rear L/H		1	18
17	AT172539	Step	<i>All G Models</i>	2	8.5
JOHN DEERE 555G, 650G					
2	T105605	Recoil Spring		2	68
3	T32049	Cap, rear		2	14
4	PV3682	Bolt	<i>To install spring</i>	1	4
5	T106909	Cap, front		2	9.2
6	T121455	Spring Cover	<i>s/n -770862</i>	2	11
7	AT161857	Top Roller Bracket	<i>555G s/n -770862, 650G</i>	2	32
7	AT161844	Top Roller Bracket	<i>555G s/n 770863-</i>	2	32
15	T158535	Cover R/H	<i>650G s/n 770863-852135</i>	1	29
15	T158536	Cover L/H	<i>650G s/n 770863-852135</i>	1	30
16	AT175394	Cover Rear R/H		1	18
16	AT175395	Cover Rear L/H		1	18
17	AT172539	Step	<i>used with T158535, T158536, use with pads less than 18"</i>	1	8.5
9	T105526	Guide Plate		4	2
10	T20696	Threaded Plate		4	1.3
11	T105529	Shim		AR	0.1
12	T105530	Wear strip	<i>On track frame</i>	4	0.7
13	T144188	Plate		4	1
14	T144189	Shim		AR	1



Ref.	Part No.	Description	Notes	Qty.	Wt.
	217-532	Plug	All adjusters	2	0.2
	2S5925	Fitting	Will not fit OEM Adjusters	2	0.1
JOHN DEERE 450H					
1	PV323	Track Adjuster Assembly	5 Roller Track Frame	2	45
	T169180	Yoke		2	31
	AT207649	Rod		2	13
	SK100103	Seal Kit		2	0.2
JOHN DEERE 450H LT, 450H LGP, 550H LT, 550H LGP 450J LT, 450J LGP, 550J LT, 550J LGP, (standard UC) 450K, 550K s/n 305398-, 450 P, 550 P (heavy duty UC)					
1	PV324	Track Adjuster Assembly	6 Roller Track Frame	2	45
	T169180	Yoke		2	31
	T257068	Rod		2	13
	SK100103	Seal Kit		2	0.2
JOHN DEERE 650H LT, 650H LGP, 650J LT s/n -159986 DOZERS, 605C s/n -010724 LOADER					
1	PV325	Track Adjuster Assembly	6 Roller Track Frame	2	52
	T169180	Yoke		2	31
	AT211001	Rod		2	20
	SK100103	Seal Kit		2	0.2


Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 650H XLT, 650J XLT s/n -159986, 650J LGP s/n -159986 550K s/n -303907 (standard UC, 42 Link)					
1	PV326	Track Adjuster Assembly	7 Roller Track Frame	2	60
	T169180	Yoke		2	31
	T257067	Rod		2	28
	SK100103	Seal Kit		2	0.2
JOHN DEERE 450J LT, 450J LGP, 550J LT, 550J LGP, (s/n 159987- max life UC) 650J LT s/n 159987-, (450K, 550K s/n 305398- max life UC) 450 P, 550 P (max life UC, 37 Link), 605C s/n 010725-, 605K LOADER					
1	PV329	Track Adjuster Assembly	6 Roller Track Frame	2	61
	T223025	Yoke		2	32
	T257066	Rod		2	28
	SK100103	Seal Kit		2	0.2
JOHN DEERE 650J XLT s/n 159987-, 650J LGP s/n 159987- 550K s/n -303907 (max life UC, 39 Link), 650K XLT, 650K LGP, 650 P					
1	PV330	Track Adjuster Assembly	7 Roller Track Frame	2	61
	T223025	Yoke		2	32
	T257067	Rod		2	28
	SK100103	Seal Kit		2	0.2
JOHN DEERE 450H, 450J, 450K, 450 P, 550H, 550J, 550K, 550 P, 650H, 650J, 650K, 650 P					
2	T106882	Recoil Spring	450H, 450J, 450K, 450 P, 550H, 550J, 550K, 550 P	2	50
2	T105605	Recoil Spring	650H, 650J, 650K, 605K, 650 P	2	68
3	T32049	Cap, rear		2	14
4	PV3682	Bolt	To install spring	1	4
5	T172899	Guide Plate		4	1.9
6	T105530	Wear strip	On track frame	4	0.7
7	T20696	Threaded Plate		4	1.3
12	T173517	Shim		AR	0.1
10	T106909	Cap, front		2	9.2
11	T204192	Front Chain Guide Slide		4	7
JOHN DEERE 450H, 450J, 450K, 450 P, 550H, 550J, 550K, 550 P					
8	T172588	Cover, L/H		1	26
8	T172591	Cover, R/H		1	26
9	AT209843	Cover, Rear L/H		1	18
9	AT209844	Cover, Rear R/H		1	18
JOHN DEERE 650H, 650J, 650K, 650 P					
8	T173978	Cover, L/H		1	27
8	T173979	Cover, R/H		1	27
9	AT210987	Cover, Rear L/H		1	19
9	AT210988	Cover, Rear R/H		1	19




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 700H LT, 700J LT					
1	AT221027	Track Adjuster Assembly	(6 roller track frame)	2	101
2	T175900	piston (NSS)		2	93
3	PV7560	packing		2	0.1
4	T120720	pressure relief valve		2	0.1
5	AT159554	check valve		2	0.1
6	T177313	Plate		4	1.8
7	T177308	Wear Plate		4	2.6
8	T177309	Bar		4	2.4
9	T178085	Solid Shim	Thickness 0.037	8	0.1
10	T177876	Solid Shim	Thickness 0.058	4	0.1
11	T176089	Top Wear Plate		2	2
12	T389692	Wear Plate, Idler		4	1.2
13	T175773	Front Chain Guide Slide		4	9.8
14	T176745	Adapter Fitting, Threaded		2	39
15	T179322	Recoil Spring		2	93
16	T176721	Housing	Not Available	2	
17	PV3683	Bolt	To install spring	1	5.5

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 700H XLT, 700H LGP, 700J XLT, 700J LGP, 700K XLT, 700K LGP					
1	AT221427	Track Adjuster Assembly	<i>7 roller track frame</i>	2	110
2	T175900	piston (NSS)		2	
3	PV7560	packing		2	0.1
4	T120720	pressure relief valve		2	0.1
5	AT159554	check valve		2	0.1
6	T177313	Plate		4	1.8
7	T177308	Wear Plate		4	2.6
8	T177309	Bar		4	2.4
9	T178085	Solid Shim	<i>Thickness 0.037</i>	8	0.1
10	T177876	Solid Shim	<i>Thickness 0.058</i>	4	0.1
11	T176089	Top Wear Plate		4	2
12	T389692	Wear Plate, Idler		4	1.2
13	T175773	Front Chain Guide Slide		4	9.8
14	T176745	Adapter Fitting, Threaded		2	39
15	T179322	Recoil Spring		2	93
16	T176721	Housing	<i>Not Available</i>	2	
17	PV3683	Bolt	<i>To install spring</i>	1	5.5


JOHN DEERE 700J XLT, 700J LGP, 700K XLT, 700K LGP (MAX LIFE UNDERCARRIAGE), 700L, 700 P					
1	AT342072	Track Adjuster Assembly	<i>7 roller track frame</i>	2	110
2	T175900	piston (NSS)		2	
3	PV7560	packing		2	0.1
4	T120720	pressure relief valve		2	0.1
5	AT159554	check valve		2	0.1
6	T177313	Plate		4	1.8
7	T177308	Wear Plate		4	2.6
8	T177309	Bar		4	2.4
9	T178085	Solid Shim	<i>Thickness 0.037</i>	8	0.1
10	T177876	Solid Shim	<i>Thickness 0.058</i>	4	0.1
11	T176089	Top Wear Plate		4	2
12	T389692	Wear Plate, Idler		4	1.2
13	T175773	Front Chain Guide Slide		4	9.8
14	T176745	Adapter Fitting, Threaded		2	39
15	T179322	Recoil Spring		2	93
16	T176721	Housing	<i>Not Available</i>	2	
17	PV3683	Bolt	<i>To install spring</i>	1	5.5



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 700H LT, 700H XLT, 700H LGP					
11	AT221486	Rear Cover, L/H	<i>LT, XLT</i>	1	35
11	AT221611	Rear Cover, L/H	<i>LGP</i>	1	35
12	AT221168	Rear Cover, R/H	<i>LT, XLT</i>	1	35
12	AT221610	Rear Cover, R/H	<i>LGP</i>	1	35
13	AT221048	Access Cover	<i>Not sold seperately</i>	2	
14	T178297	Front Cover		2	20
15	AT221597	Center Cover, L/H	<i>LT, XLT</i>	1	20
16	AT221173	Center Cover, R/H	<i>LT, XLT</i>	1	20
JOHN DEERE 700J					
11	AT221611	Rear Cover, L/H	<i>XLT, LGP</i>	1	35
12	AT221610	Rear Cover, R/H	<i>XLT, LGP</i>	1	35
11	AT221486	Rear Cover, L/H	<i>LT</i>	1	35
12	AT221168	Rear Cover, R/H	<i>LT</i>	1	35
13	AT221048	Access Cover	<i>XLT, LGP, LT</i> <i>Not sold seperately</i>	2	
14	T178297	Front Cover (Not for Max Life)	<i>XLT, LGP, LT</i>	2	20
15	AT341455	Center Cover, L/H	<i>XLT, LGP</i> <i>s/n 139436- only</i>	1	25
16	AT341452	Center Cover, R/H	<i>XLT, LGP</i> <i>s/n 139436- only</i>	1	25
15	AT341408	Center Cover, L/H	<i>LT</i>	1	20
16	AT341407	Center Cover, R/H	<i>LT</i>	1	20
JOHN DEERE 700K, 700L, 700 P					
11	AT221611	Rear Cover, L/H		1	35
12	AT221610	Rear Cover, R/H		1	35
13	AT221048	Access Cover	<i>Not sold seperately</i>	2	
14	T178297	Front Cover	<i>Not for Max Life, 700L, 700P</i>	2	20
15	AT341455	Center Cover, L/H		1	25
16	AT341452	Center Cover, R/H		1	25



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 750J, 750K					
1	AT406977	Spring Assembly		2	446
2	T201613	Spring		2	140
4	AT307336	Seal Kit		2	0.8
10	AT316583	Cover, Idler		2	10
JOHN DEERE 750L, 750 P					
1	AT513709	Spring Assembly		2	445
2	T407005	Spring		2	140
4	AT307336	Seal Kit		2	0.8
10	T342377	Cover, Idler		2	10
JOHN DEERE 850J, 850K, 755K					
1	AT406974	Spring Assembly		2	582
2	T200850	Spring		2	198
4	AT314787	Seal Kit		2	0.6
10	AT315317	Cover, Idler		2	17
JOHN DEERE 850L, 850 P, 850 X					
1	AT502675	Spring Assembly		2	580
2	T394625	Spring		2	196
4	AT314787	Seal Kit		2	0.6
10	T347716	Cover, Idler		2	17
JOHN DEERE 750J, 750K, 750L, 750 P, 755K, 850J, 850K, 850L, 850 P, 850 X					
6	AT277938	Wear Plate		4	2.8
7	T250445	Wear Plate		4	2.4
8	T204101	Shim		16	0.4
9	AT226968	Wear Plate		4	4.8
11	T204320	Washer		4	0.1
12	AT274298	Bushing, spring		4	0.6




To replace old style adjuster use items 1, 2, & 3

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 655, 655B, 750, 750B, 750C, LT & LGP					
	PV316	Track Adjuster Assembly		2	45
1	AT180805	Head Assembly		2	25
	2S5925	Fitting	Will not fit OEM Adjusters	2	0.1
2	T73206	Piston		2	20
	905001	Seal Kit		2	1
3	T80875	Rod	655, 655B, 750, 750B	2	28
3	T118348	Rod	750B LT	2	33
3	T80878	Rod	750, 750B - LGP	2	54


JOHN DEERE 655, 655B, 750, 750B, 750C, LT & LGP					
4	T184203	Spring		2	120
5	T82455	Housing		2	40
6	AT80946	Spring Cover R/H	750, 750B	2	69
7	AT80947	Spring Cover L/H	750, 750B	2	70
	AT113783	Track Adjuster Cover	750, 750B, Long Track	2	17
(Spring Covers on LGP are Different)					

JOHN DEERE 755, 755A, 755B, 850, 850B, 850C, LT & LGP					
	PV316	Track Adjuster Assembly		2	45
1	AT180805	Head Cyl.		2	25
	2S5925	Fitting	Will not fit OEM Adjusters	2	0.1
2	T73206	Piston		2	20
	905001	Seal Kit		2	1
3	T80875	Rod	755, 755A, 755B, 850, 850B	2	28


JOHN DEERE 755, 755A, 755B, 850, 850B, 850C, LT & LGP					
4	T184268	Spring		2	152
5	T82455	Housing		2	40
	AT80868	Track Adjuster Cover	850, 850B, Long Track	2	26



Ref.	Part No.	Description	Notes	Qty.	Wt.
6	2S5925	Fitting	Included w/ assy. & tubes	2	0.1
CAT D4, AC HD5, HD6, IH TD6, TD9 (To Convert From Manual to Hydraulic Track Adjuster)					
	PV310X	Track Adjuster Assembly		2	30
	905000	Seal Kit		2	0.1
CAT D3 (78U), D3 (79U), D3B (27Y)					
1,5	PV322	Track Adjuster Assembly	5 Roller track frame	2	86
1	6S3275	Yoke	28 1/2"	2	39
5	6S3360	Tube, with nut	24 7/8"	2	42
	904405	Seal Kit		2	0.1
3	5K2754	Recoil Spring	24 5/8"	2	76
CAT D3B (27Y, 24Y), D3C (1PJ1-137, 6PF1-144, 7JF1-179, 8BF1-148) D4C (1RJ1-635, 2CJ1-125, 2CJ126-429 Type 1)					
1,2	PV335	Track Adjuster & Spring Assembly		2	175
1	6S7399	Yoke	37 1/4"	2	45
2	PV346	Spring Assembly			130
5	6S3360	Tube, with nut	24 7/8"	2	42
	904405	Seal Kit		2	0.1
3	5K2754	Recoil Spring	24 5/8"	2	76
4	2V9025	Spring Pilot		2	7.5
7	6S7220	Idler Plate		2	4
CAT D3C (1PJ138-, 6PF145-, 7JF180-334, 8BF149-, 4HJ1-880, 5CJ1-1047, 5ZG1-57, 8DG1-147), D4C (1RJ636-, 2CJ126-429 Type 2, 2CJ430-, 7KG1-906,9BG1-464)					
1,2	PV339	Track Adjuster & Spring Assembly		2	143
1	6S7399	Yoke		2	42
2	PV345	Spring Assembly		2	101
5	8Y2733	Tube, with nut	20-1/8"	2	40
	904405	Seal Kit		2	0.1
3	8Y2735	Recoil Spring	19-1/2"	2	53
4	2V9025	Spring Pilot		2	7.5
7	6S7220	Idler Plate		2	4




Ref.	Part No.	Description	Notes	Qty.	Wt.
6	2S5925	Fitting	Included w/ assy. & tubes	2	0.1
CAT D3C (4HJ881-, 7JG150-, 4KS, 6SL1-2943), D4C (4LS, 6BS, 6YL, 6SL1-889)					
1,2	PV338	Track Adjuster & Spring Assembly	6 Roller track frame	2	139
1	5G4381	Yoke	31 1/4"	2	38
2	PV345	Spring Assembly		2	101
5	112-4297	Tube, with nut	20-1/8"	2	40
	904405	Seal Kit		2	0.1
3	8Y2735	Recoil Spring	19-1/2"	2	53
4	2V9025	Spring Pilot		2	7.5
7	6S7220	Idler Plate		2	4
CAT D3C (5CJ1048-, 5ZG58-, 8DG148-, 7XL1-1107), D4C (7KG907-, 9BG465-, 1FW, 8CS)					
1,2	PV340	Track Adjuster & Spring Assembly		2	146
1	6S7399	Yoke	37 1/4"	2	45
2	PV345	Spring Assembly		2	101
5	112-4297	Tube, with nut	20-1/8"	2	40
	904405	Seal Kit		2	0.1
3	8Y2735	Recoil Spring	19-1/2"	2	53
4	2V9025	Spring Pilot		2	7.5
7	6S7220	Idler Plate		2	4
CAT D3G Standard Undercarriage					
1,2	PV341	Track Adjuster & Spring Assembly		2	139
1	174-6997	Yoke	31-1/4"	2	38
2	PV345	Spring Assembly		2	101
5	112-4297	Tube, with nut	20-1/8"	2	40
	904405	Seal Kit		2	0.1
3	8Y2735	Recoil Spring	19-1/2"	2	53
4	2V9025	Spring Pilot		2	7.5
7	6S7220	Idler Plate		2	4
CAT D4G (FDC1-520, CFN1-1071, HYD, TLX) Standard Undercarriage					
1,2	PV344	Track Adjuster & Spring Assembly		2	141
1	174-7003	Yoke	33"	2	40
2	PV345	Spring Assembly		2	101
5	112-4297	Tube, with nut	20-1/8"	2	40
	904405	Seal Kit		2	0.1
3	8Y2735	Recoil Spring	19-1/2"	2	53
4	2V9025	Spring Pilot		2	7.5
7	6S7220	Idler Plate	HYD, TLX only	2	4




CAT D5C (7PS, 8ZS, 9DL)			Qty.	Wt.
1,2	PV347	Track Adjuster & Spring Assembly	2	164
1	106-4723	Yoke 35-5/8"	2	45
2	PV343	Spring Assembly	2	120
3	8Y6659	Recoil Spring	2	64
4	2V9025	Spring Pilot	2	7.5
5	177-1072	Tube R/H, w/ nut *PVE Tube is designed to fit LH / RH	1	47
6	214-1420	Fitting Guard Not sold seperately	1	
9	2S5925	Fitting	2	0.1
	904406	Seal Kit	2	0.2
5	177-1073	Tube L/H, w/ nut *PVE Tube is designed to fit LH / RH	1	47
7	6S7220	Idler Plate	2	4


CAT D5C (9DL, 5HS, 6CS, 6ZL, 3MK, 6PJ), D5G Standard Undercarriage (XL and LGP)			Qty.	Wt.
1,2	PV342	Track Adjuster & Spring Assembly	2	162
1	174-7004	Yoke 28-7/8"	2	42
2	PV343	Spring Assembly	2	120
3	8Y6659	Recoil Spring	2	64
4	2V9025	Spring Pilot	2	7.5
5	177-1072	Tube R/H, w/ nut *PVE Tube is designed to fit LH / RH	1	47
6	214-1420	Fitting Guard Not sold seperately	1	
9	2S5925	Fitting	2	0.1
	904406	Seal Kit	2	0.2
5	177-1073	Tube L/H, w/ nut *PVE Tube is designed to fit LH / RH	1	47
7	6S7220	Idler Plate	2	4
8	176-1281	Idler Guard Not for D5C	2	14




Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT D5K, D5K2 (KYY, TRF, KWW)					
1	264-0665	Track Adjuster Assembly		2	48
2	352-8991	Yoke		2	35
3	904411	Seal Kit		2	0.25
25	190-8609	Fill Valve		2	0.1
4	315-8453	Plunger/Rod	13.8" long	2	12
5	322-5905	Recoil Spring Assembly		2	165
8	315-8447	Recoil Spring		2	66
9	463-5601	Tube	NSS	2	
6	463-5603	Plate	NSS	2	
7	315-8450	Plug	NSS	2	
	8T-0357	Bolt, M16-2.00 x 70mm	NSS	4	
10	264-5014	Top Roller Bracket		2	15
11	310-7375	Wear Plate, Lower Guide RH (SystemOne UC Only)		2	4
12	310-7376	Wear Plate, Lower Guide LH (SystemOne UC Only)		2	4
13	361-3050	Wear Strip, 16mm T x 379mm L		12	2.6
13	419-0960	Wear Strip, 16mm T x 520mm L		8	3.7
14	285-3472	Wear Strip, 4.5mm T x 379mm L		12	0.6
14	419-0957	Wear Strip, 4.5mm T x 520mm L		12	1.0
15	285-3473	Wear Strip, 2.3mm T x 379mm L		8	0.2
15	419-0958	Wear Strip, 2.3mm T x 520mm L		8	0.4
16	305-1471	Bracket, RH (SystemOne UC Only)		2	3.5
17	305-1473	Bracket, LH (SystemOne UC Only)		2	3.5
18	305-1466	Bracket, RH (SystemOne UC Only)		2	4.5
19	305-1469	Bracket, LH (SystemOne UC Only)		2	4.5
20	290-2700	Idler Cover Plate (SystemOne UC Only)		2	7
21	305-1474	Idler Cover (SystemOne UC Only)		2	12
22	305-1475	Idler Cover Side Plate (SystemOne UC Only)		4	3
23	262-5866	Cover		2	0.5
24	262-5867	Cover		2	1.5



Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT D5K2 (KY2, RRE, YT3, KW2, WT3), D3 Next Gen					
1	394-3657	Track Adjuster Assembly		2	51
2	469-6322	Yoke		2	35
3	904411	Seal Kit		2	0.25
25	190-8609	Fill Valve		2	0.1
4	419-3223	Plunger/Rod	15.6" long	2	14.5
5	463-5600	Recoil Spring Assembly		2	165
8	315-8447	Recoil Spring		2	66
9	463-5601	Tube	NSS	2	
6	463-5603	Plate	NSS	2	
7	315-8450	Plug	NSS	2	
	8T-0357	Bolt, M16-2.00 x 70mm	NSS	4	
10	264-5014	Top Roller Bracket		2	15
11	310-7375	Wear Plate, Lower Guide RH (SystemOne UC Only)		2	4
12	310-7376	Wear Plate, Lower Guide LH (SystemOne UC Only)		2	4
13	361-3050	Wear Strip, 16mm T x 379mm L		4	2.6
13	419-0960	Wear Strip, 16mm T x 520mm L		8	3.7
14	419-0957	Wear Strip, 4.5mm T x 520mm L		12	1.0
15	419-0958	Wear Strip, 2.3mm T x 520mm L		8	0.4
20	290-2700	Idler Cover Plate (SystemOne UC Only)		2	7
23	262-5866	Cover		2	0.5
24	262-5867	Cover		2	1.5



CAT D6K (DHA, FBH), D6K2 (RST, MXK, RPR, WMR)				Qty.	Wt.
1	239-8247	Recoil & Adjuster Assembly		2	200
2	190-8609	Fill Valve		2	0.1
3	2S5926	Relief Valve		2	0.3
	PV3002	Seal Kit		2	0.3
4	382-6529	Yoke		2	79
5	7J9682	Bushing, Yoke	Also fit D4 Next Gen	2	0.8
6	382-2973	Guard, Idler RH		2	9.0
7	382-2974	Guard, Idler LH		2	9.0
8	475-9196	Wear Plate, RH		2	3.0
9	475-9197	Wear Plate, LH		2	3.0
10	475-9198	Wear Plate, RH		2	1.5
11	475-9199	Wear Plate, LH		2	1.5
12	221-3187	Bushing, Dead Axle	Also fit D4 Next Gen	2	1.6
13	221-3198	Bushing, Dead Axle	Also fit D4 Next Gen	2	2.0
14	380-7977	Wear Strip, Front	Also fit D4 Next Gen	4	8.5
15	380-7978	Wear Strip, Rear	Also fit D4 Next Gen	4	8.5
16	384-7355	Cover, RH Outer		1	17
17	384-7379	Cover, RH Inner		1	12.5
16A	384-7358	Cover, LH Outer		1	17
17A	384-7380	Cover, LH Inner		1	12.5
18	384-7385	Cover, Access Door		2	5




Ref.	Part No.	Description	Notes	Qty.	Wt.
TD7, 100, to s/n 9500					
	906000	Seal Kit		2	1
TD7, 100 after s/n 9500 TD7C, TD7E, TD7G, TD7H, 100C, 100E, TD8, TD8C, TD8E, TD8G, TD8H, 125C, 125E					
	622049C1	Piston	5 roller track frame	2	2
1	621448C3	Rod	1-7/8" Diameter	2	11
	906001	Seal Kit		2	1
TD7C, TD7E, TD7G, TD7H, 100C, 100E, 100G (5 Roller track frame)					
3	PV307	Track Adjuster Assembly	1 pc. rod	2	49
	1299268H91	Yoke	use PV307		
	906001	Seal Kit		2	1
	736160C2	Yoke	use PV307		
TD8C, TD8E, TD8G, 125C, 125E, 125G (5 Roller track frame)					
3	PV308	Track Adjuster Assembly	1 pc. rod	2	52
	621447C1	Yoke	use PV308		
	906001	Seal Kit		2	1
TD8G Long Track & LGP (6 Roller track frame)					
3	PV308A	Track Adjuster Assembly	1 Pc Rod	2	62
	621447C1	Yoke	Use PV308A		
	906001	Seal Kit		2	1

TRACK ADJUSTERS


DRESSER

Ref.	Part No.	Description	Notes	Qty.	Wt.
TD7G, TD8H (6 Roller track frame)					
3	PV307A	Track Adjuster Assembly	1 pc. rod	2	53
	1299268H91	Yoke	Use PV307A		
	906001	Seal Kit		2	1
	736160C2	Yoke	Use PV307A		
D39E-1, TD9H (6 Roller track frame)					
3	PV3089	Track Adjuster Assembly	1 pc. rod	2	60
	1299266H91	Yoke	Use PV3089		
	906001	Seal Kit		2	1
	621447C1	Yoke	Use PV3089		
TD7C, TD7E, TD7G, TD7H, 100C, 100E, 100G, TD8H					
5	626651C1	Top Roller Bracket	For IN2805 top roller	2	16
6	1233532H1	Top Roller Bracket	For IN3511 top roller	2	9
17	621338C1	Wear Plate		4	3
19	621424C1	Idler Guide Plate	TD7C, TD7E, 100C, 100E	4	2
19	621445C1	Idler Guide Plate	TD7G, 100G	4	2
18	622044C1	Idler Wear Plate		4	0.8
16	622221C1	Idler Wear Plate		4	4
TD8C, TD8E, TD8G, 125C, 125E, 125G, TD9H					
5	626651C1	Top Roller Bracket	For IN2809 top roller	2	16
6	1233532H1	Top Roller Bracket	For IN3511 top roller	2	9
16	622221C1	Idler Wear Plate		4	4
17	662526C1	Idler Wear Plate		4	3
18	622044C1	Idler Wear Plate		4	0.8
19	621445C1	Idler Guide Plate		4	2
TD15B after s/n 10064, TD15C, 175C after s/n 40740					
	PV319	Track Adjuster Assembly	w/ fitting	2	70
11	655822C2	Cylinder Fork	Without cover shield	2	65
	629256C1	Piston	These parts will work on early s/n if idler brackets are replaced	2	4
	906003	Seal Kit		2	1
12	609609C2	Tube	weld on	2	20
13	655804C1/655805C1	Idler Brackets	sold in sets only	2	48
TD 15E, 200					
	PV320	Track Adjuster Assembly	w/ fitting	2	61
15	743000C1	Tube	2 1/2" ID	2	54
	629256C1	Piston		2	4
	906003	Seal Kit		2	1
TD20, TD20E, TD20G					
	PV318	Track Adjuster Assembly	w/ fitting	2	63
14	655608C1	Tube	3" ID	2	57
	629257C1	Piston		2	5
	906004	Seal Kit		2	1
1	655927C1	Rod		2	30



Ref.	Part No.	Description	Notes	Qty.	Wt.
KOMATSU D31A-16, D31A-17, D31AM-20, D31E-18, D31E-20, D31P-16, D31P-17, D31P-18, D31P-18A, D31P-20, D31P-20A, D31PL-18, D37A-5, D37E-1, D37E-2, D37E-5, D37P-2, D37P-5A , D31Q-18, D31Q-20, D31S-16, D31S-17, D31S-18, D31S-20					
	PV328	Track Adj & Spring Assy L/H	Assembled (inc. ref #1-6 and seals)	1	170
1	113-30-41211	Bracket L/H, *NSS	For 113-30-00112 / KM778 Roller	1	62
2	113-30-34210	Spring		2	50
6	113-30-34190	Plate, *NSS		2	8
	PV333	Track Adjuster Assembly L/H	(incl ref # 3-5 and seals)	1	50
3	113-30-34231	Cylinder		1	34
4	203-30-42260	Grease Valve w/ Fitting		1	0.2
5	113-30-24161	Piston		2	3
	909001	Seal Kit		2	1
	PV327	Track Adj & Spring Assy R/H	Assembled (inc. ref # 1-6 and seals)	1	170
1	113-30-41220	Bracket R/H, *NSS	For 113-30-00112 / KM778 Roller	1	64
2	113-30-34210	Spring		2	50
6	113-30-34190	Plate, *NSS		2	8
	PV334	Track Adjuster Assembly R/H	(incl ref # 3-5 and seals)	1	50
3	113-30-34231	Cylinder		1	34
4	203-30-42260	Grease Valve w/ Fitting		1	0.2
5	113-30-24161	Piston		2	3
	909001	Seal Kit		2	1
7	113-30-37110	Spring Cover L/H		1	19
7	113-30-37120	Spring Cover R/H		1	19
8	113-30-34150	Yoke	Not included in assemblies	2	42

Will also work on older s/n if top roller is changed to newer style noted above



Ref.	Part No.	Description	Notes	Qty.	Wt.
KOMATSU D61EX-23, D61EXI-23, D61PX-23, D61PXI-23, D61EX-24, D61EXI-24, D61PX-24, D61PXI-24					
1	PV3006	Recoil and Adjuster Assembly		2	430
2	134-30-73161	Recoil Spring		2	145
3	134-30-63210	Spring Cabin	NSS	2	
5	134-30-63220	Holder	NSS	2	
6	134-30-63154	Cylinder	NSS	2	
7	134-30-63142	Adjuster Piston		2	45.5
8	14X-30-13310	Nut	NSS	2	
9	14X-30-13241	Spacer	NSS	4	
10	14X-30-13174	Plate	NSS	2	
11	01010-80830	Bolt	NSS	4	
12	203-30-42260	Grease Valve w/ Fitting		2	0.2
19-29	PV3005	Seal Kit	Fits PVE and OEM Adjusters	2	1.5
13	13Y-30-15312	Yoke	Not Available	2	
30	01010-82055	Bolt	NSS	2	
31	154-30-11540	Lock	NSS	2	
32	154-30-11332	Washer	NSS	2	
4	01010-81235	Bolt	NSS	8	
14	13Y-30-15162	Idler Wear Plate		4	3.5
15	155-30-13230	Idler Spring		8	1.2
16	195-30-17960	Plate, Spring		8	0.2
17	134-30-62320	Idler Wear Plate		4	0.4
18	13Y-30-15221	Idler Shim, 1mm		24	0.1
	PV3007	Idler Wear Kit	includes: Ref #14 (x2), 15 (x4), 16 (x4), bolts (x4), washers (x4)	2	12.0

Part No.	Description	Notes	Qty.	Wt.
CASE 310, 310G, 350				
PV620	Rockguard Set		1	156
D43598	rockguard	Rear L/H	2	11
D43599	rockguard	Rear R/H	2	11
R44054	rockguard	Front L/H	2	28
R44053	rockguard	Front R/H	2	28
D43601	Bracket	Not included in Set	8	1.3

CASE 350B				
R44054	Rockguard	Front L/H	2	28
R44053	Rockguard	Front R/H	2	28
D43601	Bracket		8	1.3

CASE 450 to s/n 3050800 Loader & Dozer				
PV625	Rockguard Set		1	315
R36667	cover	Rear, Left & Right	4	4.7
R36673	rockguard	Center	4	30
R36674	rockguard	Front L/H	2	24
R36675	rockguard	Front R/H	2	24
R36676	rockguard	Rear L/H	2	15
R36677	rockguard	Rear R/H	2	15
D35372	spacer		10	1
413-8120	bolt		10	1

CASE 450 after s/n 3050800, 450B				
PV630	Rockguard Set		1	315
R36667	cover	Rear, Left & Right	4	4.7
R36673	rockguard	Center	4	30
R36674	rockguard	Front L/H	2	24
R36675	rockguard	Front R/H	2	24
R36676	rockguard	Rear L/H	2	15
R36677	rockguard	Rear R/H	2	15
R36665	spacer		10	1
413-8136	bolt		10	1

CASE 450C, 455C				
PV635	Rockguard Set	5 Roller track frame	1	327
R36667	cover	Rear, Left & Right	4	4.7
R36673	rockguard	Center	4	30
R36674	rockguard	Front L/H	2	24
R36675	rockguard	Front R/H	2	24
R47465	rockguard	Rear L/H	2	18
R47466	rockguard	Rear R/H	2	18
R36665	spacer		10	1
413-8136	bolt		10	1

Part No.	Description	Notes	Qty.	Wt.
CASE 450C, 455C, Long Track, 550				
PV640	Rockguard Set	6 Roller track frame	1	372
R36667	cover	Rear, Left & Right	4	4.7
141196A1	rockguard	Center	4	40
R36674	rockguard	Front L/H	2	24
R36675	rockguard	Front R/H	2	24
R47465	rockguard	Rear L/H	2	18
R47466	rockguard	Rear R/H	2	18
R36665	spacer		12	1
413-8136	bolt		12	1
CASE 550E, 550G				
Cross Bolt in this set is 1/2", OEM is 3/4"				
PV641	Rockguard Set	6 Roller track frame	1	361
R57458	cover	Rear, Left & Right	4	4.7
141196A1	rockguard	Center Left & Right	4	40
R58387	rockguard	Front L/H	2	21
R58386	rockguard	Front R/H	2	21
R47465	rockguard	Rear L/H	2	18
R47466	rockguard	Rear R/H	2	18
R36665	spacer		12	1
413-8136	bolt	1/2" bolt	12	1
CASE 850B, 850C, 855C, 850D, 855D s/n -JAK0005500				
PV645	Rockguard Set	5 Roller track frame	1	506
R54464	cover	Rear L/H, outer	1	8.4
R54465	cover	Rear R/H, outer	1	8.4
R44467	cover	Rear L/H, inner	1	8.4
R44468	cover	Rear R/H, inner	1	8.4
R56620	rockguard	Front L/H	2	33
R56629	rockguard	Front R/H	2	33
R52343	rockguard	Center Left & Right	4	59
R52339	rockguard	Rear L/H	2	18
R52340	rockguard	Rear R/H	2	18
D35698	spacer		12	1.4
413-12152	bolt		12	1.3
CASE 850D Long Track, 850E, 850G, 850H, 750H				
PV646	Rockguard Set	6 Roller track frame	1	510
R56637	cover	Rear, Left & Right	4	6
R56620	rockguard	Front L/H	2	33
R56629	rockguard	Front R/H	2	33
R55833	rockguard	Center L/H	2	57
R55832	rockguard	Center R/H	2	57
R56633	rockguard	Rear L/H	2	26
R56646	rockguard	Rear R/H	2	26
D35698	spacer		8	1.4
413-12152	bolt		8	1.3

Part No.	Description	Notes	Qty.	Wt.
CASE 855D s/n JAK0005501-, 855E, Loader				
PV647	Rockguard Set	5 Roller track frame	1	530
R56637	cover	Rear, Left & Right	4	6
R56620	rockguard	Front L/H	2	33
R56629	rockguard	Front R/H	2	33
R56633	rockguard	Rear L/H	2	26
R56646	rockguard	Rear R/H	2	26
D35698	spacer		8	1.4
413-12152	bolt		8	1.3

CASE 1150B, 1150C				
R27548	cover	Rear, outer L/H	1	11
R46471	cover	Rear, inner L/H & R/H	2	7
R27551	rockguard	Rear L/H, outer	1	24
R27552	rockguard	Rear R/H, outer	1	24
R33943	rockguard	Rear L/H, inner	1	16
R44373	rockguard	Center Left & Right	4	66
R44377	rockguard	Front L/H	2	36
R44378	rockguard	Front R/H	2	36
R27555	spacer		8	1.8
413-12176	bolt		8	1.4

CASE 1150D, 1150E, 1155D, 1155E				
PV655	Rockguard Set	6 Roller track frame	1	520
R46471	cover	Rear Left & Right	4	7
R44385	rockguard	Rear L/H	2	28
R44386	rockguard	Rear R/H	2	28
R46198	rockguard	Center Left & Right	4	52
R44377	rockguard	Front L/H	2	36
R44378	rockguard	Front R/H	2	36
R27555	spacer		8	1.8
413-12176	bolt		8	1.4

CASE 1150D, 1150E Long Track, 1150G, 1150H				
PV660	Rockguard Set	7 Roller track frame	1	575
R46471	cover	Rear Left & Right	4	7
R44385	rockguard	Rear L/H	2	28
R44386	rockguard	Rear R/H	2	28
R44373	rockguard	Center Left & Right	4	66
R44377	rockguard	Front L/H	2	36
R44378	rockguard	Front R/H	2	36
R27555	spacer		8	1.8
413-12176	bolt		8	1.4

ROCKGUARDS

JOHN DEERE

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450C, 450D, 450E, 455D, 455E, 550, 550B, 555, 555B				
PV6611	Rockguard Set	5 Roller track frame	1	281
AT79598	rockguard, R/H		2	65
AT79599	rockguard, L/H		2	65
28H3265	spacer		10	1.3
19H3373	bolt		10	0.8
JOHN DEERE 450G, 455G				
PV6612	Rockguard Set	5 Roller track frame	1	324
AT135464	rockguard, R/H		2	75
AT135465	rockguard, L/H		2	75
T121001	spacer		12	1.0
19H3623	bolt		12	1.0
JOHN DEERE 450G Long Track, 550G s/n 771617-				
PV6613	Rockguard Set	6 Roller track frame	1	360
AT143012	rockguard, L/H		2	83
AT143013	rockguard, R/H		2	83
T121001	spacer		14	1.0
19H3623	bolt		14	1.0
JOHN DEERE 450H s/n 925919-, 550H s/n 925919-, 450J, 550J, 450K, 550K s/n F305398-, 450 P, 550 P				
PV6618	Rockguard Set	6 Roller track frame	1	240
AT306100	rockguard, L/H		2	54
AT306101	rockguard, R/H		2	54
T121001	spacer		12	1.0
19H3623	bolt		12	1.0
JOHN DEERE 650G, 650H s/n -925918				
PV6614	Rockguard Set	6 Roller track frame	1	383
AT221709	rockguard, L/H		2	87
AT221710	rockguard, R/H		2	87
T121002	spacer		14	1.5
19H3583	bolt		14	1.0
JOHN DEERE 650H s/n 925919-, 650J LT				
PV6615	Rockguard Set	6 Roller track frame	1	301
AT305887	rockguard, L/H		2	68
AT305888	rockguard, R/H		2	68
T179706	spacer		12	1.4
19H3583	bolt		12	1.0
JOHN DEERE 650H XLT s/n 925919 -, 650J XLT, 650J LGP, 650K, 650 P				
PV6616	Rockguard Set	7 Roller track frame	1	275
AT334624	rockguard, L/H		2	60
AT334625	rockguard, R/H		2	60
T230026	spacer		14	1.5
19H3583	bolt		14	1.0
JOHN DEERE 700H XLT and LGP s/n 906149 -, 700J XLT and LGP, 700K, 700L				
PV6617	Rockguard Set	7 Roller track frame	1	345
AT225665	rockguard, L/H		2	77
AT225664	rockguard, R/H		2	77
T176863	spacer		10	1.8
19M8494	bolt		10	1.8

Part No.	Description	Qty.	Wt.
JOHN DEERE 450, 450B, 450C, 450D, 450E, 455, 455D, 455E, 550, 550B			
AT80874	Chain Guide Set, Front & Rear <i>5 & 6 Roller track frame</i>	1	129
AT117814	Chain Guide <i>Rear R/H</i>	2	13
AT117815	Chain Guide <i>Rear L/H</i>	2	13
AT117812	Chain Guide <i>Front R/H</i>	2	17
AT117813	Chain Guide <i>Front L/H</i>	2	17
28H3265	Spacer	4	1.4
19H3373	Bolt w/ Nut	4	0.8
JOHN DEERE 450G, 455G, 550G			
PV615	Chain Guide Set, Front & Rear	1	154
AT116686	Chain Guide <i>Rear R/H</i>	2	13
AT116687	Chain Guide <i>Rear L/H</i>	2	13
AT135480	Chain Guide <i>Front R/H</i>	2	22
AT135481	Chain Guide <i>Front L/H</i>	2	22
T121001	Spacer	6	1.4
19H3623	Bolt w/ Nut	6	0.8
JOHN DEERE 555G, 650G			
PV616	Chain Guide Set, Front & Rear	1	171
AT113696	Chain Guide <i>Rear R/H</i>	2	15
AT113697	Chain Guide <i>Rear L/H</i>	2	15
AT120366	Chain Guide <i>Front R/H</i>	2	24
AT120367	Chain Guide <i>Front L/H</i>	2	24
T121002	Spacer	6	1.5
19H3583	Bolt w/ Nut	6	1
JOHN DEERE 450H s/n -925918, 550H s/n -925918			
PV618	Chain Guide Set, Front & Rear	1	142
AT384224	Chain Guide <i>Rear R/H - also fits 450H, 450J, 450K, 450 P, 550H, 550J, 550K, 550 P</i>	2	12
AT384225	Chain Guide <i>Rear L/H - also fits 450H, 450J, 450K, 450 P, 550H, 550J, 550K, 550 P</i>	2	12
AT209641	Chain Guide <i>Front R/H</i>	2	20
AT209436	Chain Guide <i>Front L/H</i>	2	20
T121001	Spacer	6	1.4
19H3623	Bolt w/ Nut	6	0.8
JOHN DEERE 650H s/n -925918			
PV617	Chain Guide Set, Front & Rear	1	171
AT385037	Chain Guide <i>Rear R/H</i>	2	15
AT385610	Chain Guide <i>Rear L/H</i>	2	15
AT211089	Chain Guide <i>Front R/H</i>	2	24
AT211088	Chain Guide <i>Front L/H</i>	2	24
T121002	Spacer	6	1.5
19H3583	Bolt w/ Nut	6	1
JOHN DEERE 650H, 650J, 650K, 650 P			
AT385037	Chain Guide <i>Rear R/H</i>	2	15
AT385610	Chain Guide <i>Rear L/H</i>	2	15
T121002	Spacer	4	1.5
19H3583	Bolt w/ Nut	4	1
JOHN DEERE 700H (s/n 906149 -), 700J, 700K, 700L, 700P			
AT468800	Chain Guide <i>Rear R/H</i>	1	58
AT468795	Chain Guide <i>Rear L/H</i>	1	58









CHAIN GUIDES, ROCKGUARDS, SPROCKET GUARDS









CAT, JOHN DEERE, KOMATSU

Part No.	Description		Qty.	Wt.
JOHN DEERE 750J, 750K, 750L, 750 P				
T202643	Chain Guide, Front	750J s/n 141344-, 750K, 750L, 750 P	4	
T215612	Chain Guide Shim, Front		8	
T202903	Chain Guide, Rear RH		2	21
T287474	Chain Guide, Rear LH		2	21
AT303927	Chain Guide, Center		2	76
JOHN DEERE 850J, 850K, 850L, 850 P, 850 X				
T360499	Chain Guide, Front		4	19
T215657	Chain Guide Shim, Front	Also fits 755K, Excludes 850 P, 850 X	8	1.6
T200124	Chain Guide, Rear	Also fits 755K	4	29.2
AT387220	Chain Guide, Center	8 roller machines only	2	96
JOHN DEERE SPROCKET GUARDS				
AT117848	Guard, Rear R/H	450G, 455G	2	6
AT117849	Guard, Rear L/H	450G, 455G	2	6
AT117846	Guard, Rear R/H	450G LT & LGP, 550G	2	7.7
AT117847	Guard, Rear L/H	450G LT & LGP, 550G	2	7.7
AT117850	Guard, Rear R/H	555G, 650G	2	6
AT117851	Guard, Rear L/H	555G, 650G	2	6
AT431894	Guard, Rear R/H	650H, 650J, 650K	2	8
AT384222	Guard, Rear L/H	650H, 650J, 650K	2	8
AT225674	Guard, Rear R/H	700H, 700J, 700K, 700L, 700 P	2	27
AT225675	Guard, Rear L/H	700H, 700J, 700K, 700L, 700 P	2	27
CAT D5K, D5K2 w/ SystemOne U.C.				
356-5278	Rockguard	D5K (JLF238-, WWW980-, YYY949-), D5K2 (KYY, KWW, TRF)	2	57
356-5282	Rockguard	D5K (JLF238-, WWW980-, YYY949-), D5K2 (KYY, KWW, TRF)	2	57
345-9609	Chain Guide, RH Outer	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF)	1	38
345-9635	Chain Guide, RH Inner	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF)	1	32
345-9610	Chain Guide, LH Outer	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF)	1	38
345-9636	Chain Guide, LH Inner	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF)	1	32
345-9605	Sprocket Guard, RH	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF), D3 Next G	1	13.5
345-9606	Sprocket Guard, LH	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF), D3 Next G	1	13.5
345-9601	Sprocket Guard, RH Inner	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF), D3 Next G	1	7.0
345-9602	Sprocket Guard, LH Inner	D5K (JLF256-, WWW1180-, YYY1221-, D5K2 (KYY, KWW, TRF), D3 Next G	1	7.0
CAT D5K, D5K2 w/ SALT U.C.				
356-5291	Rockguard		2	63
356-5287	Rockguard		2	63
CAT D6K (DHA, FBH), D6K2 (RST, MXK, RPR, WMR)				
382-6505	Guard, Rear RH		2	14.5
382-6506	Guard, Rear LH		2	14.5
380-7989	Chain Guide, Center	Also Fits: All D6K2, D4 Next Gen	4	41
KOMATSU D61EX-23, D61EXi-23, D61PX-23, D61PXi-23, D61EX-24, D61EXi-24, D61PX-24, D61PXi-24				
13Y-30-16133	Chain Guide, Center		2	111
13Y-30-16113	Chain Guide, Rear LH		2	84
13Y-30-16123	Chain Guide, Rear RH		2	84

EXCAVATOR CHAIN GUIDES**CAT, JOHN DEERE**










Part No.	Description	Qty.	Wt.
JOHN DEERE & HITACHI CHAIN GUIDE			
8059049	EX200-2, EX200-3	4	68
AT152077	690D, 690E, 200	4	68
EXCAVATOR STEP			
7Y2481	WELD ON STEP FOR FULL SIZE EXCAVATORS ALL MAKES AND MODELS	2	8
<i>Deere/Hitachi - 490, 110, 120, 200, 690, EX100, EX200 / Cat - 311, 312, 320, 325, 330</i>			

	Part No.	Description	Qty.	Wt.
	JOHN DEERE 490E after s/n 020605, 110, 120, 120C			
	9092563	Recoil & Adjuster Assembly	2	112
	AT180391	Spring	2	50
	PV7534	Seal Kit <i>(new style, for PVE adjusters)</i>	2	0.1
	HITACHI EX100-2, EX100-3, EX120-2, EX120-3			
	9092563	Recoil & Adjuster Assembly	2	112
	AT180391	Spring	2	50
	PV7534	Seal Kit <i>(new style, for PVE adjusters)</i>	2	0.1
	JOHN DEERE 590D, HITACHI EX150-1			
	9069753	Recoil & Adjuster Assembly	2	154
	3036335	Spring	2	82
	PV7534	Seal Kit <i>(new style, for PVE adjusters)</i>	2	0.1
	JOHN DEERE 160LC, HITACHI EX150-5, EX160-5			
	9149643	Recoil & Adjuster Assembly	2	191
	AT180044	Spring	2	97
	PV7536	Seal Kit <i>(for PVE adjusters)</i>	2	0.1
	HITACHI EX200-2, EX200-3			
	9090028	Recoil & Adjuster Assembly	2	241
	3047941	Spring, NSS		
	PV7536	Seal Kit <i>(for PVE adjusters)</i>	2	0.1
	JOHN DEERE 200LC, HITACHI EX200-5			
	9144658	Recoil & Adjuster Assembly	2	241
	AT219476	Spring, NSS		
	PV7536	Seal Kit <i>(for PVE adjusters)</i>	2	0.1
	JOHN DEERE 200CLC, 200DLC, HITACHI ZX200LC			
	9186437	Recoil & Adjuster Assembly	2	254
	PV7538	Seal Kit <i>(for PVE adjusters)</i>	2	0.1
	JOHN DEERE 225CLC, 230CLC, HITACHI ZX220, ZX230			
	9188175	Recoil & Adjuster Assembly	2	254
	DH300085	Spring	2	137
	PV7538	Seal Kit <i>(for PVE adjusters)</i>	2	0.1

	Part No.		Qty.	Wt.
	JOHN DEERE 230LC, HITACHI EX220-2, EX220-3			
	9092565	Recoil & Adjuster Assembly	2	252
	AT219473	Spring	2	147
	PV7536	Seal Kit	2	0.1
	JOHN DEERE 270LC, HITACHI EX270-2, EX300-2, EX300-3			
	9097317	Recoil & Adjuster Assembly	2	300
	3053244	Spring, NSS		
	PV7542	Seal Kit <i>PVE Adjuster Only</i>	2	0.1
	JOHN DEERE 270CLC, 330LC, 330CLC, HITACHI ZX270LC, EX300-5, EX30LC-5, EX330LC-5, ZX330, ZX330LC, EX370-5M, ZX370, ZX370LC			
	9159015	Recoil & Adjuster Assembly	2	278
	T211395	Spring	2	195
	PV7542	Seal Kit <i>PVE Adjuster Only</i>	2	0.1
	JOHN DEERE 270DLC, 290GLC, 300GLC (s/n -732103), HITACHI ZX270-3, ZX280LC-3, ZX290LC-5G, ZX290LC-5N, ZX300LC-6N			
	9243618	Recoil & Adjuster Assembly	2	373
	T211395	Spring	2	195
	PV7539	Seal Kit	2	0.1
	KOMATSU PC120-6			
	PV3120	Recoil & Adjuster Assembly	2	125
	203-30-66250	Spring	2	57
	909018	Seal kit	2	0.1
	KOMATSU PC150-6, PC160, PC180-6K, PC200-6, PC210-6			
	20Y-30-29100	Recoil & Adjuster Assembly	2	299
	20Y-30-29160	Spring	2	127
	909021	Seal Kit	2	0.1
	KOMATSU PC220-5, PC220-6, PC228USLC-2, PC228USLC-3, PC228UU-1, PC230-6			
	20Y-30-29100	Recoil & Adjuster Assembly	2	299
	20Y-30-29160	Spring	2	127
	909021	Seal Kit	2	0.1
	KOMATSU PC300-5, PC300-6			
	207-30-68500	Recoil & Adjuster Assembly	2	610
	207-30-54140	Spring	2	238
	909022	Seal Kit	2	0.1



EXCAVATOR RECOIL & ADJUSTER ASSY.

CAT

	Part No.	Qty.	Wt.
	CAT E110B, E120B, 311, 311B, 312, 312B		
	4I7342 Recoil Assembly	2	122
	4I7338 Adjuster Assembly	2	21
	900408 Seal Kit	2	0.1
	CAT 311D LRR, 311F LRR, 312D (DLP, HCW, LRK, RHL), 312D L (JBC, KES, SKA, TGY, XGK), 312D2, 312D2 GC, 312D2 L, 312E, 312E L, 312F, 312F GC, 313D, 313D2 (FAP, LCY, MDW, PLD, RDE, RNL, ZAA, FEB), 313D2 GC, 313F, 313F GC, 313F L, 313F L GC, 314D CR, 314D LCR, 314E CR, 314E LCR, 315F LCR		
	297-9142 Recoil & Adjuster Assembly	2	152
	PV3001 Seal Kit	2	0.25
	CAT 315, 315B, 315BL, 315C, 315CL		
	130-9332 Recoil & Adjuster Assembly	2	204
	102-8139 Spring	2	91
	901406 Seal Kit	2	0.1
	CAT 313D2 (MES, GAI, RKN), 315DL, 316EL, 316FL, 318DL (ZKJ), 318D2		
	297-9189 Recoil & Adjuster Assembly	2	
	552-4690 Spring, NSS	2	
	SK100162 Seal Kit	2	0.3
	CAT 320, 320L, E200B, EL200B		
	7Y1602 Recoil & Adjuster Assembly	2	212
	7Y1606 Spring	2	94
	901406 Seal Kit	2	0.1
	CAT 320B, 320BL		
	115-6424 Recoil & Adjuster Assembly	2	229
	115-6427 Spring	2	95
	901407 Seal Kit	2	0.1
	CAT 320C, 320CL, 320CLU		
	194-1229 Recoil & Adjuster Assembly	2	238
	194-1231 Spring	2	112
	901407 Seal Kit	2	0.1
	CAT 322, 322B, 322C, 322CL		
	194-1127 Recoil & Adjuster Assembly	2	274
	176-4882 Spring	2	141
	PV7540 Seal Kit 75mm	2	0.2
	<i>Will not fit 322C FM Log Loader s/n: BYL, BPH, M2H</i>		
	CAT 324D, 324DL, 324DLN, 324EL, 324 ELN, 326DL, 326D2, 326F		
	239-4418 Recoil & Adjuster Assembly	2	
	239-4369 Spring, NSS	2	
	SK100161 Seal Kit	2	0.2


EXCAVATOR RECOIL & ADJUSTER ASSY.

CAT

	Part No.		Qty.	Wt.
	CAT 325, 325B, 325BL			
	130-9292	Recoil Assembly	2	327
	7Y0631	Spring	2	151
	102-8109	Adjuster Assembly	2	49
	901408	Seal Kit 70mm	2	0.2
	<i>Will also fit 322C FM Log Loader s/n: BYL, BPH, M2H</i>			
	CAT 330, 330B			
	7Y0773	Recoil Assembly	2	375
	4I7401	Spring, NSS	2	
	7Y1457	Adjuster Assembly	2	65
	902403	Seal Kit	2	0.1

SECTION B

HYDRAULIC CYLINDERS & PUMPS



www.paintvalleyequipment.com

Phone: 877-774-0081

Backhoe Cylinders

Dozer Cylinders

Excavator Cylinders

Hydraulic Pumps

Skidder Cylinders

Skid Steer Cylinders

Wheel Loader Cylinders

Section B

SECTION B

HYDRAULIC CYLINDERS & PUMPS

	Page
BACKHOE CYLINDERS	
CASE, FORD/NEW HOLLAND	B1 - B6
CAT	B19, B20
JOHN DEERE	B10 - B13
JCB	B22
DOZER CYLINDERS	
CASE	B7, B8
CAT	B21, B22
DRESSER	B19
JOHN DEERE	B14 - B17
KOMATSU	B23
WHEEL LOADER CYLINDERS	
CASE	B8
SKID STEER CYLINDERS	
BOBCAT	B9
CASE	B8, B9
JOHN DEERE	B13
SKIDDER CYLINDERS	
JOHN DEERE	B18
EXCAVATOR CYLINDERS	
JOHN DEERE	B19
ARTICULATED DUMP TRUCK CYLINDERS	
CAT	B20
HYDRAULIC PUMPS	B23, B24

Part No.	Description	Notes	Qty.	Wt.
NEW HOLLAND 555D, 555E, 575D, 575E, 655D, 655E, 675D, 675E, B95, B110, B115, LB75, LB75B, LB90, LB90B, LB95, LB95B, LB110, LB110B, LB115, LB115B				
87315527	Bucket Cylinder		2	125
PV87315527	Seal Kit		2	0.2
83910547	Bushing		2	0.6
NEW HOLLAND 555E, 575E, 655E, 675E, LB75, B90B, B95, B95B, B110, B110B, B115, B115B, LB75B, LB90, LB90B, LB110B, LB115, LB115B, CASE 580SV, 695SV				
85800660	Stabilizer Cylinder		2	112
83971999	Seal Kit		2	0.5
CASE 480B, 480C, 480D, 480E				
1340827C1	Stabilizer Cylinder Assembly	R/H or L/H	2	68
1543261C1	Seal Kit		2	1
CASE 480B, 480C				
1543021C1	Gland		1	5
1543274C1	Seal Kit		1	1
CASE 480B, 480C, 480D, 480E				
G103503	Bucket Cylinder Assembly		1	79
1543268C1	Seal Kit		1	1
CASE 480D, 480E				
G102835	Boom Cylinder Assembly		1	125
1543264C1	Seal Kit		1	1
CASE 580CK				
G101540	Stabilizer Cylinder	Use 1340827C1		
CASE 580CK, 580B				
G35006	Rod, 1 1/2"	Loader Lift Cylinder	2	25
1542962C1	Gland		2	5
1543252C1	Seal Kit	For 1 piece piston	2	1
CASE 580C, 580D, 580E				
G105756	Loader Lift Cylinder		2	84
1542986C1	Gland		2	4
1543262C1	Seal Kit		2	1
CASE 580K, 580SK				
110303A1	Loader Lift Cylinder		2	100
1543260C1	Seal Kit		2	1
CASE 570LXT, 570MXT, 580K, 580SK, 580L, 580SL, 580M, 580SM, 590SL				
110307A1	Rod	Loader Bucket Cylinder	2	16
1543256C1	Seal Kit		2	1
CASE 580C, 580D, 580SE, 680E, 680G, 680H, 680K				
1346044C1	Swing Cylinder		2	82
G110166	Rod, 2"		2	20
G100438	Piston		2	4
1543003C1	Gland		2	8
1543273C1	Seal Kit		2	1
G34875	Bushing, Trunnion		4	0.5

Part No.	Description	Notes	Qty.	Wt.
CASE 580B, 580C				
G101180	Stabilizer Cylinder Assembly R/H		1	89
G101181	Stabilizer Cylinder Assembly L/H		1	89
G34475	Rod, 2"		2	28
G100438	Piston		2	4
1543003C1	Gland		2	8
1543273C1	Seal Kit		2	1
D36203	Bushing, Tube End	<i>Sold Separate</i>	2	0.9
CASE 580D, 580E				
G109140	Stabilizer Cylinder Assembly R/H		1	96
G109139	Stabilizer Cylinder Assembly L/H		1	96
G107916	Rod, 2"		2	32
G100438	Piston		2	4
1543003C1	Gland		2	8
1543273C1	Seal Kit		2	1
CASE 580B, 580C, 580D, 580E				
G106168	Boom Cylinder Assembly		2	104
G106169	Tube, 3 1/4"		2	60
G33885	Rod, 1 3/4"		2	38
G100642	Piston		2	3
1542972C1	Gland		2	5
1543265C1	Seal Kit		2	1
CASE 580B, 580C, 580D, 580E				
G106682	Dipper Cylinder Assembly		1	128
G105087	Rod, 2"		1	42
G100438	Piston		1	4
1543003C1	Gland		1	8
1543273C1	Seal Kit		1	1
CASE 580B, 580C, 580D, 580E				
G109434	Bucket Cylinder Assembly	<i>2 1/2" Rod</i>	1	120
G103357	Piston		1	3
1543294C1	Seal Kit		1	1
G33162	Rod, 2"	<i>580B, 580C</i>	1	40
1543274C1	Seal Kit	<i>For cylinders with a 2" rod</i>	1	1
CASE 580K, 580SK				
1971702C4	Swing Cylinder		2	55
1978061C3	Rod 1 3/4"		2	17
1971707C2	Gland		2	5
1543266C1	Seal Kit		2	1

Part No.	Description	Notes	Qty.	Wt.
CASE 580K				
G110672	Stabilizer Cylinder R/H		1	106
G110673	Stabilizer Cylinder L/H		1	106
G110512	Tube R/H, 4 1/4"		1	64
G110513	Tube L/H, 4 1/4"		1	64
1978060C1	Rod, 2"		2	31
G110522	Piston		2	4
297284A1	Gland		2	7
1543275C1	Seal Kit		2	1
PVVK12	Pin Kit	<i>Includes: 1 pin & 4 bushings for stabilizer arm</i>	2	11
CASE 580SK				
199720A1	Stabilizer Cylinder R/H		1	100
199721A1	Stabilizer Cylinder L/H		1	100
199722A1	Tube R/H, 4 1/4"		1	59
199723A1	Tube L/H, 4 1/4"		1	59
123726A1	Rod, 2"	<i>for 199720A1, 199721A1 cylinders</i>	2	32
123732A1	Piston	<i>for 199720A1, 199721A1 cylinders</i>	2	4
297284A1	Gland		2	7
1543275C1	Seal Kit		2	1
1978060C1	Rod, 2"	<i>for 1986804C1, 1986805C1 cylinders</i>	2	31
G110522	Piston	<i>for 1986804C1, 1986805C1 cylinders</i>	2	4
CASE 580K				
1980460C2	Boom Cylinder		1	175
1978057C1	Rod, 2 1/4"	<i>Rod end 5 3/4" wide</i>	1	70
1346018C2	Piston		1	8
1958028C1	Relief Valve		1	0.2
1542918C3	Gland		1	15
1542919C4	Seal Kit		1	1
CASE 580SK				
1543391C1	Boom Cylinder		1	165
1346018C2	Piston		1	8
1958028C1	Relief Valve		1	0.2
1542918C3	Gland		1	15
1542919C4	Seal Kit		1	1
CASE 580K, 580SK				
110294A1	Dipper Cylinder		1	154
110295A1	Tube, 5"		1	84
1542665C2	Rod, 2 1/2"		1	53
G110569	Piston		1	8
1542914C1	Gland		1	16
1542915C2	Seal Kit		1	1
CASE 580K, 580SK				
235916A1	Bucket Cylinder		1	135
196164A1	Rod, 2 1/2"	<i>use with 1 1/4" Bolt</i>	1	59
235921A1	Gland		1	5
1542923C2	Seal Kit		1	1

Part No.	Description	Notes	Qty.	Wt.
CASE 580L, 580M, 570LXT				
195503A1	Stabilizer Cylinder R/H		1	95
195504A1	Stabilizer Cylinder L/H		1	95
123726A1	Rod, 2"		2	32
128135A2	Gland		2	8
1543269C1	Seal Kit		2	1
CASE 580L, 580M, 570LXT				
189653A2	Boom Cylinder		1	174
182109A1	Rod, 2 1/4"		1	57
182218A1	Seal Kit		1	1
CASE 580L, 580M, 570LXT				
233114A2	Dipper Cylinder		1	130
234141A2	Gland		1	8.2
234844A1	Seal Kit		1	1
CASE 580L, 580M, 570LXT				
128760A1	Bucket Cylinder		1	112
198033A1	Rod, 2 1/4"		1	49
131750A2	Seal Kit		1	1
CASE 580SL, 580SM				
199720A1	Stabilizer Cylinder R/H		1	100
199721A1	Stabilizer Cylinder L/H		1	100
199722A1	Tube R/H, 4 1/4"		1	59
199723A1	Tube L/H, 4 1/4"		1	59
123726A1	Rod, 2"		2	32
297284A1	Gland		2	7
123732A1	Piston		2	4
1543275C1	Seal Kit		2	1
CASE 580SL, 580SM Series 1				
144200A1	Boom Cylinder		1	166
144201A1	Tube 5"		1	92
123405A6	Rod 2 1/4"		1	52
1542918C3	Gland		1	15
1346018C2	Piston		1	8
1958028C1	Relief Valve		1	0.2
1542919C4	Seal Kit		1	1
CASE 580SM Series 2 & Series 3				
87711763	Boom Cylinder		1	182
87618685	Piston, without relief valve		1	10
1958028C1	Relief Valve		1	0.2
87418297	Seal Kit		1	1
CASE 580SL, 580SM				
183795A3	Dipper Cylinder		1	154
183796A2	Tube 5"		1	84
178850A1	Rod 2 1/2"		1	53
1542914C1	Gland		1	16
G110569	Piston		1	8
1542915C2	Seal Kit		1	1

Part No.	Description	Notes	Qty.	Wt.
CASE 580SL, 580SM				
235916A1	Bucket Cylinder		1	135
196164A1	Rod 2 1/2"		1	59
235921A1	Gland		1	5
1542923C2	Seal Kit		1	0.2
CASE 580K, 580SK, 580L, 580SL, 580M, 580SM				
1340969C2	Extension Cylinder		1	100
1543267C1	Seal Kit		1	0.2
CASE 570LXT, 580L, 580M, 580N, (580SM Series 3 - check bore size before ordering)				
188027A2	Swing Cylinder, 3-3/4" Bore		2	96
124568A2	Bushing, Trunnion		2	0.4
137248A1	Self Aligning Bushing, Rod Eye		2	2
100-21315	Snap Ring		4	0.05
191747A1	Seal Kit		2	0.2
CASE 580SL, 580SM, 580SN, 590SL, 590SM, 590SN (580SM Series 3 check bore size before ordering)				
139808A2	Swing Cylinder, 4" Bore		2	99
124568A2	Bushing, Trunnion		2	0.4
137248A1	Self Aligning Bushing, Rod Eye		2	2
100-21315	Snap Ring		4	0.05
122535A1	Seal Kit		2	0.2
Case 570LXT, 570MXT, 570NXT, 570N EP, 580L, 580SL, 580M, 580SM, 580SM+, 580N EP				
87384876	Loader Lift Cylinder		2	81
1543260C1	Seal Kit		2	0.2
CASE 570MXT, 580L, 580SL, 580M, 580SM, 590L, 590SL				
113133A2	Loader Bucket Cylinder	also fits 580K, 580SK must replace both	2	54
110307A1	Rod 1 1/2"		2	16
G108512	Bushing, Trunnion		2	0.2
1543256C1	Seal Kit		2	0.2
CASE 580N				
84421604	Stabilizer Cylinder R/H	<i>not for EP models</i>	1	108
84421603	Stabilizer Cylinder L/H	<i>not for EP models</i>	1	108
84259226	Seal Kit		2	0.3
CASE 580N				
84551146	Boom Cylinder		1	191
84259218	Seal Kit		1	0.4
CASE 580N				
47458137	Dipper Cylinder		1	143
84259221	Seal Kit		1	0.4
CASE 580N				
84421594	Bucket Cylinder		1	120
84259224	Seal Kit		1	0.2
CASE 580N, 580SN				
84421678	Extension Cylinder		1	94
86982377	Seal Kit		1	0.2

BACKHOE CYLINDERS

CASE

Part No.	Description	Notes	Qty.	Wt.
CASE 580SN				
84421606	Stabilizer Cylinder R/H	<i>not for WT models</i>	1	114
84421605	Stabilizer Cylinder L/H	<i>not for WT models</i>	1	114
84259227	Seal Kit		2	0.3
CASE 580SN				
84421588	Boom Cylinder		1	218
84259219	Seal Kit		1	0.4
CASE 580SN				
47458141	Dipper Cylinder		1	207
84259222	Seal Kit		1	0.4
CASE 580SN				
84421595	Bucket Cylinder		1	135
84259225	Seal Kit		1	0.2
CASE 580SM+, 590, 590SL, 590SL Series 2, 590SM, 590SM+				
177256A1	Stabilizer Cylinder R/H		1	125
177257A1	Stabilizer Cylinder L/H		1	125
177261A1	Rod, 2 1/4"		2	36
1542918C3	Gland		2	15
1543289C2	Seal Kit		2	1
CASE 590SL, 590SL Series 2, 590SM				
175785A1	Boom Cylinder		1	230
1980412C2	Seal Kit		1	0.6
CASE 590SL, 590SL Series 2, 590SM				
140965A1	Dipper Cylinder		1	188
179011A1	Seal Kit		1	0.6
CASE 590SL Series 2, 590SM				
296434A1	Bucket Cylinder		1	155
297895A1	Seal Kit		1	0.4
CASE 590SL, 590SM				
133936A1	Loader Lift Cylinder		2	84
1543266C1	Seal Kit		2	1
CASE 680E s/n 9127845-, 680G, 680H, 680K, 680L				
1986853C1	Stabilizer Cylinder Assembly		2	114
1543270C1	Seal Kit		2	1
CASE 680E, 680G, 680H, 680K, 680L				
G101256	Boom Cylinder Assembly		2	160
1543277C1	Seal Kit		2	1
CASE 680E, 680G, 680H, 680K, 680L				
1345994C1	Dipper Cylinder Assembly		1	175
1543291C1	Seal Kit		1	1
CASE 680E, 680G, 680H, 680K				
1346044C1	Swing Cylinder Assembly		2	82
G110166	Rod, 2"		2	20
G100438	Piston		2	4
1543003C1	Gland		2	8
G34875	Bushing, Trunnion		4	0.5
1543273C1	Seal Kit		2	1

DOZER CYLINDERS

CASE

Part No.	Description	Notes	Qty.	Wt.
CASE 450, 450B, 450C, 550, 550E, 550G				
140146A1	Angle Cylinder		2	66
1543003C1	Gland		2	8
G100438	Piston		2	4
1543273C1	Seal Kit		2	1
CASE 450, 450B, 450C, 550				
G101228	Tilt Cylinder		1	58
1543021C1	Gland		1	5
1543274C1	Seal Kit		1	1
G34348	Lift Cylinder Rod	1 1/4" Clevis End For Dozer Lift Cyl	2	18
CASE 550E, 550G				
1542717C1	Tilt Cylinder		1	39
1543256C1	Seal Kit		1	1
CASE 850B, 850C, 850D, 850E				
1542644C1	Angle Cylinder		2	85
1543270C1	Seal Kit		2	1
G35470	Rod	For Dozer Lift Cylinder	2	22
1542962C1	Gland		2	5
G100442	Piston		2	
1543252C1	Seal Kit		2	1
G109485	Tilt Cylinder		1	65
1543003C1	Gland		1	8
G100438	Piston		1	4
1543273C1	Seal Kit		1	1
CASE 650G, 650H, 750H, 850G, 850H				
190595A2	Angle Cylinder	Without bushings	2	70
116965A2	Rod	Without bushing	2	21
1986982C1	Piston		2	4
1543266C1	Seal Kit		2	1
613524C91	Bushing, Self Aligning		4	1.4
103-21281	Snap Ring		8	0.05
CASE 650G, 650H, 750H, 850G, 850H				
116211A2	Lift Cylinder		2	70
1986982C1	Piston		2	
116207A2	Rod		2	
D40243	Bushing	Rod and Tube End	8	0.4
1543266C1	Seal Kit		2	1
CASE 650G, 650H, 750H, 850G, 850H				
117511A1	Tilt Cylinder	with bushings	1	52
613524C91	Bushing, self aligning		2	1.4
103-21281	Snap Ring		4	0.05
1543266C1	Seal Kit		1	1
CASE 650K, 750K, 750L, 850K, 850L				
412359A1	Angle Cylinder	Without bushings	2	70
430296A1	Rod	Without bushing	2	21
1986982C1	Piston		2	4
1543266C1	Seal Kit		2	1
407539A1	Bushing, Self Aligning	Tube End	2	1.6
407538A1	Bushing, Self Aligning	Rod End	2	1.8
103-21281	Snap Ring		8	0.05

DOZER CYLINDERS

CASE

Part No.	Description	Notes	Qty.	Wt.
CASE 650L				
87750252	Angle Cylinder	<i>without bushings</i>	2	
1986982C1	Piston		2	4
84157290	Seal Kit		2	0.1
407539A1	Bushing, Self Aligning	<i>Tube End</i>	2	1.6
407538A1	Bushing, Self Aligning	<i>Rod End</i>	2	1.8
103-21281	Snap Ring		8	0.05
CASE 650M				
84136288	Angle Cylinder	<i>without bushings</i>	2	
1986982C1	Piston		2	4
84157290	Seal Kit		2	0.1
407539A1	Bushing, Self Aligning	<i>Tube End</i>	2	1.6
407538A1	Bushing, Self Aligning	<i>Rod End</i>	2	1.8
103-21281	Snap Ring		8	0.05
CASE 650K, 750K, 850K				
412357A1	Tilt Cylinder	<i>with bushings</i>	1	53
407538A1	Bushing, self aligning		2	1.8
103-21281	Snap Ring		4	0.05
1543266C1	Seal Kit		1	1
CASE 1150B, 1150C, 1150D, 1150E (Outside mount 8 way blade)				
1542972C1	Gland	<i>1150E</i>	2	5
G100642	Piston	<i>1150E</i>	2	3
1543265C1	Seal Kit	<i>1150E</i>	2	1
1543261C1	Seal Kit	<i>1150B, 1150C, 1150D</i>	2	1
CASE 1150E LT, 1150G, 1150H, 1150K (Inside mount 6 way blade)				
G109819	Lift Cylinder	<i>with bushings</i>	2	84
848532	Bushing, self aligning	<i>Not for 1150K</i>	2	0.9
100-21244	Snap ring		4	0.05
D31140	Bushing, trunnion		4	0.3
1543265C1	Seal kit		2	1
G110702	Angle Cylinder	<i>with bushings</i>	2	122
D23601	Bushing, self aligning		4	2
100-21315	Snap ring		8	0.05
1542915C2	Seal kit		2	1
G110694	Tilt Cylinder	<i>with bushings</i>	1	90
D23601	Bushing, self aligning		2	2
100-21315	Snap ring		4	0.05
1542915C2	Seal kit		1	1

WHEEL LOADER CYLINDERS

CASE

CASE 621, 621B, (621C with Z-Bar loader)				
L127014	Bushing		2	2.5
1543306C1	Seal Kit		1	1
CASE 821B, 821C				
229402A1	Steering Cylinder		2	71
1543266C1	Seal Kit		2	1

Part No.	Description	Notes	Qty.	Wt.
CASE 1835, 1835B, 1835C, 1838, 1840				
118110A1	Tilt Cylinder		2	33
128728A1	Seal Kit		2	1
CASE 1835B, 1835C, 1838, 1840				
117824A1	Lift Cylinder		2	55
128725A1	Seal Kit		2	0.1
CASE 1845, 1845B, 1845C				
118156A1	Tilt Cylinder		2	41
128728A1	Seal Kit		2	0.1
CASE 1845, 1845B, 1845C				
129011A1	Lift Cylinder		2	50
128725A1	Seal Kit		2	0.1
CASE 60XT, 70XT, 420 s/n 466710-, 430, 440, 420CT s/n 455401-, Ser. 3, 440CT				
87705799	Lift Cylinder		2	65
87705824	Seal Kit		0.1	0.1
CASE 60XT, 420 s/n 466710-, 430, 420CT s/n 45501-, 440CT Ser. 3				
87438187	Tilt Cylinder		2	38
86613643	Seal Kit		0.1	0.1
CASE 75XT s/n -318922				
305509A2	Lift Cylinder	Not Available, Order Qty. (2) 336187A1		
CASE 75XT s/n 318923-, 85XT s/n 352235-, 90XT s/n 320051-, 435, 445 s/n -454786, 445CT s/n -458846				
336187A1	Lift Cylinder		2	76
198376A2	Seal Kit		0.1	0.1
CASE 75XT, 435, 445 s/n -454786				
259694A3	Tilt Cylinder		2	42
252828A3	Seal Kit		0.1	0.1
CASE 90XT s/n -320050, 450, 450CT				
308258A2	Lift Cylinder		2	76
231726A3	Seal Kit		0.1	0.1
CASE 85XT, 95XT s/n -311356, 445 s/n 454787-, 465				
258426A3	Tilt Cylinder		2	45
275503A2	Seal Kit		0.1	0.1
BOBCAT S130, T140				
6809201	Lift Cylinder		2	29
7137770	Seal Kit		0.1	0.1
BOBCAT S130, T140, 763, 773-Single Tilt				
6804630	Tilt Cylinder		1	45
7196894	Seal Kit		0.4	0.4
BOBCAT S175, S185, S205, T190, 773				
7117667	Lift Cylinder		2	43
7135559	Seal Kit		0.4	0.4
BOBCAT S150, S160, S175, S185, S205, T180, T190, 773-Double Tilt				
7117174	Tilt Cylinder		2	31
6806330	Seal Kit		0.4	0.4
BOBCAT S250, S300, S330, T300, T320, A300				
7106456	Lift Cylinder		2	59
7137939	Seal Kit		0.4	0.4
BOBCAT S220, S250, S300, S330, T250, T300, T320, A300				
7208419	Tilt Cylinder		2	40
7135547	Seal Kit		0.4	0.4

BACKHOE CYLINDERS

JOHN DEERE

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 300D, (310C after s/n 761935) 310D, 410C, 410D, 510C, 510D				
<i>L/H & R/H is determined when operating the backhoe</i>				
AH147720	Stabilizer Cylinder L/H		1	95
AH147721	Stabilizer Cylinder R/H		1	95
AH135635	Stabilizer Cylinder L/H - 310D s/n -802199, 410D s/n -801199, 510D s/n -817458		1	95
AH135636	Stabilizer Cylinder R/H - 310D s/n -802199, 410D s/n -801199, 510D s/n -817458		1	95
RE26577	Rod	With M30 x 3.5 x 80 bolt	2	30
H157978	Gland	With R81793 nut	2	7
AHC22109	Seal Kit, Bore	100 mm	2	0.1
AHC16954	Seal Kit, Rod	50 mm	2	0.1
JOHN DEERE 310D, 315D, 410D s/n 801200-				
AH154775	Boom Cylinder	Standard machines, not for heavy lift series	1	175
AH212103	Seal Kit, Bore	115 mm	1	0.1
AH149814	Seal Kit, Rod	56 mm	1	0.1
JOHN DEERE 310C, 310D, 410C, 410D s/n 801200-				
AH154776	Dipper Cylinder		1	140
AH212101	Seal Kit, Bore	100 mm	1	0.1
AH149814	Seal Kit, Rod	56 mm	1	0.1
JOHN DEERE 310C, 310D, 410C, 410D				
AH147722	Bucket Cylinder	Will not fit 410D with extendable dipperstick	1	107
H154352	Gland	With R81794 nut	1	6
AHC22108	Seal Kit, Bore	90 mm	1	0.1
AH148164	Seal Kit, Rod	50 mm	1	0.1
JOHN DEERE 310E, 310G, 310J, 310K				
AH219500	Stabilizer Cylinder R/H		1	71
AH219499	Stabilizer Cylinder L/H		1	71
AH147902	Rod	With Bolt	2	26
AH173410	Piston, Unitized		2	2.0
AHC16954	Seal Kit, Rod	50 mm	2	0.1
AHC22107	Seal Kit, Bore	80 mm	2	0.1
JOHN DEERE 310E, 310G, 310J, 310K				
AH219632	Boom Cylinder		1	188
AH149814	Seal Kit, Rod	56 mm	1	0.1
AH212585	Seal Kit, Bore	110 mm	1	0.1
JOHN DEERE 310E, 310G, 310J, 310K				
AH219633	Dipper Cylinder		1	145
AH149815	Seal Kit, Rod	63 mm	1	0.1
AH212585	Seal Kit, Bore	110 mm	1	0.1
H158947	Rod Bushing		1	1.2
JOHN DEERE 310E, 310G, 310J, 310K				
AH219631	Bucket Cylinder		1	97
AH173410	Piston, Unitized		1	2.0
AHC16954	Seal Kit, Rod	50 mm	1	0.1
AHC22107	Seal Kit, Bore	80 mm	1	0.1
H155419	Rod Bushing		1	0.8
JOHN DEERE 310E, 310G, 310J, 310K, 310L, 310 G-Tier, 310 P-Tier				
AHC11319	Swing Cylinder		1	70
AHC11572	Seal Kit, Rod	45 mm	1	0.2
AH212091	Seal Kit, Bore	80 mm	1	0.2
H151328	Bushing, Trunnion		2	0.6
H180402	Rod Eye Bushing		1	1.2

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 310SE, 310SG, 310SJ, 310SK, 410J				
AH219538	Stabilizer Cylinder R/H		1	81
AH219537	Stabilizer Cylinder L/H		1	81
AH147902	Rod	<i>With bolt</i>	2	26
AHC16954	Seal Kit, Rod	<i>50 mm</i>	2	0.1
AHC22108	Seal Kit, Bore	<i>90mm</i>	2	0.2
JOHN DEERE 410E, 410G				
AH219542	Stabilizer Cylinder R/H		1	96
AH219541	Stabilizer Cylinder L/H		1	96
AH147902	Rod	<i>With bolt</i>	2	26
AHC16954	Seal Kit, Rod	<i>50 mm</i>	2	0.1
AHC22109	Seal Kit, Bore	<i>100 mm</i>	2	0.1
JOHN DEERE 310SE, 310SG, 310SJ, 310SK, 310SL, 315SG, 315SJ, 315SK, 315SL, 325J, 325K, 325SK				
AH217444	Boom Cylinder		1	215
AH149814	Seal Kit, Rod	<i>56 mm</i>	1	0.1
AH149847	Seal Kit, Bore	<i>120 mm</i>	1	0.1
H152140	Rod Bushing		1	1.6
H150964	Tube Bushing		2	0.6
JOHN DEERE 310SE, 310SG, 310SJ, 310SK				
AH219637	Dipper Cylinder		1	176
AH149815	Seal Kit, Rod	<i>63 mm</i>	1	0.1
AH212103	Seal Kit, Bore	<i>115 mm</i>	1	0.1
H151820	Rod Bushing		1	1.4
JOHN DEERE 310SE, 310SG, 310SJ, 310SK				
AH219636	Bucket Cylinder		1	121
AH149814	Seal Kit, Rod	<i>56 mm</i>	1	0.1
AH212096	Seal Kit, Bore	<i>90 mm</i>	1	0.1
H180402	Rod Bushing		1	1.2
JOHN DEERE 410E, 410G, 410J, 410K				
AH219640	Dipper Cylinder		1	183
AH149815	Seal Kit, Rod	<i>63 mm</i>	1	0.1
AH212103	Seal Kit, Bore	<i>115 mm</i>	1	0.1
H151820	Rod Bushing		1	1.4
JOHN DEERE 410E, 410G, 410J, 410K (Heavy Duty option for 310SG, 310SJ, 310SK)				
AH219638	Bucket Cylinder		1	151
AH149815	Seal Kit, Rod	<i>63 mm</i>	1	0.1
AH212101	Seal Kit, Bore	<i>100 mm</i>	1	0.1
H180402	Rod Bushing		1	1.2
JOHN DEERE 310SE, 310SG, 310SJ, 310SK, 310SL, 315SE, 315SG, 315SJ, 315SK, 315SL, 325J, 325K, 325SK, 325SL, 410E, 410J, 410K, 410L, 320 P-Tier, 410 P-Tier				
AHC11321	Swing Cylinder		1	82
AHC16954	Seal Kit, Rod	<i>50 mm</i>	1	0.2
AH212096	Seal Kit, Bore	<i>90 mm</i>	1	0.2
H151328	Bushing, Trunnion		2	0.6
H180402	Rod Eye Bushing		1	1.2

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 310L, 310 G-Tier, 310 P-Tier				
AHC14426	Boom Cylinder		1	188
AHC16683	Seal Kit, Rod	56 mm	1	0.2
AHC20489	Seal Kit, Bore	110 mm	1	0.1
H155420	Rod Bushing		1	1.4
JOHN DEERE 310L, 310 G-Tier, 310 P-Tier				
AHC19406	Dipper Cylinder		1	145
AHC13362	Seal Kit, Rod	63 mm	1	0.4
AHC20489	Seal Kit, Bore	110 mm	1	0.2
H158947	Rod Bushing		1	1.2
JOHN DEERE 310L, 310 G-Tier, 310 P-Tier				
AHC14433	Bucket Cylinder		1	98
AH173410	Piston, Unitized		1	2.0
H155419	Rod Bushing		1	0.8
AHC16954	Seal Kit, Rod	50mm	1	0.2
AHC22107	Seal Kit, Bore	80mm	1	0.5
JOHN DEERE 310L, 310 G-Tier, 310 P-Tier				
AHC14414	Stabilizer Cylinder R/H		1	72
AHC14413	Stabilizer Cylinder L/H		1	72
AH147902	Rod	With Bolt	2	26
AH173410	Piston, Unitized		2	2.0
H154404	Rod Bushing		2	0.6
AHC16954	Seal Kit, Rod	50mm	2	0.2
AHC22107	Seal Kit, Bore	80mm	2	0.5
JOHN DEERE 310SL, 315SL, 325SL, 320 P-Tier				
AHC15730	Boom Cylinder		1	215
AHC16683	Seal Kit, Rod	56 mm	1	0.2
AH149847	Seal Kit, Bore	120 mm	1	0.1
H152140	Rod Bushing		1	1.6
H150964	Tube Bushing		2	0.6
JOHN DEERE 310SL, (315SL w/ Std. Arm), 320 P-Tier				
AHC19446	Dipper Cylinder		1	145
AHC13362	Seal Kit, Rod	63 mm	1	0.4
AHC21922	Seal Kit, Bore	110 mm	1	0.4
H151820	Rod Bushing		1	1.4
JOHN DEERE 310SL, 315SL, 320 P-Tier				
AHC14434	Bucket Cylinder		1	121
AHC16683	Seal Kit, Rod	56 mm	1	0.2
AHC19979	Seal Kit, Bore	90 mm	1	0.2
H180402	Rod Bushing		1	1.2

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 310SL, 410L, 310 G-Tier, 310 P-Tier, 320 P-Tier, 410 P-Tier				
AHC14416	Stabilizer Cylinder R/H		1	82
AHC14415	Stabilizer Cylinder L/H		1	82
AH147902	Rod	<i>With Bolt</i>	2	26
H154404	Rod Bushing		2	0.6
AHC16954	Seal Kit, Rod	<i>50mm</i>	2	0.2
AHC22108	Seal Kit, Bore	<i>90mm</i>	2	0.2
JOHN DEERE 410L, 410 P-Tier, (Heavy Duty option for 310SL, 315SL, 325SL, 320 P-Tier)				
AHC15705	Bucket Cylinder	<i>100mm Bore</i>	1	152
AHC13362	Seal Kit, Rod	<i>63 mm</i>	1	0.4
AHC19978	Seal Kit, Bore	<i>100 mm</i>	1	0.2
H180402	Rod Bushing		1	1.2
JOHN DEERE 310L, 310SL, 320 P-Tier, 410 J, 410K, 410L, 410 P-Tier				
AHC14418	Extended Stabilizer Cylinder R/H		1	97
AHC14417	Extended Stabilizer Cylinder L/H		1	97
AH147902	Rod	<i>With Bolt</i>	2	26
H154404	Rod Bushing		2	0.6
AHC16954	Seal Kit, Rod	<i>50mm</i>	2	0.2
AHC22109	Seal Kit, Bore	<i>100mm</i>	2	0.5
JOHN DEERE 331 P, 331G, 332G, 333G				
AHC18283	Bucket Cylinder, LH		2	58
AHC18295	Bucket Cylinder, RH			58
H177195	Bushing, Rod End		2	
AHC11572	Seal Kit, Rod		2	0.2
AHC19979	Seal Kit, Bore		2	0.2
JOHN DEERE 332G, 333G, 333 P, 334 P, 335 P				
AHC18598	Boom Cylinder		2	81
AHC11572	Seal Kit, Rod		2	0.2
AHC21127	Seal Kit, Bore		2	0.05

Part No.	Description	Notes	Qty.	Wt.	
JOHN DEERE 350, 350B, 350C					
AU13835	Tilt Cylinder	Will replace AT44162	1	22	
AR105453	Seal Kit		1	1	
JOHN DEERE 450, 450B, 450C, 450D, 450E, 550, 550B (6405 Blade)					
AU13861	Angle Cylinder		2	60	
AU13858	Rod, 1 1/2"		2	13	
AR105432	Seal Kit		2	1	
JOHN DEERE 450, 450B, 450C, 450D, 450E, 550, 550B (6405 Blade)					
AT40473	Lift Cylinder		2	64	
AR105432	Seal Kit		2	1	
JOHN DEERE 450, 450B, 450C, 450D, 450E, 550, 550B (6405 Blade)					
AU13847	Tilt Cylinder		1	40	
AR105432	Seal Kit		1	1	
JOHN DEERE 450G, 450G Long Track					
AH161764	Angle Cylinder	Without bushings	2	56	
RE35224	Rod		2	20	
H157171	Gland	With nut	2	3	
AH158623	Piston, Non-Unitized		2	3	
AH212090	Seal Kit, Bore	70 mm	2	0.1	
AH149194	Seal Kit, Rod	40 mm	2	0.1	
AT157173	Bushing		4	2	
JOHN DEERE 450G Wide Track, 550G, 650G					
AH161770	Angle Cylinder	Without bushings	2	58	
RE33758	Rod		2	22	
H157510	Gland	With nut	2	3	
AH149842	Seal Kit, Bore	80 mm	2	0.1	
AH149813	Seal Kit, Rod	45 mm	2	0.1	
AT157173	Bushing		4	2	
JOHN DEERE 450G, 550G, 650G					
AH161762	Lift Cylinder	With bushings	2	56	
H157174	Gland	With nut	2	3	
RE34085	Piston, Unitized		2	2.2	
AHC22107	Seal Kit, Bore	80 mm	2	0.1	
AHC13485	Seal Kit, Rod	40 mm	2	0.2	
JOHN DEERE 650G					
AH161766	Tilt Cylinder	Without bushings	Also fits 450G, 550G	1	49
AHC22109	Seal Kit, Bore	100 mm		1	0.1
AHC16954	Seal Kit, Rod	50 mm		1	0.1
AT157173	Bushing			2	2
SNAP RINGS FOR SELF ALIGNING BUSHINGS					
40M5099	Snap Ring	Used with AT157173 bushing			0.05

DOZER CYLINDERS**JOHN DEERE**

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450H				
AH150349	Lift Cylinder	<i>With bushings</i>	2	54.0
RE34085	Piston, Unitized		2	2.2
AHC22107	Seal Kit, Bore	<i>80 mm</i>	2	0.1
AHC13485	Seal Kit, Rod	<i>40 mm</i>	2	0.2
R89683	Bushing	<i>Tube end</i>	2	1.0
R84376	Bushing	<i>Rod end</i>	2	1.0
JOHN DEERE 450H, 450J				
AH216716	Angle Cylinder	<i>Without bushings</i>	2	41.0
AH137177	Piston, Unitized		2	0.8
AH212088	Seal Kit, Bore	<i>63 mm</i>	2	0.1
AH153497	Seal Kit, Rod	<i>40 mm</i>	2	0.2
AH155619	Bushing	<i>Tube end</i>	2	1.0
AT157173	Bushing	<i>Rod end</i>	2	2.0
JOHN DEERE 550H, 550J, 650H, 650J				
AH211851	Angle Cylinder	<i>Without bushings</i>	2	54.0
AH165962	Piston, Unitized		2	1.0
AH212090	Seal Kit, Bore	<i>70 mm</i>	2	0.1
AHC11572	Seal Kit, Rod	<i>45 mm</i>	2	0.1
AH155619	Bushing	<i>Tube end</i>	2	1.0
AT157173	Bushing	<i>Rod end</i>	2	2.0
JOHN DEERE 650H, 650J Also Fits 450H, 450J, 550H, 550J				
AHC15679	Tilt Cylinder	<i>With bushings</i>	1	53.0
AHC22109	Seal Kit, Bore	<i>100 mm</i>	1	0.1
AHC16954	Seal Kit, Rod	<i>50 mm</i>	1	0.2
AH155619	Bushing	<i>Tube end</i>	1	1.0
AT157173	Bushing	<i>Rod end</i>	1	2.0
JOHN DEERE 450J, 550H, 550J, 650H, 650J				
AH163865	Lift Cylinder	<i>With bushings</i>	2	54.0
RE34085	Piston, Unitized		2	2.2
AHC22107	Seal Kit, Bore	<i>80 mm</i>	2	0.1
AHC13485	Seal Kit, Rod	<i>40 mm</i>	2	0.2
R89683	Bushing	<i>Tube end</i>	2	1.0
R84376	Bushing	<i>Rod end</i>	2	1.0
JOHN DEERE 450K, 550K, 650K				
AHC14485	Lift Cylinder	<i>With bushings</i>	2	54.0
RE34085	Piston, Unitized		2	2.2
AHC22107	Seal Kit, Bore	<i>80 mm</i>	2	0.1
AHC13485	Seal Kit, Rod	<i>40 mm</i>	2	0.2
R89683	Bushing	<i>Tube end</i>	2	1.0
R84376	Bushing	<i>Rod end</i>	2	1.0
SNAP RINGS FOR SELF ALIGNING BUSHINGS				
40M5099	Snap Ring	<i>Used with AT157173 bushing</i>		0.05
40M7090	Snap Ring	<i>Used with AH155619 bushing</i>		0.05

DOZER CYLINDERS

JOHN DEERE

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 550K s/n -291536, 650K s/n -291536				
AHC14487	Angle Cylinder	<i>With bushings</i>	2	58
AH165962	Piston, Unitized		2	1.0
AH212090	Seal Kit, Bore	<i>70 mm</i>	2	0.1
AHC11572	Seal Kit, Rod	<i>45 mm</i>	2	0.2
AH155619	Bushing, Self Aligning	<i>Tube end</i>	2	1.0
AT157173	Bushing, Self Aligning	<i>Rod end</i>	2	2.0
JOHN DEERE 450K, 550K s/n 291537 -, 650K s/n 291537 -				
AHC17022	Angle Cylinder, R/H	<i>With bushings</i>	1	58
AHC17023	Angle Cylinder, L/H	<i>With bushings</i>	1	58
AH165962	Piston, Unitized		2	1.0
AH212090	Seal Kit, Bore	<i>70 mm</i>	2	0.1
AHC11572	Seal Kit, Rod	<i>45 mm</i>	2	0.2
AH155619	Bushing, Self Aligning	<i>Tube end</i>	2	1.0
AT157173	Bushing, Self Aligning	<i>Rod end</i>	2	2.0
JOHN DEERE 450K, 550K, 650K				
AHC14489	Tilt Cylinder	<i>With bushings</i>	1	53
AHC22109	Seal Kit, Bore	<i>100 mm</i>	1	0.1
AHC16954	Seal Kit, Rod	<i>50 mm</i>	1	0.2
AH155619	Bushing, Self Aligning	<i>Tube End</i>	1	1.0
AT157173	Bushing, Self Aligning	<i>Rod End</i>	1	2.0
JOHN DEERE 700H, 700J, 700K				
AH215878	Lift Cylinder	<i>With bushings</i>	2	93
AHC22109	Seal Kit, Bore	<i>100 mm</i>	1	0.1
AHC16954	Seal Kit, Rod	<i>50 mm</i>	1	0.2
R81971	Bushing	<i>Rod end</i>	2	1.6
R81968	Bushing	<i>Tube end</i>	2	0.8
JOHN DEERE 700H, 700J s/n -291536, 700K s/n -291536				
AHC15750	Angle Cylinder	<i>With bushings</i>	2	89
AH169827	Piston, Unitized		2	3.0
AHC16683	Seal Kit, Rod	<i>56 mm</i>	2	0.2
AHC22108	Seal Kit, Bore	<i>90 mm</i>	2	0.2
AH150341	Bushing, Self Aligning		4	1.2
JOHN DEERE 700J (Tier 3) s/n 291537-, 700K s/n 291537-, 700L, 700 P				
AHC19714	Angle Cylinder, LH	<i>With bushings</i>	1	88
AHC19715	Angle Cylinder, RH	<i>With bushings</i>	1	88
AH169827	Piston, Unitized		2	3.0
AHC22108	Seal Kit, Bore	<i>90 mm</i>	2	0.2
AHC16683	Seal Kit, Rod	<i>56 mm</i>	2	0.2
AH150341	Bushing, Self Aligning		4	1.2
JOHN DEERE 700H, 700J, 700K				
AH216998	Tilt Cylinder	<i>With bushings</i>	1	56
AHC22109	Seal Kit, Bore	<i>100 mm</i>	1	0.1
AHC16954	Seal Kit, Rod	<i>50 mm</i>	1	0.1
AH150341	Bushing, Self Aligning		2	1.2
SNAP RINGS FOR SELF ALIGNING BUSHINGS				
40M5099	Snap Ring	<i>Used with AT157173, AH150341 bushings</i>		0.05
40M7090	Snap Ring	<i>Used with AH155619 bushing</i>		0.05

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 750J (PAT Dozer Only)				
AH208632	Lift Cylinder	<i>With bushings</i>	2	108
AH149814	Seal Kit, Rod	<i>56 mm</i>	2	0.1
AH212102	Seal Kit, Bore	<i>100 mm</i>	2	0.2
R81971	Bushing, Rod End		2	1.6
R81968	Bushing, Tube End		2	0.8

JOHN DEERE 750J, 750K (PAT Dozer Only)				
AH217118	Angle Cylinder	<i>With bushings</i>	2	151
AH156466	Seal Kit, Rod	<i>70 mm</i>	2	0.2
AH212585	Seal Kit, Bore	<i>110 mm</i>	2	0.2
AT157174	Bushing, Rod & Tube End		4	4

JOHN DEERE 750J, 750K (PAT Dozer Only)				
AHC16692	Tilt Cylinder	<i>With bushings</i>	1	115
AH149815	Seal Kit, Rod	<i>63 mm</i>	1	0.1
AH149848	Seal Kit, Bore	<i>125 mm</i>	1	0.4
AT157174	Bushing, Rod & Tube End		2	4

JOHN DEERE 850J, 850K (PAT Dozer Only)				
AH208630	Lift Cylinder	<i>With bushings</i>	2	129
AH149815	Seal Kit, Rod	<i>63 mm</i>	2	0.1
AH212103	Seal Kit, Bore	<i>115 mm</i>	2	0.1
H227462	Bushing, Rod & Tube End		4	1.8

JOHN DEERE 850J, 850K (PAT Dozer Only)				
AH208628	Angle Cylinder	<i>With bushings</i>	2	194
AH156466	Seal Kit, Rod	<i>70 mm</i>	2	0.2
AH212103	Seal Kit, Bore	<i>115 mm</i>	2	0.1
AT157174	Bushing, Rod & Tube End		4	4

JOHN DEERE 850J, 850K (PAT Dozer Only)				
AHC16698	Tilt Cylinder	<i>With bushings</i>	1	118
AH149815	Seal Kit, Rod	<i>63 mm</i>	1	0.1
AH149848	Seal Kit, Bore	<i>125 mm</i>	1	0.4
AT157174	Bushing, Rod & Tube End		2	4

SNAP RINGS FOR SELF ALIGNING BUSHINGS				
40M1873	Snap Ring	<i>Used with AT157174 bushing</i>		0.05

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 340D, 440C-D, 540D, 548D				
RE14083	Blade Lift Cylinder		2	68
AR105532	Seal Kit		2	1.0
JOHN DEERE 640, 640D, 648D				
RE14085	Blade Lift Cylinder		2	80
RE30874	Seal Kit, Rod	1 3/4"	2	0.1
RE16118	Seal Kit, Bore	4"	2	0.1
JOHN DEERE 540E, 540G, 548E, 548G (540G-III, 548G-III s/n -589479)				
AH168541	Blade Lift Cylinder		2	76
AH149813	Seal Kit, Rod	45 mm	2	0.1
AH149842	Seal Kit, Bore	80 mm	2	0.1
T147990	Pin		2	3.5
AT133366	Bushing, Self Aligning		2	1
T148989	Pin, Blade Mount	46-1/8" long	1	37
AT128773	Bushing, Self Aligning		2	1.4
JOHN DEERE 640E, 640G, 648E, 648G				
AH168542	Blade Lift Cylinder		2	87
AH149813	Seal Kit, Rod	45 mm	2	0.1
AH212096	Seal Kit, Bore	90 mm	2	0.1
T147990	Pin		2	3.5
AT133366	Bushing, Self Aligning		2	1
AT128774	Bushing, Self Aligning		2	2.2
JOHN DEERE 740E, 740G, 748E, 748G				
AH168543	Blade Lift Cylinder	100M Bore	2	102
AH149814	Seal Kit, Rod	56 mm	2	0.1
AH212101	Seal Kit, Bore	100 mm	2	0.1
T147990	Pin		2	3.5
AT133366	Bushing, Self Aligning		2	1
AT128774	Bushing, Self Aligning		2	2.2
JOHN DEERE 540E, 548E, 540G, 548G				
AH150081	Steering Cylinder		2	70
AH149813	Seal Kit, Rod	45 mm	2	0.1
AH149842	Seal Kit, Bore	80 mm	2	0.1
T147990	Pin		2	3.5
JOHN DEERE 640E, 648E, 640G, 648G				
AH211214	Steering Cylinder		2	77
RE34085	Piston, Unitized		2	2.2
AHC13485	Seal Kit, Rod	40 mm	2	0.2
AH212092	Seal Kit, Bore	80 mm	2	0.1
T147990	Pin	PVE Cyl. w/ Unitized Piston Only	2	3.5
JOHN DEERE 740E, 748E, 740G, 748G				
AH148164	Steering Seal Kit, Rod	50 mm	2	0.1
AH212096	Steering Cylinder Seal Kit, Bore	90 mm	2	0.1
T147990	Pin		2	3.5

EXCAVATOR CYLINDERS**JOHN DEERE**

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 690, 690A, 690B, 690C, 693B, 693C				
RE21394	Boom Cylinder		2	250
RE15905	Seal Kit, Bore	5"	2	0.35
RE21395	Seal Kit, Rod	2 3/4"	2	0.35
JOHN DEERE 690, 690A, 690B, 690C, 693B				
RE21406	Dipper Cylinder		1	423
RE15907	Seal Kit, Bore	5 1/2"	1	0.35
RE21401	Seal Kit, Rod	3 1/4"	1	0.4
JOHN DEERE 690B, 690C, 693B, 693C				
RE21400	Bucket Cylinder		1	298
RE14102	Seal Kit, Bore	5 1/2"	1	0.35
RE21401	Seal Kit, Rod	3 1/4"	1	0.4

MINI-EXCAVATOR CYLINDERS**JOHN DEERE**

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 50G, 50 P, 60G, 60 P, HITACHI ZAXIS 50U-5N, ZAXIS 60USB-5N				
AH140072	Piston, Unitized		1	0.8

DOZER CYLINDERS**DRESSER**

Part No.	Description	Notes	Qty.	Wt.
DRESSER TD8C, TD8E, TD8G				
620630C92	Angle Cylinder		2	71
1543261C1	Seal Kit		2	0.5

BACKHOE CYLINDERS**CAT**

Part No.	Description	Notes	Qty.	Wt.
CAT 416 (5PC), 428 (6TC), 438 (3DJ)				
9T5219	Boom Cylinder		2	110
645355	Seal Kit		2	0.1
CAT 416B, 416C, 416D, 424D (BGP, BKR), 428D, 428C, 438B				
6E0274	Boom Cylinder		1	185
703391	Seal Kit		1	0.1
CAT 416B, 416C, 428B, 428C (Standard Dipper Arm)				
6E0275	Bucket Cylinder		1	135
660381	Seal Kit		1	0.1
CAT 416B, 416C, 428B, 428C, 438B, 438C (1RJ, 1TR, 2DR, 9KN) (Extendable Dipper Arm)				
6E1964	Bucket Cylinder		1	135
660381	Seal Kit		1	0.1
CAT 416B, 416C, 426B, 436B				
116-4365	Stabilizer Cylinder R/H		1	98
116-4366	Stabilizer Cylinder L/H		1	98
116-4369	Rod, 2 1/8"		2	34
9T6388	Gland		2	8
130-5923	Seal Kit		2	0.1

BACKHOE CYLINDERS**CAT**

Part No.	Description	Notes	Qty.	Wt.
CAT 416C, 420D, 428C, 428D (BLL, BMT, BNB, BNS, BLD), 438C, 438D (BRG, BRY)				
152-9148	Boom Cylinder		1	192
703397	Seal Kit		1	0.1
CAT 416B, 416C, 416D, 420D, 428B, 428C				
109-7020	Dipper Cylinder		1	156
134-2659	Rod, 2 1/2"		1	53
186-4362	Seal Kit		1	1
CAT 416C (1XR, 5YN), 416D (BGJ), 420D (FDP, BLN, BKC, BMC), 428C, 430D, 432D, 438C, 438D, 442D				
191-7839	Bucket Cylinder		1	167
231-5021	Seal Kit		1	0.2
CAT 416D, 420D, 430D				
180-7485	Stabilizer Cylinder R/H		1	97
180-7484	Stabilizer Cylinder L/H		1	97
130-5923	Seal Kit		2	0.1
CAT 420D (FDP, BKC), 428D (BLL, BNB), 430D (BNK)				
230-0980	Loader Lift Cylinder		2	93
243-2276	Seal Kit		2	0.4
CAT 416E, 420E, 430E				
262-7050	Stabilizer Cylinder R/H (side specific)	R/H - In Seat Facing Front Loader	1	99
262-7049	Stabilizer Cylinder L/H (side specific)	L/H - In Seat Facing Front Loader	1	99
233-2623	Seal Kit		2	0.4
CAT 416F, 420F, 430F				
291-2682	Stabilizer Cylinder R/H (side specific)	R/H - In Seat Facing Front Loader	1	99
291-2681	Stabilizer Cylinder L/H (side specific)	L/H - In Seat Facing Front Loader	1	99
233-2623	Seal Kit		2	0.4

ARTICULATED TRUCK CYLINDERS**CAT**

Part No.	Description	Notes	Qty.	Wt.
CAT 735*, 735B, 735C, 740*, 740B, 745, 745C				
223-1335	Steering Cylinder		2	115
217-9894	Seal Kit		2	0.2
*(Model 735 s/n B1N & s/n AWR429-up) *(Model 740 s/n B1P & s/n AXM823-up)				

DOZER CYLINDERS

				CAT
Part No.	Description	Notes	Qty.	Wt.
CAT D3B, D3C, D4B, D4C, D5C Tilt Cylinder				
143-7219	Tilt Cylinder w/out bushings		1	50
132-7058	Seal Kit		1	0.2
4D0298	Bushing	Tube & Rod End	2	0.9
1L4775	Snap Ring		4	0.05
CAT D3B, D3C, D4B, D4C, D5C				
136-3156	Angle Cylinder w/out bushings		2	66
132-7058	Seal Kit		2	0.2
6V8105	Bushing	Rod End	2	1.5
2H5549	Snap Ring		4	0.05
4D0298	Bushing	Tube End	2	0.9
1L4775	Snap Ring		4	0.05
CAT D3G, D4G (s/n: FDC1-520, CFN1-1071, HYD1-UP, TLX1-UP), D5G				
183-3721	Lift Cylinder		2	67
246-5917	Seal Kit		2	0.2
9J9812	Bushing		4	1.5
2H5549	Snap Ring		8	0.05
CAT D3G, D4G, D5G				
216-7388	Angle Cylinder w/ bushings*		2	58
	*s/n: BYR1-1323, JMH1-2051, HYD1-1718, TLX1-858, FDC1-520, CFN1-1071, WGB1-2700, RKG1-2121, FDH1141-UP, FDW651-UP			
259-0459	Angle Cylinder w/ bushings*		2	58
	*JMH2052-up, BYR1324-up, HYD1719-up, TLX859-up, WGB2701-up, RKG2122-up			
283-3454	Seal Kit		2	0.2
9J9812	Bushing, Rod End		2	1.5
2H5549	Snap Ring		4	0.05
4D0298	Bushing, Tube End		2	0.9
1L4775	Snap Ring		4	0.1
CAT D3G, D4G (s/n: FDC1-520, CFN1-1071, HYD1-UP, TLX1-UP), D5G				
183-8459	Tilt Cylinder w/ bushings		1	53
246-5917	Seal Kit		1	0.2
4D0298	Bushing		2	0.9
1L4775	Snap Ring	*PVE cylinder uses snap rings, also accepts OEM style retainer	4	0.1
CAT D3K, D3K2, D4K (RRR671-, MMM1874-), D4K2 (KRR, KMM), D5K (JLF, YYY2001-, WWW1816-), D5K2 (TRF, KWW, KYY)				
364-9326	Lift Cylinder w/ bushings		2	68
393-3608	Seal Kit		2	0.3
263-3181	Bushing		4	0.8
CAT D3K (LLL1340-, FFF874-), D3K2 (KLL, KFF), D4K (RRR671-, MMM874-), D4K2 (KRR, KMM), D5K (YYY2001-, WWW1816-), D5K2 (KYY, KWW)				
364-9335	Angle Cylinder w/ bushings		2	57
448-8804	Seal Kit		2	0.3
9J9812	Bushing, Rod End		2	1.5
2H5549	Snap Ring		2	0.05
4D0298	Bushing, Tube End		2	0.9
1L4775	Snap Ring		2	0.1

DOZER CYLINDERS

Part No.	Description	Notes	Qty.	Wt.
CAT D3K (JTD, LLL1340-, FFF874-), D3K2, D4K (RRR671-, MMM874-), D4K2 (KMM, KRR), D5K (JLF, YYY2001-, WWW1816-), D5K2 (KYY, TRF, KWW)				
364-9346	Tilt Cylinder w/ bushings		1	51
393-3608	Seal Kit		1	0.3
4D0298	Bushing, Rod End		1	0.9
1L4775	Snap Ring		1	0.1
9J9812	Bushing, Tube End		1	1.5
2H5549	Snap Ring		1	0.05
CAT D6K (DHA, FBH, HMG), D6K2 (RST, MXK, RPR, WMR)				
379-3505	Lift Cylinder w/ bushings		2	99
392-5201	Seal Kit		2	0.2
4D4431	Bushing	Tube & Rod End	4	1.4
2H5549	Snap Ring		8	0.05
CAT D6K (DHA, NCF, FBH, HMG)				
269-2728	Angle Cylinder w/ bushings		2	82
393-3609	Seal Kit		2	0.2
4D4431	Bushing	Tube & Rod End	4	1.4
2H5549	Snap Ring		8	0.05
CAT D6K (6S6, MP7, ZLJ), D6K2, D4 Next Gen				
379-3504	Angle Cylinder w/ bushings		2	87
393-3609	Seal Kit		2	0.2
4D4431	Bushing, Tube End		2	1.4
2H5549	Snap Ring		4	0.05
237-4860	Bushing, Rod End		2	4.0
1J6472	Snap Ring		4	0.05
CAT D6K (6S6, MP7, ZLJ), D6K2, D4 Next Gen				
379-3503	Tilt Cylinder w/ bushings		1	105
SK100113	Seal Kit		1	0.2
7J1309	Bushing	Tube & Rod End	2	3.7
1S3311	Snap Ring		2	0.1
CAT D4H, D5M				
152-6482	Angle Cylinder w/out bushings		2	78
To use this cylinder on D4H machines, also order (2) 4D4431 bushings & (4) 2H5549 snap rings				
185-7020	Seal Kit		2	0.2
4D4431	Bushing	Tube & Rod End	4	1.4
2H5549	Snap Ring		8	0.05
CAT D5M, D5N				
167-7551	Lift Cylinder		2	94.5
393-3606	Seal Kit		2	0.4
129-3528	Bushing	Tube & Rod End	4	1
CAT D6M, D6N (s/n: ALH, ALR), 527 TRACK SKIDDER (s/n: 3DS, BDW, JSR, PTR)				
152-6485	Angle Cylinder w/out bushings		2	96
111-3302	Seal Kit		2	0.2
4D4431	Bushing	Tube & Rod End	4	1.4
2H5549	Snap Ring		8	0.05

BACKHOE CYLINDERS

JCB 214, 214E, 215, 215S, 3CX, 3CX14, 3CX15, 4CX, 4CX15				
557-60073	Stabilizer Cylinder		2	91
PV557-60073	Seal Kit	For PVE and OEM cylinders	2	0.5

DOZER CYLINDERS, HYDRAULIC PUMPS & COUPLERS

Part No.	Description	Notes	Qty	Wt.
KOMATSU D61EX-23, D61EXi-23, D61EX-24, D61EXi-24, D61PX-23, D61Xi-23, D61PX-24, D61PXi-24				
707-E0-00592	Angle Cylinder	RH Only for Xi Models	2	140
707-99-36690	Seal Kit		2	0.6
707-52-90401	Wear Ring	NSS, included in seal kit	2	
707-46-05040	Bushing, Self Aligning	Tube End	2	8.0
07137-05008	Bushing, Self Aligning	Rod End	2	8.0
04065-01104	Snap Ring		4	0.05
707-91-91111	Piston		2	6.25
707-E0-00610	Lift Cylinder, LH		1	102
707-E0-00620	Lift Cylinder, RH		1	102
707-99-34250	Seal Kit		2	0.4
707-52-90301	Wear Ring	NSS, included in seal kit	2	
07145-00060	Pin Seal		4	0.1
07143-10606	Bushing	Tube End	2	1.6
07144-10606	Bushing	Rod End	2	1.6
CASE BACKHOES				
D48950	Hydraulic Pump	480B, 480C, 580B, 580C	1	16
D73079	Hydraulic Pump	480C, 480D, 480E	1	15
D93204	Hydraulic Pump	580D, 580SD	1	24
D126580	Hydraulic Pump	580D, 580SD, 580SE	1	24
D134590	Hydraulic Pump	580F, 580K	1	67
D146608	Hydraulic Pump	580K	1	71
D149283	Hydraulic Pump	580K, 580SK	1	71
130258A1	Hydraulic Pump	580L 15 teeth, use 257953A1 pump & 257948A1 coupler	1	50
257953A1	Hydraulic Pump	580L, 580L Series 2, 580M	1	50
121124A1	Hydraulic Pump	580SL	1	61
257954A1	Hydraulic Pump	580SL, 580SL Series 2, 580SM17 spline	1	64
87433897	Hydraulic Pump	580SL, 580SL Series 2, 580SM14 spline	1	66
103621A1	Hydraulic Pump	590 Turbo	1	63
D149268	Hydraulic Pump	(subs to 103621A1)	1	63
135405A2	Hydraulic Pump	590SL	1	61
257955A1	Hydraulic Pump	590SL, 590SL Series 2, 590SM	1	66
87435827	Hydraulic Pump		1	66
L55247	Hydraulic Pump	680E, 680G	1	63
D127917	Hydraulic Pump	680K, 780C, 780D	1	15
CASE FORKLIFTS				
D73079	Hydraulic Pump	584C, 584D, 584E, 585C, 585D, 585E, 586C, 586D, 586E	1	15
D41390	Hydraulic Pump	530, 580, 584, 584C, 584D, 585, 585C, 585D, 586, 586C, 586D	1	16
D126580	Hydraulic Pump	584D, 585D, 586D	1	24
CASE WHEEL LOADERS				
L77150	Hydraulic Pump	W11, W11B	1	29
L110544	Hydraulic Pump	W14	1	68
CASE COUPLERS				
D31108	Coupler	13 spline	1	0.8
D90883	Coupler	13 spline	1	1.1
D140524	Coupler	13 spline	1	1.1
257948A1	Coupler	17 Spline	1	2.8
87437920	Coupler	14 Spline	1	4.2

HYDRAULIC PUMPS


Part No.	Description	Notes	Wt.
CASE DOZERS			
D41390	Hydraulic Pump	310G, 450, 450B, 455B, 450C, 455C, 550	16
D53690	Hydraulic Pump	310, 350, 450, 450B, 450C, 455C	16
D146716	Hydraulic Pump	<i>subs to D53690</i>	16
186352A1	Hydraulic Pump	650, 650G, 650H, 750H, 850E, 850G, 850H, 855E	16
R57348	Hydraulic Pump	<i>subs to 186352A1</i>	16
360677A1	Hydraulic Pump	550H Dozer	21
R37951	Hydraulic Pump	850, 850B, 850C, 850D, 855C, 855D	19
R56559	Hydraulic Pump	850D, 855D	19
396801A2	Hydraulic Pump	650K, 650L, 750K, 750L, 750M, 850K, 850L, 850M - models w/o PTO	21
R42142	Hydraulic Pump	1150C, 1450, 1450B, Dozer	53
R58775	Hydraulic Pump	1150G, 1150H, 1150K Series 3 - models w/o PTO	45
87604362	Hydraulic Pump	<i>subs to R58775</i>	
R56572	Hydraulic Pump	1150E, 1155E	67

JOHN DEERE DOZERS			
AT181864	Hydraulic Pump	350, 350B, 350C, 350D, 450, 450B, 450C to s/n 380045	11
AT71451	Hydraulic Pump	450C after s/n 380046, 450D	12
AT81402	Hydraulic Pump	450E, Standard & wide track	32
AT81404	Hydraulic Pump	450E, Standard & wide track with backhoe	34
AT38800	Hydraulic Pump	Loader, 450, 450B, 450C, 455D	21
AT38801	Hydraulic Pump	Loader, 350, 350B, 350C, 350D, 355D, 450, 450B, 450C, 450D	14
AT74412	Hydraulic Pump	Loader, 555, 555A, 555B, 28 GPM, Pressure side o-ring 1 1/4" ID	21
AT41452	Hydraulic Pump	Loader, 555, 555A, 555B, 28 GPM, Pressure side o-ring 1" ID	15
AT159745	Hydraulic Pump	450G, 550G, 650G, s/n 789182- with torque converter	38
AT224355	Hydraulic Pump	450H, 450J, 550H, 550J, 650H, 650J	40
AT209862	Hydraulic Pump	(subs to AT224355)	
AT224356	Hydraulic Pump, Standard	700H, 700J, 700K	42

JOHN DEERE BACKHOES			
AT164404	Hydraulic Pump	310D s/n 802200-, 315D s/n 850000- (Comm. Intertech Type)	54
AT179792	Hydraulic Pump	310E, 310G, 310J, 310K (not for EP model), 710D s/n 872329-	41

DRESSER DOZERS		(to s/n 9500 on E models)	
623084C92	Hydraulic Pump	TD7, TD7C, TD7E, TD8, TD8C, TD8E, 100, 100C, 100E, 125, 125C, 125E	15

CAT DOZERS			
137-1296	Hydraulic Pump	D3G, D4G, D5G	17



Crawler Loader Parts

Phone: 877-774-0081

SECTION C

DOZER BLADE & C-FRAME PARTS, CRAWLER LOADER PARTS

	Page
CASE DOZER BLADE PARTS	
650G, 650H, 750H, 850G, 850H	C2
650K, 650L, 750K, 750L, 750M, 850K, 850L, 850M	C3
450, 450B, 450C	C4, C5
550, 550E, 550G	C4, C5
850B, 850C, 850D, 850E	C6, C7
1150B, 1150C, 1150D, 1150E	C8, C9
1450, 1550	C8, C9
 JOHN DEERE DOZER BLADE PARTS	
450, 450B, 450C, 450D, 450E, 550, 550B	C10, C11
450G, 550G, 650G	C12, C13
450H, 550H, 650H	C14, C15
450J, 550J, 650J	C14, C15
450K, 450 P, 550K, 550 P, 650K, 650 P	C16, C17
700H, 700J	C18, C19
700K, 700L	C20, C21
750J, 750K, 750L	C22, C23
850J, 850K, 850L	C24, C25
 DRESSER DOZER BLADE PARTS	
TD7C, TD7E, TD7G, TD8C, TD8E, TD8G	C26, C27
 CAT DOZER BLADE PARTS	
D3C, D4C, D5C, D4H, D5H, D5M, D6M, D6N	C28, C29
D3G, D3K, D4G, D4K, D5G, D5K	C28, C29
D6K, D6K2, D4 Next Gen	C30, C31
 KOMATSU DOZER BLADE PARTS	
D61	C32, C33

At Paint Valley Equipment, we know how essential blade pivot kits are to keeping your equipment performing at its best. We're pleased to announce the addition of eleven new Blade Pivot Kits to our online catalog—engineered for durability, precision fit, and dependable operation across multiple models.

New Blade Pivot Kits:



PV5000

Deere 450H, 450J, 450K, 450P,
550H, 550J, 550K, 550P, 650H,
650J, 650K, 650P Dozer



PV5001

Deere 700K, 700L, 700P Dozer




PV5002

Deere 750L, 750P (Pat Blade
Only) Dozer



PV5003

Deere 850L, 850P, 850X Pat
Dozer



PV5004

Deere 450G, 550G, 650G Dozer



PV5005

Deere 450H, 450J, 550H, 550J,
650H, 650J Dozer



PV5006

Deere 700H, 700J Dozer



PV5007

Deere 750J, 750K Pat Dozer



PV5008

Deere 850J, 850K PAT Dozer



PV5009


Cat D3G, D4G, D5G, D3K, D3K2,
D4K, D4K2, D5K, D5K2 Dozer




PV5010

Komatsu D61EX-23, D61EXi-23,
D61PX-23, D61PXi-23, D61EX-24,
D61EXi-24, D61PX-24, D61PXi-24 Dozer


Part No.	Description	Notes	Qty.	Wt.
CASE 450, 450B, 455B, 455C				
D34654	Pin	Link to bucket	450, 450B, 455B	2 2.1
D34655	Pin	Loader frame to bucket		2 3.7
D33047	Bushing	Bucket, upper	455C	4 0.3
D32865	Bushing	Bucket, upper	450, 450B, 455B	4 0.2
D33678	Bushing	Bucket, lower		4 1
D30929	Bushing	Frame at tilt cylinder	450, 450B, 455B	2 0.4
D30929	Bushing	Bucket link at bucket	450, 450B, 455B	2 0.4
D34354	Bushing	Bucket link, both ends	455C	4 0.2
D31140	Bushing	Bucket link at dump link	450, 450B, 455B	4 0.3
D34354	Bushing	Frame at lift cylinder		2 0.2
D30929	Bushing	Frame at dump link	450B, 455B	2 0.4
D30931	Bushing	Frame at dump link	450	2 0.6
D31142	Bushing	Frame at bucket		2 0.8
D33047	Bushing	Lift cylinder, rod		4 0.3
D32865	Bushing	Tilt cylinder, rod	450, 450B, 455B	4 0.2
D33047	Bushing	Tilt cylinder, rod	455C	4 0.3
G103411	Bushing	Tilt cylinder, trunnion	450B, 455B	4 0.2
CASE 850B, 850C, 855C				
R48920	Pin	Bucket mounting		4 6.3
D33659	Bushing	Frame at lift cylinder		4 0.4
D37723	Bushing	Lift & tilt cylinder bushings		16 0.3
D31142	Bushing	Link at bucket		2 0.8
D33659	Bushing	Leveling link, short & Link at tilt cylinder		8 0.4
D33023	Bushing	Leveling link, long & Frame at bucket		4 1
D31142	Bushing	Frame at dump link	850B	4 0.8
D33024	Bushing	Frame at dump link	850C, 855C	4 0.5
CASE 1150, 1150B, 1150C, 1155D, 1155E				
R27061	Pin	Bucket	1150B, 1150C, 1155D, 1155E	4 7.2
R13427	Pin	Bucket	1150	4 6
D33023	Bushing	Bucket	1150	8 1
D31142	Bushing	Tilt link at bucket	1150, 1150B	2 0.8
D33678	Bushing	Tilt link at lever	1150	2 1
D31142	Bushing	Tilt link, both ends	1150B, 1150C, 1155D, 1155E	4 0.8
D31142	Bushing	Lift frame at bucket	1150	4 0.8
R27011	Bushing	Lift frame at main frame	1150B, 1150C, 1155E	2 1
JOHN DEERE 450, 450B, 450C, 455D, 455E, 555, 555B				
T32679	Link			2 20
T32682	Link	To Bucket		2 35
AT86423	Pin	Bucket Upper		2 4.7
T32601	Pin	Bucket Upper		2 4.7
AU14012	Pin	Bucket Lower		2 4.7
T32677	Pin	Loader Linkage		2 5




Ref.	Part No.	Description	Notes		Qty.	Wt.
CASE 650G, 650H, 750H, 850G, 850H						
1	181427A1	Pin	Lift cylinder, rod	650G, 650H, 750H, 850H	2	3.1
1	119097A1	Pin	Lift cylinder, rod	850G	2	3.4
2	119097A1	Pin	Lift cylinder, tube		2	3.4
3	119101A1	Pin	Tilt cylinder, tube		1	3.8
4	119106A1	Pin	Tilt cylinder, rod		1	6.6
5	D43940	Bushing			2	0.5
6	119101A1	Pin	Angle Cylinder, rod		2	3.8
7	119097A1	Pin	Angle Cylinder, tube	650G, 750H, 850G, 850H	2	3.4
7	386438A1	Pin	Angle Cylinder, tube	650H	2	3.1
8	R53254	Pin	C-Frame mount		2	11
9	D33635	Bushing			4	0.4
	95-81156	Washer	C-Frame Pin		AR	0.2
10	D40243	Bushing			2	0.4
14	103-16175	Snap Ring			2	0.05
11	190595A2	Angle Cylinder			2	70
	613524C91	Bushing, self aligning	rod end & tube end		4	1.4
	103-21281	Snap Ring	rod end & tube end		8	0.05
12	116211A2	Lift Cylinder			2	70
	D40243	Bushing	rod end & tube end		8	0.4
13	117511A1	Tilt Cylinder			1	52
	613524C91	Bushing, self aligning			2	1.4
	103-21281	Snap Ring			4	0.05
14	121167A1	Bushing, spacer			8	0.2
15	121166A1	Bushing, spacer			4	0.1
16	346626A1	Slider Block	Also fits 550H		1	4
17	117836A1	Wear Plate	Also fits 550H		2	3
18	188904A1	Trunnion Block Kit	Also Fits 550H		1	28.5
19	118487A1	Self Aligning Bearing			1	5.2
20	PV507	Blade Face	104" x 31" (2 pc.)		1	230




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 650K, 650L, 750K, 750L, 850K, 850L					
1	345410A1	Pin	Lift cylinder, rod	2	3.1
2	405607A1	Pin	Lift cylinder, tube	2	3.4
3	435157A1	Pin	Tilt cylinder, tube	1	3.8
4	435157A1	Pin	Tilt cylinder, rod	1	3.8
5	D43940	Bushing		2	0.5
6	435157A1	Pin	Angle Cylinder, rod	2	3.8
7	446456A1	Pin	Angle Cylinder, tube	2	3.1
8	405608A1	Pin	C-Frame mount	2	11
9	D33635	Bushing		4	0.4
	495-81283	Washer	C-Frame Pin	6	0.2
10	412359A1	Angle Cylinder		2	70
	407538A1	Bushing, self aligning	Rod End	2	1.8
	407539A1	Bushing, self aligning	Tube End	2	1.6
	103-21281	Snap Ring	Rod End & Tube End	8	0.05
11	417854A1	Lift Cylinder	Not Available	2	
	D40243	Bushing	Rod End & Tube End	8	0.4
12	412357A1	Tilt Cylinder	Not for 650L	1	53
	407538A1	Bushing, self aligning	Rod End & Tube End	2	1.8
	103-21281	Snap Ring	Rod End & Tube End	4	0.05
CASE 750M, 850M					
1	345410A1	Pin	Lift cylinder, rod	2	3.1
3	435157A1	Pin	Tilt cylinder, tube	1	3.8
4	435157A1	Pin	Tilt cylinder, rod	1	3.8
	407538A1	Bushing, self aligning	Rod End	2	1.8
	407539A1	Bushing, self aligning	Tube End	2	1.6
	103-21281	Snap Ring	Rod End & Tube End	4	0.05



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 450, 450B, 450C, 550, 550E, 550G					
1	140146A1	Angle Cylinder		2	66
CASE 450, 450B, 450C, 550, 550E, 550G					
2	G101228	Tilt Cylinder	450, 450B, 450C, 550	1	58
2	1542717C1	Tilt Cylinder	550E, 550G	1	39
CASE 450, 450B, 450C, 550, 550E, 550G					
3	D34855	Swivel Ring		1	10
4	D34869	Swivel Plate		1	6
5	R58793	Rub Plate		2	20
6	127980A1	Slide Plate		2	11
	61-46224	Socket Head Bolt	450, 450B, 450C, 550, 550E	4	1
7	R58808	Threaded Anchor		2	6
8	D47766	Backer Plate	450, 450B, 450C, 550, 550E	2	23
9	D47911	Shim		AR	1
10	D46466	Bracket, Lift Cylinder		2	4.1
11	PV512	Blade Face	90" x 31" (1 pc.) 450, 450B, 450C, 550, 550E	1	145
11	PV507	Blade Face	104" x 31" (2 pc.) 450, 450B, 450C, 550, 550E	1	230
13	D34793	Trunnion	450	2	14
	R27967	Spacer	450	2	8
14	R32490	Cap Assembly	450	2	8.8
16	D31317	Race, Lift Cylinder Trunnion		2	8
17	R47082	Lift Cylinder Trunnion		2	12
18	211-1024	Ball		38	1
19	D34789	Pin	Main Center	1	15.2
20	D24508	Pin	Lift Cylinder On Nose Piece	4	0.6
	30634	Bushing	Lift Cylinder On Nose Piece	4	0.1
21	D46467	Pin	Lift Cylinder (Dozer Models)	2	1.3
22	D34796	Pin	Tilt Cylinder	2	2
23	D34795	Pin	Angle Cylinder	4	2.5
23	D34795	Pin	Angle Cylinder to C-frame (550E, 550G)	2	2.5
23	D44881	Pin	Angle Cyl. to leveling beam (550E, 550G)	2	2.7
	D32865	Bushing	140146A1 Angle Cylinder	8	0.2
	D32865	Bushing	G101228 Tilt Cylinder	4	0.2
	D30930	Bushing	1542717C1 Tilt Cylinder	4	0.2
24	D33023	Bushing	Center U Frame	2	1
25	R50774	Pin	Rear C-Frame	2	2.1
26	D32919	Bushing	Blade Mount	4	0.2
27	25-1224	Slotted Nut	Center Pin	1	0.8
28	D30930	Bushing	Included in Mounting Brackets	4	0.2
29	D31142	Bushing	Cross Frame	2	0.8
30	R47535	Bracket	450C	2	25
30	R55861	Bracket	450C LT, 550, 550E, 550G	2	33
31	241962A1	C-Frame	450B, 450C, 550, 550E, 550G	1	481



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 850B, 850C, 850D, 850E					
1	1542644C1	Angle Cylinder		2	85
2	G109485	Tilt Cylinder		1	65
3	100195A1	Swivel Ring	<i>Outer</i>	1	20
4	R44319	Swivel Ring	<i>Inner</i>	1	16
5	100196A1	Rub Plate		2	25
6	128865A1	Wear Plate		2	25
6A	R31647	Shim		4	2
7	100256A1	Rub Plate L/H		1	18
7	100255A1	Rub Plate R/H		1	18
8	PV502	Blade Face	<i>102" x 34" (1 pc.) - Also fits 650G, 650H, 750H, 850G, 850H</i>	1	234
9	R48191	Race	<i>For Lift Cylinder Trunnion</i>	2	20
10	R49038	Lift Cylinder Trunnion		2	9
11	211-1024	Ball		38	1
12	R31968	Pin	<i>Main Center</i>	1	28
13	25-1224	Slotted Nut		1	0.8
14	R31914	Bushing	<i>Main Center Upper</i>	1	1.4
15	R27011	Bushing	<i>Main Center Lower</i>	1	1
16	D51045	Pin	<i>Lift Cylinder</i>	2	2.1
	D32919	Bushing	<i>Lift Cylinder</i>	4	0.2
17	R48604	Plate	<i>Lift Cylinder To Cowl</i>	4	2
18	D34796	Pin	<i>Tilt Cylinder, 850B, 850C</i>	2	2
18	R50191	Pin	<i>Tilt Cylinder, 850D, 850E</i>	2	2
	D29325	Bushing	<i>Tilt Cylinder, 850B, 850C, 850D</i>	4	0.4
	D32865	Bushing	<i>Tilt Cylinder, 850E</i>	4	0.2
19	R31965	Pin	<i>Angle Cylinder Outside, 850B, 850C, 850D</i>	2	4.2
19	R56417	Pin	<i>Angle Cylinder Outside, 850E</i>	2	3.9
20	R31966	Pin	<i>Angle Cylinder Inside, 850B, 850C, 850D, 850E</i>	2	5
	D34340	Bushing	<i>Angle Cylinder</i>	8	0.3
21	D33678	Bushing	<i>C-Frame to Dozer</i>	4	1
22	R39700	Pin	<i>Rear Blade, 850B</i>	2	6.8
23	R45977	Pin	<i>Rear Blade, 850C, 850D, 850E</i>	2	4.7
	D40091	Bushing	<i>C-frame mounting bracket, Inner</i>	2	0.8
	D33024	Bushing	<i>C-frame mounting bracket, Outer</i>	2	0.5




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 1150B, 1150C, 1150D, 1150E					
4	R30999	Threaded Wear Plate		8	2
5	R30874	Strip		16	1
7	R54810	Lift Cylinder Trunion		2	25
8	211-1024	Ball		50	1
9	R26672	Pin	Center, 1150B, 1150C (2 1/2" OD)	1	15
9	R45099	Pin	Center, 1150D, 1150E (2 3/4" OD)	1	18
10	R26680	Bushing, self aligning	Center, 1150B (3 15/16" OD)	1	4
27	A55435	Snap Ring	1150B (3 15/16" OD)	1	1
10	R37021	Bushing	Center, 1150B, 1150C (4 3/8" OD)	1	6
10	R41800	Bushing	Center, 1150D, 1150E (4 3/8" OD)	1	5
27	R32220	Snap Ring	1150D, 1150E (4 3/8" OD)	1	1

DOZER BLADE PARTS


CASE

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 1150B, 1150C, 1150D, 1150E (CONT.)					
10	R55698	Bushing, self aligning	Blade Center, 1150D, 1150E, 1150G (4 3/4" OD)	1	9
27	39325	Snap Ring	1150D, 1150E, 1150G (4 3/4" OD)	1	1
11	R37022	Spacer	Use with R37021	2	2
11	R45224	Spacer 41M	Use with R41800	2	4
11	R55700	Spacer 36M	Use with R55698	2	3
12	R58345	Blade Mount Bracket Assembly	1150D, 1150E, 1150G, 1150H	1	76
13	25-1224	Nut		1	0.8
14	D32930	Pin	Lift Cylinder on Frame	2	2.5
15	D36176	Pin	Lift Cylinder On Cowl	4	1.2
	D31140	Bushing	Lift Cylinder	4	0.3
16	D52386	Pin	Tilt Cylinder	2	2
17	D30929	Bushing	Tilt Cylinder	2	0.4
18	70315	Tilt Block		4	6
19	D51014	Pin	Angle Cylinder 1150B, 1150C	2	2
19	R45056	Pin	Angle Cylinder 1150D, 1150E	2	2.2
20	R45247	Pin	Front Block 1150D, 1150E	4	2.1
21	D32933	Pin	Rear Block	4	1.7
22	15-40	Bushing, self aligning		2	3
23	D23601	Bushing, self aligning		2	2
26	PV517	Blade Face	126" x 34" (2 pc.)	1	305
CASE 1150E LT, 1150G, 1150H					
7	R54810	Lift Cylinder Trunion		2	25
8	211-1024	Ball		50	1
9	R45099	Pin	Center (2 3/4" OD)	1	18
10	R41800	Bushing	Center (4 3/8" OD)	1	5
27	R32220	Snap Ring	Use with R41800 (4 3/8" OD)	1	1
10	R55698	Bushing, self aligning	Blade Center (4 3/4" OD)	1	9
27	39325	Snap Ring	Use with R55698 (4 3/4" OD)	1	1
11	R45224	Spacer 41M	Use with R41800	2	4
11	R55700	Spacer 36M	Use with R55698	2	3
12	R58345	Blade Mount Bracket Assembly		1	76
13	25-1224	Nut		1	0.8
15	D36176	Pin	Lift Cylinder, Trunnion	4	1.2
	D31140	Bushing	Lift Cylinder, Trunnion	4	0.3
24	R53254	Pin	C-Frame Mounting	2	10.4
29	D33635	Bushing	C-Frame Mounting	4	0.4
25	R54769	Pin	Tilt Cylinder Rod End	1	10
26	PV517	Blade Face	126" x 34" (2 pc.)	1	305
28	R54768	Pin	Angle Cylinder, Tilt Cyl Tube End	3	6.4
30	346627A1	Block		1	4
CASE 1450B, 1550 Blade Mount					
12	R37198	Blade Mount Bracket		1	77
10	R37037	Bushing, self aligning		1	8
27	T38110	Snap Ring		1	1
9	R56816	Pin	Center 1550	1	26
9	R53289	Pin	Center 1450, 1450B	1	26




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 350, 350B, 350C					
3	AU13835	Tilt Cylinder	Will replace AT44162	1	22
	AR105453	Seal Kit		1	1



JOHN DEERE 450, 450B, 450C, 450D, 450E, 550, 550B (6405 Blade)					
1	AU13861	Angle Cylinder		2	60
2	AT40473	Lift Cylinder		2	64
3	AU13847	Tilt Cylinder		1	40
	T106947	Hose Shield		2	9
	T37239	Clamp		4	0.8
4	T80343	90" Blade Face	90" x 29" (1 pc.)	1	186
4	PV507	104" Blade Face	104" x 31" (1 pc.)	1	230
5	T105543	Slide Plate		2	12
6	T34408	Shim		AR	0.5
7	AU13937	Pin Pivot Kit		1	24
	T80348	Bushing		1	1.4
8	BU10737	Main Cross Frame		1	300
10	U16878	Bushing	Main Center	4	1.3
9	AT48589	Pin	Main Center	1	13
11	28H2161	Spacer	Cross Frame to U Frame	1	2
12	U12660	Pin	Lift Cylinder Rear	2	1.3
13	U16925	Pin	Lift Cylinder Front	2	1.6
14	U15925	Bushing	Lift Cylinder rod end & Tilt Cylinder rod end	6	1
15	T105536	Pin	Tilt Cylinder rod end	1	1.4
16	U17292	Pin	Tilt Cylinder tube end	1	1
17	U11013	Bushing	Tilt Cylinder on main frame	1	1
18	U16915	Pin	Angle Cylinder Rear	2	1.6
19	U16916	Pin	Angle Cylinder Front	2	2.1
20	U13064	Bushing	Angle Cylinder Front (1 will replace 2 OEM bushings)	2	1
21	U16935	Bushing	Angle Cylinder Rear	2	1
22	U16920	Pin	C-Frame Rear	2	4.6
23	U16875	Bushing	C-Frame Rear	2	1
24	U41528	Pin	Cross member	2	5.4
25	T47054	Pin	Mounting Frame Rear	2	1.3
26	T105544	Wear Plate		2	4




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450G, 450G LONG TRACK					
18	AH161764	Angle Cylinder		2	56
	AH212090	Seal Kit, Bore		2	0.1
	AH149194	Seal Kit, Rod		2	0.1
	AT157173	Bushing, self aligning	<i>Not included in cylinder</i>	4	2
JOHN DEERE 450G WIDE TRACK, 550G, 650G					
17	AH161770	Angle Cylinder		2	58
	AH149842	Seal Kit, Bore		2	0.1
	RE20434	Seal Kit, Rod		2	0.1
	AT157173	Bushing, self aligning	<i>Not included in cylinder</i>	4	2
JOHN DEERE 450G, 550G, 650G					
19	AH161762	Lift Cylinder		2	56
	AH149842	Seal Kit, Bore		2	0.1
	AH149194	Seal Kit, Rod		2	0.1
JOHN DEERE 650G					
26	AH161766	Tilt Cylinder		1	49
	AH212101	Seal Kit, Bore		1	0.1
	AH148164	Seal Kit, Rod		1	0.1
	AT157173	Bushing, self aligning	<i>Not included in cylinder</i>	2	2
JOHN DEERE 450G, 550G, 650G					
1	T122600	Pin	<i>Center, old style</i>	1	15
2	AT157247	Bushing	<i>Center, old style</i>	1	7
3	T124132	Retainer Plate	<i>For AT157247 bushing</i>	2	3
	T112826	Spacer	<i>For AT157247 bushing</i>	2	1
4	T105049	Pin	<i>Tilt Cylinder to C-Frame</i>	1	4
5	AT157174	Bushing, self aligning	<i>Blade Link</i>	3	4
	T124243	Support, Pitch Strut	<i>s/n 790251-</i>	1	50
6	T104739	Pin	<i>Angle & Tilt Cylinder</i>	1	8.1
7	AT120388	Pin	<i>Pitch</i>	1	7
8	AT85792	Pin	<i>Lift Cylinder, rear</i>	2	3.5
9	AT142432	Pin	<i>Angle Cylinder, rear</i>	2	3.4
10	R89683	Bushing	<i>Lift Cylinder, rear</i>	2	1
11	R89940	Bushing	<i>Lift Cylinder, front</i>	2	1
13	T104741	Pin	<i>Angle Cylinder, front</i>	1	4.4
14	AT113692	Pin	<i>Lift Cylinder, front</i>	2	3.2
15	T122576	Pin	<i>C-Frame, rear</i>	2	8.4
16	T122720	Bushing	<i>C-Frame, rear</i>	4	0.4
16	T68818	Seal	<i>C-Frame, rear</i>	4	0.05
24	PV507	Blade Face	<i>104" x 31" (2 pc.)</i>	1	230
25	PV508	Blade Face	<i>122" x 32" (2 pc.)</i>	1	285
JOHN DEERE 450G LGP & WIDE TRACK, 550G, 650G					
30	AT184571	C-Frame		1	750
	PV5004	Blade Pivot Kit (include ref # 31,33,34,35)		1	85
31	T147801	Ball	<i>Included in C-Frame</i>	1	22
33	T180534	Socket	<i>Gussets included</i>	1	39
	T144253	Shim	<i>34 required if using all PVE parts</i>	AR / 34	0.05
34	T180535	Cap		1	19
35	19M7963	Bolt		4	0.65




J Models w/ Adjustable Pitch Link




H Models w/ Fixed Pitch Link




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450H, 450J, 550H, 550J, 650H, 650J					
1	AT209364	Pitch Link, Mid 56°	<i>H Models w/ Fixed Pitch Link</i>	1	30.0
2	AT209365	Bushing, Self Aligning	<i>H Models w/ Fixed Pitch Link</i>	1	3.4
3	F39000354	Snap Ring	<i>H Models w/ Fixed Pitch Link</i>	2	0.05
4	AT157173	Bushing, Self Aligning		1	2.0
5	40M5099	Snap Ring		2	0.05
6	AT128773	Bushing, Self Aligning - Adjustable Pitch Link to C-frame		1	1.4
7	AT310824	Pivot - Pitch Link to C-Frame	<i>Weldment</i>	1	14.0
7	T176698	Pin - Pitch Link to C-Frame	<i>Weldment</i>	1	4.0
8	AT408764	Step, LH	<i>trim to fit weldment</i>	1	7.0
9	AT408763	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5005	Blade Pivot Kit (includes ref. #10,11,12,13,14)		1	56.0
10	T196072	Ball		1	16.0
11	T181021	Socket	<i>6 Bolt Style</i>	1	30.0
12	T196073	Retainer	<i>6 Bolt Style</i>	2	3.4
13	T180582	Shim	<i>6 Bolt Style</i>	14	0.1
14	19M7759	Bolt	<i>6 Bolt Style</i>	6	0.2
	PV5000	Blade Pivot Kit (includes ref # 10,15,16,17,18,19,20)		1	59.0
15	T255152	Socket	<i>8 Bolt Style</i>	1	31.0
16	T255155	Retainer	<i>8 Bolt Style</i>	1	6.3
17	T227961	Retainer, Slip Ring	<i>8 Bolt Style</i>	1	1.0
18	T255156	Shim	<i>8 Bolt Style</i>	2	0.2
19	T255157	Shim	<i>8 Bolt Style</i>	4	0.2
20	19M9133	Bolt, M20 x 70	<i>8 Bolt Style</i>	8	0.4
21	T384432	Pin - Angle and Lift Cylinder to C-Frame		2	3.2
22	T105052	Bushing, Spacer - Angle Cylinder to C-Frame		4	0.1
23	T170880	Plate		9	0.2
24	T170879	Pin - Pitch Link and Tilt Cylinder to C-Frame	<i>H Models</i>	2	4.0
24	T384432	Pin - Tilt Cylinder to C-Frame	<i>J Models</i>	1	3.2
25	T122628	Pin - Rear C-Frame Pivot		2	8.4
26	T122720	Bushing - Rear C-Frame Pivot		4	0.4
	M467M	Shim - Rear C-Frame Pivot	<i>2mm</i>	2	0.1
	24H1598	Shim - Rear C-Frame Pivot	<i>.105" Thick</i>	2	0.15
27	T68818	Seal - Rear C-Frame Pivot		4	0.05
28	T170879	Pin - Angle and Tilt Cylinders, Pitch Link to Blade		4	4.0
23	T170880	Plate		9	0.2
29	T178620	Bushing, Rubber - Angle and Tilt Cylinder to Blade		6	0.2
30	T170884	Bushing - Angle and Tilt Cylinder, Pitch Link to Blade		6	0.1
31	T174256	Bushing - Angle Cylinder to Blade	<i>Use T170884 for 115" blade</i>	2	0.1
32	PV512	Blace Face	<i>90" x 31" (1 pc.)</i>	1	197
32	PV502	Blade Face	<i>102" x 34" (1 pc.)</i>	1	234
32	PV517	Blade Face	<i>126" x 34" (2 pc.)</i>	1	305
33	AT374115	Hose Guard		2	11.5
34	T182014	Clamp	<i>Not for 450H</i>	4	0.5
35	AT211297	Pin - Lift Cylinder to Tractor		2	3.8
36	AT302874	C-Frame, Heavy Duty	<i>Also purchase Item 24 for adjustable pitch link models</i>	1	870



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450K, 450 P, 550K, 550 P, 650K, 650 P					
1	AT157173	Self Aligning Bushing - Pitch Link		1	2.0
2	AT128773	Self Aligning Bushing - Pitch Link		1	1.4
3	40M5099	Snap Ring - Pitch Link		4	0.05
4	AT225141	Pivot - Pitch Link to C-Frame		1	14.0
4	T176698	Pin - Pitch Link to C-Frame	<i>Weldment</i>	1	4.0
6	AT408763	Step, LH	<i>trim to fit weldment</i>	1	7.0
7	AT408764	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5000	Blade Pivot Kit (<i>includes ref # 8,9,10,11,12,13,14</i>)		1	59.0
8	T196072	Ball		1	16.0
9	T255152	Socket	<i>8 Bolt</i>	1	31.0
10	T255155	Retainer	<i>8 Bolt</i>	1	6.3
11	T227961	Retainer, Slip Ring		1	1.0
12	T255156	Shim	<i>8 Bolt</i>	2	0.2
13	T255157	Shim	<i>8 Bolt</i>	4	0.2
14	19M9133	Bolt, M20 x 70mm		8	0.4
15	T384432	Pin - Tilt, Angle, and Lift Cylinders to C-Frame		5	3.2
16	T170880	Plate, Pin Retainer		5	0.2
19	T105052	Bushing - Angle Cylinder to C-Frame		4	0.1
20	T122628	Pin - Rear C-Frame Pivot		2	8.4
21	T122720	Bushing - Rear C-Frame Pivot		4	0.4
	M467M	Shim - Rear C-Frame Pivot	<i>K-Models Only, 2mm</i>	2	0.1
	24H1598	Shim - Rear C-Frame Pivot - .105" Thick	<i>K-Models Only</i>	2	0.15
	T458583	Shim - Rear C-Frame Pivot	<i>P-Tier Models Only, 2mm</i>	4	0.15
22	T68818	Seal - Rear C-Frame Pivot		4	0.05
23	T170879	Pin - Tilt and Angle Cylinders to Blade, Pitch Link to Blade		4	4.0
26	T170880	Plate, Pin Retainer		4	0.2
27	T178620	Bushing, Rubber - Tilt and Angle Cylinder to Blade		6	0.2
28	T170884	Bushing - Angle Cylinder and Pitch Link to Blade		6	0.1
29	T174256	Bushing - Tilt Cylinder to Blade		2	0.1
30	AT208543	Mounting Plate, LH - Tilt and Angle Cylinder to Blade		1	
31	AT208542	Mounting Plate, RH - Angle Cylinder to Blade		1	
32	PV512	Blade Face	<i>90 x 31" (1 pc.)</i>	1	197
32	PV502	Blade Face	<i>102" x 34" (1 pc.)</i>	1	234
32	PV517	Blade Face	<i>126" x 34" (2 pc.)</i>	1	305
	AT380324	Hose Guard	<i>550K, 650K s/n -291536 Only</i>	1	11.5
35	T182014	Clamp		4	0.5
36	AT211297	Pin - Lift Cylinder to Tractor		2	3.8




Ref.	Part No.	Description	Notes		Qty.	Wt.
JOHN DEERE 700H, 700J						
1	AT128773	Bushing, self aligning	Pitch Link	700H s/n -937546	2	1.4
2	40M5099	Snap Ring		700H s/n -937546	4	0.05
1	AT128774	Bushing, self aligning	Pitch Link	700H s/n 937547-, 700J, 700K	2	2.2
2	40M1873	Snap Ring		700H s/n 937547-, 700J, 700K	4	0.05
3	T176698	Pin - Pitch Link to C-Frame and Blade		700H s/n -937546	1	4.0
3	T208700	Pin - Pitch Link to C-Frame and Blade		700H s/n 937547-, 700J, 700K	1	6.0
4	AT360969	Step, LH		trim to fit weldment	1	7.0
5	AT360970	Step, RH		trim to fit weldment	1	7.0
	PV5006	Blade Pivot Kit (includes ref #6,7,8,9,10)			1	105
6	T179350	Ball			1	39
7	T177111	Socket		6 bolt	1	54
8	T177108	Retainer - Purchase qty. 2 for matching set		6 bolt	2	8.4
9	T177209	Shim		6 bolt	12	0.1
10	19M8639	Bolt	Blade socket		6	0.4
11	T176360	Pin - Tilt and Angle Cylinders to C-Frame			5	5.0
12	T177000	Plate, Pin Retainer			6	0.2
13	T176988	Bushing - Angle and Tilt Cylinders to C-Frame			6	0.2
14	AT221145	Pin - Lift Cylinder to C-Frame and Tractor			4	5.2
15	T177030	Pin - Rear C-Frame Pivot			2	16.0
16	T177029	Bushing - Rear C-Frame Pivot			2	4.6
17	T177028	Plate, Pin Retainer			2	1.2
18	T102171	Shim - Rear C-Frame Pivot		2mm	4	0.4
19	T102136	Seal, Pin - Rear C-Frame Pivot			4	0.05
20	T176360	Pin - Angle Cylinders to Blade			2	5.0
13	T176988	Bushing - Angle and Tilt Cylinders to Blade			6	0.2
21	T180374	Pin - Tilt Cylinder to Blade			1	5.8
13	T176988	Bushing - Tilt Cylinder to Blade		700H	6	0.2
22	T126814	Bushing - Tilt Cylinder to Blade		700J, 700K	4	0.2
23	AT479142	Mounting Plate, RH - Angle Cylinder to Blade				
24	AT308137	Mounting Plate, LH - Tilt and Angle Cylinder to Blade				
25	PV513	Blade Face	134" x 38" (2 pc.)		1	340
26	AT223656	Hose Guard, L/H		700H, 700J	1	21.0
27	AT223552	Hose Guard, R/H		700H, 700J	1	21.0
28	T137908	Clamp			4	0.4



C-FRAME, BLADE PARTS

JOHN DEERE


Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 700K, 700L, 700 P					
1	AT128774	Self Aligning Bushing - Pitch Link		2	2.2
2	40M1873	Snap Ring - Pitch Link		4	0.05
3	T208700	Pin - Pitch Link to C-Frame	<i>Weldment</i>	2	6.0
4	AT360969	Step, LH	<i>trim to fit weldment</i>	1	7.0
5	AT360970	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5001	Blade Pivot Kit <i>(includes ref. #6,7,8,9,10,11)</i>		1	101
6	T179350	Ball		1	39.0
7	T410426	Socket	<i>8 bolt</i>	1	44.0
8	T410262	Retainer	<i>8 bolt</i>	1	13.5
9	T231116	Retainer, Slip Ring	<i>8 bolt</i>	1	2.5
10	T410259	Shim	<i>8 bolt</i>	12	0.2
11	19M9133	Bolt, M20 x 70mm		8	0.4
12	T176360	Pin - Tilt and Angle Cylinders to C-Frame		2	5.0
13	T177000	Plate, Pin Retainer	<i>700K</i>	3	0.2
14	T396094	Pin - Tilt Cylinder to C-Frame	<i>700L, 700P</i>	1	
15	T476516	Pin Retainer	<i>700L, 700P</i>	1	
27	T394134	Plate, Pin Retainer	<i>700L, 700P</i>	3	
16	T176988	Bushing - Tilt and Angle Cylinders to C-Frame		6	0.2
17	AT221145	Pin - Lift Cylinder to C-Frame and Tractor		2	5.2
18	T177030	Pin - Rear C-Frame Pivot	<i>700K Only</i>	2	16
20	T177028	Plate, Pin Retainer		2	1.2
21	T177029	Bushing - Rear C-Frame Pivot		2	4.6
22	T415917	Shim - Rear C-Frame Pivot	<i>2mm</i>	4	0.4
23	T102136	Seal - Rear C-Frame Pivot		4	0.05
24	T176360	Pin - Angle Cylinders to Blade	<i>700K Only</i>	2	5.0
26	T3946094	Pin - Angle Cylinder to Blade	<i>700L, 700P</i>	1	
13	T177000	Plate, Pin Retainer	<i>700K Only</i>	2	0.2
28	T180374	Pin - Tilt Cylinder to Blade	<i>700K Only</i>	1	5.8
30	T394133	Pin - Tilt and Angle Cylinder to Blade	<i>700L, 700P</i>	1	
13	T177000	Plate, Pin Retainer	<i>700K Only</i>	1	0.2
29	T176988	Bushing - Tilt Cylinder to Blade		2	0.2
31	T126814	Bushing - Angle Cylinder to Blade		4	0.2
32	AT479142	Mounting Plate, LH - Tilt and Angle Cylinder to Blade		1	
33	AT479141	Mounting Plate, RH - Angle Cylinder to Blade		1	
34	PV513	Blade Face	<i>134" x 38" (2 pc.)</i>	1	340
37	AT380330	Hose Guard, LH - w/ Tube Guard	<i>700K s/n -291536</i>	1	21.0
38	AT380329	Hose Guard, RH - w/ Tube Guard	<i>700K s/n -291536</i>	1	21.0
39	T137908	Clamp		4	0.4



C-FRAME, BLADE PARTS

JOHN DEERE

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 750J, 750K (PAT Dozer Only)					
1	AT359620	Self Aligning Bushing, Pitch Link		2	4.0
3	T217646	Pin, Pitch Link to C-frame		1	5.2
4	AT417381	Step, LH	<i>trim to fit weldment</i>	1	7.0
5	AT417378	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5007	Blade Pivot Kit <i>(includes ref #6,7,8,9,10)</i>		1	131
6	T197229	Ball		1	49.0
7	T197226	Socket	<i>6 Bolt</i>	1	45.0
8	T197225	Retainer	<i>6 Bolt</i>	2	15.0
9	T202657	Shim	<i>6 Bolt</i>	8	0.1
10	19H3255	Bolt, 7/8" x 4"		6	0.8
11	T201667	Pin, Tilt Cylinder to C-frame and Blade		2	6.0
12	T202755	Plate, Pin Retainer		5	0.2
13	T209133	Pin, Angle and Lift Cylinder to C-frame		4	5.4
16	T202854	Pin, Rear C-frame Pivot		2	25.0
17	T177028	Plate, Pin Retainer		2	1.2
18	T101480	Shim, Rear C-frame Pivot	<i>2mm</i>	2	0.6
21	T126814	Bushing, Tilt Cylinder to Blade		2	0.2
22	T202754	Pin, Angle Cylinder and Pitch Link to Blade		3	5.2
23	PV514	Blade Face 130" x 42" (2 pc.)		1	575
24	AT324248	Hose Guard, LH		1	13.0
25	AT324247	Hose Guard, RH		1	13.0
26	T203016	Clamp		4	0.6
27	AT303629	Pin, Lift Cylinder to Tractor	<i>750J</i>	2	6.0
27	AT435021	Pin, Lift Cylinder to Tractor	<i>750K</i>	2	5.9
JOHN DEERE 750L, 750 P (PAT Dozer Only)					
1	AT359620	Self Aligning Bushing, Pitch Link		2	4.0
2	F39000354	Snap Ring, Pitch Link		4	0.05
3	T217646	Pin - Pitch Link to C-Frame		1	5.2
4	AT417381	Step, LH	<i>trim to fit weldment</i>	1	7.0
5	AT417378	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5002	Blade Pivot Kit <i>(includes ref #6,7,8,9,10)</i>		1	132
6	T197229	Ball		1	49.0
7	T436917	Socket	<i>6 Bolt</i>	1	45.0
8	T436918	Retainer	<i>6 Bolt</i>	2	15.5
9	T436919	Shim	<i>6 Bolt</i>	12	0.2
10	19M8249	Bolt, M24x100		8	0.8
14	T126814	Bushing - Angle Cylinder to C-Frame		4	0.2
15	T209133	Pin, Lift Cylinder to C-frame		2	5.4
17	T177028	Plate, Pin Retainer		2	1.2
18	T429886	Shim, Rear C-frame Pivot	<i>2mm</i>	2	0.6
	T102138	Seal, Rear C-Frame Pivot		4	0.05
21	T176988	Bushing, Tilt Cylinder to Blade		1	0.2
24	AT376750	Hose Guard, LH		1	13.0
25	AT376749	Hose Guard, RH		1	13.0
26	T203016	Clamp		4	0.6
27	AT435021	Pin - Lift Cylinder to Tractor		2	5.9




C-FRAME, BLADE PARTS


JOHN DEERE

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 850J, 850K (PAT Dozer Only)					
1	AT359620	Self Aligning Bushing - Pitch Link		2	4.0
2	F39000354	Snap Ring - Pitch Link		4	0.1
3	T217646	Pin - Pitch Link to C-Frame		1	5.2
4	AT417381	Step, LH	<i>trim to fit weldment</i>	1	7.0
5	AT417378	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5008	Blade Pivot Kit <i>(includes ref #6,7,8,9,10)</i>		1	162
6	T187345	Ball		1	63.0
7	T187246	Socket	<i>6 Bolt</i>	1	70.0
8	T187388	Retainer	<i>6 Bolt</i>	2	23.0
9	T187240	Shim	<i>6 Bolt</i>	12	0.1
10	19H3255	Bolt	<i>7/8" x 4"</i>	6	0.8
11	T201667	Pin - Tilt Cylinder to C-Frame and Blade		2	6.0
12	T202755	Plate, Pin Retainer		5	0.2
13	T209133	Pin - Angle and Lift Cylinder to C-Frame		4	5.4
16	T202854	Pin - Rear C-frame Pivot		2	25.0
17	T177028	Plate, Pin Retainer	<i>850J</i>	2	1.2
17	T331593	Plate, Pin Retainer	<i>850K</i>	2	
18	T219583	Shim - Rear C-Frame Pivot	<i>2mm</i>	8	0.6
21	T126814	Bushing - Tilt Cylinder to Blade		2	0.2
22	T202754	Pin - Angle Cylinder and Pitch Link to Blade		3	5.2
24	AT396078	Hose Guard, LH		1	
25	AT396077	Hose Guard, RH		1	
26	T187709	Clamp		4	0.6
27	AT305020	Pin - Lift Cylinder to Tractor		2	6.6


JOHN DEERE 850L, 850 P, 850 X (PAT Dozer Only)					
1	AT359620	Self Aligning Bushing - Pitch Link		2	4.0
2	F39000354	Snap Ring - Pitch Link		4	0.05
3	T217646	Pin - Pitch Link to C-Frame		1	5.2
4	AT417381	Step, LH	<i>trim to fit weldment</i>	1	7.0
5	AT417378	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5003	Blade Pivot Kit <i>(includes ref #6,7,8,9,10)</i>		1	162
6	T187345	Ball		1	63.0
7	T392724	Socket	<i>8 Bolt</i>	1	61.0
8	T393645	Retainer	<i>8 Bolt</i>	2	27.8
9	T393646	Shim	<i>8 Bolt</i>	12	0.4
10	19M8249	Bolt	<i>M24 x 100</i>	8	0.8
28	T126814	Bushing - Lift Cylinder to C-Frame		4	0.2
30	T102139	Seal - Rear C-Frame Pivot		2	0.1
18	T387261	Shim - Rear C-Frame Pivot	<i>2mm</i>	8	0.6
21	T176988	Bushing - Tilt Cylinder to Blade		2	0.2
26	T187709	Clamp		4	0.6




Ref.	Part No.	Description	Notes	Qty.	Wt.
TD7C, TD7E Blade Pins & Bushings					
1	1209087H1	Pin	Main Blade	1	9.3
		Use (1) 1209087H1 to Replace (2) 620562C1			
2	620528C2	Pin	Main Center	1	8
3	705746C1	Bushing	Blade Center	2	1
4	618988C1	Bushing	Blade	12	1
5	620564C1	Bushing	C-Frame	2	1
6/7	620621C1	Pin	Cylinder Mount	10	3
8	620873C2	Pin	Blade Mount	4	5
10	646670C1	Retainer	Lower	2	3
11	705740C1	Retainer	Upper	2	8
TD7G Blade Pins & Bushings					
1	1209087H1	Pin	Main Blade	1	9.3
2	620528C2	Pin	Blade Center	1	8
3	705746C1	Bushing	Blade Center	2	1
4	618988C1	Bushing	Blade	12	1
5	620564C1	Bushing	C-Frame	2	1
6	620621C1	Pin	Lift & Tilt Cylinder	6	3
8	620873C2	Pin	Trunion & C-Frame	4	5
10	646670C1	Retainer	Lower	2	3
11	705740C1	Retainer	Upper	2	8
TD8C, TD8E Blade Parts & Pins & Bushings					
1A	620664C1	Pin	Main Blade	2	4.8
2	620693C2	Pin	Blade Center	1	9
3	705734C1	Bushing	Blade Center	2	1
4	618962C1	Bushing	Blade	12	0.4
5	620665C1	Bushing	C-Frame	2	0.8
6/7	645351C1	Pin	Cylinder Mount	10	2.7
8	620873C2	Pin	Trunion & C-Frame	4	5
10	646670C1	Retainer	Lower	2	3
11	705760C1	Retainer	Upper	2	8
12	620630C92	Angle Cylinder		2	71
TD8G Blade Pins & Bushings					
1	1209088H1	Pin	Main Blade	1	13
2	620693C2	Pin	Blade Center	1	9
3	705734C1	Bushing	Blade Center	2	1
4	618962C1	Bushing	Blade	12	1
5	620665C1	Bushing	C-Frame	2	0.8
6	645351C1	Pin	Lift & Tilt Cylinder	6	2.7
7	734761C1	Pin	Angle Cylinder	4	2.7
8	620873C2	Pin	Trunion & C-Frame	4	5
10	646670C1	Retainer	Lower	2	3
11	705760C1	Retainer	Upper	2	8
12	620630C92	Angle Cylinder		2	71
TD7, TD7C, TD7E, TD7G, TD8, TD8C, TD8E, TD8G					
13	PV512	Blade Face	90" x 31" (1 pc.)	1	197



Ref.	Part No.	Description	Notes	Qty.	Wt.	
CAT D3C, D4C, D5C (w/ PAT Blade)						
1	6Y1421	Pin	Tilt & Angle Cylinder to Blade	3	3.6	
2	8J0729	Pin Retainer		4	0.75	
7	8J0928	Pin	Tilt Cylinder to C-Frame	1	3.3	
10	8J0927	Pin	Lift Cylinder to C-Frame	2	2.7	
11	8J0927	Pin	Angle Cylinder to C-Frame	2	2.7	
CAT D3G, D4G, D5G						
1	6Y1421	Pin	Tilt & Angle Cylinder to Blade	3	3.6	
2	8J0729	Pin Retainer		4	0.75	
	PV5009	Blade Pivot Kit (Includes Ref.# 3,4,5,6)		1	70	
3	179-5755	Cap Bearing		2	20	
4	183-5297	Shim	0.8mm thick	28	0.1	
5	225-0098	Bolt		4	0.8	
6	179-5757	Trunnion Ball		1	24	
7	8J0928	Pin	Tilt Cylinder to C-Frame	1	3.3	
8	183-1176	Bushing	Rear C-Frame	2	1.8	
9	183-1175	Pin	C-Frame to Tractor	2	9.2	
15	180-1588	Pin	Lift Cylinder to Tractor	2	3	
10	208-3760	Pin	Lift Cylinder to C-Frame	2	4	
11	208-3759	Pin	Angle Cylinder to C-Frame	2	4	
12	4D4431	Bushing, Self Aligning		2	1.4	
13	2H5549	Snap Ring		2	0.05	
14	PV517	Blade Face	126" x 34" (2 pc.)	1	305	
Cat D3K, D3K2, D4K, D4K2, D5K, D5K2						
1	6Y1421	Pin	Tilt & Angle Cylinder to Blade	3	3.6	
2	8J0729	Pin Retainer		4	0.75	
	PV5009	Blade Pivot Kit (Includes Ref.# 3,4,5,6)		1	70	
3	179-5755	Cap Bearing		2	20	
4	183-5297	Shim	0.8mm thick	28	0.1	
5	225-0098	Bolt		4	0.8	
6	179-5757	Trunnion Ball		1	24	
7	8J0928	Pin	Tilt Cylinder to C-Frame	1	3.3	
8	183-1176	Bushing	Rear C-Frame	2	1.8	
9	299-7704	Pin	C-Frame to Tractor	2	9.2	
15	271-2734	Pin	Lift Cylinder to Tractor	2	3.5	
10/11	255-2100	Pin	Lift Cylinder & Angle Cylinder to C-Frame	4	4	
12	4D4431	Bushing, Self Aligning		2	1.4	
13	2H5549	Snap Ring		2	0.05	
14	PV517	Blade Face	126" x 34" (2 pc.)	1	305	
16	346-9729	Hose Guard	D3K2, D4K2, D5K2, D1, D2, D3 Only	2	5.8	
CAT D4H, D5M, D5H, D6M, D6N						
1	3G8932	Pin	Angle Cylinder to Blade	2	4.1	
11	124-5741	Pin	Angle Cylinder to C-Frame	2	3.3	
	3G8932	Pin	Lift Cylinder to Tractor	D5H, D6M, D6N Only	2	4.1



Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT D6K (6S6, MP7, ZLJ), D6K2, D4 NEXT GEN					
1	240-1555	Pin, Rear C-Frame Pivot	<i>D6K2 (RPR, MXK, WMR, RST) Only</i>	2	15.0
2	240-1553	Bushing, Rear C-Frame Pivot		2	1.8
3	7K9210	Seal		4	0.1
4	276-4485	Shim, Rear C-Frame Pivot		4	0.6
5	124-5741	Pin, Angle and Lift Cylinders to C-Frame		4	3.3
6	8G5747	Spacer, Angle and Lift Cylinders to C-Frame		8	0.1
7	3G8932	Pin, Lift Cylinder to Tractor		2	4.1
8	269-4215	Spacer, Lift Cylinder to Tractor		4	0.2
9	374-2060	C-Frame Hose Guard RH		1	4.0
10	374-2061	C-Frame Hose Guard LH		1	4
11	377-8337	Rear Angle Cylinder Hose Guard		2	4.8
12	390-3104	Angle Cylinder Hose Guard, RH	<i>D6K2 (RST, WMR, MXK, RPR) Only</i>	1	18
13	390-3110	Angle Cylinder Hose Guard, LH	<i>D6K2 (RST, WMR, MXK, RPR) Only</i>	1	19
14	224-0683	Step	<i>Trim to Fit Weldment</i>	2	7.0
15	104-4817	Pin, Tilt Cylinder to C-Frame and Blade		2	11.0
16	223-3279	Pin Retainer, Tilt Cylinder Pins		1	1.3
17	089-8249	Spacer, Tilt Cylinder to Blade		2	0.2
18	473-4512	Pin, Pitch Link to C-Frame		1	6.5
19	8T0333	Bushing, Self Aligning - Pitch Link		2	1.4
20	8T9599	Snap Ring		2	0.05
21	358-2194	Pin, Pitch Link and Angle Cylinders to Blade		3	5.8
22	4T0231	Pin Retainer, Pitch Link, Angle Cylinders, and Lift Cylinder Pins		6	0.5
23	359-3371	Spacer, Angle Cylinders to Blade		4	0.2
	PV5011	Blade Pivot Kit		1	230
24	342-8909	Trunnion Ball		1	67
25	490-1616	Bearing Cap		2	9.5
26	348-6260	Shim		6	0.2
27	456-9700	Socket, Bearing		1	136
28	8T5878	Bolt, M24		8	0.6



Ref.	Part No.	Description	Notes	Qty.	Wt.
KOMATSU D61EX-23, D61EXi-23, D61PX-23, D61PXi-23, D61EX-24, D61EXi-24, D61PX-24, D61PXi-24					
1	134-72-71850	Bushing - Rear C-Frame Pivot		2	2.5
2	707-77-85010	Seal		4	0.05
3	13Y-72-14240	Pin - C-Frame to Tractor		2	19.0
4	205-70-66580	Lock, Pin Retainer		2	0.3
5	13Y-72-14161	Step, LH	<i>trim to fit weldment</i>	1	7.0
6	13Y-72-14171	Step, RH	<i>trim to fit weldment</i>	1	7.0
	PV5010	Blade Pivot Kit		1	245.0
7	134-72-62442	Bearing, Socket		1	87
8	134-72-72450	Shim, 0.5mm		4	0.1
9	134-72-72460	Shim, 1mm		14	0.2
10	134-72-71151	Cap, Retainer	<i>2 pc.</i>	2	17
11	01011-82405	Bolt		8	0.8
12	134-72-62474	Trunnion Ball		1	114
13	134-72-61521	Pin - Lift Cylinder to Tractor		2	7.5
14	04082-00212	Lock, Pin Retainer		6	0.2
15	13Y-72-24252	Pin - Angle Cylinder to C-Frame		2	8.5
16	13Y-72-24262	Pin - Lift Cylinder to C-Frame		2	11.0
17	13Y-72-14270	Angle and Tilt Cylinders to Blade		4	7.0
18	707-E0-00592	Angle Cylinder, LH	<i>Standard, Non-Xi Models Only</i>	1	140
19	707-E0-00592	Angle Cylinder, RH		1	140
20	707-E0-00610	Lift Cylinder, LH		1	102
21	707-E0-00620	Lift Cylinder, RH	<i>Standard, Non-Xi Models Only</i>	1	102

For cylinder components see Catalog Section B

SECTION D
**EXCAVATOR BUCKET LINKAGE,
PINS, & BUSHINGS**



Excavator Side Links

Excavator H - Links

Pins & Bushings

O-Rings & Seals


www.paintvalleyequipment.com

Phone: 877-774-0081

SECTION D

EXCAVATOR BUCKET LINKAGE PARTS, PINS, & BUSHINGS


	Page
CASE	D26-D27
CAT	D15-D20
HITACHI	D8-D14
JOHN DEERE	D1-D8
KOBELCO	D24-D26
KOMATSU	D21-D23
EXCAVATOR LINKAGE SHIM & SEAL KITS	D28



* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 70D, 190E					
1	AT200381	Pin	Bucket to dipper arm	1	8.6
2	TH111893	Pin	Bucket to H-link	1	8.6
3	TH110418	Pin	Link to dipper	1	7.1
4	TH110419	Pin	Link to cylinder	1	11
5	AT200649	H-Link		1	65
6	AT200457	Bushing		2	1
7	AT200451	Bushing		2	2
9	TH106007	Seal		2	0.1
10	TH110924	Link L/H	(with bolt holes)	1	19
11	TH110415	Link R/H		1	15
12	AT200457	Bushing		2	1
13	TH106007	Seal		2	0.1
14	AT200457	Bushing		2	1
15	TH106007	Seal		2	0.1
16	TH112227	O-Ring		4	0.05
	4374459	Shim, 45mm x 1mm		UAR	0.1
JOHN DEERE 75C, 75D, 75G, 75P, 80C, 85D, 85G, 85P					
1	FYD00011039	Pin	Bucket to dipper arm	1	12.0
2	FYD00011036	Pin	Bucket to H-link	1	12.0
3	FYD00011037	Pin	Link to dipper	1	9.0
4	FYD00011038	Pin	Link to cylinder	1	12.0
5	8082095	H-Link		1	
6	4445475	Bushing		2	0.6
7	4445476	Bushing		2	0.6
8	FXB00015614	Seal		4	0.1
9	4349913	Seal		2	0.05
10	8082538	Link L/H	(with bolt holes)	1	
11	3076932	Link R/H		1	
12	4374061	Bushing		2	0.6
13	4349913	Seal		2	0.05
14	4445475	Bushing		2	0.6
15	4349913	Seal		2	0.05
16	4406388	O-Ring		4	0.05
	4374458	Shim, 50mm x 1mm		UAR	0.1
	4374459	Shim, 55mm x 1mm		UAR	0.1

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 490D, 490E, 110, 120					
1	TH108941	Pin	<i>Bucket to dipper arm</i>	1	24
2	TH108942	Pin	<i>Bucket to H-link</i>	1	24
3	TH108940	Pin	<i>Link to dipper</i>	1	21
4	TH108943	Pin	<i>Link to cylinder</i>	1	21
5	8078142	H-Link	<i>Updated link</i>	1	152
6	4443879	Bushing	<i>For updated link only</i>	2	1.5
7	4444914	Bushing	<i>For updated link only</i>	2	1.8
8/9	TH100374	Seal		6	0.05
10	9735190	Link L/H	<i>(with bolt holes)</i>	1	32
11	4257933	Link R/H		1	24
12	AT122209	Bushing		2	2
13	TH100374	Seal		2	0.05
14	AT122209	Bushing		2	2
15	TH100374	Seal		2	0.05
16	4276696	O-Ring		4	0.1
	FF110020	Shim, 65mm x 1mm		UAR	0.2
JOHN DEERE 120C, 120D, 130G, 130GLC, 130 P, 135C RTS, 135D, 135G, 135 P					
1	3089243	Pin	<i>Bucket to dipper arm</i>	1	26
2	3089242	Pin	<i>Bucket to H-link</i>	1	26
3	3089106	Pin	<i>Link to dipper</i>	1	21
4	3089103	Pin	<i>Link to cylinder</i>	1	21
5	8078142	H Link		1	152
6	4443879	Bushing		2	1.5
7	4444914	Bushing		2	1.8
8	TH100374	Seal		4	0.05
9	TH100374	Seal		2	0.05
10	9753307	Link L/H	<i>(with bolt holes)</i>	1	32
11	4425937	Link R/H		1	24
12	4344898	Bushing		2	2
13	TH100374	Seal		2	0.05
14	4424953	Bushing		2	1.8
15	TH100374	Seal		2	0.05
16	4276696	O-Ring		4	0.1
	FF110020	Shim, 65mm x 1mm		UAR	0.2
JOHN DEERE 690, 690A, 690B, 690C					
1	U45205	Pin	<i>Bucket to dipper arm</i>	1	30
2	U45205	Pin	<i>Bucket to H-link</i>	1	30
3	U46074	Pin	<i>Link to dipper</i>	1	28
4	T35603	Pin	<i>Link to cylinder</i>	1	29
5	AU43577	H-Link		1	195
6	U43784	Bushing		2	3
7	U45284	Bushing		2	3
10	AU43241	Link L/H		1	58
11	AU43240	Link R/H		1	58
	U45284	Bushing	<i>For OEM link</i>	2	3
	U43784	Bushing	<i>For OEM link</i>	2	3
14	U43784	Bushing		2	3




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 590D, 595D					
1	T144756	Pin	Bucket to dipper arm	1	42
2	T144757	Pin	Bucket to H-link	1	42
3	AT126130	Pin	Link to dipper	1	24
4	T144755	Pin	Link to cylinder	1	28
5	8083071-72	H-Link	1 pc. - updated link	1	236
6	4409178	Bushing	For updated link only	2	2.2
7	4352400	Bushing	For updated link only	4	1.4
8	TH104472	Seal		4	0.05
9	TH102446	Seal		2	0.1
10	8037465	Link L/H		1	46
11	3037284	Link R/H		1	38
12	AT122209	Bushing		2	2
13	TH100374	Seal		2	0.05
14	T139507	Bushing		2	2
15	TH102446	Seal		2	0.1
16	TH102444	O-Ring		4	0.05

JOHN DEERE 160LC, 160CLC, 160DLC, 160GLC, 160 P					
1	3088577	Pin	Bucket to dipper arm	1	42
2	3088580	Pin	Bucket to H-link	1	42
3	3088579	Pin	Link to dipper	1	31
4	3091562	Pin	Link to cylinder	1	28
5	8083071-72	H Link	1 pc.	1	236
6	4409178	Bushing		2	2.2
7	4352400	Bushing		4	1.4
8	TH104472	Seal		4	0.05
9	TH102446	Seal		2	0.1
10	8082153	Link L/H	(with bolt holes)	1	46

cont'd on next page

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 160LC, 160CLC, 160DLC, 160GLC (cont.)					
11	3076177	Link R/H		1	38
12	4409122	Bushing		2	1.5
13	4084578	Seal		2	0.05
14	4409178	Bushing		2	2.3
15	TH102446	Seal		2	0.1
16	4089028	O-Ring		4	0.05
	FF110021	Shim, 71mmx2mm		UAR	0.4
	FF110022	Shim, 80mm x 2mm		UAR	0.4
JOHN DEERE 690DLC, 690ELC, 200LC					
1	T144756	Pin	<i>Bucket to dipper arm</i>	1	42
2	T144757	Pin	<i>Bucket to H-link</i>	1	42
3	T144755	Pin	<i>Link to dipper</i>	1	28
4	T144754	Pin	<i>Link to cylinder</i>	1	39
5	FF550043	H-Link	<i>Updated link</i>	1	240
6	4443882	Bushing	<i>For updated link only</i>	2	2.2
7	4352398	Bushing	<i>For updated link only</i>	2	1.5
8	TH102446	Seal		4	0.1
9	TH102446	Seal		2	0.1
10	AT147404	Link L/H	<i>(with bolt holes)</i>	1	52
11	T159203	Link R/H		1	45
12	T104249	Bushing		2	1.6
13	TH104472	Seal		2	0.05
14	T139507	Bushing		2	2
15	TH102446	Seal		2	0.1
16	4089028	O-Ring		4	0.05
JOHN DEERE 180GLC, 200CLC, 200DLC, 200G, 210G, 210G LC, 210 P, 225CLC, 225DLC, 245GLC, 245 P					
1	3088577	Pin	<i>Bucket to dipper arm</i>	1	42
2	3088580	Pin	<i>Bucket to H-link</i>	1	42
3	3088579	Pin	<i>Link to dipper</i>	1	31
4	3088581	Pin	<i>Link to cylinder</i>	1	39
5	FF550043	H-Link		1	240
6	4443882	Bushing		2	2.2
7	4352398	Bushing		4	1.5
8	TH102446	Seal		4	0.1
9	TH102446	Seal		2	0.1
10	8074315	Link L/H	<i>(with bolt holes)</i>	1	52
11	3084173	Link R/H		1	45
12	4409122	Bushing		2	1.5
13	4084578	Seal		2	0.05
14	4409178	Bushing		2	2.3
15	TH102446	Seal		2	0.1
16	4089028	O-Ring		4	0.05
	FF110021	Shim, 71mmx2mm		UAR	0.4
	FF110022	Shim, 80mm x 2mm		UAR	0.4




* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 790DLC, 790ELC, 230LC					
1	TH110235	Pin	Bucket to dipper arm	1	65
2	TH110236	Pin	Bucket to H-link	1	65
3	TH109810	Pin	Link to dipper	1	47
4	T138885	Pin	Link to cylinder	1	59
5	8081885	H Link	Updated link	1	350
6	4443880	Bushing	For updated link only	2	2.6
7	4358100	Bushing	For updated link only	4	1.8
8	TH102445	Seal		4	0.1
9	TH102445	Seal		2	0.05
10	8050930	Link L/H	(with bolt holes)	1	65
11	3056355	Link R/H		1	55
12	4332285	Bushing		2	3
13	TH102446	Seal		2	0.1
14	4355876	Bushing		2	5
15	TH102445	Seal		2	0.05
16	4089028	O-Ring		4	0.05
JOHN DEERE 230CLC, 240DLC, 250G, 250GLC, 250 P					
1	3088753	Pin	Bucket to dipper arm	1	68
2	3088754	Pin	Bucket to H-link	1	68
3	3088752	Pin	Link to dipper	1	47
4	T138885	Pin	Link to cylinder	1	59
5	8081885	H-Link		1	350
6	4443880	Bushing		2	2.6
7	4358100	Bushing		4	1.8
8	TH102445	Seal		4	0.05
9	TH102445	Seal		2	0.05
10	8082552	Link L/H	(with bolt holes)	1	65
11	3056355	Link R/H		1	55
12	4434036	Bushing		2	3
13	TH102446	Seal		2	0.1
14	4443880	Bushing		2	2.6
15	TH102445	Seal		2	0.05
16	4089028	O-Ring		4	0.05
	4450012	Shim, 80mm x 1mm		UAR	0.2
	FF106008	Shim, 90mm x 1mm		UAR	0.3

H-LINKS, LINKS, PINS & BUSHINGS

JOHN DEERE

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 792DLC, 270LC					
1	AT217953	Pin	<i>Bucket to dipper arm</i>	1	65
2	AT205824	Pin	<i>Bucket to H-link</i>	1	65
3	AT205819	Pin	<i>Link to dipper</i>	1	48
4	AT205820	Pin	<i>Link to cylinder</i>	1	61
5	8084924-25	H-Link	<i>1 pc. - updated link</i>	1	352
6	4443880	Bushing	<i>For updated link only</i>	2	2.6
7	4397791	Bushing		4	1.8
8/9	TH102445	Seal		6	0.05
10	8065747	Link L/H	<i>(with bolt holes)</i>	1	65
11	3075524	Link R/H		1	55
12	T139496	Bushing		2	2.2
13	TH102446	Seal		2	0.1
14	TH109802	Bushing		2	3
15	TH102445	Seal		2	0.05
16	4089028	O-Ring		4	0.05
JOHN DEERE 270CLC, 270DLC, 290GLC, 300GLC, 300 P					
1	3090166	Pin	<i>Bucket to dipper arm</i>	1	68
2	3090167	Pin	<i>Bucket to H-link</i>	1	68
3	3090168	Pin	<i>Link to dipper</i>	1	48
4	3120934	Pin	<i>Link to cylinder</i>	1	61
5	8084924-25	H-Link	<i>1 pc. - updated link</i>	1	352
6	4443880	Bushing	<i>For updated link only</i>	2	2.6
7	4397791	Bushing		4	1.8
6	4355875	Bushing	<i>OEM Link Only</i>	4	1.6
8/9	TH102445	Seal		6	0.05
10	8080569	Link L/H	<i>(with bolt holes)</i>	1	65
11	3075524	Link R/H		1	55
12	4434036	Bushing		2	3
13	TH102446	Seal		2	0.1
14	4443880	Bushing	<i>290GLC s/n -706558, 300GLC s/n -730845</i>	2	2.6
15	TH102445	Seal		2	0.05
16	4089028	O-Ring		4	0.05
	4450012	Shim, 80mm x 1mm		UAR	0.2
	FF106008	Shim, 90mm x 1mm		UAR	0.3
JOHN DEERE 892DLC, 892ELC, 330LC, 370					
1	AT164648	Pin	<i>Bucket to dipper arm</i>	1	85
2	TH112086	Pin	<i>Bucket to H-link</i>	1	85
3	TH111181	Pin	<i>Link to dipper</i>	1	64
4	AT192341	Pin	<i>Link to cylinder</i>	1	93
5	8083063	H-Link	<i>Updated link</i>	1	390
6	4443885	Bushing	<i>For updated link only</i>	2	3.0
7	4381857	Bushing		2	2.2
8/9	TH102411	Seal		6	0.1
10	8071699	Link L/H	<i>(with bolt holes)</i>	1	78
11	3055521	Link R/H		1	68
12	4358100	Bushing		2	1.8
13	TH102445	Seal		2	0.1
14	4381856	Bushing		2	3.0
15	TH102411	Seal		2	0.1
16	TH103229	O-Ring		4	0.1



* Pin shims available to order by size and thickness


Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 330CLC, 350DLC, 350GLC, 350 P, 370C, 380GLC, 380 P					
1	3090417	Pin	Bucket to dipper arm	1	90
2	3090418	Pin	Bucket to H-link	1	85
3	FF551124	Pin	Link to dipper		64
4	3092037	Pin	Link to cylinder	1	93
5	8083063	H-Link		1	390
6	4443885	Bushing		2	3.0
7	4381857	Bushing		4	2.4
8	TH102411	Seal		4	0.1
9	TH102411	Seal		2	0.1
10	8071699	Link L/H	(with bolt holes)	1	78
11	3055521	Link R/H		1	68
12	4438771	Bushing		2	2.1
13	TH102445	Seal		2	0.05
14	4443885	Bushing		2	3.0
15	TH102411	Seal		2	0.1
16	4100180	O-Ring		4	0.1
	FF106008	Shim, 90mm x 1mm		UAR	0.3
	FF106001	Shim, 100mm x 1mm		UAR	

JOHN DEERE 992ELC, 400LC, 450LC					
1	AT217077	Pin	Bucket to dipper arm	1	115
2	AT201693	Pin	Bucket to H-link	1	115
3	3055219	Pin	Link to dipper	1	84
4	AT192342	Pin	Link to cylinder	1	102
5	9206398	H-Link		1	463
6	3060476	Bushing		2	7.5
7	3060476	Bushing		2	7.5
8	AT131682	Seal		4	0.1
9	AT131682	Seal		2	0.1
10	8050178	Link L/H	(with bolt holes)	1	130
11	8050176	Link R/H		1	106
12	TH103214	Bushing		2	2.4
13	TH102411	Seal		2	0.1
15	4251212	Seal		2	0.1
16	4288572	O-Ring		4	0.1

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450CLC, 450DLC, 470GLC					
1	3104742	Pin	<i>Bucket to dipper arm</i>	1	115
2	3093215	Pin	<i>Bucket to H-link</i>	1	115
3	3055219	Pin	<i>Link to dipper</i>	1	84
4	DH300061	Pin	<i>Link to cylinder</i>	1	102
5	9206398	H-Link		1	463
6	3060476	Bushing		2	7.5
7	3060476	Bushing		2	7.5
8/9	4251212	Seal		6	0.1
10	8050178	Link L/H	<i>(with bolt holes)</i>	1	130
11	8050176	Link R/H		1	106
12	3026075	Bushing		2	2.4
13	TH102411	Seal		2	0.1
15	4251212	Seal		2	0.1
16	4487682	O-Ring		4	0.1

HITACHI EX60-1, EX60-2, EX60-3, EX60-5					
1	3041074	Pin	<i>Bucket to dipper arm</i>	1	8.6
2	3046682	Pin	<i>Bucket to H-link</i>	1	8.6
3	3037349	Pin	<i>Link to dipper</i>	1	7.1
4	3037350	Pin	<i>Link to cylinder</i>	1	11.2
5	8050336	H-Link		1	65
7	4272706	Bushing		2	1
10	8037570	Link L/H	<i>(with bolt holes)</i>	1	19
11	3037342	Link R/H		1	15
13	4094088	Seal		2	0.1
16	4094085	O-Ring		4	0.5
	4374459	Shim, 45mm x 1mm		UAR	0.1


HITACHI ZX75US, ZX75US-3, ZX75US-5N, ZX80, ZX85USB-3, ZX85USB-5N					
1	3090726	Pin	<i>Bucket to dipper arm</i>	1	12.0
2	3090725	Pin	<i>Bucket to H-link</i>	1	12.0
3	3076948	Pin	<i>Link to dipper</i>	1	9.0
4	3076951	Pin	<i>Link to cylinder</i>	1	12.0
5	8082095	H-Link		1	
6	4445475	Bushing		2	0.6
7	4445476	Bushing		2	0.6
8	FXB00015614	Seal			0.1
9	4246939	Seal		2	0.05
10	8082538	Link L/H	<i>(with bolt holes)</i>	1	
11	3076932	Link R/H		1	
12	4374061	Bushing		2	0.6
13	4246939	Seal		2	0.05
14	4445475	Bushing		2	0.6
15	4246939	Seal		2	0.05
16	4406388	O-Ring		4	0.05
	4374458	Shim, 50mm x 1mm		UAR	0.1
	4374459	Shim, 55mm x 1mm		UAR	0.1



* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
HITACHI EX100-1, EX100-2, EX100-3, EX100-5, EX120-1, EX120-2, EX120-3, EX120-5					
1	3037080	Pin	Bucket to dipper arm	1	24
2	3037081	Pin	Bucket to H-link	1	24
3	3037079	Pin	Link to dipper	1	21
4	3037082	Pin	Link to cylinder	1	20
5	8078142	H-Link	Updated link	1	152
6	4443879	Bushing	For updated link only	2	1.5
7	4444914	Bushing	For updated link only	2	1.8
8	4065687	Seal		4	0.1
9	4065687	Seal		2	0.1
10	9735190	Link L/H	(with bolt holes)	1	32
11	4257933	Link R/H		1	24
12	4188796	Bushing		2	1
13	4065687	Seal		2	0.1
14	4188796	Bushing		2	1
15	4065687	Seal		2	0.1
16	4276696	O-Ring		4	0.1
HITACHI ZX120, ZX120-3, ZX130-5G, ZX130-5N, ZX130-6N, ZX135US, ZX135US-3, ZX135US-5N, ZX135US-6N					
1	3089243	Pin	Bucket to dipper arm	1	26
2	3089242	Pin	Bucket to H-link	1	26
3	3089106	Pin	Link to dipper	1	21
4	3089103	Pin	Link to cylinder	1	21
5	8078142	H Link		1	152
6	4443879	Bushing		2	1.5
7	4444914	Bushing		2	1.8
8	4065687	Seal		4	0.05
9	4065687	Seal		2	0.05
10	9753307	Link L/H	(with bolt holes)	1	32
11	4425937	Link R/H		1	24
12	4344898	Bushing		2	2
13	4065687	Seal		2	0.05
14	4424953	Bushing		2	1.8
15	4065687	Seal		2	0.05
16	4276696	O-Ring		4	0.1
	FF110020	Shim, 65mm x 1mm		UAR	0.2

Ref.	Part No.	Description	Notes	Qty.	Wt.
HITACHI EX150, EX150-5, EX160, EX160-5					
1	3041200	Pin	<i>Bucket to dipper arm</i>	1	42
2	3041201	Pin	<i>Bucket to H-link</i>	1	42
3	3037281	Pin	<i>Link to Dipper EX150</i>	1	24
3	3036971	Pin	<i>Link to Dipper EX150-5, EX160-5</i>	1	28
4	3037280	Pin	<i>Link to Cylinder</i>	1	31
5	8083071-72	H-Link	<i>1 pc. - updated link</i>	1	236
6	4409178	Bushing	<i>For updated link only</i>	2	2.2
7	4352400	Bushing	<i>For updated link only</i>	4	1.4
8	4084578	Seal		2	0.1
9	4067902	Seal		2	0.1
10	8037465	Link L/H	<i>Dipper to cylinder, EX150 (with bolt holes)</i>	1	46
11	3037284	Link R/H	<i>Dipper to cylinder, EX150</i>	1	38
12	4197536	Bushing	<i>Dipper at Link EX150</i>	2	2
13	4065687	Seal	<i>Dipper at Link EX150</i>	2	0.1
10	AP34756	Link L/H	<i>Dipper to cyl, EX150-5, EX160-5 (w/ bolt holes)</i>	1	46
11	P64846	Link R/H	<i>Dipper to cylinder, EX150-5, EX160-5</i>	1	37
12	4196106	Bushing	<i>Dipper at Link EX150-5, EX160-5</i>	2	2
13	4084578	Seal	<i>Dipper at Link EX150-5, EX160-5</i>	2	0.5
14	4196105	Bushing	<i>Dipper at bucket</i>	2	2
15	4067902	Seal	<i>Dipper at bucket</i>	2	0.1
16	4089028	O Ring		4	0.1
HITACHI ZX160LC, ZX160LC-3, ZX160LC-5G, ZX160LC-5N, ZX160LC-6N					
1	3088577	Pin	<i>Bucket to dipper arm</i>	1	42
2	3088580	Pin	<i>Bucket to H-link</i>	1	42
3	3088579	Pin	<i>Link to dipper</i>	1	31
4	3091562	Pin	<i>Link to cylinder</i>	1	31
5	8083071-72	H Link	<i>1 pc.</i>	1	236
6	4409178	Bushing		2	2.2
7	4352400	Bushing		4	1.4
8	4084578	Seal		4	0.05
9	4067902	Seal		2	0.1
10	8082153	Link L/H	<i>(with bolt holes)</i>	1	46
11	3076177	Link R/H		1	38
12	4409122	Bushing		2	1.5
13	4084578	Seal		2	0.05
14	4409178	Bushing		2	2.3
15	4067902	Seal		2	0.1
16	4089028	O-Ring		4	0.05
	FF110021	Shim, 71mmx2mm		UAR	0.4
	FF110022	Shim, 80mm x 2mm		UAR	0.4




* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
HITACHI EX200-1, EX200-2, EX200-3, EX200-5					
1	3041200	Pin	Bucket to dipper arm	1	42
2	3041201	Pin	Bucket to H-link	1	42
3	3036971	Pin	Link to dipper	1	28
4	3036973	Pin	Link to cylinder	1	39
5	FF550043	H-Link	Updated link	1	240
6	4443882	Bushing	For updated link only	2	2.2
7	4352398	Bushing	For updated link only	2	1.5
8	4067902	Seal		4	0.1
9	4067902	Seal		2	0.1
10	8061523	Link L/H	(with bolt holes)	1	52
11	8061525	Link R/H		1	45
12	4196106	Bushing		2	2
13	4084578	Seal		2	0.05
14	4196105	Bushing		2	2
15	4067902	Seal		2	0.1
16	4089028	O Ring		4	0.1
HITACHI EX220, EX220-1, EX220-3, EX230, EX230-3, EX230-5					
1	3041202	Pin	Bucket to dipper arm	1	65
2	3041203	Pin	Bucket to H-link	1	65
3	3038445	Pin	Link to dipper	1	47
4	3038448	Pin	Link to cylinder	1	55
5	8081885	H-Link	Updated link	1	350
6	4443880	Bushing	For updated link only	2	2.6
7	4358100	Bushing	For updated link only	4	1.8
8	4067901	Seal		4	0.1
9	4067901	Seal		2	0.1
10	8050930	Link L/H	(with bolt holes)	1	65
11	3056355	Link R/H		1	55
12	4203424	Bushing		2	3
13	4067902	Seal		2	0.1
14	4203425	Bushing		2	3
15	4067901	Seal		2	0.1
16	4089028	O Ring		4	0.1

H-LINKS, LINKS, PINS & BUSHINGS

HITACHI

Ref.	Part No.	Description	Notes	Qty.	Wt.
HITACHI ZX180LC-5N, ZX180LC-6N, ZX200, ZX200-3, ZX210LC, ZX210LC-5A, ZX210LC-5G, ZX210LC-5N, ZX210LC-6N, ZX225, ZX245USLC-5N, ZX245USLC-6N					
1	3088577	Pin	<i>Bucket to dipper arm</i>	1	42
2	3088580	Pin	<i>Bucket to H-link</i>	1	42
3	3088579	Pin	<i>Link to dipper</i>	1	31
4	3088581	Pin	<i>Link to cylinder</i>	1	39
5	8076541	H-Link		1	240
6	4443882	Bushing		2	2.2
7	4352398	Bushing		4	1.5
8/9	4067902	Seal		6	0.1
10	8074315	Link L/H	<i>(with bolt holes)</i>	1	52
11	3084173	Link R/H		1	45
12	4409122	Bushing		2	1.5
13	4084578	Seal		2	0.05
14	4409178	Bushing		2	2.3
15	4067902	Seal		2	0.1
16	4089028	O-Ring		4	0.05
	FF110021	Shim, 71mmx2mm		UAR	0.4
	FF110022	Shim, 80mm x 2mm		UAR	0.4
HITACHI ZX230, ZX230LC, ZX240, ZX240LC-3, ZX250, ZX250LC-5G, ZX250LC-5N, ZX250LC-6N					
1	3088753	Pin	<i>Bucket to dipper arm</i>	1	68
2	3088754	Pin	<i>Bucket to H-link</i>	1	68
3	3088752	Pin	<i>Link to dipper</i>	1	47
4	T138885	Pin	<i>Link to cylinder</i>	1	59
5	8081885	H-Link		1	350
6	4443880	Bushing		2	2.6
7	4358100	Bushing		4	1.8
8/9	4067901	Seal		6	0.05
10	8082552	Link L/H	<i>(with bolt holes)</i>	1	65
11	3056355	Link R/H		1	55
12	4434036	Bushing		2	3
13	4067902	Seal		2	0.1
14	4443880	Bushing		2	2.6
15	4067901	Seal		2	0.05
16	4089028	O-Ring		4	0.05
	4450012	Shim, 80mm x 1mm		UAR	0.2
	FF106008	Shim, 90mm x 1mm		UAR	0.3
HITACHI EX270, EX270-3, EX270-5					
1	3041202	Pin	<i>Bucket to dipper arm</i>	1	65
2	3041392	Pin	<i>Bucket to H-link</i>	1	65
3	3038468	Pin	<i>Link to dipper</i>	1	48
4	3038473	Pin	<i>Link to cylinder</i>	1	61
5	8084924-25	H-Link	<i>1 pc. - updated link</i>	1	352
6	4443880	Bushing	<i>For updated link only</i>	2	2.6
7	4397791	Bushing	<i>For updated link only</i>	4	1.8
8/9	4067901	Seal		6	0.1
10	8040334	Link L/H	<i>(with bolt holes)</i>	1	65
11	3040205	Link R/H		1	55
12	4196107	Bushing		2	2.2
13	4067902	Seal		2	0.5
14	4203425	Bushing		2	3
15	4067901	Seal		2	0.1
16	4089028	O Ring		4	0.1




* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
HITACHI ZX270LC, ZX270LC-3, ZX280LC, ZX290LC, ZX290LC-5G, ZX290LC-5N, ZX300LC-6N					
1	3090166	Pin	Bucket to dipper arm	1	68
2	3090167	Pin	Bucket to H-link	1	68
3	3090168	Pin	Link to dipper	1	48
4	3120934	Pin	Link to cylinder	1	61
5	8084924-25	H-Link	1 pc. - updated link	1	352
6	4443880	Bushing	For updated link only	2	2.6
7	4397791	Bushing	For updated link only	4	1.8
8	4067901	Seal		4	0.05
9	4067901	Seal		2	0.05
10	8080569	Link L/H	(with bolt holes)	1	65
11	3075524	Link R/H		1	55
12	4434036	Bushing		2	3
13	4067902	Seal		2	0.1
14	4443880	Bushing		2	2.6
15	4067901	Seal		2	0.05
16	4089028	O-Ring		4	0.05
	4450012	Shim, 80mm x 1mm		UAR	0.2
	FF106008	Shim, 90mm x 1mm		UAR	0.3
HITACHI EX300-2, EX300-3, EX300-5					
1	3060474	Pin	Bucket to dipper arm	1	85
2	3041581	Pin	Bucket to H-link	1	85
3	3037539	Pin	Link to dipper	1	64
4	3037540	Pin	Link to cylinder	1	93
5	8083063	H-Link	Updated link	1	390
6	4443885	Bushing	For updated link only	2	3.0
7	4381857	Bushing	For updated link only	4	2.2
8	4074008	Seal		4	0.1
9	4074008	Seal		2	0.1
10	8050397	Link L/H	(with bolt holes)	1	78
11	3055521	Link R/H		1	68
12	3026076	Bushing		2	2.1
13	4067901	Seal		2	0.1
14	3062204	Bushing		2	3.0
15	4074008	Seal		2	0.1
16	4100180	O Ring		4	0.1

Ref.	Part No.	Description	Notes	Qty.	Wt.
HITACHI ZX330LC, ZX350LC, ZX350LC-3, ZX350LC-5A, ZX350LC-5G, ZX350LC-5N, ZX350LC-6N, ZX370, ZX380-5N, ZX380-6N					
1	3090417	Pin	<i>Bucket to dipper arm</i>	1	90
2	3090418	Pin	<i>Bucket to H-link</i>	1	85
3	3089968	Pin	<i>Link to dipper</i>	1	64
4	3092037	Pin	<i>Link to cylinder</i>	1	93
5	8083063	H-Link		1	390
6	4443885	Bushing		2	3.0
7	4381857	Bushing		4	2.2
8	4074008	Seal		4	0.1
9	4074008	Seal		2	0.1
10	8071699	Link L/H	<i>(with bolt holes)</i>	1	78
11	3055521	Link R/H		1	68
12	4438771	Bushing		2	2.1
13	4067901	Seal		2	0.05
14	4443885	Bushing		2	3.0
15	4074008	Seal		2	0.1
16	4100180	O-Ring		4	0.1
	FF106008	Shim, 90mm x 1mm		UAR	0.3
	FF106001	Shim, 100mm x 1mm		UAR	

HITACHI ZX450LC, ZX450LC-3, ZX470, ZX470LC-5A, ZX470LC-5B, ZX470LC-5G, ZX470LC-6					
1	3104742	Pin	<i>Bucket to dipper arm</i>	1	115
2	3093215	Pin	<i>Bucket to H-link</i>	1	115
3	3055219	Pin	<i>Link to dipper</i>	1	84
4	DH300061	Pin	<i>Link to cylinder</i>	1	102
5	9206398	H-Link		1	463
6	3060476	Bushing		2	7.5
7	3060476	Bushing		2	7.5
8	4251212	Seal		4	0.1
9	4251212	Seal		2	0.1
10	8050178	Link L/H	<i>(with bolt holes)</i>	1	130
11	8050176	Link R/H		1	106
12	TH103214	Bushing		2	2.4
13	4074008	Seal		2	0.1
15	4251212	Seal		2	0.1
16	4487682	O-Ring		4	0.1




* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT E70, E70B, 307, 307B, 307C, 307SSR					
1	180-7810	Pin	Bucket to dipper arm	1	10
2	180-7810	Pin	Bucket to H-link	1	10
3	180-7809	Pin	Link to dipper	1	11
4	180-7811	Pin	Link to cylinder	1	11
5	235-3793	H-Link		1	70
6	218-5429	Bushing		2	1
7	218-5197	Bushing		2	1
8	093-1432	Seal		4	0.2
9	093-1430	Seal		2	0.1
10	71-2152	Link L/H	(with bolt holes)	1	16
11	71-2153	Link R/H		1	13
12	242-3740	Bushing		2	1
13	093-1430	Seal		2	0.1
14	242-3740	Bushing		2	1
15	093-1430	Seal		4	0.1
16	093-1341	O Ring		4	0.1
CAT E110B, E120B, 311, 311B, 311C, 312, 312B					
1	144-1013	Pin	Bucket to dipper arm	1	23
2	144-1013	Pin	Bucket to H-link	1	23
3	144-1012	Pin	Link to dipper	1	16
4	144-1012	Pin	Link to cylinder	1	16
5	168-0015	H-Link		1	120
6	189-3869	Bushing		2	1.8
7	143-3835	Bushing		2	1.5
8	093-1433	Seal		4	0.1
9	096-0131	Seal		2	0.1
10	198-5736	Link L/H	(with bolt holes)	1	23
11	198-5737	Link R/H		1	17
12	229-1095	Bushing		2	1.5
13	093-1433	Seal		2	0.1
14	229-1091	Bushing		2	2.5
15	096-0131	Seal		2	0.1
16	093-1342	O Ring		4	0.1

H-LINKS, LINKS, PINS & BUSHINGS


				CAT
Ref.	Part No.	Description	Notes	Qty. Wt.
CAT 312C, 312CL				
1, 2	086-0523	Pin	<i>Bucket to dipper arm & H-link</i>	2 23
3	716843	Pin	<i>Link to dipper</i>	1 16
4	716843	Pin	<i>Link to cylinder</i>	1 16
5	168-0015	H-Link		1 120
6	229-1092	Bushing		2 1.8
7	229-1095	Bushing		2 1.5
8	093-1433	Seal		4 0.1
9	096-0131	Seal		2 0.1
10	198-5719	Link L/H	<i>(with bolt holes)</i>	1 23
11	198-5720	Link R/H		1 17
12	229-1095	Bushing		2 1.5
13	093-1433	Seal		2 0.1
14	229-1091	Bushing		2 2
15	096-0131	Seal		2 0.1
16	093-1342	O Ring		4 0.1
CAT 311D LRR, 311F LRR, 312D, 312D L, 312D2, 312D2 L, 312D2 GC, 312E, 312E L, 312F, 312F GC, 313 GC (NFZ, JKY, RHB, GYF, HPL, FLK, HFK, KFW), 313D, 313D2, 313D2 GC, 313D2 LGP, 313F, 313F GC, 313F L, 313F LGC, 314C, 314D CR, 314D LCR, 314E CR, 314E LCR, 314F CR, 315F LCR				
1, 2	086-0523	Pin		2 23
3	716843	Pin		1 16
4	248-7820	Pin		1 23
5	282-4503	H-Link, with lifting eye		1 93.6
6	229-1092	Bushing		2 1.8
7	248-7835	Bushing		2 1.5
8	235-7679	Seal		2 0.05
9	248-7836	Seal		2 0.05
10	248-7823	Link L/H		1 24
11	248-7822	Link R/H		1 17.5
12	229-1095	Bushing		2 1.5
13	166-1492	Seal		2 0.05
14	229-1091	Bushing		2 2.5
15	248-7836	Seal		2 0.05
16	367-8465	O-Ring		4 0.1
CAT 315, 315B, 315C, 315L, 315BL, 315CL				
1, 2	150-6528	Pin	<i>Bucket to dipper arm & H-link</i>	2 36
3	150-6527	Pin	<i>Link to dipper</i>	1 27
4	106-6876	Pin	<i>Link to cylinder</i>	1 35
5	180-7634	H-Link		1 229
6	228-5614	Bushing		2 1.9
7	137-2919	Bushing		2 2.8
8	096-0854	Seal		4 0.1
9	093-1434	Seal		2 0.05
10	087-5803	Link L/H	<i>(with bolt holes)</i>	1 43
11	087-5802	Link R/H		1 35
12	229-1096	Bushing		2 1.9
13	093-1434	Seal		2 0.05
14	228-5614	Bushing		2 1.9
15	093-1434	Seal		2 0.05
16	102-9976	O Ring		4 0.1



Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT 315D, 315DL, 316E, 316EL, 316FL					
1	106-6878	Pin	Bucket to dipper arm	1	36
2	106-6878	Pin	Bucket to H-link	1	36
3	458-0543	Pin	Link to dipper	1	
4	458-0545	Pin	Link to cylinder	1	35
5	278-9373	H-Link		1	
6	228-5614	Bushing		2	1.9
7	244-4360	Bushing		2	2.6
8	166-1494	Seal		4	0.05
9	235-7679	Seal		2	0.05
10	087-5803	Link L/H	(with bolt holes)	1	43
11	087-5802	Link R/H		1	35
12	229-1096	Bushing		2	1.9
13	235-7679	Seal		2	0.05
14	228-5614	Bushing		2	1.9
15	235-7679	Seal		2	0.05
16	367-8466	O Ring		4	0.1
	166-1486	Shim, TPU		2	

CAT EL200B, 318BL, 318BLN, 320, 320L, 320B, 320BL					
1	087-5805	Pin	Bucket to dipper arm	1	44
2	087-5805	Pin	Bucket to H-link	1	44
3	087-5806	Pin	Link to dipper	1	29
4	087-5845	Pin	Link to cylinder	1	38
5	166-1581	H-Link		1	269
6	143-3841	Bushing		2	2
7	137-2919	Bushing		2	2.8
8/9	096-0854	Seal		6	0.1
10	087-5803	Link L/H	(with bolt holes)	1	43
11	087-5802	Link R/H		1	35
12	163-3749	Bushing		2	1.9
13	093-1434	Seal		2	0.05
14	137-2919	Bushing		2	2.8
15	096-0854	Seal		2	0.1
16	093-1342	O Ring		4	0.1

Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT 318C, 318CL, 318CLN, 320C, 320CL, 321C LCR					
1/2	087-5805	Pin	<i>Bucket to dipper arm & H-link</i>	2	44
3	087-5806	Pin	<i>Link to dipper</i>	1	29
4	087-5845	Pin	<i>Link to cylinder</i>	1	38
5	174-8255	H-Link		1	269
6	240-2912	Bushing		2	2.2
7	240-2913	Bushing		2	2.8
8	096-0854	Seal		4	0.1
9	096-0854	Seal		2	0.1
10	087-5803	Link L/H	<i>(with bolt holes)</i>	1	43
11	087-5802	Link R/H		1	35
12	163-3749	Bushing		2	1.9
13	093-1434	Seal		2	0.5
14	137-2919	Bushing		2	2.8
15	096-0854	Seal		2	0.1
16	093-1344	O Ring		4	0.1
CAT 319DL, 319DLN, 320DL, 320EL, 321D LCR					
1/2	087-5805	Pin	<i>Bucket to dipper arm & H-link</i>	2	44
3	254-3052	Pin	<i>Link to dipper</i>	1	39
4	254-3053	Pin	<i>Link to cylinder</i>	1	39
5	260-2289	H-Link		1	269
6	240-2912	Bushing		2	2.2
7	244-4360	Bushing		2	2.6
8	166-1494	Seal		4	0.05
9	166-1494	Seal		2	0.05
10	244-4254	Link L/H	<i>(with bolt holes)</i>	1	70
11	244-4255	Link R/H		1	60
12	229-1096	Bushing		2	1.9
13	235-7679	Seal		2	0.05
14	240-2913	Bushing		2	2.8
15	166-1494	Seal		2	0.05
16	367-8467	O Ring		4	0.1
CAT 322, 322B, 322BL, 322CL					
1/2	087-5805	Pin	<i>Bucket to dipper arm & H-link</i>	2	44
3	186-5732	Pin	<i>Link to dipper</i>	1	30
4	186-5730	Pin	<i>Link to cylinder</i>	1	39
5	178-0964	H-Link		1	269
6	143-3841	Bushing		2	2
7	137-2919	Bushing		2	2.8
8	096-0854	Seal		4	0.1
9	096-0854	Seal		2	0.1
10	102-3271	Link L/H	<i>(with bolt holes)</i>	1	70
11	102-3272	Link R/H		1	60
12	163-3749	Bushing		2	1.9
13	093-1434	Seal		2	0.05
14	129-7768	Bushing		2	2.8
15	096-0854	Seal		2	0.1
16	093-1344	O Ring		4	0.1




Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT 324D, 324DL, 324E, 324EL					
3	186-5732	Pin	Link to dipper	1	30
4	186-5730	Pin	Link to cylinder	1	39
8	166-1494	Seal		4	0.05
12	228-5614	Bushing		2	1.9

CAT 325B, 325L, 325BL, 325C, 325CL					
1	7Y-2357	Pin	Bucket to dipper arm	1	54
2	7Y-2357	Pin	Bucket to H-link	1	54
4	186-5652	Pin	Link to cylinder	1	43
5	186-5653	H-Link		1	349
6	240-2912	Bushing		2	2.2
7	240-2915	Bushing		2	3.2
8	096-0854	Seal		4	0.1
9	096-0854	Seal		2	0.1
10	186-5650	Link L/H	(with bolt holes)	1	77
11	7Y-2392	Link R/H		1	64
12	7Y-3551	Bushing		2	1.9
13	093-1434	Seal		2	0.05
14	240-2913	Bushing		2	2.8
15	096-0854	Seal		2	0.1
16	093-1344	O Ring		4	0.1

Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT 325D, 325DL, 328D LCR, 329D, 329DL, 329E, 329EL					
12	228-5614	Bushing		2	1.9
16	093-1345	O Ring		4	0.1

CAT 330, 330B, 330L, 330BL, 330C, 330CL					
1	7Y-3550	Pin	<i>Bucket to dipper arm</i>	1	75
2	7Y-3549	Pin	<i>Bucket to H-link</i>	1	54
3	189-3922	Pin	<i>Link to dipper</i>	1	35
4	189-3923	Pin	<i>Link to cylinder</i>	1	58
5	212-3002	H-Link		1	375
6	203-7322	Bushing		2	2.2
7	203-7326	Bushing		2	5
8	166-1495	Seal		4	0.2
9	166-1494	Seal		2	0.05
10	189-3878	Link L/H	<i>(with bolt holes)</i>	1	82
11	7Y-3546	Link R/H		1	73
12	7Y-3551	Bushing		2	1.9
13	093-1434	Seal		2	0.05
14	137-2819	Bushing		2	5
15	166-1495	Seal		2	0.2
16	093-1344	O Ring		4	0.1

CAT 330D, 330DL, 336D, 336DL, 336E, 336EL					
3	189-3922	Pin	<i>Link to dipper</i>	1	35
9	166-1495	Seal		2	0.2




* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
KOMATSU PC60, PC75, PC75UU					
1	20X-70-24211	Pin	Bucket to dipper arm	1	14
2	20X-70-24211	Pin	Bucket to H-link	1	14
3	20X-70-24260	Pin	Link to dipper	1	11
4	20X-70-24220	Pin	Link to cylinder	1	16
5	20X-70-00220-230	H-Link	1 pc.	1	59
8	07145-00060	Seal		4	0.1
9	07145-00050	Seal		2	0.1
10	20X-70-24120	Link L/H	(with bolt holes)	1	23
11	20X-70-24110	Link R/H		1	26
13	130-09-12931	Seal		2	0.1
15	130-09-12931	Seal		2	0.1
16	175-30-16210	O Ring		2	0.1
KOMATSU PC100, PC120-6					
1	203-70-44380	Pin	Bucket to dipper arm	1	20
2	203-70-44380	Pin	Bucket to H-link	1	20
3	202-70-64151	Pin	Link to dipper	1	20
4	202-70-64161	Pin	Link to cylinder	1	20
5	203-70-00870	H-Link	1 pc.	1	121
6	203-70-56160	Bushing		2	1.5
7	203-70-56140	Bushing		2	1.9
8	07145-00065	Seal		4	0.1
9	07145-00060	Seal		2	0.1
10	202-70-64131	Link R/H	(with bolt holes)	1	29
11	202-70-64121	Link L/H		1	34
12	203-70-56150	Bushing		2	1.5
13	07145-00060	Seal		2	0.1
15	07145-00060	Seal		2	0.1
16	203-70-44470	O-Ring		4	0.1
KOMATSU PC150, PC160 (up to -6 models)					
1	21K-70-23140	Pin	Bucket to dipper arm	1	33
2	21K-70-23140	Pin	Bucket to H-link	1	33
3	21K-70-23220	Pin	Link to dipper	1	31
4	21K-70-23190	Pin	Link to cylinder	1	31

cont'd on next page

Ref.	Part No.	Description	Notes	Qty.	Wt.
KOMATSU PC150, PC160 (up to -6 models)					
5	21K-70-23120	H-Link	<i>1 pc design replaces OEM 2 pc links & spacer</i>	1	190
6	21K-70-13150	Bushing		2	2.6
7	21K-70-13150	Bushing		2	2.6
8	21K-70-12180	Seal		4	0.06
9	21K-70-12180	Seal		2	0.06
10	21K-70-23110	Link L/H	<i>(with bolt holes)</i>	1	48
11	21K-70-23210	Link R/H		1	42
12	21K-70-12170	Bushing		2	2.6
13	21K-70-12180	Seal		4	0.06
14	21K-70-22130	Bushing		2	3.8
15	21K-70-12180	Seal		4	0.05
16	21K-70-23160	O Ring		4	0.1
KOMATSU PC200, PC210, PC228UU					
1	205-70-73270	Pin	<i>Bucket to dipper arm</i>	1	47
2	205-70-73270	Pin	<i>Bucket to H-link</i>	1	47
3	205-70-73160	Pin	<i>Link to dipper</i>	1	30
4	205-70-73160	Pin	<i>Link to cylinder</i>	1	30
5	20Y-70-00070	H-Link		1	287
6	205-70-67150	Bushing		2	2.8
7	205-70-73180	Bushing		2	2.2
8	21K-70-12180	Seal		4	0.06
9	205-70-62140	Seal		2	0.1
10	205-70-73130	Link		1	56
11	205-70-73130	Link		1	56
12	205-70-12170	Bushing		2	2.6
13	21K-70-12180	Seal		2	0.06
14	205-70-72130	Bushing		2	4.2
15	205-70-62140	Seal		2	0.1
16	205-70-73280	O Ring		4	0.1
KOMATSU PC220 & PC240					
1	205-70-73270	Pin	<i>Bucket to dipper arm</i>	1	47
2	205-70-73270	Pin	<i>Bucket to H-link</i>	1	47
3	206-70-53140	Pin	<i>Link to dipper</i>	1	37
4	206-70-53140	Pin	<i>Link to cylinder</i>	1	37
5	206-70-00130	H-Link		1	300
6	205-70-67150	Bushing		2	2.8
7	206-70-53150	Bushing		2	2.2
8	205-70-62140	Seal		4	0.1
9	205-70-62140	Seal		2	0.1
10	206-70-57120	Link	<i>PC220</i>	1	49
11	206-70-57120	Link	<i>PC220</i>	1	49
12	21K-70-12161	Bushing		2	2.8
13	205-70-62140	Seal		2	0.1
14	205-70-72130	Bushing		2	4.2
15	205-70-62150	Seal		2	0.1
16	205-70-73280	O Ring		4	0.1




* Pin shims available to order by size and thickness

Ref.	Part No.	Description	Notes	Qty.	Wt.
KOMATSU PC300					
1	207-70-61230	Pin	Bucket to dipper arm	1	65
2	207-70-61230	Pin	Bucket to H-link	1	65
3	207-70-33140	Pin	Link to dipper	1	55
4	207-70-33140	Pin	Link to cylinder	1	55
5	207-70-00120	H-Link		1	348
6	207-70-33160	Bushing		2	5
7	207-70-33160	Bushing		2	5
8	205-70-62180	Seal		4	0.1
9	205-70-62180	Seal		4	0.1
10	207-70-33120	Link		1	84
11	207-70-33120	Link		1	84
12	207-70-32150	Bushing		2	3
13	205-70-62180	Seal		2	0.1
14	207-70-61550	Bushing		2	7
15	207-70-12270	Seal		2	0.1
KOMATSU PC400					
3	208-70-33140	Pin	Link to dipper	1	76
4	208-70-33140	Pin	Link to cylinder	1	76
5	208-70-00121	H-Link		1	408
6	208-70-13141	Bushing		2	4
7	208-70-13141	Bushing		2	4
8	208-70-12230	Seal		4	0.1
9	208-70-12230	Seal		4	0.1
10	208-70-33120	Link		1	110
11	208-70-33120	Link		1	110
12	208-70-13141	Bushing		2	4
13	208-70-12230	Seal		2	0.1

Ref.	Part No.	Description	Notes	Qty.	Wt.
KOBELCO SK60					
1	2419P1664D1	Pin	<i>Bucket to dipper arm</i>	1	11
2	2419P1664D1	Pin	<i>Bucket to H-link</i>	1	11
3	2419P3428D1	Pin	<i>Link to dipper</i>	1	9.4
4	2419P3429D1	Pin	<i>Link to cylinder</i>	1	9.4
5	2406P4810D2F1-D1F1	H-Link		1	68
10	2406P4800D2	Link L/H	<i>(with bolt holes)</i>	1	20
11	2406P4800D1	Link R/H		1	20

KOBELCO SK100					
1	2419P1657D1	Pin	<i>Bucket to dipper arm</i>	1	23
2	2419P1657D1	Pin	<i>Bucket to H-link</i>	1	23
3	2419P3417D1	Pin	<i>Link to dipper</i>	1	17
4	2419P3416D1	Pin	<i>Link to cylinder</i>	1	17
7	2405T847	Bushing		2	1.5
8	2445R138D3	Seal		4	0.1
9	2445R220D1	Seal		2	0.1
12	2405T824	Bushing		2	1.5
13	2445R138D3	Seal		2	0.1
15	2445R220D1	Seal		2	0.1
16	2445Z887	O Ring		4	0.1

KOBELCO SK115, SK120, SK130, SK135					
1	2419P4031D1	Pin	<i>Bucket to dipper arm</i>	1	23
2	2419P4031D1	Pin	<i>Bucket to H-link</i>	1	23
3	2419P4050D2	Pin	<i>Link to dipper</i>	1	19
4	2419P4049D2	Pin	<i>Link to cylinder</i>	1	19
5	2406N795F1	H-Link		1	143
6	2405T825	Bushing		2	1.9
7	2405T824	Bushing		2	1.5
8	2445R138D3	Seal		4	0.1
9	2445R220D2	Seal		2	0.1
10	2406P4866D2	Link L/H	<i>(with bolt holes)</i>	1	40
11	2406P4866D1	Link R/H		1	32
12	2405T824	Bushing		2	1.5
13	2445R138D3	Seal		2	0.1
14	2405P472	Bushing		2	3.4
15	2445R220D2	Seal		2	0.1
16	2445Z869	O Ring		4	0.1

2026 Parts Catalog

Ref.	Part No.	Description	Notes	Qty.	Wt.
KOBELCO SK220, SK250, SK270, III IV V					
1	2419T4684D1	Pin	Bucket to dipper arm	1	65
2	2419T4684D1	Pin	Bucket to H-link	1	65
3	2419P3267D1	Pin	Link to dipper	1	31
4	2419P3266D1	Pin	Link to cylinder	1	40
7	2405T1263	Bushing		2	2.8
8	2445R220D4	Seal		4	0.1
9	2445R220D6	Seal		2	0.1
10	2406P4903D1	Link L/H	(with bolt holes)	1	60
11	2406P4903D2	Link R/H		1	53
12	B05T0041C2	Bushing		2	2.2
13	2445R220D3	Seal		2	0.05
14	2405T1293	Bushing		2	4.8
15	2445R220D6	Seal		2	0.1
16	2445Z888	O Ring		4	0.1

KOBELCO SK300 IV					
1	2419P2180	Pin	Bucket to dipper arm	1	75
2	2419P2180	Pin	Bucket to H-link	1	75
3	2419P3748	Pin	Link to dipper	1	59
5	2406N1686F1	H-Link		1	335
8	2445R138D8	Seal		4	0.1
9	2445R220D6	Seal		2	0.1
10	2406P5385D1	Link L/H	(with bolt holes)	1	81
11	2406P5385D2	Link R/H		1	65
13	2445R138D7	Seal		2	0.1
15	2445R220D6	Seal		2	0.1
16	2445Z1003	O Ring		4	0.1

CASE CX210, CX225SR, 9030B					
1	169282A1	Pin	Bucket to dipper arm CX210, CX225SR	1	47
2	169283A1	Pin	Bucket to H-link CX210, CX225SR	1	47
1	160469A1	Pin	Bucket to dipper arm 9030B	1	47
2	153741A1	Pin	Bucket to H-link 9030B	1	47
3	KRV2669	Pin	Link to dipper	1	34
4	KRV3050	Pin	Link to cylinder	1	43
5	KRV3020	H-Link	(160459C1-164514A1)	1	267
6	160447A1	Bushing		2	2.2
7	KRV2670	Bushing		2	3
8	160401A1	Seal		4	0.1
9	159647A1	Seal		2	0.1
10	KRV2717	Link L/H	(with bolt holes)	1	56
11	KRV2716	Link R/H		1	44
13	160400A1	Seal		2	0.05
15	84499640	Seal		2	0.1


Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE CX330, CX350 (heavy duty option)					
1	KSV1419	Pin	<i>Bucket to dipper arm</i>	1	65
2	KSV1420	Pin	<i>Bucket to H-link</i>	1	65
3	KSV1414	Pin	<i>Link to dipper</i> <i>Not Available</i>	1	
5	KSV1449	H-Link		1	377
6	KSV1412	Bushing		2	3
7	KSV1411	Bushing		2	4
9	159648A1	Seal		2	0.05
10	KSV1451	Link L/H	<i>(with bolt holes)</i>	1	90
11	KSV1450	Link R/H		1	71
13	160401A1	Seal		2	0.05
15	159648A1	Seal		2	.05
CASE CX130, CX135SR					
1	169278A1	Pin	<i>Bucket to dipper arm</i>	1	23
2	169279A1	Pin	<i>Bucket to H-link</i>	1	23
CASE CX160					
1	169280A1	Pin	<i>Bucket to dipper arm</i>	1	44
2	169281A1	Pin	<i>Bucket to H-link</i>	1	44
CASE CX240, CX290					
1	169284A1	Pin	<i>Bucket to dipper arm</i>	1	65
2	169285A1	Pin	<i>Bucket to H-link</i>	1	65
CASE 9010, 9010B					
1	153704A1	Pin	<i>Bucket to dipper arm</i>	1	23
2	153705A1	Pin	<i>Bucket to H-link</i>	1	23
CASE 9020, 9020B					
1	157149A1	Pin	<i>Bucket to dipper arm</i>	1	44
2	157148A1	Pin	<i>Bucket to H-link</i>	1	44
CASE 9040, 9040B, 9045, 9045B					
1	159459A1	Pin	<i>Bucket to dipper arm</i>	1	65
2	153653A1	Pin	<i>Bucket to H-link</i>	1	65
CASE 9050, 9050B					
1	169286A1	Pin	<i>Bucket to dipper arm</i>	1	65
2	169287A1	Pin	<i>Bucket to H-link</i>	1	65

Shim & Seal Kits, Excavator Linkage

Part No.	Description
	JOHN DEERE 120C, 120D, 130G, 130GLC, 130 P, 135C, 135D, 135G, 135 P, HITACHI EX100, EX120, ZX120, ZX130, ZX135US
PV7000	Shim & Seal Kit, Excavator Linkage
	JOHN DEERE 160LC, 160CLC, 160DLC, 160GLC, 160 P, HITACHI EX150-5, EX160, ZX160
PV7001	Shim & Seal Kit, Excavator Linkage
	JOHN DEERE 180GLC, 200CLC, 200DLC, 200G, 210G, 210GLC, 210 P, 225CLC, 225DLC, 245GLC, 245 P, HITACHI EX200, ZX180, ZX200, ZX210, ZX225, ZX245
PV7002	Shim & Seal Kit, Excavator Linkage
	JOHN DEERE 230CLC, 250G, 250GLC, 250 P
PV7003	Shim & Seal Kit, Excavator Linkage
	JOHN DEERE 270CLC, 270DLC, 290GLC, 300GLC, 300 P
PV7004	Shim & Seal Kit, Excavator Linkage
	JOHN DEERE 330CLC, 350DLC, 350GLC, 350 P, 370C, 380GLC, 380 P, HITACHI EX300, ZX330, ZX350, ZX370, ZX380
PV7005	Shim & Seal Kit, Excavator Linkage
	HITACHI ZX230, ZX240, ZX250, EX270, ZX270, ZX280, ZX290, ZX300
PV7006	Shim & Seal Kit, Excavator Linkage
	KOMATSU PC60, PC75, PC75UU
PV7007	Shim & Seal Kit, Excavator Linkage
	KOMATSU PC100, 120-6
PV7008	Shim & Seal Kit, Excavator Linkage
	KOMATSU PC150, PC160
PV7009	Shim & Seal Kit, Excavator Linkage
	KOMATSU PC200, PC210, PC228UU
PV7010	Shim & Seal Kit, Excavator Linkage
	KOMATSU PC220, PC240
PV7011	Shim & Seal Kit, Excavator Linkage
	CAT E70, E70B, 307, 307B, 307C, 307SSR
PV7012	Shim & Seal Kit, Excavator Linkage
	CAT E110B, E120B, 311, 311B, 311C, 312, 312B, 312C, 312CL
PV7013	Shim & Seal Kit, Excavator Linkage
	CAT 311D LRR, 311F LRR, 312D, 312DL, 312D2, 312D2 L, 312D2 GC, 312E, 312E L, 312F, 312F GC, 313GC (NFZ, JKY, RHB, GYF, HPL, FLK, HFK, KFW), 313D, 313D2, 313D2 GC, 313D2 LGP, 313F, 313F GC, 313F L, 313F LGC, 314C, 314D CR, 314D LCR, 314E CR, 314E LCR, 314F CR, 315F LCR
PV7014	Shim & Seal Kit, Excavator Linkage
	CAT 315, 315B, 315C, 315L, 315BL, 315CL
PV7015	Shim & Seal Kit, Excavator Linkage
	CAT 315D, 315DL, 316E, 316EL
PV7016	Shim & Seal Kit, Excavator Linkage
	CAT EL200B, 318BL, 318BLN, 320, 320L, 320B, 320BL
PV7017	Shim & Seal Kit, Excavator Linkage
	CAT 318C, 318CL, 318C LN, 320C, 320CL, 321C LCR, 322, 322B, 322BL, 322CL, 325B, 325L, 325BL, 325C, 325CL
PV7018	Shim & Seal Kit, Excavator Linkage
	CAT 319DL, 319DLN, 320DL, 320EL, 321D LCR
PV7019	Shim & Seal Kit, Excavator Linkage
	CAT 330, 330B, 330BL, 330C, 330CL
PV7020	Shim & Seal Kit, Excavator Linkage
	CAT 324D, 324DL, 324E, 324EL
PV7021	Shim & Seal Kit, Excavator Linkage
	CAT 325D, 325DL, 328D LCR, 329D, 329DL, 329E, 329EL
PV7022	Shim & Seal Kit, Excavator Linkage

SECTION E
WHEEL LOADER LINKAGE,
BELLCRANKS, PINS,
& BUSHINGS

Section E



Wheel Loader Bucket Links

Bellcranks

Pins & Bushings


www.paintvalleyequipment.com

Phone: 877-774-0081

SECTION E

WHEEL LOADER LINKS, BELLCRANKS, PINS, & BUSHINGS

	Page
CASE	E1, E2
CAT	E5
JOHN DEERE	E2-E4



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 621, 621B, (621C W/ Z-BAR LOADER)					
2	L127014	Bushing		2	2.4
	1543306C1	Seal Kit		1	0.1
CASE 821, 821B, 821C					
	229402A1	Steering Cylinder		2	71
CASE 621, 621B, 621C, 721, 721B, 721C					
3	232194A1	Bellcrank	<i>With center bushings L118709</i>	1	450
5	L118759	Link	<i>Bellcrank to Bucket</i>	1	124
6	L127015	Bushing		2	2.2
7/8	L118674	Pin	<i>Tilt Cylinder Both Ends</i>	2	25
9	L118672	Pin	<i>Center Bellcrank</i>	1	45
10/11/12	225775A1	Pin	<i>Bellcrank to Link & Bucket Pins</i>	4	22
13/15	L127015	Bushing	<i>Loader Lift Frame</i>	4	2.2
16	L118674	Pin	<i>Loader Lift Frame To Machine</i>	2	25
17	L127014	Bushing	<i>Loader Lift Frame To Machine</i>	2	2.4
18	225775A1	Pin	<i>Lift Cylinder Tube End</i>	2	22
CASE 621D					
5	372960A2	Link	<i>Bellcrank to Bucket</i>	1	162
CASE 821, 821B, 821C					
3	L130049	Bellcrank	<i>With center bushings L125971</i>	1	617
5	L128196	Link	<i>Bellcrank to Bucket</i>	1	128
6	L125957	Bushing		2	2.2
7	L118674	Pin	<i>Tilt Cylinder to Machine</i>	1	25
8	L125176	Pin	<i>Tilt Cylinder to Bellcrank</i>	1	25
9	L125016	Pin	<i>Center Bellcrank</i>	1	57
10/11/12	225775A1	Pin	<i>Bellcrank to Link & Bucket Pins</i>	4	22
14	L125176	Pin	<i>Lift Cylinder to Loader Lift Frame</i>	2	25

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 921, 921B, 921C					
3	L129924	Bellcrank	<i>With center bushings</i>	1	1146
5	L129925	Link	<i>Bellcrank to Bucket</i>	1	151
6	L129906	Bushing		2	3.2
CASE 921E					
3	87664597	Bellcrank	<i>With center bushings</i>	1	1146
5	L129925	Link	<i>Bellcrank to Bucket</i>	1	151
6	87613422	Bushing		2	3.2
JOHN DEERE 344E					
3	AT122464	Bellcrank	With center bushings	1	344
4	AT122209	Bushing		2	2
5	AT122465	Link	Bellcrank to Bucket, with bushings	1	80
6	AT122208	Bushing		2	1.7
8	AT122438	Pin	Cylinder to Bellcrank	1	9.25
10	AT122439	Pin	Link to Bellcrank	1	8.1
11	AT121740	Pin	Link to Bucket	1	8.1
12	AT122436	Pin	Bottom Bucket Pins	2	8.1
JOHN DEERE 344G					
3	AT172642	Bellcrank	<i>With center bushings</i>	1	344
4	AT122209	Bushing		2	2
5	AT204679	Link	<i>Bellcrank to Bucket, with bushings</i>	1	80
6	AT203998	Bushing		2	1.7
8	AT204623	Pin	<i>Cylinder to Bellcrank</i>	1	9.25
10	AT204627	Pin	<i>Link to Bellcrank</i>	1	8.1
11	AT204626	Pin	<i>Link to Bucket</i>	1	8.1
12	AT204625	Pin	<i>Bottom Bucket Pins</i>	2	8.1
JOHN DEERE 444E					
3	AT121754	Bellcrank	<i>With center bushings</i>	1	406
4	AT121215	Bushing		2	1.6
5	AT157664	Link	<i>Bellcrank to Bucket, with bushings</i>	1	113
6	AT121218	Bushing		2	1.7
8	AT121738	Pin	<i>Cylinder to Bellcrank</i>	1	9.25
9	AT121741	Pin	<i>Center Bellcrank</i>	1	22
10	AT121740	Pin	<i>Link to Bellcrank</i>	2	8.1
11	AT121739	Pin	<i>Link to Bucket</i>	1	8.1
12	AT121737	Pin	<i>Bottom Bucket Pins</i>	2	8.1
JOHN DEERE 444G					
3	AT172643	Bellcrank	<i>With center bushings</i>	1	406
4	AT121215	Bushing		2	1.6
5	AT204681	Link	<i>Bellcrank to Bucket, with bushings</i>	1	113
6	AT204148	Bushing		2	1.7
8	AT204640	Pin	<i>Cylinder to Bellcrank</i>	1	9.25
9	AT204642	Pin	<i>Center Bellcrank</i>	1	22
10	AT204626	Pin	<i>Link to Bellcrank</i>	2	8.1
11	AT204643	Pin	<i>Link to Bucket</i>	1	8.1
12	AT204625	Pin	<i>Bottom Bucket Pins</i>	2	8.1

Ref. Part No.				Qty.	Wt.
JOHN DEERE 444H					
3	AT208546	Bellcrank	<i>With center bushings</i>	1	375
4	T168641	Bushing		2	6.5
5	AT203518	Link	<i>Bellcrank to Bucket, with bushings</i>	1	118
6	T157077	Bushing		2	2.4
8	AT207505	Pin	<i>Cylinder to Bellcrank</i>	1	13
9	AT207507	Pin	<i>Center Bellcrank</i>	1	32
10	AT207504	Pin	<i>Link to Bellcrank</i>	1	12
11	AT207504	Pin	<i>Link to Bucket</i>	1	12
12	AT203599	Pin	<i>Bottom Bucket Pins</i>	2	7.6
JOHN DEERE 444J, 444K					
3	AT396246	Bellcrank	<i>With center bushings</i>	1	375
4	T168641	Bushing		2	6.5
5	AT396248	Link	<i>Bellcrank to Bucket, with bushings</i>	1	118
6	T157077	Bushing		2	2.4
8	AT207505	Pin	<i>Cylinder to Bellcrank</i>	1	13
9	AT207507	Pin	<i>Center Bellcrank</i>	1	32
10	AT207504	Pin	<i>Link to Bellcrank</i>	1	12
11	AT308030	Pin	<i>Link to Bucket</i>	1	12
12	AT308023	Pin	<i>Bottom Bucket Pins</i>	2	7.6
JOHN DEERE 544E, 544G					
3	AT103584	Bellcrank	<i>With center bushings</i>	1	558
5	AT102223	Link	<i>Bellcrank to Bucket, with bushings</i>	1	140
8	AT102228	Pin	<i>Cylinder to Bellcrank</i>	1	17
9	AT102356	Pin	<i>Center Bellcrank</i>	1	39
10	AT102224	Pin	<i>Link to Bellcrank</i>	2	15
11	AT102224	Pin	<i>Link to Bucket</i>	2	15
12	AT115976	Pin	<i>Bottom Bucket Pins</i>	2	10
JOHN DEERE 544H					
5	AT207079	Link	<i>Bellcrank to Bucket, with bushings</i>	1	144
6	T171793	Bushing		2	2.8
8	AT207321	Pin	<i>Cylinder to Bellcrank</i>	1	18
10	AT207321	Pin	<i>Link to Bellcrank</i>	2	18
11	AT207321	Pin	<i>Link to Bucket</i>	1	18
12	AT207051	Pin	<i>Bottom Bucket Pins</i>	2	13
JOHN DEERE 544J					
5	AT307535	Link	<i>Bellcrank to Bucket, with bushings</i>	1	144
6	T171793	Bushing		2	2.8
8	AT207321	Pin	<i>Cylinder to Bellcrank</i>	1	18
10	AT207321	Pin	<i>Link to Bellcrank</i>	2	18
11	AT308031	Pin	<i>Link to Bucket</i>	1	18
12	AT301543	Pin	<i>Bottom Bucket Pins</i>	2	13
JOHN DEERE 624E, 624G					
3	AT103927	Bellcrank	<i>With center bushings</i>	1	630
5	AT103926	Link	<i>Bellcrank to Bucket, with bushing (624E)</i>	1	138
6	T102950	Bushing		2	3.8
5	AT143570	Link	<i>Bellcrank to Bucket, with bushing (624G)</i>	1	138
6	T102950	Bushing		2	3.8
8	AT102827	Pin	<i>Cylinder to Bellcrank</i>	1	24
10	AT102827	Pin	<i>Link to Bellcrank</i>	1	24
11	AT102827	Pin	<i>Link to Bucket</i>	2	24
12	AT103277	Pin	<i>Bottom Bucket Pins</i>	2	15

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 624H					
5	AT207688	Link	<i>Bellcrank to Bucket, with bushings</i>	1	162
6	T102950	Bushing		2	3.8
8	AT207718	Pin	<i>Cylinder to Bellcrank</i>	1	25
10	AT210275	Pin	<i>Link to Bellcrank</i>	1	24
11	AT210275	Pin	<i>Link to Bucket</i>	1	24
12	AT207924	Pin	<i>Bottom Bucket Pins</i>	2	15
JOHN DEERE 624J, 624K					
5	AT307538	Link	<i>Bellcrank to Bucket, with bushings</i>	1	162
6	T102950	Bushing	<i>Used with AT307538 link</i>	2	3.8
8	AT207718	Pin	<i>Cylinder to Bellcrank</i>	1	25
10	AT102827	Pin	<i>Link to Bellcrank (Old # 210275)</i>	2	24
11	AT308025	Pin	<i>Link to Bucket</i>	1	24
12	AT308032	Pin	<i>Bottom Bucket Pins</i>	2	15
JOHN DEERE 644E, 644G					
5	AT102753	Link	<i>Bellcrank to Bucket, w/ bushings (644E)</i>	1	201
6	T101718	Bushing		2	4
5	AT149437	Link	<i>Bellcrank to Bucket, w/ bushings (644G)</i>	1	201
6	T101718	Bushing		2	4
8	AT102751	Pin	<i>Cylinder to Bellcrank</i>	1	31
10	AT102752	Pin	<i>Link to Bellcrank</i>	1	26
11	AT102752	Pin	<i>Link to Bucket</i>	1	26
12	AT115977	Pin	<i>Bottom Bucket Pins</i>	2	18
JOHN DEERE 644H					
5	AT209081	Link	<i>Bellcrank to Bucket, with bushings</i>	1	176
6	R85556	Bushing		2	4
8	AT219746	Pin	<i>Cylinder to Bellcrank</i>	1	31
10	AT219746	Pin	<i>Link to Bellcrank</i>	2	31
11	AT219746	Pin	<i>Link to Bucket</i>	1	31
12	AT208975	Pin	<i>Bottom Bucket Pins</i>	2	18
JOHN DEERE 644J s/n -618143, 724J s/n -618145 (Z-Bar Models)					
5	AT341583	Link	<i>Bellcrank to Bucket, with bushings</i> <i>also fits 644J,644K, 644P,</i>	1	176
6	T224794	Bushing	<i>724J, 724K, 724P</i>	2	4.0
	AT352828	Seal	<i>Bucket Link</i>	4	
8	AT219746	Pin	<i>Cylinder to Bellcrank</i>	1	31
10	AT219746	Pin	<i>Link to Bellcrank</i>	2	31
11	AT219746	Pin	<i>Link to Bucket</i>	1	31
12	AT208975	Pin	<i>Bottom Bucket Pins</i>	2	18
JOHN DEERE 744H, 744J					
	AT202994	Bucket Link		1	238
	T156346	Bushing		2	5.6
	AT202938	Pin	<i>Cylinder to Bellcrank</i>	1	44
	AT202724	Pin	<i>Link to Bellcrank</i>	1	38
	AT202724	Pin	<i>Link to Bucket</i>	1	38
	AT206731	Pin	<i>Bottom Bucket Pins</i>	2	22

BUCKET LINKS & PINS

CAT

Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT 924F, 924G					
	4V8641	Bucket Link		1	88
	4V8663	Pin	<i>Link to Bucket</i>	1	9.2
	4V8661	Pin	<i>Link to Bellcrank</i>	1	9.6
	4V8661	Pin	<i>Bellcrank to Cylinder</i>	1	9.6
	4V9901	Pin	<i>Loader Frame to Bucket</i>	2	8.2
CAT 926E, 928F					
	4V4458	Bucket Link		1	101
	4V3603	Pin	<i>Link to Bucket</i>	1	12
	4V3603	Pin	<i>Link to Bellcrank</i>	1	12
	4V3603	Pin	<i>Bellcrank to Cylinder</i>	1	12
	4V2588	Pin	<i>Loader Frame to Bucket</i>	2	8.6
CAT 928G					
	113-3797	Bucket Link		1	109
	128-0285	Pin	<i>Link to Bucket</i>	1	14
	128-0285	Pin	<i>Link to Bellcrank</i>	1	14
	128-0285	Pin	<i>Bellcrank to Cylinder</i>	1	14
	118-0869	Pin	<i>Loader Frame to Bucket</i>	2	13
CAT 936E, 936F, 938F					
	4V2881	Bucket Link		1	107
	4V2588	Pin	<i>Loader Frame to Bucket</i>	2	8.6
CAT 938G, 938H					
	193-0953	Bucket Link		1	107
	4V2588	Pin	<i>Loader Frame to Bucket</i>	2	8.6
CAT 950E, 950F					
	5V1530	Bucket Link		1	128
	5V1508	Pin	<i>Link to Bellcrank</i>	1	23
	5V1508	Pin	<i>Bellcrank to Cylinder</i>	1	23
CAT 950G, 950H					
	127-6371	Bucket Link		1	128
	5V1508	Pin	<i>Link to Bellcrank</i>	1	23
	5V1508	Pin	<i>Bellcrank to Cylinder</i>	1	23
CAT 924G, 924GZ, 924H, 924HZ					
	148-7798	Bucket Link		1	91
	148-7872	Pin	<i>Link to Bucket</i>	1	9.2
	148-7873	Pin	<i>Link to Bellcrank</i>	1	12
	148-7873	Pin	<i>Bellcrank to Cylinder</i>	1	12
	148-7871	Pin	<i>Loader Frame to Bucket</i>	2	8.2

We are excited to announce a significant expansion in our Cat D6K inventory, offering a full range of products designed for D6K Cat Dozer machines. Our new products ensure durability, efficiency, and ease of installation, supporting the long-term performance of your D6K Dozer.

New Cat D6K products:



374-2061

Lift Cylinder for Cat D6K (NCF, DHA, FBH, HMG), D6K2 (MXK, RPR, RST, WMR) Dozer



239-1256

Pinion for Cat D6K (6S6, NCF, DHA, FBH, HMG), D6K2 (MXK, EL7, MGM, RPR, 7P6, JTR, RST, DFR, WMR) Dozer



384-7355 / 384-7358

Cover, RH Outer/Inner for Cat D6K (DHA, FBH), D6K2 (RST, MXK, RPR, WMR) Dozer



240-1555

Pin for Cat D6K (FBH, DHA, NCF, HMG), D6K2 (RPR, MXK, WMR, RST) Dozer




382-6529

Yoke for Cat D6K, D6K2 Dozer



223-3279

Retainer, Pin for Cat D6K, D6K2, D4, D5, D5M, D5N, D5R, D5R2, D6M, D6N, D6R III, D6T Dozer




380-7989

Chain Guide, Center for Cat D6K (DHA, FBH), D6K2, D4 Next Gen Dozer




475-9196, 475-9197, 475-9198, & 475-9199

Wear Plate, RH/LH for Cat D6K (DHA, FBH), D6K2 (RST, WMR, MXK, RPR) Dozer




382-6505 / 382-6506

Guard, Rear RH/LH for Cat D6K, D6K2, D4 Next Gen Dozer



SECTION F

BRAKE PARTS, STEERING CLUTCH PARTS, & WINCH PARTS



www.paintvalleyequipment.com

Phone: 877-774-0081

Brake Bands

Brake Pads & Shoes

Gearmatic Winch Parts

Master & Slave Cylinders

Pressure Plates & Clutches

Steering Clutch Discs

Winch Bands & Clutch Discs

Section F

SECTION F

BRAKE PARTS, STEERING CLUTCH PARTS, & WINCH PARTS



	Page
BRAKE BANDS	F5
BRAKE DISCS, PADS, & SHOES	F1 - F5
GEARMATIC WINCH PARTS	F5 - F7
JOHN DEERE 4000 SERIES WINCH PARTS & GUARD	F8, F9
TIMBERJACK T40-D WINCH PARTS	F10, F11
MASTER CYLINDERS & SLAVE CYLINDERS	F2
PRESSURE PLATES & CLUTCHES	F2
STEERING CLUTCH DISCS	F1
WINCH BANDS, WINCH CLUTCH DISCS	F5



DID YOU KNOW?

You can now click on any number on the parts diagram and the parts image will appear. Check it out!

Case Rear Axle Differential



STEERING CLUTCH DISCS, BRAKE PARTS

Part No.	Description		Notes	Qty.	Wt.
JOHN DEERE					
M3293T	Steering Clutch Disc	Fiber	420, 440, 1010	16	0.4
M872T	Steering Clutch Disc	Steel	420, 440, 1010	14	0.6
T20790	Steering Clutch Disc	Fiber	350, 350B	16	0.5
T21315T	Steering Clutch Disc	Steel	350, 350B, 350C, 350D, 400G	14	0.7
AT117553	Steering Clutch Disc	Metallic	350, 350B, 350C, 350D, 400G	14	1.3
T20716	Steering Clutch Disc	Fiber	450, 450B	16-18	0.7
T44129	Steering Clutch Disc	Metallic	450, 450B, 3320 winch	16	1.9
T31732	Steering Clutch Disc	Steel	450, 450B, 450C, 450D, 450E, 455D, 455E, 550, 550A, 550B, 555, 555A, 555B	14-16	1.3
T82355	Steering Clutch Disc	Metallic	450C, 450D, 450E, 450G, 455D, 455E, 455G, 550A, 550B, 550G,, 555A, 555B, 555G, 650G	16	1.3
T82356	Steering Clutch Disc	Steel	450E, 455E, 550B, 555B, 450G, 455G, 550G, 555G, 650G	14	1.4

DRESSER					
635384R2	Steering Clutch Disc	Steel	500	12	1
676833R1	Steering Clutch Disc	Steel	500C, 500E	12	1.2
46826D	Steering Clutch Disc	Steel	TD9	10	1.9




CAT STEERING CLUTCH					
5H8530	Steering Clutch Disc	Metallic	D2, 933	24	1.6
2B3532	Steering Clutch Disc	Steel	D4 6U & 7U to s/n 26502	24	1.4
6S3183	Steering Clutch Disc	Fiber	D3	14	0.7

CAT BRAKE PARTS					
230-3811	Brake Caliper Kit	416E ST, 420D, 420E IT, 420E ST, 430E IT, 430E ST		UAR	2.8
188-2933	Brake Lining Kit	416B, 416C		UAR	0.8
259-0129	Brake Caliper Kit	416E ST, 416F ST, 416F2 ST, 420E IT, 420E ST, 420F ST, 420F IT, 420F2 IT, 420F2 ST, 430E IT, 430E ST, 430F IT, 430F ST, 430F2 IT, 430F2 ST		UAR	3
9R2477	Friction Disc	436II, 428II, 436B, 426II, 416II, 438II		UAR	1.8
230-4017	Brake Disc, Friction	416D, 420D		UAR	0.1
9R9401	Steel Disc	416D, 420D		UAR	1.8



CAT D6K, D6K2, D4, 953B, 953C, 953D, 953K, 953, 963B, 963C, 963D, 963K, 963, 973D, 973K, 973					
3W5159	Brake Disc, Steel			6	1.5
170-8714	Brake Disc, Friction			8	0.8

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE Steering Clutch Pressure Plates				
AT18886	Pressure Plate	350, 350B	2	7
AT18416	Pressure Plate	450, 450B	2	20
JOHN DEERE Master Clutch & Pressure Plate				
AM3791T	Master Clutch	420, 440, Fiber 10" x 1 3/8" (10 spline)	1	2.7
AT160477	Master Clutch	450B, 450C, 450D, 450E, 455D, 455E 11" x 1 1/4" (10 spline)	1	8
AT43120	Pressure Plate	450B, 450C, 450D, 450E, 455D, 455E, 11"	1	17
AT160474	Master Clutch	450B, 450C, 450D, 450E, 455D, 455E 12" x 1 1/4" (10 spline)	1	8.1
AT104326	Pressure Plate	For Both Clutches, 12"	1	14
AT21605	Master Clutch	450 - Standard Shift, 12"	1	8
CASE 430, 530, 480, 580 Master Clutch & Pressure Plate				
A37568	Master Clutch	480, 580 11" x 1 3/8" (21 Spline)	1	5.7
A37566	Pressure Plate	480, 580 11" x 1 7/8" (29 Spline)	1	20
CASE 480B, 480C, 580B, 580C Master Clutch & Pressure Plate				
1997844C1	Master Clutch	11" x 1 3/8" (21 Spline)	1	5.7
CASE 310 Master Clutch & Pressure Plate				
G45791	Clutch	10" x 1 1/8" (10 Spline)	1	6
R35181	Brake Pad			1
CASE 450, 450B, 455B, 550, 650, 850, 850B, 850C, 855C				
211-1028	Ball, 7/8"		10	0.1
31481	Master Cylinder	450 Trans s/n -2644200, 750	2	4
241141A1	Master Cylinder	450 Trans s/n 2644200-, 450B, 455B, 8	2	4
G109413	Slave Cylinder	450, 450B, 455B, 850	2	1.2
A51976	Slave Cylinder	850B, 850C, 855C, 850D, 855D	2	1.2
1348800C1	Slave Cylinder	450C, 455C, 550, 650	2	1.2
These slave cylinders will work with transmission fluid or brake fluid				
CASE 580K, 580L, 580M				
D141779	Master Cylinder	7/8" bore, 580K s/n -JIG0020000	2	2.2
182445A1	Master Cylinder	1" Bore, 580K s/n JIG0020000-	2	2.8
570L, 570M, 580SK, 580L, 580SL, 580M, 580SM, 590SL, 590SM				
CASE 480, 480B, 480C, 580, 580B, 580C, 580D W/OUT TURBO				
249019A1	Brake Pad	Lining to reline disc & brake drum, with rivets	2	1
249018A3	Brake Band Set	Top & bottom pcs.	2	2
A51976	Slave Cylinder		2	1.2
L25419	Master Cylinder	*will not fit any 580D	2	4.4
A157705	Spring	Brake band return, not included in bra	4	0.1
A47524	Spring	Disc return, included in brake assembly	2	0.1
211-1032	Ball, 1"		8	0.1

Part No.	Description	Notes	Qty.	Wt.
CASE W14-18-20-24, 680, 780 ETC.				
S301464	Brake Pad		8	1.0
CASE 521D, 521E, 521F, 521G, 521G2, 621D s/n JEE0135501-, 621E, 621F, 621G, 621G2, 721C, 721D, 721E, 721F, 721G, 721G2, 821C, 821E, 921C s/n JEE0155001-				
87341835	Brake Disc, Friction		5	1.8
8603582	Brake Disc, Steel		7	3.6





CASE 450C, 455C, 550, 650, 850C, 850D, 855C, 855D				
G103117	Brake Disc, Friction		12	1.0
G103118	Brake Disc, Steel		8	0.7
CASE 1150B, 1150C, 1150D, 1450, 1450B				
G101711	Brake Disc, Steel		8	0.8




CASE 580E, 580K				
A182740	Brake Pad		2.0	1.0
1342285C1	Brake Disc, Metallic		10	1.5
A52252	Brake Disc, Steel		8	1.3

CASE 580M Series 3, 580SM Series 3, 580SM+ Series 3, 580N, 580N EP, 580SN, 580SN WT				
87708433	Brake Disc, Steel 5mm		2	4.0
87708434	Brake Disc, Friction		4	4.6
87708435	Brake Disc, Steel 8mm		2	6.4
CASE 580L Ser. 2, 580SL Ser. 2, 580M, 580M Ser. 2, 580SM, 580SM Ser. 2				
85827748	Brake Disc, Steel		2	3.6
308030A1	Brake Disc, Steel		2	2
85808317	Brake Disc, Steel	<i>Also fits 580L, 580SL</i>	2	3.8
237021A1	Brake Disc, Friction	<i>Also fits 580L, 580SL</i>	4	1.6

NEW HOLLAND NEW HOLLAND B115, B115B, LB115, LB115B				
85827748	Brake Disc, Steel		2	3.6
85808317	Brake Disc, Steel	<i>For LB115, LB115B Only</i>	2	3.8
NEW HOLLAND NEW HOLLAND U80, U80B, LV80				
308030A1	Brake Disc, Steel		2.0	2
237021A1	Brake Disc, Friction		4	1.6




Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450J, 450K, 450 P, 550J, 550K, 550 P, 650J, 650K, 650 P DOZERS, 605C, 605K TRACK LOADERS				
AT337435	Clutch Disc, Friction		7	0.2
T201825	Clutch Disc, Steel		8	0.2
JOHN DEERE 700H, 700J, 700K, 700L DOZERS 444G, 444H, 444J, 444K, 524K, 544H, 544J, 544K, 624H, 624J, 624K WHEEL LOADERS				
T169109	Brake Disc, Steel		UAR	0.8
T169108	Brake Disc, Friction		UAR	0.4
JOHN DEERE 544H, 544J s/n -611799, 624H, 624J s/n -611796 WHEEL LOADERS				
R161862	Brake Disc, Steel		6	2.0
RE159198	Brake Disc, Friction		4	1.0
JOHN DEERE 750J, 750K, 750L, 850J, 850K, 850L DOZERS, 655K, 755K CRAWLER LOADERS				
R81499	Brake Disc, Steel		UAR	0.8
AT467275	Brake Disc, Friction		UAR	0.6



JOHN DEERE 310E, 310G, 310SE, 310SG, 315SE, 315SG, 410E, 410G LOADER BACKHOES				
AT179503	Brake Disc, Friction	Service Brake	6	2.4
T159409	Brake Disc, Steel	Service Brake	4	1.4
T161233	Brake Disc, Steel	Service Brake	4	1.8
T159474	Brake Disc, Steel	Park Brake	2	0.6
T159475	Brake Disc, Metallic	Park Brake	3	0.4
JOHN DEERE 210K, 210L, 310J, 310K, 310L, 310SJ, 310SK, 310SL, 315SJ, 315SK, 315SL, 325SJ, 325SK, 325SL, 410J, 410K, 410L LOADER BACKHOES, 485E, 486E, 488E FORKLIFTS				
AT339059	Brake Disc, Friction	Service Brake	3	1.6
AT339543	Brake Disc, Friction	Service Brake	3	2.2
T228727	Brake Disc, Steel	Service Brake	8	1.8
T159474	Brake Disc, Steel	Park Brake	3	0.6
T159475	Brake Disc, Metallic	Park Brake	3	0.4

WINCH PARTS, BRAKE BANDS


Part No.	Description	Notes		Qty.	Wt.
GEARMATIC MODEL 19 WINCH BANDS					
PV151R	Brake Band	Secondary brake, wide	R&R Only	1	12
PV152R	Brake Band	Primary brake, narrow	R&R Only	1	6
PV153R	Clutch Band	Secondary clutch, wide	R&R Only	1	17
PV154R	Clutch Band	Primary clutch, narrow	R&R Only	1	6
SEE PAGE F6 FOR NEW MODEL 19 WINCH BANDS					
GEARMATIC MODEL 9 WINCH BANDS					
PV156R	Brake Band	Secondary brake, wide	R&R Only	1	5
PV157R	Brake Band	Primary brake, narrow	R&R Only	1	3
PV158R	Clutch Band	Secondary clutch, wide	R&R Only	1	7
PV159R	Clutch Band	Primary clutch, narrow	R&R Only	1	4
CASE					
R29904	Brake Band	310, 350, 350B		2	3
JOHN DEERE					
AT129803R	Brake Band	420, 440	R&R Only	2	4
AT17490R	Brake Band	1010	use AT129805		
AT129805	Brake Band	350, 350B		2	3.5
AT142174	Brake Band	350C, 350D, 400G		2	6
AT129808-809R	Brake Band Set	2010, upper & lower band	R&R Only	2	4
AT129806-807	Brake Band Set	450, 450B, upper & lower band		2	6
AT142175	Brake Band	450C, 450D, 450E, 450G, 455D, 455E, 455G, 550, 550A, 550B, 550G, 555, 555A, 555B, 555G, 650G		2	9
AT108008	Winch Brake Band	Model 3315, 3325, 3305		1	9
AT16844	Winch clutch disk, fiber	Model 3315, 3325, 3305		3	1.4
T19615	Winch clutch disk, steel	Model 3315, 3325, 3305		3	1.6
T16350	Shaft	Model 3310, 3315, 3320, 3325		1	6
T24774	Coupler	Model 3310, 3315, 3320, 3325		1	0.4
DRESSER TD7, TD7C, TD7E, TD7G, TD8, TD8C, TD8E, TD8G, 100C, 100E, 125C, 125G					
621037C1	Brake Shoe	Solid, 1244903H91		4	11
621021C91	Brake Shoe	Tube, 1244967H91		4	17
675708R91	Bearing	Not included with brake shoe		8	0.6
621070C91	Brake Disc	Clutch, inner		2	11
621073C91	Brake Disc	Brake, outer		2	15
DRESSER					
676915R92	Brake Band	500C, 500E		2	5
ALLIS CHALMERS HD3, HD4, 653, 655					
PV161	Brake Band	1 pc. band		2	4




Ref.	Part No.	Description	Notes	Qty.	Wt.
1	411867	Brake Band	<i>Primary brake, narrow</i>	1	6
2	411868	Brake Band	<i>Secondary brake, wide</i>	1	12
3	406279	Clutch Band	<i>Primary clutch, narrow</i>	1	6
4	407888	Clutch Band	<i>Secondary clutch, wide</i>	1	17
5	403337	Brake Cylinder		1	1.7
6	404908	Brake Cylinder Repair Kit		1	0.2
7	410655	Spring, Brake		1	0.7
8	106185	Seal		1	0.3
9	403499	Bearing		1	4.9
10	403478	Seal, Oil		1	1
11	403496	Seal, Oil		1	0.8
12	403507	Block, Lever		1	0.6
13	3761101	Rod		1	0.3
14	403505	Lever, Brake		1	0.4
15	403503	Pin		1	1.1
16	403494	O' Ring		1	0.1
17	403524	Clutch Cylinder		1	0.6
18	404907	Clutch Cylinder Repair Kit		1	0.2
19	3761100	Pin		1	0.1
20	403519	Bearing		1	3.2
21	406281	Cam, Adjusting		1	0.1
22	3441100	Plate, Lock		1	0.1
23	407485	Rod		1	0.3
24	406090	Hose		1	0.4
25	406091	Fitting, Hydraulic		1	0.1
26	403518	Snap Ring		1	0.1
27	403520	Shim Set		1	0.2
28	104613	O' Ring		1	0.1
29	400684	U-Seal		2	0.1
30	411520	Cap, Gland		1	3
31	403482	Seal, Oil		1	0.1
32	403484	Gasket		1	0.1
33	403485	Bearing		2	0.1
34	411519	Tube, Hydraulic		1	0.1
35	403486	Tube, Assy.		1	0.1

Master Control Valve Parts

36	235643	Handle		1	0.9
37	400736	Cylinder Assembly		2	1.7
38	404906	Cylinder Repair Kit		2	0.2
39	400751	Gasket		1	0.1
40	400752	Filler Cap		1	0.1
41	405517	Long Push Rod		1	0.1
42	405516	Short Push Rod		1	0.1
44	400749	Push Pin Rod		1	0.1
45	400742	Shaft		1	0.9
46	400778	Bushing		1	0.1
47	405351	Bushing		1	0.1
48	100739	O' Ring		1	0.1



Ref.	Part No.	Description	Notes	Qty.	Wt.
40, 4000, 4000S SERIES WINCHES					
1	R26286	O-ring		1	0.05
2	T84781	Gasket, Brake Housing		1	0.25
3	R46218	Seal		1	0.1
4	R80813	Brake Plate		3	0.6
5	RE326609	Brake Disc, Friction		4	0.4
6	T142269	Seal		2	0.1
7	AT173348	Seal		2	0.5
8	JD8245	Bearing Cup		2	1.2
9	JD8915	Bearing Cone		2	2.0
10	AT181675	Freespool Ring Gear Kit, predrilled w/ dowels		1	3.0
11	AT139629	Freespool Gear		1	4.0
13	AT12431	Seal		1	0.25
14	T161932	Bull Gear, 68T	<i>Winch w/ 8" Drum 16.51:1 Ratio</i>	1	102
14	T106838	Bull Gear, 66T	<i>Winch w/ 19.56:1 Ratio Deep Red.</i>	1	80
15	T387791	Drum Shaft	<i>Winch s/n 589977-</i>	1	32
16	T84712	First Reduction Gear, 40T		1	21
17	T84711	Pinion, 12T	<i>Winch w/ 8" Drum, 16.51:1 Ratio</i>	1	10
17	T142438	Pinion, 10T	<i>Winch w/ 19.56:1 Ratio Deep Red.</i>	1	9.0
18	T24862	Pinion, First Reduction 13T		1	4.0
19	T84713	First Reduction Gear		1	3.0
20	T173101	Input Shaft		1	4.0
21	T242381	Driven Gear		1	3.0
22	AT304117	Hydraulic Pump		1	4.0
23	T242382	Driven Gear On Pump		1	1.0
24	PV6901	Winch Guard		1	145
25	R57345	Clutch Plate		1	0.5
5	RE326609	Clutch Disc, Friction		4	0.5
27	R80813	Clutch Plate		3	0.6
26	T84701	Gasket, Side Cover		1	0.25
	T212838	Gasket, Control Valve		1	0.25
	R26906	O-ring, Control Valve		1	0.05
	AT13161	Seal, Input Shaft		1	0.25
	PV746	Bearing Kit, Freespool and Drum Shaft		1	9.5
		<i>** Includes seals, o-rings, bearings shown on JD diagram ST27284/ST27285</i>			
	PV747	Bearing Kit, Winch Pump Cover Gears and Shafts		1	1.5
		<i>** Includes seals, o-rings, bearings shown on JD diagram ST27291/ST27292</i>			
	PV748	Bearing Kit, Clutch Piston		1	3.2
		<i>** Includes seals, o-rings, bearings shown on JD diagram ST27287/ST27288</i>			



Ref.	Part No.	Description	Notes	Qty.	Wt.
T40-D Winches					
1	810529400	O-ring		1	0.05
2	842488000	Gasket, Brake Housing		1	0.25
3	841051500	Seal		1	0.1
4	842488400	Brake Plate		3	0.6
5	842488300	Brake Disc, Friction		4	0.4
6	843133600	Seal		2	0.1
7	842486200	Seal		2	0.5
8	842486400	Bearing Cup		2	1.2
9	842486300	Bearing Cone		2	2.0
10	845170900	Freespool Ring Gear Kit, predrilled w/ dowels		1	3.0
11	842486700	Freespool Gear		1	4.0
13	841052200	Seal		1	0.25
14	842490400	Bull Gear, 68T		1	102
14	843132700	Bull Gear, 66T		1	80
15	842490600	Drum Shaft		1	32
16	842489100	First Reduction Gear, 40T		1	21
17	843132600	Pinion, 10T		1	9.0
18	842489300	Pinion, First Reduction 13T		1	4.0
19	842489400	First Reduction Gear		1	3.0
20	841041900	Clutch Plate		1	0.5
21	842488300	Clutch Disc, Friction		4	0.4
22	842488400	Clutch Plate		3	0.6
23	842485200	Gasket, Side Cover		1	0.25
	842492000	Gasket, Control Valve		1	0.25
	840287100	O-ring, Control Valve		1	0.05
	841052200	Seal, Input Shaft		1	0.25



SECTION G

LOADER BACKHOE AXLE PARTS



Case 2WD Axle Parts

Case 4WD Carraro

Case 4WD Front Axle Kits

Case Front Rims

John Deere Axle Parts

www.paintvalleyequipment.com

Phone: 877-774-0081

SECTION G

LOADER BACKHOE FRONT & REAR AXLE PARTS

	Page
JOHN DEERE FRONT AND REAR AXLE PARTS	
210C, 300B, 301A, 302, 302A, 310, 310A, 310B, 310C, 310D, 401B, 401C, 401D, 410, 410B, 480C, 500C	G1
CASE FRONT AXLE PARTS - 2WD	
480C, 480D, 480E	G2, G3
580C, 580D, 580E	G2, G3
580K, 580SK, 580L, 580SL, 580M, 580SM	G4, G5
590, 590L, 590SL, 590SL Series 2, 590SM	G5
570MXT, 570N, 580M, 580SM, 580SM+, 590SM, 580N, 580SN, 585G, 585H, 586G, 586H, 588G, 588H	G6, G7
CASE FRONT AXLE PARTS - 4WD	
AXLE HOUSING	G8
SWIVEL HOUSING	G9, G18, G19
STEERING CYLINDER	G10, G17
AXLE SHAFT ASSEMBLY	G11, G22
PLANETARY ASSEMBLY	G12, G13, G20, G21
DIFFERENTIAL	G14, G23
RING & PINION	G15, G24
FRONT AXLE KITS	G34
CASE REAR AXLE PARTS	
RING & PINION	G25
PLANETARY	G26-G29, G35
BRAKE DIFFERENTIAL	G28, G34
DIFFERENTIAL	G29, G33

DID YOU KNOW WE ARE ON SOCIAL MEDIA?



@paintvalleyequipment




@paintvalleyequipment




www.linkedin.com/company/paint-valley-equipment-ltd




Check us out to stay connected and
informed with everything PVE!




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 300B, 301A, 302, 302A, 401B, 401C, 310 s/n -237997					
2	AT33636	Spindle		2	23
3	T21519	Steering Arm R/H		1	6
JOHN DEERE 310 s/n 237998-, 310A, 310B s/n -700147, 401D s/n -700147, 480C s/n -700147					
1	R49841	Hub	8 Hole	2	34
2	AT76758	Spindle		2	23
3	T77736	Steering Arm R/H	27 spline	1	16
	T77737	Steering Arm L/H	27 spline	1	16
JOHN DEERE 310B s/n 700148-, 401D s/n 700148-, 480C s/n 700148-, 410 s/n 235786-, 500C s/n 238503-					
2	AT76138	Spindle		2	37
3	T77482	Steering Arm R/H	30 spline	1	14
	T77483	Steering Arm L/H	30 spline	1	14




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 210C, 310A, 310B, 310C, 310D, 401C, 401D, 410, 410B					
5	T71926	Drive Shaft L/H		1	6
6	T149083	Shaft		6	1.6
7	T21547	Planetary Gear		6	2.2
8	T21418	Kit, Needle Bearings (Pack of 23)		6	0.2
JOHN DEERE 310E, 310G, 310SE, 310SG, 315SE, 315SG, 410E, 410G, 485E, 486E, 488E					
	T154952	Drive Shaft		2	6.5
	T183921	Planetary Pinion Gear		6	2.6



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 480C, 480D, 480E, 580C, 580D, 580E					
3	D43940	Bushing		1	0.5
4	D61241	Bushing		2	0.4
5	D50146	Bushing		1	0.7
6	D61241	Bushing		2	0.4
7	D103156	King Pin Kit		2	9
8	D69359	Weld on End R/H		1	16
9	D69360	Weld on End L/H		1	16
10	D64171	Pin		1	9.4
11	495-81226	Washer		2	0.05
12	103-16175	Snap Ring		2	0.05
13	D86343	Spindle R/H	<i>For Steel Axle</i>	1	20
14	D86344	Spindle L/H	<i>For Steel Axle</i>	1	20
14	D125863	Spindle L/H	<i>For Cast Iron Axle</i>	1	20
17	D88491	Tie Rod End R/H, Tie Rod		1	2
18	D88492	Tie Rod End L/H, Tie Rod		1	2
19	234447A1	Steering Cyl. 2WD	<i>Also fits 480B & 580B</i>	2	9
19	234449A1	Steering Cyl. 4WD	<i>480E, 580SE, 584E, 585E, 586E</i>	2	9
20	A66759	Hub, 8 Hole		2	34
21	B93222	Wheel Bearing Kit		2	4
23	D73397	Tie Rod		1	20
24	A40962	Tie Rod End, Steering Cylinder	<i>L/H & R/H, Male Thread</i>	2	2
	A40963	Tie Rod End, Steering Cylinder	<i>Female Thread</i>	1	2



CASE 430, 530, 480, 580 Front Axle Parts					
25	A137741	Steering Arm L/H	<i>480, 580, 580B</i>	1	11
26	A137742	Steering Arm R/H	<i>480, 580, 580B</i>	1	11
28	A51157	Hub, 8 Hole	<i>580, 580B</i>	2	35
21	PV580WBKCA	Wheel Bearing Kit	<i>480, 480B, 580, 580B</i>	2	2
29	A38382	Weld on End	<i>480, 480B, 580, 580B</i>	2	14
30	A154657	Spindle	<i>430, 480, 530, 580, 580B</i>	2	22
	G45368	Tie Rod End R/H		1	1
	G45369	Tie Rod End L/H		1	1




FRONT AXLE PARTS


CASE 2WD

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570LXT, 570MXT, 580K, 580SK, 580L, 580SL, 580M, 580SM, 585G, 586G, 588G					
1	D138954	Front Axle Housing	<i>Housing only</i>	1	365
	D138954A	Front Axle Assembly	<i>Hub to hub less steering cylinder</i>	1	491
2	D137345	Bushing		1	0.4
3	D138047	Bushing		1	1
4	D127445	Pin	<i>580K, 580SK 2WD & 4WD</i>	1	15
4	378290A1	Pin	<i>580L, 580SL, 580M, 580SM, 590SL, 590SM 2WD & 4WD</i>	1	15
5	G107720	Steering Cylinder	<i>w/out eyes</i>	1	29
	G110045	Seal Kit		1	0.2
14	G106832	Eye, L/H Thread		1	1.2
15	G106813	Eye, R/H Thread		1	1.2
6	D103626	King Pin Kit		2	8
7	D123806	Steering Link		2	12
8	D150155	Pin		4	0.5
9	335130A1	Spindle R/H		1	17
10	335132A1	Spindle L/H		1	17
11	D127507	Bushing		2	0.1
<i>(335130A1 & 335132A1 spindles do not need this bushing)</i>					
12	A66759	Hub, 8 Hole		2	34
13	B93222	Wheel Bearing Kit		2	4


CASE 590, 590L, 590SL, 590SL Series 2, 590SM					
1	D148413	Front Axle Housing	<i>Housing only</i>	1	365
	D148413A	Front Axle Assembly	<i>Hub to hub less steering cylinder</i>	1	491
5	1986518C2	Steering Cylinder	<i>w/out eyes</i>	1	31
	G110045	Seal Kit		1	0.2
6	D103626	King Pin Kit		2	8
9	335130A1	Spindle R/H		1	17
10	335132A1	Spindle L/H		1	17
12	A66759	Hub, 8 Hole		2	34
13	B93222	Wheel Bearing Kit		2	4
14	1542550C1	Eye, L/H Thread		1	1.2
15	1542549C1	Eye, R/H Thread		1	1.2




119243A1




D125223




CASE FRONT AXLE RIMS					
	D125223	Front Rim, 8 Hole	<i>2WD (All Models)</i>	2	37
	D126930	Front Rim, 8 Hole	<i>4WD 580E, 580K, 580SK</i>	2	36
	119243A1	Front Rim, 8 Hole	<i>4WD 580L, 580SL, 580M, 580SM</i>	2	36




Ref.	Part No.	Description	Notes	Qty.	Wt.
(570MXT, 580M, 580SM, 580SM+, 590SM, 590SM+ Ser.3) - ALL SERIES w/ 429230A1 AXLE HOUSING, 570N EP, 570NXT, 580N (ALL), 580SN (ALL), 585G, 585H, 586G, 586H, 588G, 588H					
1	429231A1	Steering Knuckle, L/H		1	44
2	429232A1	Steering Knuckle, R/H		1	44
3	122270A1	Belleville Washer		2	0.1
4	87400286	Bushing		2	0.2
5	N14373	Spherical Bearing		2	0.4
6	122261A1	Belleville Washer		2	0.05
7	N14367	Seal		2	0.01
8	D149726	Bushing		1	0.5
9	D149725	Bushing		1	1.0
10	391451A1	Pivot Pin		1	15.0
10	87404197	Pivot Pin		1	15.0
11	800-44050	Snap Ring		2	0.05
12	100533A1	Bolt		14	0.1
13	122265A1	King Pin, Upper		2	2.2
14	401059A1	Thrust Bearing		2	1.5
15	401060A1	Thrust Washer		2	1.0
16	122259A1	King Pin, Lower		2	2.6
17	D150214	Bolt, Locking		6	0.1
18	N13505	Lube Nipple		2	0.02
19	401065A1	Hub		2	25.0
20	324213A1	Roller Bearing		2	2.0
21	311569A1	Oil Seal		2	0.6
22	401066A1	O-Ring		2	0.01
23	401055A1	Steering Cylinder		1	23.0
24	112509A1	Ball Joint		2	1.9
25	905839R1	Lock Nut		2	0.05
26	429230A1	Axle Housing	Not Available	1	
27	401054A1	Tie Rod	Not Available	2	




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570LXT, 570MXT, 580L, 580SL, 580M, 580SM, 585G, 586G, 588G					
	113561A1	AXLE Assembly	Front 4x4 - Complete Assembly	1	
1	144453A1	Housing, Axle	Front axle; Used With 144455A1 and 144456A1 No Longer Available, Order 402357A1 Housing	1	201
1	402357A1	Housing, Axle	Front Axle; Used With 397653A1 and 397654A1 Swivel Housings Which Use 45 x 60 x 16 Seal.	1	
2	D149725	Bushing	Rear Pivot	1	0.7
3	N14367	Seal	Bushing, front and rear	2	0.01
4	D149726	Bushing	Front pivot	1	0.5
5	1966149C1	Breather	Axle housing	1	0.05
6	A156873	Plug, Drain	M22 x 1.5, Housing and Carrier	2	0.1
7	122270A1	Washer	Belleville, upper	2	0.1
8	136990A1	Spacer	WASHER spacer, front axle	2	0.05
9	100522A1	Bushing	Housing	2	0.2
10	1966186C1	Bushing	Housing	2	0.1
11	1966191C1	Seal	30 x 44 x 11 mm Used With 144453A1 Housing, Ref 1 Above	2	0.05
11	85824343	Seal	30 x 44 x 14 mm CV Joint Differential Side; Used With 402357A1 Housing, Ref 1 Above; Replaces 311565A1	2	0.08
12	100520A1	Bushing	BUSHING spherical, two piece, housing, lower	2	0.3
13	122268A1	Washer	Belleville, lower	2	0.05
14	144454A1	Support Assy	CARRIER, differential, Includes: Refs. 14-16 Non-Stock	1	
15	NSS	Screw	Hex Flg, M14 x 75, 12.9, BOLT, Special	4	
16	1966136C1	Bushing	BUSHING centering, carrier Non-Stock	4	
17	1966138C1	Dowel	Dowel, housing to carrier	2	0.1
18	NSS	Screw	Hex Flg, M12 x 33, 12.9, BOLT, Carrier to housing	10	




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570L, 580L & SL, 580M & SM, 585G, 586G, 588G					
1	144455A1	Housing, L/H	Swivel, left hand; Used With 100529A1 Seal Swivel housing has been replaced with 137049A1 Kit	1	32
1	397653A1	Housing, L/H	NSS, Replaced by 137049A1 Kit	1	33
1	137049A1	Housing Kit, L/H	Contents: 397653A1, 402359A1, 100532A1, 311569A1 2-1966169C1, 100552A1, 85805982	1	38
2	144456A1	Housing, R/H	Swivel, right hand ; Used With 100529A1 Seal Swivel housing has been replaced with 137050A1 Kit	1	32
2	397654A1	Housing, R/H	NSS, Replaced by 137050A1 Kit	1	33
2	137050A1	Housing Kit, R/H	Contents: 397654A1, 402359A1, 100532A1, 311569A1 2) 1966169C1, 100552A1, 85805982	1	38
3	100532A1	Bushing	Swivel housing, used with R/H or L/H swivel housing	2	0.2
4	100529A1	Seal, Shaft	45 x 65 x 12; Used With 144455A1, 144456A1 Housings	2	0.1
4	402359A1	Seal	45 x 60 x 16; Used With 397653A1, 397654A1 Housings	2	0.1
5	85805986	Nut	M16,	2	0.05
6	1537664C1	Screw	BOLT, 16 mm, steering stop	2	0.4
7	321204	Nipple, Lube	M6 x 1, 16mm lg, Swivel cap	2	0.01
8	100533A1	Bolt	hex, special, 12-1.75 x 30 mm	16	0.1
9	122265A1	Pin	King, Swivel housing cap, Upper	2	2.2
10	122264A1	Pin	King, Swivel housing cap, Lower	2	2
11	N13505	Nipple, Lube	45 degree, M6 x 1, Special, Swivel cap	2	0.02




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570L, 580L & SL, 580M & SM, 585G, 586G, 588G					
1	87710157	Ball Joint		2	3.4
2	934727R1	Nut	Not Sold Separately		
3	112509A1	Ball Joint		2	1.9
4	144457A1	Arm, Steering		2	6
5	144458A1	Cylinder, 4WD		1	29
	85805990	Seal Kit		1	0.05
6	85805982	Nut		2	0.05




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570L, 580L & SL, 580M & SM, 585G, 586G, 588G					
6	144461A1	Axle-Shaft, Articulated		2	19
1	144462A1	Shaft		2	10
2	390029A1	Body		2	2.9
3	N14410	Ring		16	0.01
4	144465A1	Spider, U-Joint		4	1
5	144463A1	Shaft		2	4




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570L, 580L & SL, 580M & SM, 585G, 586G, 588G					
1	311569A1	Seal, Oil	<i>hub; 130 ID x 160 OD x 14 wide Replaces 1984938C1</i>	2	0.6
2	1966169C1	Bearing, cup & cone	<i>tapered roller, hub</i>	4	1.9
3	144466A1	Hub	<i>HUB wheel attaching, Includes: Ref. 1-5</i>	2	25
4	100556A1	Stud	<i>hub, special</i>	8	0.3
5	100552A1	O-ring	<i>wheel hub</i>	2	0.01
6	100559A1	Ring, Special	<i>backup, wheel hub O-ring</i>	2	0.05
7	116426A1	Bushing	<i>BUSHING carrier</i>	12	0.05
8	116427A1	Gear	<i>CARRIER ring</i>	2	3.4
9	100565A1	Washer, Thrust		2	0.05
10	100550A1	Washer, Thrust		2	0.05
11	A48041	Circlip	<i>RING snap</i>	2	0.01
12	116425A1	Screw	<i>BOLT hex, self locking, special</i>	12	0.1
13	100561A1	Gear	<i>ring, planetary</i>	2	6
14	NSS	Housing	<i>CARRIER, planetary, purchase 100553A1</i>		
15	NSS	Shaft	<i>SHAFT pinion gear, purchase 100553A1</i>		
	100553A1	Housing Assy.	<i>CARRIER, planetary, Includes Ref. 14-16</i>	2	22
16	K395093	Pin, Headed	<i>locking</i>	1	0.1
17	800-1134	Snap Ring	<i>M34, Ext, Retaining</i>	6	0.01
18	100555A1	Plate, Large	<i>RETAINER pinion gear</i>	2	0.3
19	100562A1	Gear, Planetary	<i>pinion</i>	6	1.3
20	114295A1	Kit, 10 Needle Bearings	<i>BEARING needle, planetary gear, packet of 10</i>	18	0.05
21	K395091	Washer, Thrust	<i>Pinion gear, Outer</i>	6	0.05
22	100557A1	Plug, Drain	<i>Includes 238-6121 o-ring</i>	2	0.2
22A	238-6121	O-ring	<i>NSS</i>	1	
23	K395082	Screw		4	0.05
24	100554A1	Pinion Carrier	<i>PLANETARY ASSEMBLY, Includes Ref. 14-21</i>	2	30




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570L, 580L & SL, 580M & SM, 585G, 586G, 588G					
	109686A1	Housing	Differential, Incl. Ref. 1 & 2, Non-Stock	1	
1	NSS	NSS	HOUSING differential, flange half	1	
2	NSS	NSS	HOUSING differential, plain half	1	
3	827-10075	Bolt	Hex, M10 x 75, 10.9,	12	
4	1967003C1	Washer, Thrust	differential housing	2	0.05
5	N14407	Gear, Side Differential	for service order p/n 231397A1 kit	2	1.7
6	K395087		Pinion gear	1	0.8
7	N14408	Sun Gear	pinion, differential	2	0.4
8	K395075	Washer, Thrust	Pinion gear	2	0.01
9	1966153C1	Plate, Locking	BRACKET lock	2	0.05
10	112486A1	Screw, Lock	Hex, M6 x 12, Special	2	0.02
11	1966559C1	Ring, Locking		2	0.4
12	K395027	Tapered Roller Bearing	Differential	2	1.2
13	K395086	Pin	for service order p/n 231397A1	1	0.05
	231397A1	Kit, Service	Gear, Differential, Service replacement (Includes Ref. 4-8)	1	6




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570L, 580L & SL, 580M & SM, 585G, 586G, 588G					
1-6	144460A1	Gear Set	Ring and pinion, 113561A1 axle without powershift transmission - Includes Ref. 1-6	1	16
1	NSS	GEAR ring		1	
2	NSS	GEAR pinion		1	
3	NSS	Washer		1	
4	NSS	Nut		1	
5	NSS	Spacer		1	
6	NSS	Washer		2	
7	140954A1	Shim	2.50mm Th, (0.098") Non-Stock	UAR	
7	140951A1	Shim	2.70mm Th (0.106") Non-Stock	UAR	
7	140949A1	Shim	2.80mm Th (0.110") Non-Stock	UAR	
7	140943A1	Shim	3.00mm Th (0.118") Non-Stock	UAR	
7	140944A1	Shim	3.10mm Th (0.122") Non-Stock	UAR	
7	140946A1	Shim	3.30mm Th (0.129") Non-Stock	UAR	
8	K395090	Tapered Roller Bearing	Pinion gear	2	1.6
9	K262143	Seal	oil	1	0.1
10	238-5152	O-ring	-152, 70 Duro, 3.237" ID x .103" Th	1	0.01
11	128570A1	Flange	COVER differential	1	1.4



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K s/n JJG0020000 and newer, 580SK, 590					
2	K395019	Bushing	<i>Non-stock</i>	2	
3	1966149C1	Breather	<i>Replaces K965231</i>	1	0.05
4	D149726	Bushing	<i>BUSHING front pivot - 580SK</i>	1	0.5
5	D149725	Bushing	<i>BUSHING rear pivot - 580SK</i>	1	0.7
6	N14367	Seal	<i>SEAL rear bushing</i>	2	0.01
	D149714	Support	<i>CARRIER ASSEMBLY differential, for 3-1/32 inch 77 mm, OD steering cylinder, Includes 7, 8 and 9</i>	1	
7	NSS	NSS	<i>CARRIER differential, order D149714</i>	1	
8	1966136C1	Ring	<i>BUSHING centering, carrier Non-Stock</i>	4	
9	S301065	Bolt		4	
13	A156873	Plug	<i>PLUG, DRAIN, M22 x 1.5</i>	1-2	0.1




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K s/n JJG0020000 and newer, 580SK, 590					
1	D149729	Steering Cylinder	<i>Steering Cylinder</i>	1	28
2	126144A1	Ball Joint - 580SK, 590	<i>JOINT ball, left-hand</i>	1	4.5
2	N14402	Ball Joint - 580K	<i>JOINT ball, left-hand</i>	1	5.1
3	126145A1	Ball Joint - 580SK, 590	<i>JOINT ball, right-hand</i>	1	4.4
3	N14379	Ball Joint - 580K	<i>JOINT ball, right-hand</i>	1	5.1
4	N14388	Articulation	<i>ROD tie, steering, adjuster, left-hand</i>	1	2.9
5	N14377	Articulation	<i>ROD tie, steering, adjuster, right-hand</i>	1	3
	85805990	Seal Kit	<i>KIT seal, steering cylinder (for rod, gland, and piston)</i>	1	0.05




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K s/n JG0020000 and newer, 580SK, 590					
1	D150204	Housing R/H	<i>HOUSING swivel R/H, replaces N14372</i> <i>Not Available</i>	1	44
2	D150203	Housing L/H	<i>HOUSING swivel L/H, replaces N14374 housing</i>	1	
5	1967535C1	Bushing	<i>BUSHING swivel housing, replaces K395033 bushing</i>	2	0.1
6	K262143	Seal	<i>SEAL oil, swivel housing</i>	2	0.1
8	N14372*	Bushing	<i>BEARING swivel cap, upper</i>	2	0.3
9	N14373	Bearing	<i>BEARING swivel cap, lower, two-piece bearing</i>	2	0.4
10	K395039	Seal	<i>SEAL bearing</i> <i>(Used on axles prior to Carraro serial number CAR/4253)</i>	4	0.01
11	K395036	Shim	<i>.10mm Th, Swivel cap</i> <i>(Used on axles prior to Carraro serial number CAR/4253)</i>	UAR	0.01
11	K395037	Shim	<i>.19mm Th, Swivel cap</i> <i>(Used on axles prior to Carraro serial number CAR/4253)</i>	UAR	0.01
11	K395038	Shim	<i>.35mm Th, Swivel cap</i> <i>(Used on axles prior to Carraro serial number CAR/4253)</i>	UAR	0.01
12	N14376*	King Pin, Upper	<i>swivel housing cap, upper</i>	2	2.9
13	N13504	King Pin, Lower	<i>swivel housing cap, lower</i> <i>(Used on axles prior to Carraro serial number CAR/4253)</i>	2	3
16	321204	Lube, Nipple	<i>M6 x 1, 16mm lg, Swivel cap, Replaces K965246 fitting</i>	4	0.01
17	D150214	Screw	<i>BOLT hex, self-locking, 14 - 2 x 35 mm, special, if used</i>	12	0.1
18	122260A1	King Pin, Upper	<i>swivel housing cap, upper</i> <i>(Used on axles Carraro s/n CAR/4253 and after)</i>	2	2.9
19	122262A1	Washer, Belleville	<i>upper</i> <i>(Used on axles Carraro s/n CAR/4253 and after)</i>	2	0.1
20	144611A1	Spacer, NSS	<i>bearing to upper king pin, NSS</i> <i>now included in N14372 bushing</i> <i>(Used on axles Carraro s/n CAR/4253 and after)</i>	2	0.05
21	122261A1	Washer, Belleville	<i>lower</i> <i>(Used on axles Carraro s/n CAR/4253 and after)</i>	2	0.05
22	122259A1	King Pin, Lower	<i>swivel housing cap, lower</i> <i>(Used on axles Carraro s/n CAR/4253 and after)</i>	2	2.6


***If swivel housing has a two-piece upper bearing, both N14372 upper bearing and N14376 upper king pin must be ordered**




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K s/n JJG0020000 and newer, 580SK, 590					
1	1349265C1	Seal	SEAL oil, hub, 149 x 176 x 16	2	0.7
2	K395101	Tapered Roller Bearing	BEARING ball, hub	4	2.8
3	K395123	Hub	Non-Stock	2	
4	H437679	Snap Ring	Non-Stock	2	
5	9968065	Wheel Carrier	Also Fits 580E, 580SE, 580K, 590L, 590SL	2	6.3
6	K395105	Bushing	BUSHING	6	0.1
6A	107072A1	Centering Ring	BUSHING - (Replaces K395104)	2	0.2
7	K395131	Screw	BOLT, Hex, M14 x 65, Cl 10.9, Special	8	0.2
8	H437677	Ring, Gear	Non-Stock	2	
9	K395115	Washer	Non-Stock	2	
10	K395121	Spacer	Non-Stock	2	
10A	107073A1	Washer	Non-Stock	2	
11	K395114	Gear	GEAR pinion, axle shaft	2	0.7
12	K261897	Snap Ring	Non-Stock	2	
13	K395122	Plate	Non-Stock	2	
13A	K395028	Snap Ring	Non-Stock	6	
14	K395110	Gear	GEAR pinion, planetary	6	2
	N13513	Gear	GEAR pinion, planetary , 580K		2.3
15	N13514	Needle Bearing Kit	BEARING needle, planetary gear, replaces K395092 (1 pkg. contains 10 bearings)	180	0.05
16	K395091	Washer	WASHER, THRUST, Pinion gear, Outer	6	0.05
17	K395093	Headed Pin	PIN lock, planetary cover	2	0.1
18	K395111	Pinion Carrier	COVER planetary (No Longer Available) order K262251 and N13515, Ref. 18A and 20	2	
18A	K262251	Pinion Carrier	Non-Stock	2	
19	K260218	Stud	STUD special, without collar	12	0.3
20	N13515	Stud	STUD special, with collar, for recessed bolt holes	4	0.3
21	K395089	Nut	Non-Stock	16	
21A	K395083	Washer	Non-Stock	16	
22	K395094	Dowel	DOWEL, M18 x 36, Pin, Planetary cover	4	0.2
23	K395029	Screw	SCREW special, planetary cover	4	0.05
24	A156873	Plug, Drain	PLUG, DRAIN, M22 x 1.5	2	0.1
25	K395124	Shaft - 580SK Only	Non-Stock	6	
28	K395135	Cover	Non-Stock	2	
29	K395082	Screw	SCREW, Hex Soc Flat Hd, M8 x 20, 10.9, Special, Planetary cover plate	6	0.05




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K s/n JJG0020000 and newer, 580SK, 590					
1	K261897	Snap Ring	<i>Non-Stock</i>	2	
2	K395114	Gear	<i>GEAR pinion, axle shaft</i>	2	0.7
3	N14409	Shaft	<i>SHAFT axle, wheel side, short</i>	2	3.2
4	N14412	Body		2	3
5	N14411	U-joint Spider	<i>JOINT universal, axle shaft, cross</i>	4	1
6	N14410	Ring	<i>RING snap, universal joint</i>	16	0.01
7	D149735	Shaft		2	11
8	1966164C1	Seal	<i>Replaces K395103 seal</i>	2	0.1




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K s/n JJG0020000 and newer, 580SK, 590					
	109686A1	Housing Assy.	HOUSING ASSEMBLY differential, replaces 1349056C1 housing, Includes Ref. 1 and 2 Non-Stock	1	
1	NSS	NSS	HOUSING differential, flange half	1	
2	NSS	NSS	HOUSING differential, plain half	1	
3	827-10075	Bolt	BOLT - hex, 10 - 1.5 x 75 mm, class 10.9	12	
4	1967003C1	Washer		2	0.05
5	N14407	Gear, Side Differential	for service order 231397A1 kit	2	1.7
6	K395087	Shaft	SHAFT - Pinion gear	1	0.8
7	N14408	Sun Gear	GEAR pinion, differential	2	0.4
8	K395075	Washer	WASHER, THRUST, Pinion gear	2	0.01
9	K261869	Lock	CLIP Non-Stock	2	
10	614-6012	Bolt	BOLT, Hex, M6 x 12, 8.8 Non-Stock	2	
11	892-11006	Lock Washer	WASHER, LOCK, M6 Non-Stock	2	
12	1966559C1	Locking Ring	RING, LOCKING, Replaces K261868 ring	2	0.4
13	K395027	Tapered Roller bearing	BEARING, ROLLER, TAPERED, Differential	2	1.2
14	1967625C1	Bushing	BUSHING housing Non-Stock	2	
16	K395086	Pin	PIN dowel	1	0.05



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K s/n JYG0020000 and newer, 580SK, 590					
	D149266	Bevel Gear	GEAR SET ring & pinion (Includes Ref. 1 - 4B, 11)	1	
1	NSS	GEAR, ring	Not Serviced Separately	1	
2	NSS	GEAR, pinion	Not Serviced Separately	1	
3	K261065	Washer	WASHER special, replaces N7536, NSS	1	
4	K261014	Nut	RING nut pinion gear, replaces K261852 ring, NSS	1	
4A	1349058C1	Spacer	SPACER collapsible, NSS	1	
4B	1349059C1	Washer	WASHER spacer, NSS	2	
5	K965282	Shim	SHIM, 2.60mm Th Non-Stock	UAR	
5	K965284	Shim	SHIM, 2.70mm Th Non-Stock	UAR	
5	K965288	Shim	SHIM, 2.90mm Th Non-Stock	UAR	
5	K965290	Shim	SHIM 3.00 mm Th Non-Stock	UAR	
5	K965294	Shim	SHIM, 3.20mm Th Non-Stock	UAR	
5	K965298	Shim	SHIM, 3.40mm Th Non-Stock	UAR	
6	K395090	Bearing	BEARING, ROLLER, TAPERED, Pinion gear	2	1.6
9	D149731	Oil Seal	Replaced by items 12, 13 & 14	1	
10	D149732	Shroud		1	
11	N14405	Spacer	SPACER bearing cup, NSS, included with D149266 gear set, r	1	
12	K262143	Seal	SEAL oil, used with Ref. 14, 128570A1 cover	1	0.1
13	238-5152	O-ring	O-RING, -152, 70 Duro, 3.237" ID x .103" Thk	1	0.01
14	128570A1	Flange	COVER differential	1	1.4




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580SL Ser. 2, 580SM, 580SM Ser.2					
1	294189A1	Ring & Pinion Gear Set	(clockwise) Includes ref. 1, 3-6	1	21
2	294190A1	Ring & Pinion Gear Set	(counter clockwise) Non-Stock	1	
3	9968031	Lock Washer		1	0.1
4	9968032	Ring Nut		1	0.2
5	9968033	Washer		2	0.1
6	87580364	Spacer		1	0.05
7	85812288	Shim	2.5 mm thick	1	0.1
7	85812289	Shim	2.6 mm thick	1	0.1
7	85812290	Shim	2.7 mm thick	1	0.1
7	85812291	Shim	2.8mm thick	1	0.1
7	85812292	Shim	2.9 mm thick	1	0.1
7	85812293	Shim	3.0 mm thick	1	0.1
7	85812294	Shim	3.1 mm thick	1	0.1
7	85812295	Shim	3.2 mm thick	1	0.1
7	85812296	Shim	3.3 mm thick	1	0.1
7	85812297	Shim	3.4 mm thick	1	0.1
8	E135762	Bearing	cup & cone	1	2.2
9	128570A1	Flange		1	1.4
10	K395090	Bearing	cup & cone	1	1.6
11	238-5152	O-Ring		1	0.01
12	K262143	Seal		1	0.1



REAR AXLE PLANETARY

CASE

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580L, 580SL					
1	100532A1	Bushing		2	0.2
2	175987A1	Seal		2	0.2
3	175986A1	Shaft		2	3.0
4	1349265C1	Seal - used with 175974A1	149 x 176 x 16mm	2	0.7
5	K395101	Bearing	cup & cone	4	2.8
6	175974A1	Hub Assembly	includes ref #4,5,7,8 uses 1349265C1 seal	2	52
7	D142986	Stud	w/out flanged collar	10	0.5
8	P2930467	O-Ring		2	0.01
9	175984A1	Locking Ring		2	0.15
10	85817684	Wheel Carrier	uses 16 of 107071A1 bushing	2	6.2
10	175983A1	Wheel Carrier	uses 14 of 107071A1 and 2 of 107072A1 bushing	2	6.0
11	107072A1	Bushing	24mm O.D., used w/ 175983A1 carrier	2	0.2
11	107071A1	Bushing	20mm O.D.	16	0.15
12	K395131	Bolt		16	0.2
13	175976A1	Ring Gear		2	9.4
14A	175977A1A	Planetary Carrier Assembly (includes ref #14-22,24)		2	55
14	175977A1	Planetary Carrier	replaced by 175977A1A	2	
15	175982A1	Bolt		6	0.1
16	175990A1	Thrust Washer		6	0.1
17	247550A1	Needle Bearing, Pack of 10		1	0.05
18	175980A1	Washer		6	0.1
19	175978A1	Needle Bearing, Pack of 10		38	0.2
21	175979A1	Planetary Gear		6	4.0
22	175989A1	Washer		6	0.2
23	K395093	Pin, Headed		2	0.1
24	NSS	Bushing	Not Sold Separately		
25	905876R1	Screw		4	0.05
26	100557A1	Drain Plug	includes o-ring	2	0.2




REAR AXLE PLANETARY

CASE


Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580L Ser.2, 580SL Ser. 2, 580M, 580M Ser.2, 580SM, 580SM Ser.2, 580SM+ Ser.2					
1	196065A1	Bushing		2	0.2
2	196066A1	Seal		2	0.05
4	1349265C1	Seal - Used with 367233A1	149 x 176 x 16mm	2	0.7
5	K395101	Bearing	cup & cone	4	2.8
6	175974A1	Hub Assembly	uses 1349265C1 seal	2	52.0
7	D142986	Stud	w/out flanged collar	10	0.5
7	196090A1	Stud	w/ flanged collar for recessed holes - Not available	10	
8	P2930467	O-Ring		2	0.01
9	175984A1	Locking Ring		2	0.15
10	310492A1	Wheel Carrier		2	6.2
11	107071A1	Bushing, 20mm O.D.		16	0.15
12	K395131	Bolt, M14x65mm		16	0.2
13	175976A1	Ring Gear		2	9.4
15	175982A1	Bolt, M10X50mm		6	0.1
17	247550A1	Needle Bearing, Pack of 10		1	0.05
23	K395093	Pin, Headed		2	0.1
24	NSS	Bushing	Not Sold Separately		
25	K395082	Screw		4	0.05
26	100557A1	Drain Plug	includes o-ring	2	0.2

CASE 580L Ser.2, 580M, 580M Ser.2					
3	358286A1	Shaft		2	4.5
14A	175977A1A	Planetary Carrier Assembly (includes ref #14-22, 24)		2	55.0
14	175977A1	Planetary Carrier	replaced by 175977A1A	2	
16	175990A1	Thrust Washer		6	0.1
18	175980A1	Washer		6	0.1
19	175978A1	Needle Bearing, Pack of 10		17	0.2
21	175979A1	Planetary Gear		6	4.0
22	175989A1	Washer		6	0.2


CASE 580SL Ser.2, 580SM, 580SM Ser.2, 580SM+ Ser.2					
3	292896A1	Shaft		2	4.4
14A	292891A1A	Planetary Carrier Assembly (includes ref #14-22, 24)		2	75.0
14	292891A1	Planetary Carrier	not available - order 292891A1A	2	
16	292900A1	Thrust Washer		6	0.2
18	292898A1	Washer		6	0.2
19	292893A1	Needle Bearing, Pack of 10		38	0.05
20	292901A1	Washer		6	0.05
21	292894A1	Planetary Gear		6	4.0
22	292899A1	Washer		6	0.05




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580L Ser. 2, 580SL Ser. 2, 580M, 580M Ser. 2, 580SM, 580SM Ser.2					
1	237021A1	Brake Disc, Friction		4	1.6
2	237022A1	Brake Disc, Steel		2	3.8
3	85827748	Brake Disc, Steel		2	3.6
4	308030A1	Brake Disc, Friction		2	2
6	190449A1	Split Pin	NSS, Order 358212A1 Kit	6	
7	190496A1	Bushing	NSS, Order 358212A1 Kit	12	
	358212A1	Kit, Self Adjusting	Includes Ref. 6 & 7	1	0.4
8	190450A1	Washer		6	0.01
9	308036A1	O-Ring		2	0.01
10	190493A1	O-Ring		2	0.01
11	359653A1	Piston		2	10.4
12	237025A1	Spring		6	0.05
13	237026A1	Spring		6	0.5
14	190500A1	Cover		6	0.05
16	295112A1	Auger, R/H		1	2.8
17	295113A1	Auger, L/H		1	2.8




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580L Ser. 2, 580SL Ser. 2, 580M, 580M Ser. 2, 580SM, 580SM Ser. 2					
1	190471A1	Pinion	NSS	4	
2	E135777	Washer	NSS	4	
3	D142971	Pinion	NSS	1	
4	190469A1	Thrust Washer	NSS	2	
5	190468A1	Shaft	NSS	2	
6	292890A1	Gear	NSS	1	
	294192A1	Differential Kit	Includes Ref. 1 - 6	1	14
9	85827745	Nut		2	0.4
10	86998145	Bearing		2	1.4
11	85827758	Bushing		2	0.1




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570N EP, 570NXT, 580M Ser.3, 580N EP, 580N, 580SM Ser.3, 580SM+ Ser.3, 580SN					
1	87708393	Gear Set	Includes Ref #1A,1B, 2-5	1	25.0
2	1349059C1	Washer	NSS	2	
3	175957A1	Spacer	NSS	1	
4	N7536	Washer	NSS	1	
5	K261014	Ring Nut	NSS	1	
6	190506A1	Shim, 2.5mm	Not Available	UAR	
6	190508A1	Shim, 2.6mm	Not Available	UAR	
6	190509A1	Shim, 2.7mm	Not Available	UAR	
6	190510A1	Shim, 2.8mm	Not Available	UAR	
6	190511A1	Shim, 2.9mm	Not Available	UAR	
6	190512A1	Shim, 3.0mm	Not Available	UAR	
6	190513A1	Shim, 3.1mm	Not Available	UAR	
6	190514A1	Shim, 3.2mm	Not Available	UAR	
6	190515A1	Shim, 3.3mm	Not Available	UAR	
6	190516A1	Shim, 3.4mm	Not Available	UAR	
7	P1139855X	Ball Bearing		1	2.0
8	K395090	Tapered Bearing		1	1.6
9	K262143	Oil Seal		1	0.1
10	445720A1	O-Ring	Not Available	1	



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570N EP, 570NXT, 580M Ser.3, 580N EP, 580N, 580SM Ser.3, 580SM+ Ser.3, 580SN					
1	E135785	Bearing		2	1.4
2	87708409	Circlip		1	0.1
3	87708408	Housing		1	2.5
4	87708395	Drive Plate		2	0.1
5	87708394	Service Kit		1	15.0
6	87708403	Differential Housing		1	17.0
7	175966A1	Spring		2	0.2
8	87708424	Shifter Fork		1	3.0
9	87708422	Piston		1	1.2
10	292212A1	Piston		1	0.5
11	292210A1	O-Ring		2	0.01
12	87708415	O-Ring		1	0.01



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570N EP, 570NXT, 580M Ser.3, 580N EP, 580N, 580SM Ser.3, 580SM+ Ser.3, 580SN					
1	371145A1	O-Ring		2	0.01
2	87708440	Piston	<i>Not Available</i>	2	
3	371144A1	O-Ring		2	0.02
4	87708438	O-Ring		2	0.02
5	87708436	Brake Cylinder		2	14.0
6	87708432	Shaft, LH Half		1	18.0
6	87708431	Shaft Assy., RH Half	<i>Includes retaining rings (2), axle shaft segments (2)</i>	1	21.0
7	87708433	Brake Plate, 5mm		2	4.0
8	87708434	Brake Plate, Friction		4	4.6
9	87708435	Brake Plate, 8mm		2	6.4



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 570N EP, 570NXT, 580M Ser.3, 580N EP, 580N, 580SM Ser.3, 580SM+ Ser.3, 580SN					
1	87708452	Planetary Carrier		2	27.0
2	87708444	Roller Bearing		6	1.3
3	87708443	Planetary Gear	NSS	6	
4	800-1150	Snap Ring, M50 Ext	NSS	6	
5	47874511	Gear Set	Includes Ref #2-4	2	11.0
6	87708453	Snap Ring	NSS	2	
7	87708438	O-Ring		2	0.02
8	371144A1	O-ring		2	0.02
9	87708445	Wheel Flange		2	76
10	D142986	Wheel Stud		20	0.5
11	87349641	Seal		2	0.6
12	K395101	Bearing		2	2.8
13	87708447	Spacer	NSS	2	
14	87708466	Gear Set	Includes Ref #16	2	85.0
15	87711038	O-Ring		2	0.01
16	87708467	Ring Gear		2	10.0
17	NSS	Ring Nut	NSS	1	
	47579403	Ring Nut Kit	Includes Ref #6 - 8, 11-13, 15, 17	2	9.0

CASE 570L, 580L, 580SL, 580M, 580SM, 585G, 586G, 588G			Qty.	Wt.
PV700102	Corner Kit, R/H		1	113
PV700102-A	Corner Kit, R/H ASSEMBLED		1	113
PV700103	Corner Kit, L/H		1	113
PV700103-A	Corner Kit, L/H ASSEMBLED		1	113
PV700101	Small Parts Kit, Planetary		2	17
PV720101	Front Axle Parts Kit		2	2
PV710101	King Pin Kit		2	6
CASE 580K, 580SK s/n -CAR/4253, 590 s/n -CAR/4253				
PV710103	King Pin Kit		2	9
CASE 580SK s/n CAR/4253-, 590 s/n CAR/4253-				
PV710105	King Pin Kit		2	8
CASE 580M Series 2 & 3, 580SM Series 2 & 3 - 2WD				
PV710107	King Pin Kit, 2WD	<i>Will fit 580M & 580SM with 86990837 Axle</i>	2	8

NEW PRODUCTS TO LOOK FOR...

in **2026**

& more to come

Piston (87618685)

Case 580SM Ser.2,
580SM Ser.3, 580SM+
Ser.2, 580SM+ Ser.3
Backhoe



PAGE B4

Angle Cylinder (AHC19715/AHC19714)

Deere 700J, 700K, 700L,
700P Dozer



PAGE B16

Yoke (106-4723)


Cat D5C (7PS, 8ZS,
9DL) Dozer



PAGE A21

Comp. Door (RH & LH) (350-5000/350-5007)

Cat 316EL, 316F,
316FL, 318EL,
318F, 318FL
Excavator



PAGE I4

Recoil Spring (T394625)

Deere 850L, 850 P,
850 X Dozer



PAGE A17

Chain Guide RH (13Y-30-16123)

Komatsu D61 Dozer



PAGE A34

Idler Wear Kit (PV3007)

Komatsu D61EX-23,
D61EXi-23, D61PX-23,
D61PXi-23, D61EX-24,
D61EXi-24, D61PX-24,
D61PXi-24 Dozer




PAGE A28



SECTION H

BACKHOE PARTS - STABILIZER PARTS, LINKAGE, PINS, & BUSHINGS



Backhoe Booms & Dipper Arms

Backhoe Bucket Linkage

Front Loader Parts

Stabilizer Legs

Backhoe Pins & Bushings

Swing Tower Parts



www.paintvalleyequipment.com

Phone: 877-774-0081


SECTION H

BACKHOE PARTS - STABILIZER PARTS, LINKS, PINS, & BUSHINGS


	Page
CASE	
FRONT LOADER PARTS	H1
MOUNTING FRAME & STABILIZER	H2 - H7
SWING TOWER	H8 - H12
BOOM	H13 - H15
DIPPER ARM	H18 - H20
CASE 580N, 580SN	H23 - H27
 CATERPILLAR	 H28 - H29
 JOHN DEERE	
STABILIZER & SWING TOWER	H30 - H37
LINKAGE PARTS	H32, H36
BOOM & DIPPER ARM	H33 - H35
FRONT LOADER PARTS	H37




~ 2025 ~
PHOTOS OF
THE YEAR



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580C, 580D, 580E Loader Pins & Bushings					
1		Loader Lift Cylinder, see Section B			
2	D126717	Pin	<i>Bucket, Lower</i>	2	4
3	D126718	Pin	<i>Bucket, Upper</i>	2	4
4	D89321	Pin	<i>Tilt Cylinder Rod, 580D, 580E</i>	2	2.1
6	D30931	Bushing	<i>Loader Frame</i>	2	0.6
7	D30933	Bushing	<i>Link to Linkage</i>	4	0.4
8	100696A1	Bushing	<i>Bucket Link Pivot</i>	4	0.3
9	D37392	Bushing	<i>Loader Frame</i>	4	0.2
10	D129819	Shaft	<i>Main Frame</i>	1	29
11	D30931	Bushing	<i>Linkage Bucket</i>	2	0.6
12	D67357	Pin	<i>Lift Cylinder</i>	2	2.7
CASE 580K, 580SK Loader Pins & Bushings					
1		Loader Lift Cylinder, see Section B			
2	D129256	Pin	<i>Bucket, Lower</i>	2	3.6
3	D129257	Pin	<i>Bucket, Upper</i>	2	3.6
4	D129279	Pin	<i>Tilt Cylinder Rod</i>	2	2.2
5	D129264	Bushing	<i>Bucket</i>	8	0.4
6	D129240	Bushing	<i>Loader Frame</i>	2	0.8
7	D132076	Bushing	<i>Cylinder Link</i>	4	1.3
8	100696A1	Bushing	<i>Bucket Link Pivot</i>	4	0.3
9	D37392	Bushing	<i>Loader Frame</i>	4	0.2
10	182650A1	Shaft	<i>Main Frame</i>	1	30
11	D129240	Bushing	<i>Bucket Link</i>	2	0.8
CASE 580L, 580SL, 580M, 580SM Loader Pins & Bushings					
2	118901A1	Pin	<i>Bucket upper and lower</i>	4	3.8
6	109268A1	Bushing	<i>Loader Frame</i>	4	0.8
580, 580B, 580C, 580D, 580E, 580K, 580SK, 580L, 580SL, 580M, 580SM, 580N					
	D51392	Pin	<i>Clam Cylinder Rod End, 4 in 1 Bucket</i>	2	1.3
	D51393	Pin	<i>Clam Cylinder Tube End, 4 in 1 Bucket</i>	2	2.0




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580B, 580C, 580D, 580E					
1	D88427	Stabilizer Plate	<i>Cleat</i>	2	55
2	D28648	Pin	<i>Stabilizer Plate to Leg - Cleat</i>	2	5.1
3	D142519	Stabilizer Plate	<i>Rubber</i>	2	55
4	D61368	Rubber Pad		2	31
5	D50696	Pin	<i>Stabilizer Plate to Leg - Rubber</i>	2	5
6	446222A1	Stabilizer Leg	<i>580E</i>	2	160
7	D37443	Bushing	<i>Stabilizer Leg 580B, 580C</i>	2	0.8
7	D50146	Bushing	<i>Stabilizer Leg 580D, 580E</i>	2	0.7
8	D50695	Pin	<i>Cylinder to Leg 580B, 580C, 580D 7 3/4" long</i>	2	3.8
8	D26002	Pin	<i>Cylinder to Leg 580D, 580E 7 1/4" long</i>	2	3.6
9	D67308	Pin	<i>Stabilizer Leg to Frame 580B, 580C</i>	2	9
9	D89838	Pin	<i>Stabilizer Leg to Frame 580D, 580E</i>	2	8.6
10	D43940	Bushing	<i>Stabilizer Anchor 580B, 580C</i>	4	0.5
10	D37495	Bushing	<i>Stabilizer Anchor 580D, 580E</i>	4	0.6
11	D29483	Pin	<i>Cylinder to Frame 580B, 580C</i>	2	2.8
11	D32930	Pin	<i>Cylinder to Frame 580D, 580E</i>	2	2.5
12	D31142	Bushing	<i>Frame to Swing Tower, Lower 580B, 580C</i>	1	0.8
12	D90722	Bushing	<i>Frame to Swing Tower, Lower 580D, 580E</i>	1	1.5
13	D30756	Bushing	<i>Frame to Swing Tower, Upper 580B, 580C</i>	1	0.6
13	D90722	Bushing	<i>Frame to Swing Tower, Upper 580D, 580E</i>	1	1.5
14	D60159	Bushing	<i>Swing Cylinder Mount</i>	4	0.6
15	D49812	Pin	<i>Backhoe Mount, Lower</i>	4	2.6
CASE 580B, 580C					
16	G101180	Stabilizer Cylinder, R/H		2	89
16	G101181	Stabilizer Cylinder, L/H		2	89
17	D32865	bushing		2	0.2
18	D36203	Bushing, sold separate		1	0.9
CASE 580D, 580E					
16	G109139	Stabilizer Cylinder, L/H		2	96
16	G109140	Stabilizer Cylinder, R/H		2	96
17	D32865	bushing		2	0.2
18	D32865	bushing		2	0.2
MISC. HARDWARE					
	D25279	Snap ring	<i>1 1/2"</i>	UAR	0.05
	103-16175	Snap ring	<i>1 3/4"</i>	UAR	0.05
	U11649	Washer	<i>1 1/2" 10 ga.</i>	UAR	0.1
	495-81292	Washer	<i>1 1/2" 14 ga.</i>	UAR	0.1
	495-81226	Washer	<i>1 3/4" 10 ga.</i>	UAR	0.1
	30575	Washer	<i>1 3/4" 14 ga.</i>	UAR	0.1




MOUNTING FRAME & STABILIZER PARTS

CASE


Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K, 580SK, 580L, 580SL, 580M, 580SM					
1	D88427	Stabilizer Plate	<i>Cleat</i>	2	55
2	D28648	Pin	<i>Stabilizer Plate to Leg - Cleat</i>	2	5.1
3	D142519	Stabilizer Plate	<i>Rubber</i>	2	55
4	D61368	Rubber Pad		2	31
5	D39256	Pin	<i>Stabilizer Plate to Leg - Rubber</i>	2	5
20	186405A1	Stabilizer Pad Set / NLA - Order components separately		2	130
6	189955A1	stabilizer plate	<i>Flip Over</i>	2	87
7	D142314	rubber pad		6	12
8	D149033	pin - stabilizer plate to leg		2	5.9
7	395753A2	Rubber Pad	<i>580M, 580SM</i>	4	12
9	446222A1	Stabilizer Leg		2	160
10	D50146	Bushing	<i>Stabilizer Leg</i>	4	0.7
11	D26002	Pin	<i>Cylinder to Leg</i>	2	3.6
12	D134723	Pin	<i>Stabilizer Leg to Frame 580K</i>	2	8
12	D89838	Pin	<i>Stabilizer Leg to Frame 580SK</i>	2	8.6
12	121665A1	Pin	<i>Stabilizer Leg to Frame</i>	2	8.6
13	D43940	Bushing	<i>Frame at Stabilizer Leg 580K</i>	4	0.5
13	D37495	Bushing	<i>Frame at Stabilizer Leg 580SK</i>	4	0.6
13	107124A1	Bushing	<i>Frame at Stabilizer Leg</i>	4	0.5
14	D133509	Pin	<i>Cylinder to Frame 580K</i>	2	6
14	D38907	Pin	<i>Cylinder to Frame</i>	2	3.6
15	D135556	Bushing	<i>Frame at Swing Tower, Lower 580K</i>	1	1
15	D151070	Bushing	<i>Frame at Swing Tower, Lower</i>	1	2
16	D135555	Bushing	<i>Frame at Swing Tower, Upper 580K</i>	1	1
16	D151069	Bushing	<i>Frame at Swing Tower, Upper</i>	1	1.5
CASE 580SK, 580SL, 580SM					
17	199720A1	Stabilizer Cylinder, R/H		1	100
17	199721A1	Stabilizer Cylinder, L/H		1	100
CASE 580L, 580M					
17	195503A1	Stabilizer Cylinder, R/H		1	95
17	195504A1	Stabilizer Cylinder, L/H		1	95
CASE 580K					
18	G110672	Stabilizer Cylinder, R/H		1	106
18	G110673	Stabilizer Cylinder, L/H		1	106
19	D30932	bushing		4	0.3
	PVPK12	Stabilizer Pin Kit		2	11
12	D134723	pin		2	8
10	D50146	bushing		4	0.7
13	D43940	bushing		4	0.5



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 590SL, 590SM					
1	D88427	Stabilizer Plate	<i>Cleat</i>	2	55
2	D28648	Pin	<i>Stabilizer Plate to Leg - Cleat</i>	2	5.1
3	D142519	Stabilizer Plate	<i>Rubber</i>	2	55
4	D61368	Rubber Pad		2	31
5	D39256	Pin	<i>Stabilizer Plate to Leg - Rubber</i>	2	5
6	D142314	Rubber Pad	<i>590SL</i>	6	12
6	395753A2	Rubber Pad	<i>590SM</i>	4	12
7	D149033	Pin	<i>Stabilizer Plate to Leg</i>	2	5.9
8	D50146	Bushing	<i>Stabilizer Leg</i>	4	0.7
9	R26725	Pin	<i>Cylinder to Leg</i>	2	4
10	121665A1	Pin	<i>Stabilizer Leg to Frame</i>	2	8.6
11	D38907	Pin	<i>Cylinder to Frame</i>	2	3.6
12	177256A1	Stabilizer Cylinder R/H		1	120
12	177257A1	Stabilizer Cylinder L/H		1	120



CASE 590SL, 590SM					
13	175785A1	Boom Cylinder		1	230
14	D151062	bushing		2	0.4
15	1980371C1	bushing		2	0.8
	1980412C2	seal kit		1	0.6
16	140965A1	Dipper Cylinder		1	188
17	1980371C1	bushing		4	0.8
	179011A1	seal kit		1	0.6
18	296434A1	Bucket Cylinder		1	155
19	D140029	bushing		2	1
	297895A1	seal kit		1	0.4






Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580B, 580C, 580D, 580E					
1	D52522	Pin		1	5.7
2	D52434	Bushing	580B, 580C	2	0.5
2	D43940	Bushing	580D, 580E	2	0.5
3	D45523	Pin		1	10
4	D31142	Bushing		2	0.8
5	D49865	Pin		1	10
6	D95362	Bushing		2	1
7	D31142	Bushing		2	0.8
8	D72359	Pin		1	3.9
9	D50698	Bushing		2	1.3
10	D49866	Pin		2	1.8
11	D49429	Bushing		2	0.4
12	D91240	Pin		1	14
13	D91241	Bushing	580D, 580E	2	1.9
14	D74004	Pin	580B, 580C	1	5
14	D90727	Pin	580D, 580E	1	11
15	D74004	Pin	580B, 580C	1	5
15	D123653	Pin	580D, 580E	1	5.1
16	181042A1	Nut	580D, 580E	1	0.5
17	D49863	Pin	580B, 580C	2	6.4
17	D94019	Pin	580D, 580E	2	5.1
18	D94018	Bushing		2	0.2
23	D75674	Boom Lock	580B, 580C	1	15

SWING TOWER PIN KITS


CASE 580B, 580C

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580B, 580C					
19	PVPK1	Pin Kit	Swing tower to boom (illustrated)	1	25
20	PVPK5	Pin Kit	Swing cylinder to tower	2	13
21	PVPK6	Pin Kit	Housing to swing tower, upper	1	13
22	PVPK7	Pin Kit	Housing to swing tower, lower	1	14







Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K, 580SK					
1	D135740	Bushing	boom cylinder pivot 580K	2	1.4
1	D151072	Bushing	boom cylinder pivot 580SK	2	1.4
2	D135742	Bushing	inner boom pivot	2	1.2
3	D135741	Bushing	outer boom pivot	2	1
4	105749A1	Pin	swing tower to frame, upper	1	11
5	D135557	Bushing	upper swing tower pivot, top	1	1
6	D135559	Bushing	upper swing tower pivot, bottom	1	0.8
7	D151065	Pin	swing tower to frame, lower	1	9.7
8	D135558	Bushing	lower swing tower pivot, top w/ slots	1	1.2
8	D151073	Bushing	lower swing tower pivot, top w/out slots	1	1
9	D135559	Bushing	lower swing tower pivot, bottom 580K	1	0.8
9	D151074	Bushing	lower swing tower pivot, bottom 580SK	1	0.8
10	D144420	Pin	boom cyl. to swing tower 580K	1	10
10	D151068	Pin	boom cyl. to swing tower 580SK	1	10
11	D140093	Pin	swing tower to boom 580K	2	8
11	105752A1	Pin	swing tower to boom 580SK	2	8
12	D132517	Pin	swing cylinder to tower 580K	2	3.1
12	D146779	Pin	swing cylinder to tower 580SK	2	3.3
13	D136570	Bushing	swing cylinder pivot	2	0.5
14	D136571	Bushing	swing cylinder pivot	2	0.6




Ref.	Part No.	Description	Notes		Qty.	Wt.
CASE 580L, 580SL, 580M, 580SM						
1	D149079	bushing	boom cylinder pivot	580L, 580M	2	0.4
1	191017A1	bushing	boom cylinder pivot	580SL, 580SM	2	1.7
2	121778A1	bushing	inner boom pivot		2	1.2
3	D135741	bushing	outer boom pivot		2	1
4	292385A1	pin	swing tower to frame, upper		1	8.4
5	D135557	bushing	upper swing tower pivot, top		1	1
6	D135559	bushing	upper swing tower pivot, lower		1	0.8
7	D151065	pin	swing tower to frame, lower		1	9.7
8	D151073	bushing	lower swing tower pivot, top		1	1
9	D151074	bushing	lower swing tower pivot, lower		1	0.8
10	142842A1	pin	boom cylinder to swing tower	580L, 580M	1	5.6
10	190313A1	pin	boom cylinder to swing tower	580SL, 580SM	1	7.8
11	121779A1	pin	boom to swing tower		2	7.7
12	250663A1	pin	boom to swing tower, used with 303646A1		2	7.2
13	303646A1	bracket	pin retainer, boom to swing tower		2	0.5
14	386092A2	pin	swing cylinder rod end to swing tower		2	6.8
15	135249A1	bushing	swing cylinder pivot, upper		2	0.6
16	135248A1	bushing	swing cylinder pivot, lower		2	0.8
17	114318A1	bushing	swing cylinder pivot		2	0.4




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 590SL, 590SL Series 2, 590SM					
3	D144170	Bushing	<i>outer boom pivot</i>	2	0.4
4	139262A1	Pin	<i>swing tower to frame, upper</i>	1	10
5	D151060	Bushing	<i>swing tower pivot</i>	4	1
6	175597A1	Pin	<i>swing tower to frame, lower</i>	1	12
7	175315A1	Pin	<i>boom cylinder to swing tower</i>	1	14
8	175596A1	Pin	<i>swing tower to boom</i>	2	8.6
8A	129327A1	Pin	<i>swing tower to boom</i>	2	8.6
9	386092A2	Pin	<i>swing cylinder to swing tower</i>	2	6.75
10	135249A1	Bushing	<i>swing cylinder pivot</i>	4	0.6
11	114318A1	Bushing	<i>swing cylinder pivot</i>	2	0.4




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K, 580SK					
1	D137218	Bushing		1	2
2	D135739	Bushing		1	1
3	D132494	Pin		1	20
4	181042A1	Nut		1	0.5
5,6	D137217	Bushing	580K	2	1
7,8	D136565	Bushing	580K	2	1
5,7	D145080	Bushing	580SK 70mm OD	2	1
6,8	D137217	Bushing	580SK 70mm OD	2	1
6,8	D138047	Bushing	580SK 60mm OD	2	1
9	D136569	Bushing	580K, 580SK w/ groove	2	1
9	D151071	Bushing	580SK w/out groove	2	1.4
10	D138023	Pin		1	9.6
11	D132492	Pin	580K w/ bolt hole	2	5.6
11	D138022	Pin	580K, 580SK w/ snap ring grooves	2	7.8
12	D140093	Pin	580K	2	8
12	105752A1	Pin	580SK	2	8
13	D140096	Pin	580K w/ bolt hole	1	11
13	D144420	Pin	580K w/ snap ring grooves	1	10
13	D151068	Pin	580SK	1	10




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580L, 580L Series 2, 580M					
1	129883A1	Boom		1	771
2	D137218	bushing, L/H	<i>boom to dipper</i>	1	2
3	D135739	bushing, R/H	<i>boom to dipper</i>	1	1
5	D151071	bushing	<i>boom to swing tower</i>	2	1.4
6	D132494	Pin	<i>boom to dipper</i>	1	20
7	129040A1	Pin	<i>dipper cylinder to boom</i>	1	5.3
8	129040A1	Pin	<i>boom cylinder to boom</i>	1	5.3
9	129041A1	Pin	<i>dipper cylinder rod end to dipper</i>	1	7.3
10	142842A1	Pin	<i>boom cylinder to swing tower</i>	1	5.6
11	121779A1	Pin	<i>boom to swing tower</i>	2	7.7
12	250663A1	Pin	<i>boom to swing tower, used with 303646A1</i>	2	7.2
13	303646A1	Bracket	<i>pin retainer, boom to swing tower</i>	2	0.5
14	181042A1	Nut	<i>boom to dipper pin</i>	1	0.5
CASE 580SL, 580SL Series 2, 580SM					
1	122284A2	Boom		1	990
2	D137218	bushing, L/H	<i>boom to dipper</i>	1	2
3	D135739	bushing, R/H	<i>boom to dipper</i>	1	1
5	D151071	bushing	<i>boom to swing tower</i>	2	1.4
6	D132494	Pin	<i>boom to dipper</i>	1	20
7	123167A2	Pin	<i>dipper cyl. to boom, with center grease groove</i>	1	12
8	123168A2	Pin	<i>boom cylinder to boom</i>	1	14
9	D138022	Pin	<i>dipper cylinder rod end to dipper</i>	1	7.8
10	190313A1	Pin	<i>boom cylinder to swing tower</i>	1	7.8
11	121779A1	Pin	<i>boom to swing tower</i>	2	7.7
12	250663A1	Pin	<i>boom to swing tower, used with 303646A1</i>	2	7.2
13	303646A1	Bracket	<i>pin retainer, boom to swing tower</i>	2	0.5
14	181042A1	Nut	<i>boom to dipper pin</i>	1	0.5
CASE 590					
1	D150756	Boom	<i>use 140505A1</i>		
CASE 590SL, 590SL Series 2, 590SM					
1	140505A1	Boom		1	1210
2	D144168	bushing, L/H	<i>boom to dipper</i>	1	1
3	D144197	bushing, R/H	<i>boom to dipper, slotted</i>	1	1
4	D144161	bushing	<i>boom at dipper and boom cylinder</i>	4	1
5	D151059	bushing	<i>boom to swing tower</i>	2	1
6	175313A1	Pin	<i>boom to dipper</i>	1	28
7	175581A1	Pin	<i>dipper cylinder to boom</i>	1	15
8	175581A1	Pin	<i>boom cylinder to boom</i>	1	15
9	175581A1	Pin	<i>dipper cylinder rod end to dipper</i>	1	15
10	175315A1	Pin	<i>boom cylinder to swing tower</i>	1	14
11	175596A1	Pin	<i>boom to swing tower</i> 590SL, 590SM	2	8.6
11	129327A1	Pin	<i>boom to swing tower</i> 590SL Series 2	2	8.6
14	181042A1	Nut	<i>boom to dipper pin</i>	1	0.5




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580B, 580C, 580D, 580E					
1	D44882	Pin	Extension cylinder to housing	1	4
2	D34340	Bushing	At dipper cylinder	1	0.3
3	D46405	Bushing	Dipper cylinder	2	0.2
4	D37611	Pin	Dipper cylinder to housing	1	7.4
5	D30756	Bushing	Dipper housing at boom	2	0.6
6	D38907	Pin	Bucket cylinder to dipper ext. 580E	1	3.6
7	D37443	Bushing	Dipper arm at bucket link	2	0.8
8	D50146	Bushing	Dipper arm at bucket	2	0.7
9	D52521	Bushing	Bucket link pin 580B, 580C, 580D	2	0.5
9	D43940	Bushing	Bucket link pin 580E	2	0.5
10	D61087	Link	R/H 580B, 580C, 580D	1	26
11	D61088	Link	L/H 580B, 580C, 580D	1	26
12	D42788	bushing	Link at bucket cylinder 580B, 580C, 580D	2	0.7
13	D46405	bushing	Link at dipper arm 580B, 580C, 580D	2	0.2
14	D53818	Pin	Dipper to bucket links 580B, 580C, 580D	2	7.4
15	D61244	Link	Bucket cylinder to bucket 580B, 580C, 580D	2	28
16	D37495	bushing	Link at cylinder 580B, 580C, 580D	2	0.6
17	D30933	bushing	Link at bucket 580B, 580C, 580D	2	0.4
18	D126492	Link	Bucket cylinder to bucket 580D, 580E	2	30
19	D121845	bushing	Link at cylinder 580D, 580E	2	1.2
20	D30933	bushing	Link at dipper arm 580D, 580E	2	0.4
21	D89620	Link	580D, 580E	2	25
23	D46405	bushing	580D, 580E	4	0.2
24	PV441	Bucket	See page L1 for all backhoe buckets	1	351
25	D37495	bushing	Bucket at dipper	2	0.6
26	D30933	bushing	Bucket at links	6	0.4
27	D64799	Pin	Bucket to dipper	1	9.5
28	D37614	Pin	Bucket to link	1	4.6
29	D55584	Pin	Dipper to bucket, 12" buckets only	1	8.3
30	D52434	Bushing	Dipper at dipper cylinder 580B, 580C	2	0.5
30	D43940	Bushing	Dipper at dipper cylinder 580D, 580E	2	0.5
31	D31142	Bushing	Dipper at boom	2	0.8
32	D34340	Bushing	Dipper at bucket cylinder 580C, 580D, 580E	2	0.3
33	D52522	Pin	Bucket cylinder to dipper	1	5.7
34	D50146	Bushing	Dipper at bucket links	2	0.7
35	D55626	Bushing	Dipper at bucket	2	0.7
36	D37495	Bushing	Bucket pivot 580E	2	0.6
37	D31140	Bushing	Link pivot 580E	4	0.3
38	D150619	Pin	Bucket to coupler 580E	1	10
39	D135690	Pin	Bucket to coupler, 12" buckets only 580E	1	9.3
CASE 480D, 480E Bucket Linkage Parts					
	D99731	Bucket Link		2	19
	D30933	Bushing		4	0.4
	D84167	Link L/H		1	16
	D84166	Link R/H		1	16
	D32789	Bushing		2	1
	D32919	Bushing		2	0.2




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K, 580SK					
1	101631A1	Dipper Arm	580SK, NLA - Order 403353A1, Also Order D138022 & 103-16175 if needed		
3	D135740	bushing	w/ groove	2	1.4
3	D150121	bushing	w/out groove	2	1.4
11	D136565	bushing	70mm OD, with slot	1	1
12	D137217	bushing	70mm OD, w/out slot	1	1
13	D138047	bushing	60mm OD	1	1
7	D136573	bushing	70mm OD, Length 1.575"	2	1
7	D141249	bushing	70mm OD, Length 1"	2	0.6
7	D140029	bushing	60mm OD, Length 1"	2	1
2	D132494	Pin	boom to dipper	1	20
4	D132492	Pin	dipper cylinder rod end to dipper, w/ bolt hole	1	5.6
4	D138022	Pin	dipper cylinder rod end to dipper, w/ snap ring	1	7.8
6	D132492	Pin	dipper cylinder rod end to dipper, w/ bolt hole	1	5.6
6	D138022	Pin	dipper cylinder rod end to dipper, w/ snap ring	1	7.8
10	D140655	Pin	with ear & one bolt hole	1	9.3
10	D135690	Pin	for 12" bucket	1	9.3
CASE 580L, 580L Series 2, 580M					
1	129884A2	Dipper Arm		1	740
3	D150121	bushing	dipper at boom pivot	2	20
5	D145978	bushing	dipper at dipper cylinder	2	1.4
7	D140029	bushing	dipper at linkage	2	7.3
2	D132494	Pin	boom to dipper	1	0.45
4	129041A1	Pin	dipper cylinder rod end to dipper	1	7.3
6	129041A1	Pin	bucket cylinder to dipper	1	1
CASE 580SL, 580SL Series 2, 580SM					
1	403353A1	Dipper Arm	For models w/out hydraulic coupler	1	593
3	D150121	bushing	dipper at boom pivot	2	1.4
5	D138047	bushing	dipper at dipper cylinder	2	1
7	D140029	bushing	dipper at linkage	2	1
2	D132494	Pin	boom to dipper	1	20
4	D138022	Pin	dipper cylinder rod end to dipper	1	7.8
6	D138022	Pin	bucket cylinder to dipper	1	7.8
CASE 590SL, 590SL Series 2, 590SM					
2	175313A1	Pin	boom to dipper	1	28
3	D151059	Bushing	dipper at boom pivot	2	1
4	175581A1	Pin	dipper cylinder rod end to dipper	1	15
5	D144161	Bushing	dipper at dipper cylinder	2	1
7	D140029	Bushing	dipper at linkage	2	1
FITS ALL MODELS ON THIS PAGE					
8	D141142	Pin	link to dipper	2	9.9
9	307186A1	Bushing	dipper at bucket	2	1.7
10	D150619	Pin	dipper to bucket	1	10




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580L, 580M					
1	122503A1	Inner Dipper Arm		1	510
2	D145978	Bushing		2	0.5
4	129041A1	Pin		1	7.3
12	87619781	Outer Dipper Arm		1	342
CASE 580SL, 580SM					
1	D149018	Inner Dipper Arm	580SL - No Longer Available, Order 244536A1 & Items 7-11		
1	140453A1	Inner Dipper Arm	580SL Ser. 2	1	473
1	244536A1	Inner Dipper Arm	All 580SM's	1	473
2	D149079	Bushing		2	0.4
4	D141666	Pin		1	6.4
12	102649A1	Outer Dipper Arm	580SL	1	342
12	362951A1	Outer Dipper Arm	580SL Ser. 2	1	342
12	362951A3	Outer Dipper Arm	580SM	1	342
12	87600242	Outer Dipper Arm	580SM Ser. 2, 580SM Ser. 3	1	342
CASE 580L, 580M, 580SL, 580SM					
3	D150121	Bushing		2	1.4
5	D132494	Pin		1	20
6	181042A1	Nut		1	0.5
7	451384A1	Wear Plate		4	0.8
8	132844A1	Shim		AR	0.1
9	132842A1	Shim		AR	0.2
10	183509A1	Pin		2	0.01
11	183443A1	Pin		2	0.01
13	D141666	Pin		1	6.4
14	307186A1	Bushing		2	1.7




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580K, 580SK					
1	PV441	Bucket, 18"	See Section L for backhoe buckets	1	351
1A		cutting edge	See Section L for cutting edges	AR	
2	230010	adapter		AR	3.4
3	23P	pin		AR	0.1
4	230	tooth		AR	3.5
5	D37495	bushing		2	0.6
6	D30933	bushing		6	0.4
7	D37614	Pin	Bucket to coupler	1	4.6
8	D140655	Pin	Dipper to bucket, all buckets except 12"	1	9.3
9	D135690	Pin	Dipper to bucket, 12" buckets only	1	9.3
10	D150080	Y-Link		1	62
11	D138047	bushing		2	1
12	107124A1	bushing		2	0.5
16	D141249	Bushing	D145902 & D150784 dipper	2	0.6
16	D140029	Bushing	101631A1 dipper	2	1
13	D150608	Link		2	27
14	D150122	bushing		4	0.4
15	D141142	Pin	Link to dipper arm & Link to cylinder	2	9.9
17	307186A1	Bushing	Dipper to quick coupler	2	1.7
18	134437A1	Quick coupler		1	58
19	107124A1	bushing		4	0.5
20	D127167	bushing		2	1
21	D140653	Pin	Link to coupler	1	4
21	D146288	Pin	Link to coupler	1	4.2




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580L, 580SL, 580M, 580SM, 590SL, 590SM					
1	PV441	Bucket, 18"	See Section L for backhoe buckets	1	351
1A		cutting edge	See Section L for cutting edges	AR	
2	230010	adapter		AR	3.4
3	23P	pin		AR	0.1
4	230	tooth		AR	3.5
5	D37495	bushing		2	0.6
6	D30933	bushing		6	0.4
7	D37614	Pin	Bucket to coupler	1	4.6
8	D150619	Pin	Dipper to bucket, all buckets except 12"	1	10
9	242561A1	Y-Link	580L, 580SL, 590SL		62
9	400398A1	Y-Link	580M, 580SM, 590SM	1	62
10	D138047	bushing		2	1
11	107124A1	bushing		2	0.5
12	D140029	Bushing		2	1
13	348706A1	Link		2	27
14	D149079	bushing		4	0.4
13	242562A1	Link		2	27
14	D150122	bushing		4	1
15	D141142	Pin	Link to dipper arm & Link to cylinder	2	9.9
16	244790A1	Link		2	27
17	D138047	bushing		4	1
18	D31140	bushing		4	0.3
19	307186A1	Bushing	Dipper to quick coupler	2	1.7
20	294195A1	Quick coupler		1	58
21	107124A1	bushing		4	0.5
22	D127167	bushing		2	1
23	D146288	Pin	Link to coupler	1	4.2
	84305923	Bucket Pin Kit	M Series Bucket Retrofit Kit for 580N, 580SN, 580SN WT, & 590SN With Mechanical Couplers or Straight Links	1	20




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580N, 580SN					
1	84223654	Pin	<i>Bucket to Dipper</i>	1	15
2	84247142	Bushing	<i>Not Available</i>	2	
3	84171343	Pin	<i>Backhoe Link</i>	1	9.8
4	84171217	Pin	<i>Backhoe Link</i>	1	14
5	84230684	Link	<i>Not Available</i>	1	
6	84230685	Link	<i>Not Available</i>	1	
7	84170645	Bushing		2	0.4
8	84230813	Bushing		2	0.6
9	84230693	Link	<i>Not Available</i>	2	
10	84231081	Bushing		2	0.8
11	84231079	Bushing		2	0.3
12	84223653	Pin	<i>Link to Bucket</i>	1	8




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580N, 580SN					
1	84229982	Link	<i>Not Available</i>	1	
2	84229983	Link	<i>Not Available</i>	1	
3	84170645	Bushing		2	0.4
4	84229922	Bushing		2	1
5	84170654	Bushing		2	1.7
6	84171343	Pin		1	9.8
7	84171217	Pin		1	14
8	84530015	Y-Link	<i>Not Available</i>	1	
9	84229922	Bushing		2	1
10	84227018	Bushing		2	0.5
11	84231908	Pin		1	12
12	84223652	Pin		1	5
13	84229979	Quick Coupler, standard dipper	<i>Not Available</i>	1	
14	84227023	Bushing		2	0.6
15	84227018	Bushing		2	0.5
16	84224880	Bushing		2	2
17	84223654	Pin		1	15
18	84223653	Pin		1	8




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580N, 580SN					
1	84249275	Pin		1	15
2	84217317	Pin		1	9.2
3	84230813	Bushing		2	0.6
4	84326988	Bushing		4	0.8
5	84235607	Bushing		4	1
6	135249A1	Bushing		4	0.6
7	84261887	Pin		2	4.8
8	84249274	Pin		1	13
9	84248744	Pin		2	5.4



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580N, 580SN					
1	84243665	Pin		2	12
2	84326305	Bushing		4	0.6
3	84243668	Pin		2	5.2
4	84229922	Bushing		4	1
5	84243667	Pin		2	6.2
6	114318A1	Bushing		2	0.4
7	84226810	Bushing		1	1.8
8	87456199	Stabilizer Pad		2	55
9	D28648	Pin		2	5.1
10	D149033	Pin		2	5.9
11	47432044	Rubber Pad		4	15
12	D53812	Pin		2	5.1
13	D61368	Rubber Pad		2	37




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 580N, 580SN					
1	84246051	Bushing		2	1.6
2	84248656	Pin	580N	2	15
2	84230833	Pin	580SN	2	20
3	84240578	Bushing		2	2.2
4	84520512	Pin		1	26
5	84170645	Bushing		2	0.4
6	84223633	Bushing		2	0.8
7	D137218	Bushing		2	2
8	84229925	Bushing		2	0.6
9	84217317	Pin		1	9.2




Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT 416, 416B, 416C					
1	9R6162	Pin	<i>Bucket to dipper arm</i>	1	14
2	9R6161	Pin	<i>Bucket to linkage</i>	1	10
3	9R7696	Pin	<i>Cylinder to Linkage</i>	1	8.4
4	9R7696	Pin	<i>Dipper to H-Link</i>	1	8.4
5	9R7699	H-Link		1	47
6	9R0153	Bushing		2	0.4
7	9R0153	Bushing		2	0.4
8	9R8724	Link	<i>H-Link to bucket</i>	2	17
9	9R0147	Bushing		1	0.7
10	9R0147	Bushing		1	0.7
CAT 416D, 420D, 430D					
1	154-5280	Pin	<i>Bucket to dipper arm</i>	1	14
2	154-5279	Pin	<i>Bucket to linkage</i>	1	10
3	154-5277	Pin	<i>Cylinder to Linkage</i>	1	8.5
4	154-5278	Pin	<i>Dipper to H-Link</i>	1	11
5	154-5265	H-Link		1	56
6	9R3092	Bushing		2	0.8
7	9R0147	Bushing		2	0.7
8	145-8337	Link R/H	<i>H-Link to bucket</i>	1	40
8	145-8344	Link L/H	<i>H-Link to bucket</i>	1	40
9	9R0162	Bushing		1	0.9
10	9R0411	Bushing		1	0.7


Ref. Part No.	Description	Notes	Qty.	Wt.
CAT 416B, 416C, 416D, 420D, 430D				
9R0424	Pin	Stabilizer Pad, standard	2	8.4
9R0422	Pin	Stabilizer Cylinder Rod, no cover	2	4.7
9R0423	Pin	Stabilizer Cylinder Tube	2	4
9R0424	Pin	Stabilizer Leg to Machine	2	8.4
9R0411	Bushing	Stabilizer Leg to Frame	4	0.7
9R0431	Bushing	Frame to Stabilizer Leg	4	.6
116-4365	Stabilizer Cylinder R/H	416, 416B, 416C, 426, 426B	1	98
116-4366	Stabilizer Cylinder L/H	416, 416B, 416C, 426, 426B	1	98
180-7485	Stabilizer Cylinder R/H	416D, 420D, 430D	1	97
180-7484	Stabilizer Cylinder L/H	416D, 420D, 430D	1	97
237-5330	Pin	Swing Tower to Boom 416D, 420D	2	5.9
237-2252	Bushing	On Boom at Swing Tower	2	.6
237-0944	Bushing	Bottom Swing Tower, outside	2	1
237-0945	Bushing	Bottom Swing Tower, inside	2	.6
236-8182	Pin	Swing Cylinder Rod 416D, 420D	2	7
101-4020	Pin	Boom Cylinder Rod to Swing Tower 416D, 420D	1	9.2
9R0139	Bushing	Boom Cylinder Rod & Tube	4	1
9R9812	Pin	Boom Cylinder Tube to Boom 416D, 420D	1	9.6
9R0139	Bushing	Dipper Cylinder Rod & Tube	4	1
9R9812	Pin	Dipper Cylinder Tube to Boom	1	9.6
184-9956	Pin	Dipper Cylinder Rod to Dipper w/ Extend-a-hoe	1	10
159-0961	Pin	Boom to Dipper	1	15
9R0170	Bushing	On Boom to Dipper	2	1
9R6163	Pin	Bucket Cylinder Tube w/ Extend-a-hoe	2	2.6
9T5219	Boom Cylinder	416	1	110
6E0274	Boom Cylinder	416B, 416C, 416D	1	185
152-9148	Boom Cylinder	420D	1	192
109-7020	Dipper Cylinder	416B, 416C, 416D, 420D	1	156
6E0275	Bucket Cylinder	416B, 416C (standard dipper arm)	1	135
6E1964	Bucket Cylinder	416B, 416C (extendable dipper arm)	1	135




CAT 416D, 420D, 430D				
11	9R-5555	Rubber Pad	Flip-Over Pad	4 16
CAT 416D, 416E, 416F, 420D, 420E, 420F, 430D, 430E, 430F				
12	237-9356	Rubber Pad	Double-Duty Pad	2 33



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 310E, 310G, 310J, 310K					
1	T159118	Pin		2	8.8
2	T200240	Pin	310G s/n 911129-, 310J, 310K	2	7
5	AT306500	Pin		2	8
6	T161027	Pin		2	10
7	T201909	Pin		2	10
8		Stabilizer Cylinder	Refer to Section B		
9	H154404	bushing		2	0.6
JOHN DEERE 310SE, 310SG, 310SJ, 310SK					
1	T212948	Pin		2	12
2	T200240	Pin	310SE, 310SG s/n -928871 (bolt hole)	2	7
2	T201971	Pin	310SE, 310SG s/n 928872-, 310SJ, 310SK (snap ring groove)	2	7.4
3	T201361	Bushing		2	0.6
4	T201362	Bushing		2	0.6
5	AT306499	Pin		2	10
6	T201909	Pin		2	10
7	T201909	Pin		2	10
8		Stabilizer Cylinder	Refer to Section B		
9	H154404	bushing		2	0.6
JOHN DEERE 410E, 410G, 410J, 410K					
1	T212948	Pin		2	12
2	T200240	Pin	410E, 410G s/n -926213 (bolt hole)	2	7
2	T201971	Pin	410E, 410G s/n 926214-, 410J, 410K (snap ring groove)	2	7.4
3	T201361	Bushing		2	0.6
4	T201362	Bushing		2	0.6
5	AT303272	Pin		2	11
6	T201909	Pin		2	10
7	T201909	Pin		2	10
8		Stabilizer Cylinder	Refer to Section B		
9	H154404	bushing		2	0.6
JOHN DEERE 310E, 310SE, 310G, 310SG, 310J, 310SJ, 310K, 310SK, 410E, 410G, 410J, 410K					
10	H151328	Bushing		4	0.6
11	T153303	Bushing		2	1
12	T147070	Bushing		2	0.8
13	H180402	Bushing		2	1.2
14	T127437	Pin		2	6.6
15	T69472	Pin		2	10
16	T166258	Stabilizer Plate	Reversible	2	63
17	T126867	Stabilizer Plate	Cleat	2	65
18	AT195669	Stabilizer Pad		4	8



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 310E, 310G, 310J, 310K, 310L, 310 G-Tier, 310 P-Tier					
1	T185830	Pin	<i>Bucket to dipper arm</i>	1	8.5
2	T185829	Pin	<i>Bucket to linkage</i>	1	6.3
3	AT176537	Pin	<i>Cylinder to H-Link</i>	1	5.0
4	AT176538	Pin	<i>Dipper to link</i>	1	7.8
5	AT176536	Pin	<i>H-Link to link</i>	1	6.5
6	AT324556	H-Link	<i>Cylinder to bucket</i>	1	67
7	T105988	Bushing		4	0.5
8	AT324554	Link	<i>H-Link to dipper</i>	1	39
10	AT324555	Link	<i>H-Link to dipper</i>	1	39
9	T166714	Bushing		2	0.4
11	T187115	Bushing	<i>Bucket at dipper</i>	2	0.6
12	T187114	Bushing	<i>Bucket at link</i>	4	0.4
JOHN DEERE 310SE, 310SG, 310SJ, 310SK, 310SL, 315SJ, 315SK, 315SL, 320 P-Tier, 325SL, 410J, 410K, 410L, 410 P-Tier					
1	T185832	Pin	<i>Bucket to dipper arm</i>	1	13
2	T185831	Pin	<i>Bucket to linkage</i>	1	11
3	AT324237	Pin	<i>Cylinder to H-Link</i>	1	7.7
4	AT171079	Pin	<i>Dipper to link</i>	1	9.8
5	AT171077	Pin	<i>H-Link to link</i>	1	9.6
6	AT470260	H-Link	<i>Cylinder to bucket</i>	1	65
7	T154273	Bushing		4	0.5
8	AT324620	Link	<i>H-Link to dipper</i>	1	38
10	AT324621	Link	<i>H-Link to dipper</i>	1	38
9	T166715	Bushing		2	0.4
11	T187117	Bushing	<i>Bucket at dipper arm</i>	2	0.4
12	T187116	Bushing	<i>Bucket at bucket links</i>	2	0.4




Ref.	Part No.	Description	Notes	Qty.	Wt.
	AT184993	Boom	310G	1	635
	AT195463	Dipper Arm, Standard	310E, order AT330781	1	335
	AT330781	Dipper Arm, Standard	310G	1	335
	AT344837	Boom	310SG	1	621
	AT318335	Inner Dipper Arm	310SG s/n 954401-	1	492

JOHN DEERE 310E, 310G, 310J, 310K, 310L, 310 G-Tier, 310 P-Tier


1	T159089	Pin		1	11
2	T164182	Bushing		2	0.6
3	AT482071	Pin		1	7
4	T162582	Bushing		2	1
6	AT176538	Pin		1	7.8
7	T166714	Bushing		2	0.4
8	T185830	Pin		1	
9	T362600	Bushing		2	0.9

JOHN DEERE 310SE, 310SG, 310SJ, 310SK, 310SL, 320 P-Tier, 410E, 410G, 410J, 410K

1	T153608	Pin	310SE, 310SG, 310SJ, 310SK	1	15
1	T154922	Pin	410E, 410G, 410J, 410K	1	16
2	T164183	Bushing		2	1.2
3	AT169831	Pin		1	10
4	T295708	Bushing		2	1
5	T153567	Pin		1	7.4
6	AT171079	Pin		1	9.8
7	T166715	Bushing		2	0.4
8	T185832	Pin		1	13
9	T166686	Bushing		2	0.8




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE BACKHOE PINS & BUSHINGS					
1	R81487	Bushing	Swing cyl pivot, 410B, 410C, 410D, 510B, 510C, 510D, 610B	2	1
2	R81488	Bushing	Standard Size, 40MM, Swing cylinder rod end	2	1
			315D, 410B, 410C, 410D to s/n 801199, 415B, 510B, 510C, 510D to s/n 801199, 515B, 610B, 610C		
3	T37598	Pin	Swing cylinder rod end, 310, 310A, 310B, 410	2	3.7
3	T100378	Pin	Swing cylinder rod end, 310C	2	8.4
3	T69030	Pin	Standard Size, 40MM, Swing cylinder rod end	2	3.4
			315D, 410B, 410C, 410D to s/n 801199, 415B, 510B, 510C, 510D to s/n 801199, 515B, 610B, 610C		
4	T126916	Pin	Swing tower to frame, upper & lower, 310C after s/n 761935	2	9.1
5	T78795	Pin	Swing tower to frame, upper & lower	2	9.8
			310C to s/n 761934, 410B, 410C, 410D to s/n 801199, 510B, 510C, 510D, 610B, 610C		
6	T126935	Bushing	Swing tower, upper & lower, 210C, 310C	2	10
7	U16051	Pin	Boom cylinder to swing tower, 310, 310A, 310B,	1	4
7	T125934	Pin	Boom cylinder to swing tower, 310C	1	11
8	T126936	Bushing	Swing tower to boom, 310 after s/n 236853, 310A, 310B, 310C	2	1
8	T33689	Bushing	Swing tower to boom, 410	2	1
9	T125914	Pin	Swing tower to boom, 310, 310A, 310B, 310C	2	2.6
9	AT86425	Pin	Swing tower to boom 410B, 410C, 510B, 510C, 510D, 610B, 610C	2	5.7
10		Boom Cylinder, refer to Section B			
11	H144296	Bushing	Boom cylinder tube end, 310D, 410D after s/n 801200	1	1
12	R97726	Bushing	Boom cylinder rod end, 310D, 410D after s/n 801200	1	1
13	T125933	Pin	Boom cylinder to boom, 310C	1	6.4
14		Dipper Cylinder, refer to Section B			
15	R97724	Bushing	Dipper cylinder tube end, 310D, 410D after s/n 801200	1	1
16	R82077	Bushing	Dipper cylinder rod end, 310C, 310D, 410C, 410D	1	1
18	T125936	Pin	Dipper cylinder rod end, 310D to s/n 780903, 310C, 410C	1	10
19	T33933	Bushing	Boom to Dipper, 310A, 310B, 410, 500C	4	1
19	T162582	Bushing	Boom to Dipper	2	1
			210C, 300D, 310C, 310D, 410B, 410C, 410D, 410E std boom only, 510B, 510C, 510D, 610B, 610C		
20	T125922	Pin	Boom to Dipper 210C, 300D, 310C, 310D,	1	14
			410B after s/n 712717, 410C, 410D, 510B after s/n 712623, 510C, 510D, 610B after s/n 713298, 610C		
21	T100188	Pin	Bucket cylinder tube end, 310C, 310D, 410C, 410D	1	4.1
22		Bucket Cylinder, refer to Section B			
23	R81850	Bushing	Bucket cylinder tube end	1	1
			310C, 310D, 410C, 410D, 510C, 510D, 610C		
24	R82077	Bushing	Bucket cylinder rod end	1	1
			310C, 310D, 410C, 410D, 510C, 510D, 610C		
25	U11121	Bushing	Dipper arm at H-Link 410B, 510B, 610B	2	1
25	R72579	Bushing	Dipper arm at H-Link	2	0.4
			210C, 300D, 310C, 310D, 410C, 410D, 510C, 510D, 610C		
26	T34301	Bushing	Dipper arm at bucket	2	0.8
			210C, 300D, 310C, 310D, 410B, 410C, 410D, 510B, 510C, 510D, 610B, 610C		
	T125926	Pin	Bucket to dipper arm	1	10
			210C, 300D, 310A, 310B, 310C, 315D, 410C, 510C, 610C		
	T125931	Pin	Bucket to linkage	1	8
			210C, 300D, 310A, 310B, 310C, 315D, 410C, 510C, 610C		



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 310, 310B, 410, 410B					
1	T125926	Pin	<i>Bucket to dipper arm</i>	1	10
2	T125931	Pin	<i>Bucket to linkage</i>	1	8
3	T34428	Pin	<i>Cylinder to Linkage</i>	1	8.2
4	T34425	Pin	<i>Dipper to H-Link</i>	1	5
5	T39046	H-Link	<i>With bushings, dipper to cylinder</i>	1	45
8	AT80539	Link	<i>With bushings, H-Link to bucket</i>	2	18
	T34427	Use AT80539			


JOHN DEERE 300D, 310C, 310D, 315C, 315D, 410C, 410D, 510C, 510D, 610C					
1	T125926	Pin	<i>Bucket to dipper arm</i>	1	10
2	T125931	Pin	<i>Bucket to linkage</i>	1	8
3	T125939	Pin	<i>Cylinder to Linkage, Cotter Pin Style</i>	1	12
4	T125929	Pin	<i>Dipper to H-Link</i>	1	6.7
5	AT158567	H-Link		1	78
6	R72579	Bushing		2	0.4
7	T101084	Bushing		2	0.6
8	AT146005	Link	<i>H-Link to bucket</i>	2	27
9	T101084	Bushing		2	0.6
10	T101148	Bushing		2	1



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE VARIOUS OLDER MODELS, PLEASE CALL					
1	T126867	Stabilizer Plate	<i>Cleat</i>	2	65
2	T166258	Stabilizer Plate	<i>Reversible</i>	2	63
3	AT195669	Rubber Pad		4	8
4	T69472	Pin	<i>Stabilizer arm to plate</i>	2	10
5	T127437	Pin	<i>Stabilizer cylinder rod to arm</i>	2	6.6
6	T68296	Pin	<i>Stabilizer cylinder tube end to machine</i>	2	6.8
7	T34485	Pin	<i>Stabilizer arm to machine</i>	2	7.6
8		Stabilizer Cylinder	<i>Refer to Section B</i>		

LOADER PINS

JOHN DEERE




Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 310E, 310SE, 310G, 310SG, 310J, 310SJ, 310K, 310SK, 410E, 410G, 410J, 410K					
1	T165333	Pin		1	9.8
2	T165332	Pin		1	8
3	T204908	Pin (w/ bolt hole)	<i>(Will not fit 310SE)</i>	2	7.6



SECTION I
SUSPENSION, SIDE SHIELDS,
ENGINE COMPARTMENT
DOORS, & MISC.

Section I



Belly Pans

Engine Compartment Doors

Engine Side Frames

Engine Side Shields

Grilles & Window Frames

Skidder Doors

Sweeps & Brush Screens

www.paintvalleyequipment.com

Phone: 877-774-0081

SECTION I

SIDE SHIELDS, ENGINE COMPARTMENT DOORS, SWEEPS, SCREENS, CROSSBARS, GRILLES, MISC.

	Page
BELLY PANS	
CASE	I1
JOHN DEERE	I1
SIDE SHIELDS	
CASE	I2
CAT	I3
DRESSER	I2
JOHN DEERE	I3
EXCAVATOR COMPARTMENT DOORS	
CAT	I4, I5
HITACHI	I5
JOHN DEERE	I5
KOMATSU	I6
SKIDDER DOOR FRAMES	
JOHN DEERE	I6
DOZER GRILLES	
CASE	I6
JOHN DEERE	I6
ENGINE SIDE FRAMES	
JOHN DEERE	I7
SUSPENSION PARTS	
CASE	I9
CAT	I10
JOHN DEERE	I7, I8
BACKHOE WINDOW FRAMES	
CASE	I6
DOZER SWEEPS & SCREENS	
JOHN DEERE	I11-I13
CASE	I14
CAT	I13

Part No.	Description		Qty.	Wt.
CASE 450, 550 Belly Pans				
D35159	Belly Pan, Engine	450, 450B	1	43
R46842	Belly Pan, Engine	450C, 455C, 550, 550E, 550G, 550H	1	43
125071A1	Belly Pan, Front Transmission	All Models	1	65
R52242	Belly Pan, Rear Transmission	450C, 455C, 550	1	22

CASE 850B, 850C, 850D, 850E, 855C, 855D, 850G Belly Pans				
R31271	Belly Pan, Rear Engine	850B, 850C, 855C	1	65
R31581	Belly Pan, Drive Train Front		1	60
R31580	Belly Pan, Drive Train Rear		1	65
R46834	Belly Pan, Transmission		1	98
R45022	Bracket L/H	For transmission belly pan	1	4
R45020	Bracket R/H	For transmission belly pan	1	4
R43751	Drawbar		1	87

JOHN DEERE 350, 450, 455, 550, 555				
AT59716	Belly Pan	Front, 350, 450, 455, 550, 555	1	49
AT22861	Belly Pan	Rear, 450, 450B, 450C, 450D, 450E	1	106
AT59717	Belly Pan	Rear, 550, 550B (Use AT22861 & modify to fit for trans. oil filter)	1	
AT30594	Belly Pan	Rear, 450B, 450C, 455D, 455E (Loader w/ counterweight)	1	74
AT41661	Belly Pan	Rear, 555, 555A, 555B (Use AT22861 & modify to fit for trans. oil filter)	1	
AT18753	Drawbar	450, 455, 550, 555	1	45

JOHN DEERE 450H, 450J, 450K, 550H, 550J, 550K, 650H, 650J, 650K				
AT474632	Belly Pan, Front	Also fits 450 P-Tier, 550 P-Tier, 650 P-Tier	1	57
T175248	Belly Pan, Oil Access	Also fits 450 P-Tier, 550 P-Tier, 650 P-Tier	1	27
AT385611	Belly Pan, Center	450H, 450J, 550H, 550J, 650H, 650J Only	1	12.5
AT209414	Belly Pan, Rear	450H, 450J, 550H, 550J, 550K s/n -F303907, 650H, 650J, 650K s/n -F303907 Only	2	18
T175014	Rear Cover	Also fits 450 P-Tier, 550 P-Tier, 650 P-Tier	1	23

JOHN DEERE 700H, 700J, 700K s/n E217278 - E275435				
AT220916	Bottom Cover, Front		1	70
AT220918	Bottom Cover, Oil Drain		1	5
AT416500	Bottom Cover, Middle	Also fits 700K s/n F275598-, 700L	1	20
AT315146	Bottom Cover, Rear Outside		2	21
AT315147	Bottom Cover, Rear Center		1	15
AT474632	Belly Pan, Front	700K s/n F275598-, 700L Only	1	57

SIDE SHIELDS

CASE, DRESSER

**Due to shipping scuffs and scratches; all doors and side shields ship painted but not intended to be final finish paint coating*

Part No.	Description	Notes	Qty.	Wt.
CASE 450B, 450C, 455C, 550				
R43197-R40442	Side Shield L/H	450B, This 1 pc. will replace both OEM pieces	1	25
R48058	Side Shield L/H	450C, 455C, 550, 550E, 550G s/n -JJG0255793	1	30
R48061	Side Shield R/H	450C, 455C, 550, 550E, 550G	1	30

CASE 850B, 850C, 855, 855C				
R42614	Side Shield R/H or L/H	Loader	2	11
R42612	Side Shield R/H or L/H	Dozer, Front	2	8
R42613	Side Shield R/H or L/H	Dozer, Rear	2	8
R49552	Side Shield R/H or L/H	850D, 850E, Dozer (Front)	2	10

CASE 480D, 480E				
D123817	Side Shield R/H		1	35
D129481	Side Shield L/H		1	35
37-10-102-10	Latch Assembly	2 used per shield	4	1

CASE 580C, 580D, 580E				
D74230	Side Shield R/H	580C	1	12
D74231	Side Shield L/H	580C	1	12
D122138	Side Shield R/H	580D, 580E, 586	1	36
D125779	Side Shield L/H, with door	580D, 580E, 586	1	36
37-10-102-10	Latch Assembly	2 used per shield	4	1

DRESSER TD7C, TD7E				
622467C91	Side Shield R/H		1	22
622552C91	Side Shield L/H		1	22

DRESSER TD7G				
1244080H91	Side Shield R/H		1	22
1244079H91	Side Shield L/H		1	22

DRESSER TD8C, TD8E				
622471C91	Side Shield R/H		1	26
622470C2	Side Shield L/H		1	26

DRESSER TD8G				
1244058C91	Side Shield R/H		1	26
1244057C91	Side Shield L/H		1	26

*Due to shipping scuffs and scratches; all doors and side shields ship painted but not intended to be final finish paint coating

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 350, 350B, 350C, 350D				
AT31177	Side Shield R/H		1	15
T32072	Side Shield L/H		1	15
JOHN DEERE 450, 450B, 450C				
T40518	Side Shield R/H		1	18
T38008	Side Shield L/H		1	15
JOHN DEERE 450D, 450E, 455E, 550, 550B, 555, 555B				
T65440	Side Shield R/H		1	20
T65427	Side Shield L/H		1	20
JOHN DEERE 450G, 455G, 550G, 555G 650G				
T146631	Side Shield R/H		1	24
T146632	Side Shield L/H		1	24
JOHN DEERE 450H, 550H, 650H, s/n -893112				
AT222207	Side Shield R/H		1	54
AT222205	Side Shield L/H		1	54
JOHN DEERE 450H, 550H, 650H, s/n 893113-, 450J, 550J, 650J				
AT222970	Side Shield R/H		1	54
AT222968	Side Shield L/H		1	54
JOHN DEERE 700H				
AT223918	Side Shield R/H		1	75
AT223921	Side Shield L/H		1	62
JOHN DEERE 700J s/n -139435				
AT314034	Side Shield R/H		1	75
AT223921	Side Shield L/H		1	62
JOHN DEERE 700J s/n 139436-				
AT324085	Side Shield R/H	<i>vented, OEM is non-vented</i>	1	75
AT324088	Side Shield L/H	<i>vented, OEM is non-vented</i>	1	62
JOHN DEERE 444C, 444D, 544C, 544D				
AT62593	Side Shield R/H	<i>With hinge</i>	1	31
AT62596	Side Shield L/H	<i>With hinge</i>	1	31
CAT D3, D3B				
6S9655/6S9650	Side Shield R/H & L/H	<i>Available in Sets Only</i>	1	50
CAT D3C III, D4C III, D5C III (s/n: 5HS, 6CS, 7PS, 8ZS, 6ZL795-, 9DL2236-)				
135-3086	Side Shield R/H		1	26
135-3087	Side Shield L/H		1	26
CAT D3G, D4G, D5G (standard panel)				
177-2283	Side Shield R/H		1	32
177-2284	Side Shield L/H		1	32

COMPARTMENT DOORS

CAT

**Due to shipping scuffs and scratches; all doors and side shields ship painted but not intended to be final paint coating*

Part No.	Description		Length	Qty.	Wt.
CAT 307, 307B					
119-0311	Comp. Door L/H, with latch & hinge		21 1/4"	1	30
119-0310	Comp. Door R/H, with latch & hinge		28 1/4"	1	39
CAT E110, E120, E120B					
994675	Comp. Door L/H, with latch & hinge		43 1/2"	1	39
1R7039	Comp. Door R/H, with latch & hinge		34 3/4"	1	31
CAT 311, 312					
7I6310	Comp. Door L/H, with latch & hinge		36 3/8"	1	50
7I6311	Comp. Door R/H, with latch & hinge		30 7/8"	1	40
CAT 311B, 312B, 312BL (verify latch location prior to ordering)					
116-8441	Comp. Door L/H, with latch & hinge		36 3/8"	1	50
116-8444	Comp. Door R/H, with latch & hinge		33 1/4"	1	43
CAT 315, 315L					
119-0306	Comp. Door L/H, with latch & hinge	Vented	52 1/2"	1	78
119-0307	Comp. Door R/H, with latch & hinge		40 1/4"	1	60
CAT 315B, 315BL, 318B, 318BL					
135-1348	Comp. Door L/H, with latch & hinge	Vented	52 1/2"	1	78
135-1343	Comp. Door R/H, with latch & hinge		40 1/4"	1	60
Cat 316EL, 316F, 316FL, 318EL, 318FL					
350-5007	Comp. Door, L/H w/o latch & hinge	Vented		1	61
350-5000	Comp. Door, R/H w/o latch & hinge	Vented		1	45
CAT 320, 320L (s/n 9KK01359 -up, 2DL00214 -up)					
102-8304	Comp. Door L/H, rear, with latch & hinge	Vented	33 7/8"	1	59
109-7521	Comp. Door R/H, with latch & hinge		44 1/4"	1	61
CAT 320B, 320BL					
122-4068	Comp. Door L/H, with latch & hinge	Vented	33 7/8"	1	59
117-4314	Comp. Door R/H, with latch & hinge		39"	1	61
CAT 322, 322L					
102-4989	Comp. Door L/H, with latch & hinge	Vented	39 3/4"	1	68
102-4994	Comp. Door R/H, with latch & hinge		48 5/8"	1	71
CAT 322B, 322BL, 325B, 325BL					
131-7463	Comp. Door L/H, with latch & hinge	Vented	39 3/4"	1	68
129-3396	Comp. Door R/H, with latch & hinge		48 5/8"	1	71
CAT 330B, 330BL					
135-7522	Comp. Door L/H, with latch & hinge	Vented	43 1/2"	1	78
116-1780	Comp. Door R/H, with latch & hinge		50 1/4"	1	73
CAT 320CL					
208-4108	Comp. Door L/H, rear, with latch & hinge	Vented	36 1/2"	1	52
203-5267	Comp. Door L/H, rear, with latch & hinge, Solid - USE 208-4108				
203-5271	Comp. Door R/H, rear, with latch & hinge	Solid	42 1/2"	1	49
CAT 320DL					
289-6917	Comp. Door L/H, rear, with latch & hinge	Vented	36 1/2"	1	57
289-6915	Comp. Door L/H, rear, with latch & hinge, Solid - USE 289-6917				
289-6913	Comp. Door R/H, rear, with latch & hinge	Solid	42 1/2"	1	46


COMPARTMENT DOORS**CAT, HITACHI, JOHN DEERE**

**Due to shipping scuffs and scratches; all doors and side shields ship painted but not intended to be final paint coating*


Part No.	Description	Notes	Length	Qty.	Wt.
HITACHI EX60-2, EX60-3, EX60-5					
7017811	Comp. Door R/H, with latch & hinge	Solid	22 1/2"	1	31
7017810	Comp. Door L/H, with latch & hinge	Solid	25 3/4"	1	36
JOHN DEERE 120 HITACHI EX110-2, EX110-3, EX120-2, EX120-3					
AP34175	Comp. Door L/H, with latch & hinge	Solid	36 1/2"	1	50
AP34176	Comp. Door R/H, with latch & hinge	Solid	42 1/2"	1	57
JOHN DEERE 120C					
AP37370	Comp. Door, L/H, with latch & hinge	Vented		1	34
AP37371	Comp. Door, R/H, with latch & hinge	Solid		1	41
JOHN DEERE 160LC					
AP34788	Comp. Door, R/H, with latch & hinge	Solid		1	50
AP35834	Comp. Door, L/H, with latch & hinge	Vented		1	42
JOHN DEERE 200LC, HITACHI EX200-2, EX200-3					
5004445	Comp. Door L/H, front, with latch & hinge		36 1/4	1	50
5004444	Comp. Door L/H, rear, with hinge	JD 200LC	34 7/8"	1	32
5005150	Comp. Door R/H, rear, with latch & hinge	JD 200LC	38 1/2"	1	47
6011121	Comp. Door L/H, rear, with hinge	EX200-2, EX200-3	35	1	50
6011122	Comp. Door R/H, w/ latch & hinge	EX200-2, EX200-3	35 1/4"	1	47
JOHN DEERE 200C LC					
DH700044J	Comp. Door, L/H, rear, with hinge	Vented		1	42
DH700043J	Comp. Door, R/H, rear, with latch & hinge	Solid		1	41
JOHN DEERE 200D LC, 240D LC, 270D LC					
DH700183	Comp. Door, L/H, rear, with hinge	Vented		1	46
7049098J	Comp. Door, R/H, rear, with latch & hinge	Solid		1	43
JOHN DEERE 330CLC, 370C					
DH700150	Comp. Door L/H, rear, with latch & hinge	Vented	48 3/4"	1	67
7042138	Comp. Door R/H, rear, with latch & hinge	Vented	49"	1	42
7041715	Comp. Door R/H, rear, with latch & hinge, Solid - USE 7042138				
JOHN DEERE 350D LC					
DH700175	Comp. Door L/H rear, with hinge	Vented		1	52
7049310J	Comp. Door R/H rear, with latch & hinge	Solid		1	50

**Due to shipping scuffs and scratches; all doors and side shields ship painted but not intended to be final finish paint coating*



Part No.	Description		Length	Qty.	Wt.
KOMATSU PC200-3, PC200-5, PC200-6, PC220-3, PC220-5, PC220-6, PC250-6, PC270-6, PC300-3, PC300-5, PC300-6					
20Y-54-25932	Comp. Door L/H, rear, with latch & hinge	Solid	39 1/8"	1	36
20Y-54-25922	Comp. Door R/H, rear, with latch & hinge	Solid	39 1/8"	1	36
KOMATSU PC210LC-11, PC230NHD-11, PC240LC-11, PC290LC-11					
2A6-54-11711	Comp. Door L/H, rear, with latch & hinge	Vented	43-7/8"	1	47
2A6-54-11951	Comp. Door R/H, rear, with latch & hinge	Solid	41-5/8"	1	47
JOHN DEERE 120C, 120D, 135D, 160DLC, 200DLC, 225DLC, 240DLC, 270DLC, 350DLC HITACHI ZAXIS MODELS - 135US-3, 160LC-3, 200LC-3, 225US-3, 240LC-3, 270LC-3, 350LC-3					
PV6900	Front Window Guard			1	151
CAT 312D, 312D L, 312E, 312E L, 312F, 313F L, 315D L, 316E L, 316F L, 318E L, 3218F L, 319D L, 320 (HEX), 320D, 320E, 320E L, 323 (RAZ), 323D, 323F L, 324D, 324D L, 324E, 324E L, 326E L, 326F L, 329D, 329D L, 329E, 329E L, 330F, 335F, 336D, 336E, 336E L, 336F, 336F L, 345D L, 349E, 349E L, 349F, 349F L					
342-3750	Front Window Guard, Lower			1	63
JOHN DEERE SKIDDER 540E, 540G, 548E, 548G, 640E, 640G, 648E, 648G, 740E, 740G, 748E, 748G					
AT303908	Door Frame Only, R/H, No Hardware			1	47
AT303911	Door Frame Only, L/H, No Hardware <i>(illustrated below)</i>			1	47



PV6900




342-3750




AT303908 / AT303911


JOHN DEERE Radiator Grilles					
AT312847	Grille	550H, 650H, 450J, 550J, 650J		1	87
AT329795	Grille	700H, 700J, USE AT343615		1	
AT343615	Grille	700H, 700J, HEAVY DUTY		1	130
AT221503	Hose Guard, Grille HD	450H, 450J, 550H, 550J, 650H, 650J, 700H, 700J		1	14
T178661	Hose Guard, Standard	450H, 450J, 550H, 550J, 650H, 650J, 700H, 700J		1	6




Ref. Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 350, 350B, 350C, 350D, 355D				
1 AT36817	Engine Side Frame L/H		1	58
2 AT36818	Engine Side Frame R/H		1	58
6 T34402	Retainer Plate	For front crossbar	2	1
7 T21248	Retainer Plate	For rear crossbar	2	2
JOHN DEERE 450, 450B, 450C				
1 AT59690	Engine Side Frame L/H		1	72
2 AT59689	Engine Side Frame R/H		1	72
3 T34391	Plate	Reinforcement for side frame	1	3
4 T34392	Plate	Reinforcement for side frame	1	3
5 T34389	Spacer	Side frame	2	7.6
JOHN DEERE 450D, 450E, 455D, 455E, 550, 550B, 555, 555B				
1 AT69007	Engine Side Frame L/H	Without canopy mount brackets	1	72
2 AT69006	Engine Side Frame R/H	Without canopy mount brackets	1	72
2 AT81313	Engine Side Frame R/H	Long Track, Without canopy mount brackets	1	72
3 T34391	Plate	Reinforcement for side frame	1	3
4 T34392	Plate	Reinforcement for side frame	1	3
5 T34389	Spacer	Side frame	2	7.6
JOHN DEERE 450, 450B, 450C, 450D, 450E, 455D, 455E, 550, 550B, 555, 555B				
8 AT18367	Crossbar, Rear		1	200
11 T21230	Retainer Plate		2	2
12 T42720	Crossbar, Front	Replaces 1-T34395	1	395
13 T34390	Retainer Bar		2	2
14 T26160	Heat Treated Bushing	(Small), 350, 450, 450B, 450C	8	0.3
15 T26161	Heat Treated Bushing	(Large), 350, 450, 450B, 450C	4	0.4



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 700H, 700J, 700K, 700L					
1	AT226611	Crossbar w/ center bushing	<i>LT and XLT Models Only</i>	1	358
1	AT226610	Crossbar w/ center bushing	<i>LGP Models Only</i>	1	390
2	T157251	Bushing	<i>Center</i>	1	2.8
3	AT128774	Bushing, self aligning		2	2.2
4	40M1873	Snap Ring		4	0.05
5	AT221426	Pin		1	14
6	AT226804	Pin	<i>Non-greasable</i>	2	
6	AT387824	Pin	<i>Greasable</i>	2	14
9	AT341601	Crossbar Support	<i>700H, 700J (LT Models Only)</i>	2	114
9	AT341602	Crossbar Support	<i>LGP Models Only</i>	2	124
9	AT341605	Crossbar Support	<i>XLT Models Only</i>	2	114
10	T102136	Seal, Crossbar Center		2	0.1
JOHN DEERE 750J, 750K, 750L, 850J, 850K, 850L					
3	AT128774	Bushing, self aligning		2	2.2
4	40M1873	Snap Ring		4	0.05
5	AT314481	Pin	<i>Non-stock, Purchase Item 7 & 8 To Replace Item 5</i>	1	
8	T268301	Pin		1	26
6	AT226804	Pin	<i>Non-greasable</i>	2	
6	AT387824	Pin	<i>Greasable</i>	2	14
7	T267854	Bushing, center pin boss		1	7
10	T102207	Seal, Crossbar Center		2	0.1



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 1150C, 1150D, 1150E, 1150G, 1150H					
1	R55857	Equalizer Beam	<i>With center bushings, 62" Guage moc</i>	1	330
2	R55859	Equalizer Beam	<i>With center bushings, LGP & WT, 72"</i>	1	400
3	D46403	Bushing	<i>Center bushing</i>	2	0.7
4	R55649	Bushing, self aligning	<i>End bushings</i>	2	2
5	R36522	Bracket, equilizer beam	<i>1150C, 1150D STD</i>	2	38
5	R45454	Bracket , equilizer beam & top roller		2	60
6	R47945	Pin	<i>End Pin</i>	2	5.8
7	R40497	Pin	<i>Center Pin</i>	1	14
8	R26860	Equalizer Shaft		1	230
9	R31363	Equalizer Shaft	<i>LGP & WT</i>	1	270
10	R49332	Clamp	<i>Equalizer shaft</i>	4	8
11	N1300-0300	Snap Ring		4	0.05



Ref.	Part No.	Description	Notes	Qty.	Wt.
CAT D4H XL, D4H LGP					
1	8E8955	Equalizer Beam	<i>With center bushing, not for LGP machines</i>	1	230
2	7P7858	Bushing	<i>Center</i>	1	1
3	6Y6886	Pin	<i>Center</i>	1	6
4	8G3733	Pin	<i>End</i>	2	7.2
5	9M1328	Bushing, self aligning	<i>End</i>	2	2
6	1K6985	Snap Ring		4	0.05
CAT D5H XL, D5H LGP					
1	8E8789	Equalizer Beam	<i>With center bushing, not for LGP machines</i>	1	310
2	7P6596	Bushing	<i>Center</i>	2	1
3	6Y8248	Pin	<i>Center</i>	1	12
4	8G4187	Pin	<i>End</i>	2	12
5	8G4189	Bushing, self aligning	<i>End</i>	2	2.2
6	1J6472	Snap Ring		4	0.05
CAT D5M XL, D5M LGP, D5N XL, D5N LGP					
1	8E8955	Equalizer Beam	<i>With center bushing, not for LGP machines</i>	1	230
2	7P7858	Bushing	<i>Center</i>	1	1
3	109-0379	Pin	<i>Center</i>	1	6
4	109-0380	Pin	<i>End</i>	2	7.2
5	9M1328	Bushing, self aligning	<i>End</i>	2	2
6	1K6985	Snap Ring		4	0.05
CAT D6K2 (RST, MXK)					
1	434-7474	Equalizer Beam	<i>With bushings and seals</i>	1	
2	7P7858	Bushing	<i>Center</i>	1	1.0
5	9M1328	Bushing, self aligning	<i>End</i>	2	2.0
6	1K6985	Snap Ring		4	0.05
7	7K9203	Seal	<i>Center</i>	2	0.1
8	8G3732	Seal	<i>End</i>	4	0.2
3	248-3946	Pin	<i>Center</i>	1	6.5
4A	271-6058	Pin	<i>End</i>	2	6.0





Illustration for G models only.


See next page for H and J model illustration

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450, 450B, 450C, 450D, 450E, 455D, 450E, 550, 550B, 555, 555B					
	PV475	Sweeps	With weld on Brackets	1	70
Sold as a set of 2, Replaces AT53268 & AT53269					
JOHN DEERE 450G, 550G, 650G (reference illustration above)					
	PV680	Screen Set		1	300
1	4D-14402C	Rear Screen		1	110
2,3	4D-15069B	Side Screens, L/H & R/H - does not include brackets or post		1	100
4	4C-14399-1	Post, R/H		1	40
5	4C-14399-2	Post, L/H		1	40
6	4B14398	Bracket w/ Grommet	Post Mount	2	4
7	AT165349	Sweeps		1	261
JOHN DEERE 450H, 550H, 650H (reference illustration on next page)					
	PV685	Screen Set		1	202
5	AT221071	Rear Screen		1	70
3,6	PV689	Side Screen Set w/ Brackets		1	125
4	PV694	Bracket Pair L/H & R/H	1 used per side screen set	1	8
2	PV695	Bracket	2 used per side screen	4	1.3
7	PV686	Brush Screen	Front, 550H, 650H	1	160
1	AT312406	Sweeps		1	290
JOHN DEERE 450J, 550J, 650J (reference illustration on next page)					
	PV699	Screen Set		1	200
5	AT221071	Rear Screen		1	70
3,6	AT312408	Side Screens, L/H & R/H	does not include brackets	1	109
4	PV694	Bracket Pair L/H & R/H	1 used per side screen set	1	8
2	PV695	Bracket	2 used per side screen	4	1.3
7	PV686	Brush Screen	Front, 550J, 650J	1	160
1	AT312406	Sweeps		1	290



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 550K, 650K					
1	PV6500	Sweeps	<i>on final tier 4 models nose brackets must be welded on</i>	1	321
JOHN DEERE 700H					
	PV690	Screen Set		1	314
5	AT223603	Rear Screen		1	182
3,6	PV689	Side Screen Set w/ Brackets		1	125
4	PV694	Bracket Pair L/H & R/H	<i>1 used per side screen set</i>	1	8
2	PV695	Bracket	<i>2 used per side screen</i>	4	1.3
1	AT317746	Sweeps		1	375
JOHN DEERE 700J					
	PV670	Screen Set		1	182
5	AT223603	Rear Screen		1	51
3,6	AT312408	Side Screens, L/H & R/H	<i>does not include brackets</i>	1	109
4	PV694	Bracket Pair L/H & R/H	<i>1 used per side screen set</i>	1	8
2	PV695	Bracket	<i>2 used per side screen</i>	4	1.3
1	AT317746	Sweeps		1	375
JOHN DEERE 700K Interim Tier 4 (IT4) s/n - E275435					
1	PV475A	Sweeps		1	400

Illustration for reference only - not accurate depiction of all parts



Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450H, 550H, 650H					
5	PV6001	Rear Screen w/ door		1	65
1	AT312406	Sweeps		1	290
4	PV6003	Air Conditioner Guard		1	77
JOHN DEERE 450J, 550J, 650J					
5	PV6001	Rear Screen w/ door	<i>s/n -150469</i>	1	65
2,3	AT413011	Side Screen Set w/Brackets		1	84
1	AT312406	Sweeps		1	290
4	PV6003	Air Conditioner Guard	<i>s/n -150469</i>	1	77
JOHN DEERE 550K, 650K					
2,3	AT413011	Side Screen Set w/ Brackets	<i>Also fits 450K</i>	1	84
1	PV6500	Sweeps	<i>550K s/n -E275527, 650K s/n -E275533</i>	1	321
JOHN DEERE 700H					
1	AT317746	Sweeps		1	375
4	PV6003	Air Conditioner Guard		1	77
JOHN DEERE 700J					
2,3	AT413011	Side Screen Set w/ Brackets		1	84
5	PV6002	Rear Screen w/ door	<i>s/n -150469</i>	1	86
1	AT317746	Sweeps		1	375
4	PV6003	Air Conditioner Guard	<i>s/n -150469</i>	1	77
JOHN DEERE 700K s/n - E275435					
2,3	AT413011	Side Screen Set w/ Brackets		1	84
1	PV475A	Sweeps		1	400
CAT D3G, D4G, D5G					
2,3	190-1190	Side Screen Set		1	85
5	184-1632	Rear Screen w/ Hinges		1	
	PV6008	Cab Door Screen Set		1	86
CAT D3K, D3K2, D4K, D4K2, D5K, D5K2, D6K, D6K2					
2,3	250-1699	Side Screen Set w/ Hinges	<i>Also Fits D1, D2, D3, D4 Next Gen</i>	1	87
5	252-6802	Rear Screen w/ Hinges	<i>D4 Next Gen, D6K, D6K2 Only</i>	1	61
5	272-9780	Rear Screen w/ Hinges	<i>Also fits D1,D2,D3 Next Gen, Not for D6K, D6K2 or D4</i>	1	
4	PV6010	AC Guard	<i>Machines w/o rear sweeps</i>	1	62
	PV6009	Cab Door Screen Set	<i>D1, D2, D3 - Next Gen, D3K2, D4K2, D5K2 Only</i>	1	99

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 450					
	F93327	Sweeps		1	125
	F42336	Bracket		2	2.9
CASE 450B, 450C, 455C, 550					
	R48279	Rear Screen	Not for 450B <i>Also Fits 550E, 550G, 550H</i>	1	40
	R47864	Side Screen R/H	Not for 455C <i>sold as a set only</i>	1	35
	R47863	Side Screen L/H	Not for 455C <i>sold as a set only</i>	1	35
	F44446	Retainer		4	0.8
	F43788	Clamp	Bottom	2	0.8
	R50365	Clamp	Top	2	0.9
	R40074	Insulator	Rubber	4	0.1
CASE 850, 850B, 850C, 850D, 850E, 850G, 855C, 855D					
	R48510	Rear Screen	850D, 850E, 850G, 850H, 855D, 855E	1	48
	R56543	Clamp	Rear Screen	2	3.2
	R40074	Insulator	Rubber	4	0.1
	R50420	Side Screen R/H	850, 850B, 850C, 850D, 855C, 855D	1	48
	R50419	Side Screen L/H	850, 850B, 850C, 850D, 855C, 855D	1	48
	R58826	Side Screen L/H	850E, 850G <i>sold as a set only</i>	1	48
	R58827	Side Screen R/H	850E, 850G <i>sold as a set only</i>	1	48
	F44446	Retainer		4	0.8
	F44447	Clamp, Upper	Side Screen	2	1
	F43755	Clamp, Lower	Side Screen	2	0.9
CASE 850 850B, 850C, 850D, 855C, 855D					
	R57170	Sweeps		1	250
	F93982	Bracket, R/H		1	14
	F93983	Bracket, L/H		1	14
	F44211	Bushing		4	1
CASE 1150B, 1150C, 1150D, 1150E, 1155D, 1155E					
	F44446	Retainer		4	0.8
	F43766	Clamp	Upper	2	2.2
	F43767	Clamp	Lower	2	2.2
	R41175	Bracket	R/H on Loaders, L/H on Dozers	1	20
	R41176	Bracket	L/H on Loaders, R/H on Dozers	1	20
	F44211	Bushing		4	1
CASE 650H, 750H					
	355134A1	Sweeps w/ brackets		1	155
	182020A1	Rear Screen	Also fits 650G	1	48
	182034A1	Clamp	<i>Also fits 650G</i>	2	3.2
	R40074	Insulator	Rubber <i>Also fits 650G</i>	4	0.1



SECTION J

TRANSMISSION & FINAL DRIVE PARTS



www.paintvalleyequipment.com

Phone: 877-774-0081

Bearing Kits

Final Drive Gears

Bearings & Seals

Transmission Discs

Transmission Parts


Torque Converter Pumps

Torque Converters

SECTION J


TRANSMISSION & FINAL DRIVE PARTS

	Page
DOZER FINAL DRIVE PARTS	
CASE	J1 - J5
CAT	J14
DRESSER	J5
JOHN DEERE	J6 - J12
TRANSMISSION PARTS	
CASE BACKHOE, CRAWLER LOADER, & DOZER	J17, J18
DEERE BACKHOE, CRAWLER LOADER, & DOZER	J19
TRANSMISSION DISCS	
CASE, DRESSER	J20
CAT	J21
JOHN DEERE	J22, J23
FINAL DRIVE BEARING KITS	
CASE	J16
JOHN DEERE	J16
DRESSER	J16
ALLIS CHALMERS	J16
DOZER & EXCAVATOR DUO CONE SEALS	J17
CASE TORQUE CONVERTERS & PARTS	J18, J19
MOTOR GRADER CIRCLE DRIVE PARTS	
JOHN DEERE	J19




Bearing kits available on page J16

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 310, 350, 350B					
1	11832	Pinion	6 Spline	2	6
1	D31514	Pinion	10 Spline	2	6
3	11845	Shaft	Final drive to transmission, 6 & 10 spline	2	5
3	D31519	Shaft	Final drive to transmission, 10 spline	2	5
4	11853	Sprocket Shaft		2	17
5	D29126	Sprocket Nut		2	1.4
6	D29125	Washer		2	0.6
7	D43359	Seal Carrier	Used with R39274 seal	2	1.8
8	D43360	Spacer		2	1
9	D43356	Seal Carrier	Used with R39274 seal	2	5
10	PV410	Spacer	To install a 350 sprocket on a 310 machine	2	1.2
12	D29517	Seal	310 - used with old style seal carrier	2	0.6
12	R39274	Seal, Duo Cone	350, 350B	2	0.9
	PV701	Bearing & Seal Kit	310	2	10
	PV702	Bearing & Seal Kit	350, 350B	2	11




Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 450, 450B, 455B					
1	A51737	Sprocket Shaft	450, 11 1/2" Length 33 splines 2 13/16" OD spline	2	54
1	G106477	Sprocket Shaft	450B, 455B, with G102943 transmission	2	60
2	A50552	Seal, Duo Cone	450, used with A50484 shaft	2	1.7
2	1981095C1	Seal, Duo Cone	450, used with A51737 shaft	2	1.7
3	A50100	Bearing cone		2	1.6
4	A27146	Bearing cup		2	0.8
3	A63185	Bearing cone	450B, 455B, with G102943 transmission	2	2.1
4	A63171	Bearing cup	450B, 455B, with G102943 transmission	2	1.1
5	A50213	Spacer	450 s/n -3060306	2	1.6
6	A50179	Bearing cup		2	0.5
7	G10414	Bearing cone		2	0.9
6	L35931	Bearing cup	450B, 455B, with G102943 transmission	2	0.8
7	G100323	Bearing cone	450B, 455B, with G102943 transmission	2	1.6
9	A50214	Bull Gear	450 33 spline	2	67
9	G101531	Bull Gear	450, 450B, 455B 38 spline	2	60
12	A50145	Bearing		2	1.8
13	A50144	Bearing		2	0.06
14	A50143	Pinion		2	11
15	A50197	Bearing cone		2	1.4
16	F9803	Bearing cup		2	0.8
17	A50419	Seal		2	0.6
18	F9803	Bearing cup		2	0.8
19	F9804	Bearing cone		2	1.4
20	PV411	Spacer	To repair housing	AR	1.3




Bearing kits available on page J16

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 450C, 455C, 550, 550E, 550G, 550H					
2	G101531	Bull Gear	38 spline	2	60
3	G106477	Sprocket Shaft	450C, 455C, 550, 550E, 550G, 550H, LGP models only	2	60
5	86509782	Bearing cone		2	2.7
6	86509783	Bearing cup		2	1.4
7	9823420	Bearing cone		2	2.1
8	9823418	Bearing cup		2	1.1
9	A32015	Seal		2	0.6
10	9823420	Bearing cone	(All models & LGP)	2	2.1
11	9823418	Bearing cup	(All models & LGP)	2	1.1
10	A50100	Bearing cone	450C & 455C (not for LGP machines)	2	1.6
11	A27146	Bearing cup	450C & 455C (not for LGP machines)	2	0.8
12	9670004	Bearing cone	(All models & LGP)	2	1.6
13	9671391	Bearing cup	(All models & LGP)	2	0.8
12	158238C1	Bearing cone	450C & 455C (not for LGP machines)	2	0.9
13	105497H	Bearing cup	450C & 455C (not for LGP machines)	2	0.5
14	1981095C1	Seal, Duo Cone		2	1.7
15	PV411	Spacer	To repair housing	AR	1.3




Bearing kits available on page J16

Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 650, 650G, 850B, 850C, 850D, 855D, 850E, 855E, 850G, non-LGP machines					
2	A50134	Bull Gear		2	93
3	G106477	Sprocket Shaft		2	60
5	86509782	Bearing cone		2	2.7
6	86509783	Bearing cup		2	1.4
7	9823420	Bearing cone		2	2.1
8	9823418	Bearing cup		2	1.1
9	A32015	Seal		2	0.6
10	9823420	Bearing cone		2	2.1
11	9823418	Bearing cup		2	1.1
12	9670004	Bearing cone		2	1.6
13	9671391	Bearing cup		2	0.8
14	1981095C1	Seal, Duo Cone		2	1.7
15, 16	G101598	Gasket		4	0.1
	A50721	Spacer, axle shaft	850's Only	2	0.6
CASE 850C, 850D, 855D, 850E, 855E, 850G, LGP machines					
2	G103588	Bull Gear		2	
5	86509782	Bearing cone		2	2.7
6	86509783	Bearing cup		2	1.4
7	9823420	Bearing cone		2	2.1
8	9823418	Bearing cup		2	1.1
9	A32015	Seal		2	0.6
10	83911221	Bearing cone		2	3.6
11	86613319	Bearing cup		2	1.8
12	1997115C1	Bearing cone		2	3.4
13	160301R1	Bearing cup		2	1.8
14	G109655	Seal, Duo Cone		2	1.8
	A50721	Spacer, axle shaft		2	0.6



Ref.	Part No.	Description	Notes	Qty.	Wt.
CASE 1150B, 1150C, 1150D, 1155D, 1150E, 1155E, 1150G, 1150H					
3	G109013	Pinion Shaft		2	40
4	L33736	Bearing cone		2	3.6
5	L33731	Bearing cup		2	1.8
6	A34339	Bearing cone		2	3.4
7	A50324	Bearing cup		2	1.8
8	A50715	Bearing cone		2	4.8
9	L30821	Bearing cup		2	2.2
10	A50714	Bearing cone		2	5.9
11	A50713	Bearing cup		2	2.5
12	A32015	Seal		2	0.6
13	G109655	Seal, Duo Cone		2	1.8
	PV412	Seal Spacer	<i>Welds to Housing, Also fits 1450B, 1455B</i>	2	1
	A179586	Planetary Ring Gear	<i>1450B, 1455B</i>	2	64
	A50721	Spacer, axle shaft	<i>Not for 1150H</i>	2	0.6
DRESSER					
	636695R1	Pinion	<i>500</i>	2	13

Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE FINAL DRIVE PARTS					
T24862	Pinion	350 s/n 20539-, 350B, 540E, 548E, 640E, 648E, 540G, 548G, 640G, 648G, 690B, 690C, 890, 990, 4000 Series winch		2	4
T29461	Bull Gear	350 s/n 71120-, 350B, 690B, 690C, 890, 990		2	35
AT36097	Seal	350, 350B, 350C, 350D		2	1.5




JOHN DEERE 450 & 550 FINAL DRIVE PARTS					
1	T68003	Sprocket Shaft	450C s/n 356667-, 550 s/n 356814-, 555 s/n 356814-, 64 spline	2	55
2	T31999	Pinion	450B, 450C, 450D, 450E standard track s/n -719252	2	14
2	T40859	Pinion	450E LT s/n -719252, 550, 555, 550B, & 555B, s/n -719252	2	12
Also order T55233 spacer					
2	T81193	Pinion	450E s/n 719253-	2	
3	T68001	Bull Gear	550 s/n 358614-, 555 s/n 358614-	2	75
4	T20664	Spacer	450 (2.5")	2	0.8
4	T32001	Spacer	450B, 450C (2.187")	2	0.7
4	T55233	Spacer	450D, 450E, 455D, 455E, 550B, 555, 555B (3")	2	1
5	AT50847	Final Drive Guard Top		2	5
6	AT72157	Seal, Duo Cone		2	1.7

TRANSMISSION & FINAL DRIVE PARTS

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 350, 350B, 350C, 350D				
T34352	Shaft	<i>Transmission input</i>	1	10
T34905	Shaft	<i>Shuttle Output</i>	1	7
T14923	Coupler	<i>For above shafts</i>	1	2
T16598	Cluster Gear	<i>23-27-34 Teeth</i>	1	9
T16326	Gear	<i>Second and reverse</i>	1	3
T23653	Shaft	<i>Transmission input, 1010, 350</i>	1	11

JOHN DEERE 400G, 450E, 455E				
AT80834	Drive Shaft	<i>Front</i>	1	9


Case 880-980-B Drott 35-40-50 Final Drive Parts				
S603741	Gear		2	36
S242157	Rex Bearing	<i>Sprocket shaft</i>	2	15
S242158	Rex Bearing	<i>Sprocket shaft</i>	2	24
S209721	Rex Bearing	<i>Sprocket shaft</i>	2	15



Bearing kits available on page J16

*Double Reduction Final Shown


Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450G, 455G (For Single Reduction Final Drive)					
3	T83325	Pinion, 12T	450G, 450G LT, 450G LGP s/n 797652-, 455G	2	13
3	T105540	Pinion, 12T	450G WT, 450G LGP s/n -773999, 455G WT	2	17
4	T147688	Axle	450G WT, 450G LGP, 455G WT	2	55
4	T147689	Axle	450G, 450G LT, 455G	2	65
5	T161932	Bull Gear, 68T		2	102
6	AT72157	Seal, Duo Cone		2	1.7
	T125579	Steering Clutch Shaft		2	8.6
JOHN DEERE 555G (For Single Reduction Final Drive)					
5	T106838	Bull Gear, 66T		2	80
6	AT72157	Seal, Duo Cone		2	1.7
3	T105539	Pinion, 10T		2	16.0
	T125579	Steering Clutch Shaft		2	8.6
JOHN DEERE 550G, 650G (For Double Reduction Final Drive)					
1	T105458	Pinion	22 teeth	2	18
2	T105459	Idler Gear	41 teeth	2	25
3	T105460	Idler Pinion	12 teeth	2	20
4	T147688	Axle	s/n -785187	2	55
4	T145239	Axle	s/n 785188-	2	55
5	T162073	Bull Gear	53 teeth	2	87
6	AT72157	Seal, Duo Cone		2	1.7
	T125579	Steering Clutch Shaft		2	8.6



Bearing kits available on page J16


Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450H, 450J, 450K, 450 P, 550H, 550J, 550K, 550 P					
1	T176423	Hydrostat Motor Shaft	450H, 550H Only	2	5
2	T175723	Coupler, Splined	550H Only	2	4
2	T175722	Coupler, Splined	450H Only	2	3.4
3	T204339	Shaft, Brake		2	6
		450J, 450K, 450 P, 550J, 550K, 550 P			
4	T214597	Gear 22T, Pinion		2	4
		450J s/n -108541, 550H, 550J s/n -108451			
5	T172543	Spur Gear 57T, 2nd Idler Ring		2	30
		450H, 450J s/n -108541, 550H, 550J s/n -108451			
5	T172542	Spur Gear 58T, Final Ring		2	31
		450J s/n 108542-, 450K, 450 P, 550J s/n 108452-, 550K, 550 P			
6	T169138	Spur Gear 11T, 2nd Idler Pinion		2	14
7	T172541	Spur Gear 81T, 1st Idler Cluster		2	25
		450H, 450J s/n -108541, 550H, 550J s/n -108451			
7	T213663	Spur Gear 51T, 1st Idler Cluster		2	24
		450J s/n 108542-, 450K, 450 P, 550J s/n 108452-, 550K, 550 P			
8	T169137	Spur Gear 63T, Bull Gear		2	96
9	AT72157	Seal, Duo Cone		2	1.7
10	T169014	Spindle, Axle		2	63

JOHN DEERE 650H, 650J, 650K, 650 P					
1	T176423	Hydrostat Motor Shaft	650H Only	2	5
2	T175723	Coupler, Splined	650H Only	2	4
3	T204339	Shaft, Brake		2	6
		650J, 650K, 650 P			
4	T214598	Gear 21T, Pinion		2	3.6
		650H, 650J s/n -108541			
4	T213662	Gear 13T, Pinion		2	3.8
		650J s/n 108452-, 650K, 650 P			
5	T172542	Spur Gear 58T, Final Ring		2	31
6	T169138	Spur Gear 11T, 2nd Idler Pinion		2	14
7	T172541	Spur Gear 81T, 1st Idler Cluster		2	25
		650H, 650J s/n -108451			
7	T213663	Spur Gear 51T, 1st Idler Cluster		2	24
		650J s/n 108452-, 650K, 650 P			
8	T169137	Spur Gear 63T, Bull Gear		2	96
9	AT72157	Seal, Duo Cone		2	1.7
10	T173628	Spindle, Axle		2	64



Bearing kits available on page J16


Ref.	Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 700H, 700J s/n -275597, 700K s/n E217278-275435					
1	T180549	Spur Gear, 64T Gear A, 48T Gear B		2	73
2	T174326	Spur (Bull) Gear, 71T		2	150
3	T179675	Spur Gear 13T, Pinion		2	5
4	T180548	Spur Gear 50T, 2nd reduction		2	24
5	T174327	Pinion 11T		2	19
6	T174975	Spindle, Axle		2	105
7	AT223910	Seal, Duo Cone	Also Fits 700K s/n F275598-, 700L	2	2.7
8	T175615	Axle Spacer		2	3.0
9	T178266	Splined Coupler		2	2.2
JOHN DEERE 700J s/n 275598-, 700K s/n F275598-, 700L, 700 P					
1	T336690	Spur Gear, 61T Gear A, 33T Gear B		2	65
2	T289171	Spur (Bull) Gear, 70T		2	132
3	T336691	Spur Gear 13T, Pinion		2	5.5
4	T289176	Spur Gear 54T, 2nd reduction		2	33
5	T289174	Pinion 16T		2	28
6	T336881	Spindle, Axle		2	105
7	AT223910	Seal, Duo Cone	Also Fits 700K s/n F275598-, 700L	2	2.7
8	T175615	Axle Spacer		2	3.0
9	T178266	Splined Coupler		2	2.2



Bearing kits available on page J16


	Part No.	Description	Notes	Qty.	Wt.
	JOHN DEERE 750J, 750K (STD, LT), 750L XLT, 750 P XLT, 655K				
1	T394705	Planetary Gear, 29T		6	20
2	T372247	Pin, Planetary Gear		6	6.5
3	T394703	Sun Gear		2	25
4	T215926	Pinion Shaft, 12T	750J s/n -162859 Only	2	12
4	T394697	Pinion Shaft, 13T		2	12
5	T141823	Bull Gear, 73T	750J s/n -162859 Only	2	68
5	T394702	Bull Gear, 79T		2	71
6	AT374827	Seal, Duo Cone	750J s/n -185663 Only	2	7
6	AT505275	Seal, Duo Cone		2	8.4

	JOHN DEERE 750J, 750K, 750L, 750 P (WT, LGP)				
1	T394705	Planetary Gear, 29T		6	20
2	T372247	Pin, Planetary Gear		6	6.5
3	T394703	Sun Gear		2	25
4	T215929	Pinion Shaft, 12T	750J s/n -166490 Only	2	
4	T394698	Pinion Shaft, 13T		2	
5	T141823	Bull Gear, 73T	750J s/n -162859 Only	2	68
5	T394702	Bull Gear, 79T		2	71
6	AT374827	Seal, Duo Cone	750J s/n -181538 Only	2	7
6	AT505275	Seal, Duo Cone		2	8.4




Bearing kits available on page J16

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 850J, 850K (STD, LT)				
1	T394706	Planetary Gear, 28T	6	26
2	T372247	Pin, Planetary Gear	6	6.5
3	T394704	Sun Gear	2	29
4	T215930	Pinion Shaft, 12T	2	13
		850J s/n -164780 Only		
4	T394699	Pinion Shaft, 13T	2	13
5	T141823	Bull Gear, 73T	2	68
		850J s/n -164780 Only		
5	T394702	Bull Gear, 79T	2	71
6	AT374827	Seal, Duo Cone	2	7
		850J s/n -177272 Only		
6	AT505275	Seal, Duo Cone	2	8.4
7	T200201	Hub	2	63
JOHN DEERE 850J, 850K (LGP, WT, WLT), 850L, 850 P (XLT, LGP, WLT)				
1	T394706	Planetary Gear, 28T	6	26
2	T372247	Pin, Planetary Gear	6	6.5
3	T394704	Sun Gear	2	29
4	T215927	Pinion Shaft, 12T	2	18
		850J WT/WLT s/n -165123 Only		
4	T215928	Pinion Shaft, 12T	2	20
		850J LGP s/n -163374 Only		
4	T394699	Pinion Shaft, 13T	2	13
		850L, 850 P XLT Only		
4	T394700	Pinion Shaft, 13T -	2	18
		850J LGP s/n -163374, 850J WT/WLT s/n 165124-, 850K WT/WLT, 850L WLT, 850 P WLT		
4	T394701	Pinion Shaft, 13T -	2	21
		850J LGP s/n 163375-, 850K LGP, 850L LGP, 850 P LGP		
5	T141823	Bull Gear, 73T- 850J LGP s/n -163374, 850J WT,WLT s/n -165123	2	68
5	T394702	Bull Gear, 79T-	2	71
		850J LGP s/n 163375-, 850J WLT s/n 165124-, 850K, 850L, 850 P		
6	AT374827	Seal, Duo Cone - 850J s/n -175721, 850J s/n -180889 Only	2	7
6	AT505275	Seal, Duo Cone	2	8.4
7	T200201	Hub	2	63



Bearing kits available on page J16

	Part No.	Description	Notes	Qty.	Wt.
	CAT D3K, D3K2, D4K, D4K2, D5K, D5K2, and D1, D2, D3 (Next Gen Models)				
1	322-0304	Sun Gear, 13T		2	7.5
2	7Y0225	Planetary Shaft		6	1.5
3	247-1459	Planetary Gear, 44T		6	7.5
4	244-1518	Planetary Gear, 30T		6	10
5	7Y0223	Planetary Shaft		6	3.5
6	244-1522	Gear Coupling, 55T		2	15
7	244-1516	Sun Gear, 17T		2	6.0
8	6Y-0859	Seal, Duo Cone		2	4.5



Bearing kits available on page J16

Part No.	Description	Notes	Qty.	Wt.
CAT D6K (DHA1-1999), D6K2 (JTR757-889, RST1-2209, 7P6, EL71-212, MXK1-279)				
1	8G4565	Planetary Gear, 30T	6	25.0
2	179-6707	Planetary Pin	6	5.0
3	239-1249	Sun Shaft, 10T	2	24.0
4	6Y-0859	Seal, Duo Cone	2	4.5
5	239-1255	Bull Gear, 81T	2	35.0
6	239-1256	Pinion, 13T	2	6.0
7	3W5159	Brake Plate	6	1.5
8	170-8714	Brake Disc, Friction	8	0.8

FINAL DRIVE BEARING KITS

Part No.	Description	Notes	Qty.	Wt.
CASE				
PV701	Bearing Kit	310	2	10
PV702	Bearing Kit	350, 350B	2	11
PV703	Bearing Kit	450 to s/n 3038435	2	7
PV704	Bearing Kit	450 after s/n 3038436, 450B	2	9
PV705	Bearing Kit	Pinion carrier bearing set, 450, 450B	2	5
PV706	Bearing Kit	450C, 455C	2	13
PV707	Bearing Kit	850	2	11
PV708	Bearing Kit	650, 650G, 850B, 850C, 850D, 855D, 850E, 855E, 850G, non-LGP machines	2	15
PV712	Bearing Kit	850C, 850D, 855D, 850E, 855E, 850G, LGP machines	2	21
PV709	Bearing Kit	1150 to Trans. s/n 2663630	2	21
PV710	Bearing Kit	1150 after Trans. s/n 2663631	2	22
PV711	Bearing Kit	1150B, 1150C, 1150D, 1150E, 1155D, 1155E	2	29
CAT				
637-2958	Bearing Kit	D4 Next Gen., D6K, D6K2	2	45
JOHN DEERE				
PV720	Bearing Kit	420	2	6
PV721	Bearing Kit	440 to s/n 456800	2	6
PV722	Bearing Kit	440 after s/n 456801	2	7
PV723	Bearing Kit	1010 to s/n 31000	2	7
PV724	Bearing Kit	1010 after s/n 31001	2	8
PV725	Bearing Kit	350 to s/n 20538	2	8
PV726	Bearing Kit	350 after s/n 20539, 350B	2	8
PV731	Bearing Kit	350C, 350D, 400G	2	8
PV727	Bearing Kit	450 used with T20668 Pinion	2	9
PV728	Bearing Kit	450B, 450C to s/n 388460	2	9
PV729	Bearing Kit	450C after s/n 388460, 450D, 450E to s/n 719252, 455C, 455D, 455E to s/n 719252	2	9
PV730	Bearing Kit	550 to s/n 388459, 555 to s/n 388459	2	10
PV733	Bearing Kit	450E after s/n 719253, 455E after s/n 719253, 450E LT, 450E WT, 550 after s/n 388460, 550A, 550B, 555 after s/n 388460, 555A, 555B	2	10
PV737	Bearing Kit	450G, 450G LT, 455G, 555G, 450G WT to s/n 795142 Single Reduction Final	2	14
PV738	Bearing Kit	450G WT after s/n 795143	2	14
PV739	Bearing Kit	550G, 650G, to s/n 785187	2	17
PV740	Bearing Kit	550G, 650G, after s/n 785188	2	19
PV742	Bearing Kit	450H, 450J, 450K, 450P, 550H, 550J, 550K, 550P, 650H, 650J, 650K, 650P	2	20
PV743	Bearing Kit	700H, 700J, 700K, 700L, 700 P	2	34.5
PV745	Bearing Kit	750J, 850J	2	71
PV744	Bearing Kit	655K, 750J-II, 750K, 755K, 750L, 850J-II, 850K, 850L, 850 P	2	71
DRESSER				
PV735	Bearing Kit	TD7, TD7C, TD7E, 100, 100C, 100E	2	9
PV736	Bearing Kit	TD8, TD8C, TD8E, 125, 125C, 125E	2	9
ALLIS CHALMERS				
PV741	Bearing Kit	HD3, HD4, 653, 655	2	7

Part No.	Description	Notes	Qty.	Wt.
CAT D3C III, D3G, D3K, D3K2, D4C III, D4G, D4K, D4K2, D5C III, D5G, D5H, D5K, D5K2, D5M, D5N, D5R, D5R2, D6H, D6K, D6K2, D6M, D6N, D6R (I-III), D6T, D7G, D7G2, D7H, D7R, D7R II, D8N, D8R (I-II), D8T, D1, D2, D3, D4, D5, D6 (NEXT GEN), 933C, 939C, 953D, 963D, 963K, 527				
6Y-0859	Seal, Duo cone		2	4.5
HITACHI ZX160LC-3, ZX160LC-5G, ZX160LC-5N, ZX160LC-6N, ZX180LC-5G, ZX180LC-5N, ZX180LC-6N, ZX200LC-3, ZX210-5A, ZX210-5G, ZX210LC-5N, ZX210LC-6N, ZX240LC-3, ZX245USLC-5N, ZX245USLC-6N				
FYB00000549	Seal, Duo Cone		2	5.2
JOHN DEERE 160DLC, 160GLC, 180GLC, 200LC, 200CLC, 200DLC, 200G, 210G, 210GLC, 225DLC, 230LC, 230CLC, 230LCRD, 230LCR, 240DLC, 245GLC, 250GLC, 790ELC				
FYB00000549	Seal, Duo Cone		2	5.2
JOHN DEERE / HITACHI 110, 120, 120C, 120D, 130G, 130GLC, 130 P, 135C, 135D, 135G, 135 P, 490E, EX110-5, ZAXIS120-3, ZAXIS 130-5G, ZAXIS 130-5N, ZAXIS 130-6N, ZAXIS 135-5N, ZAXIS 135-6N				
AT154151	Seal, Duo Cone		2	4.5
JOHN DEERE / HITACHI 160LC, EX160LC-5				
0693001	Seal, Duo Cone		2	5.8
JOHN DEERE 319D, 319E, 323D, 323E, 325G, 325P, 329D, 329E, 331G s/n -451967, 333D, 333E, 333G s/n -451967				
AT388624	Face Seal Kit		2	4.4
PV749	Seal, Duo Cone		2	3.0
KOMATSU D61EX-12, D61PX-12, D61EX-15, D61PX-15, PC200-3, PC200-5, PC200-6, PC200-7				
150-27-00029	Seal, Duo Cone		2	5.7
KOMATSU D37E-5, D37P-5A, D37PG-5A, D31E-20, D31E-17, D31P-20T, D31P-20, D31P-20A, D31P-18A, D31P-18, D31P-17, D31P-17A, D31P-16, D31P-16A, PC100-1, PC120-1, PC120-5				
170-27-00010	Seal, Duo Cone		2	2.0
CASE 480, 480B, 580, 580B				
A144339	Side Gear	<i>Long</i>	1	7
A168925	Bull Gear		2	32
CASE 480C, 480D, 580C, 580D				
A168172	Gear	<i>Sliding, first & second</i>	1	3
CASE 580E, 580K s/n -JJG0020000				
A168883	Ring & Pinion Set	<i>Will also fit 480D after trans s/n 16270319</i>	1	24
A153711	Pin	<i>Differential pinion gear</i>	3	1
A168172	Gear	<i>Sliding, first & second</i>	1	3
CASE 480E, 480F, 580D, 580E, 580K, 584D, 584E, 585D, 585E, 586D, 586E				
A168330	Shaft, Transaxle Main		1	6
CASE 570L, 580L, 580SL, 580M, 580SM, 585G, 586G, 588G				
87524437	Transmission Control Valve Gasket Kit		1	0.2
CASE 570MXT, 570MXT Ser.3, 570N EP, 570NXT, 580L Ser.2, 580M (ALL), 580N (ALL), 580SL Ser.2, 580SM (ALL), 580SM+ Ser.3, 580SN (ALL), 590SM (ALL), 590SM+ Ser.3, 590SN, 586H, 588G, 588H				
358638A1	Pinion, 29T, Transmission Input		1	3.5
SYNCHRONIZER ASSEMBLIES				
A182240	Synchronizer	<i>480E, 580K</i>	1	3.8
A151114	Synchronizer	<i>480C, 580C</i>	1	4
A138655	Synchronizer	<i>580C, 580D, 580E</i>	1	4
L33333	Synchronizer	<i>680 Series</i>	1	3.4
L33334	Synchronizer	<i>680 Series</i>	1	7.5


Part No.	Description	Notes	Qty.	Wt.
CASE 350, 350B				
103293A1R	Torque Converter	<i>Loader</i>	1	30
574142	Rebuild Kit	<i>For Shuttle</i>	1	10
CASE 850, 850B, 850C, 850D, 855C, 855D, 1150, 1150B, 1150C, 1150D, 1150E, 1155E, 1450, 1450B, 1455, 1455B				
D31934	Impeller		1	8.6
D31935	Turbine		1	7.2
D48856	Impeller		1	8.6
D37376	Impeller		1	8.9
D49383	Impeller		1	9
D75861	Torque Hub		1	7
D32026	Output Shaft		1	7
D75862	Gear	<i>With sleeve</i>	1	3
D32003	Gear	<i>Torque driven</i>	1	3
D78330	Gear	<i>Hydraulic pump drive 15 Spline</i>	1	2.2
R46562	Gear	<i>Hydraulic pump drive 14 Spline</i>	1	1
D32015	Pilot	<i>Flywheel, for case engines</i>	1	4.6
N9775	Pilot	<i>Flywheel, for cummins engines</i>	1	5.6
D31936	Guide Wheel	<i>Loader models only</i>	1	4.3
D37377	Guide Wheel	<i>Dozer models only</i>	1	4.4
N9777	Rotating Housing	<i>For cummins engines</i>	1	40
CASE TORQUE CONVERTER & TRANSMISSION PUMPS				
137093A1	Pump	<i>350, 580C, 580D, 580E, 580K</i>	1	9
119994A1	Pump	<i>550E, 550G, 550H, 650G, 650H, 750H, 850E, 850G, 850H, 855E, 580SK, 590SL, 590SM w/out powershift</i>	1	11
181199A4	Pump	<i>570L, 580L, 580SL, 580M, 580SM, 585G, 586G, 588G</i>	1	16
87429970	Pump	<i>CASE 570MXT Ser.3, 570N EP, 570NXT, 575N EP, 580M Ser.2, 580M Ser.3, 580SM Ser.3, 580SM+ Ser.2, 580SM+ Ser.3, 580N, 580N EP, 580SN, 580SN WT, 580SV, 590SM Ser.2, 590SM Ser.3, 590SM+ Ser.3, 590SN, (w/o powershift)</i>	1	16.5
1995137C1R	Torque Converter	<i>550E, 550G, 550H, 580SK, 580SL, 580SL Ser. 2, 580SM, 590, 590SL, 590SL Ser 2, 590SM</i>	1	39
DRESSER TRANSMISSION PUMP				
625000C91	Pump	<i>TD7, TD7C, TD7E, TD8, TD8C, TD8E (to s/n 9500 on E models) 100, 100C, 100E, 125, 125C, 125E, (to s/n 9500 on E models)</i>	1	17
CASE 480C, 480D, 480E, 580C, 580D, 580E, 580K s/n -JJG0020000, 584E, 585E, 586E				
103293A1R	Torque Converter	<i>Cores marked with SR, SN, or TG will not receive core credit</i>	1	30
574136	Rebuild Kit	<i>Shuttle</i>	1	10
D103219	Disc Kit	<i>Shuttle</i>	1	5.5
CASE W11, W11B, W14, W20, W20B				
L35003	Free Wheel Clutch Kit		1	9.3
N7770	Charge Pump		1	23

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE SHUTTLES AND MANIFOLDS				
AR30480R	Manifold	450, Marked R32696 (R&R Only)	1	7.7
AR56620R	Manifold	450B, 450C, 450D, 450E, 455D, 455E, Marked R52036	1	7.7
574136	Rebuild Kit	210C, 210D, 310C, 310D, 315C, 482C	1	10
AT100842R	Torque Converter		1	30
JOHN DEERE 444, 444B, 444C, 544, 544B, 544C				
AT72878	Charge Pump		1	23
JOHN DEERE 450H, 550H, 650H, 700H, 750C s/n 875379-, 850C s/n 875379-, 750C-II s/n 883332-, 850C-II s/n 883332-				
AT360573	Wheel Speed Sensor		2	0.2
AT220775	Pressure Control Pilot Valve	450H, 550H, 650H, 700H Only	1	1.8
JOHN DEERE 450J, 550J, 650J, 550K, 650K, 700J, 700K, 750J, 750K, 850J, 850K, 950 P, 950K, 1050K, 605C, 605K, 655K, 655P, 755K, 755P, 643L, 643L-II, 803M, 803MH, 843L, 853M, 853MH, 859M, 859MH				
AT304671	Pressure Control Pilot Valve		1	2.0
JOHN DEERE 450J, 550J, 550K s/n -E275227, 605C, 605K, 650J, 650K s/n -E275533, 655K s/n -E339325, 700J, 700K s/n -E270478, 750J, 750K s/n -E270478, 755K s/n -E339325, 850J, 850K s/n -E271265				
AT360574	Wheel Speed Sensor		2	0.2
JOHN DEERE 450K, 550K, 650K, 700K, 700L, 700P, 750K, 750L, 750P, 850K, 850L, 850P, 950K, 950P, 1050K, 1050P, 655K, 755K, 622G, 622P, 672G, 672P, 772G, 772P, 872G				
AT416949	Wheel Speed Sensor		2	0.2


MOTOR GRADER CIRCLE DRIVE

JOHN DEERE


Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 620G, 620GP, 620P, 622G, 622GP, 622P, 670B, 670C, 670CH, 670D, 670G, 670GP, 670P, 672CH, 672B, 672D, 672G, 672P, 770B, 770BH, 770C, 770CH, 770D, 770G, 770GP, 770P, 772B, 772BH, 772CH, 772D, 772G, 772GP, 772P, 870D, 870G, 870GP, 870P, 872D, 872G, 872GP, 872P				
T184228	Circle Drive Worm Gear	w/clutch dual and single input, premium	1	
T165061	Circle Drive Pinion Shaft	w/clutch dual and single input	1	41
T167011	Circle Drive Worm Gear	w/out clutch dual and single input	1	
T152876	Circle Drive Pinion Shaft	w/out clutch dual and single input	1	41



Part No.	Description	Notes	Qty.	Wt.
CASE 480, 580, 580B				
A41355	Metallic Disc	<i>Rockford</i>	10	0.1
A41005	Steel Disc	<i>Rockford</i>	10	0.2
CASE 350, 350B, 480C, 480D, 480E, 480F, 580C, 580D, 580E, 580K to s/n JJG0020000				
D70672	Metallic Disc	<i>480C, 480D, 480E, 580C, 580D, 580E, 580K s/n -JJG0020000</i>	7	0.05
D50082	Metallic Disc	<i>350, 350B</i>	7	0.1
D50083	Steel Disc		6	0.2
CASE 570LXT, 580L, 580SL, 580M, 580SM, 590SL, 590SM				
181158A1	Metallic Disc		12	0.15
181159A1	Steel Disc		14-16	0.3
CASE 450, 450B, 455B, 450C, 455C, 550, 850B, 850C, 850D, 855C, 855D, 1150B, 1150C, 1150D, 1150E, 1150G, 1150H, 1155D, 1155E				
G102354	Metallic Disc	<i>Also Fits 550E, 550G, 550H, 650G, 650H, 750H, 850E, 850G, 850H</i>	24	1.05
G101711	Steel Disc		24	0.8
CASE 550E, 550G, 550H, 650G, 850E, 855E, 850G, 580K after s/n JJG0020000, 580SK, 590				
A188946	Metallic Disc		22-24	0.1
A175806	Steel Disc		22-24	0.3
CASE 1150B, 1150C, 1150D, 1155D, 1150E, 1150G, 1150H, 1155E, 1450, 1450B, 1455B				
A50631	Steel Disc		10	0.4
CASE W11B, W14B, W14C, 680H, 680L, 780B, 780C, 780D				
N7219	Metallic Disc		8	0.1
N7217	Metallic Disc		28	0.2
CASE W7, W8B, W8C, 780				
A17921	Steel Disc		20	0.2
103310A1	Steel Disc		20	0.2
CASE W36, 780, 621				
D77063	Metallic Disc		30	0.3
DRESSER 100C, 125C, TD7C, TD8C, (100E, 125E, TD7E, TD8E, to s/n 9500)				
324241R1	Steel Disc		37-47	0.2
324240R1	Metallic Disc		42-52	0.1
675667R1	Metallic Disc		42-52	0.1
187109H1	Metallic Disc		42-52	0.1
702959C1	Metallic Disc		42-52	0.1
DRESSER TD7G, TD8G, (100E, 125E, TD7E, TD8E, after s/n 9501)				
716719C1	Steel Disc		29	0.1
709777C1	Metallic Disc		34	0.1



Part No.	Description	Notes	Qty.	Wt.
CAT D3, D3C, D4C, D5C				
6Y7934	Metallic Disc		UAR	0.1
6Y7935	Metallic Disc		UAR	0.1
9P6903	Steel Disc		UAR	0.3
9P7101	Steel Disc		UAR	0.9
CAT 416, 416C, 416E, 420D, 420E, 420F, 420F2, 430E, 430F, 430F2 LOADER BACKHOE 924K, 926M, 930K, 930M, 938K, 938M WHEEL LOADER				
274-4553	Transmission Disc, Steel		UAR	0.2
6Y7929	Transmission Disc, Friction		UAR	0.1
CAT 414E, 415, 415F2, 416, 416D, 416E, 416F, 416F2, 420, 420D, 420E, 420F, 420F2, 420XE, 422E, 422F, 424D, 426F2, 427F2, 428, 428D, 428E, 428F, 428F2, 430, 430D, 430E, 430F, 430F2, 432, 432D, 432E, 432F, 432F2, 434, 434F, 434F2, 436C, 440, 442D, 442E, 444F, 450, 450E, 450F, 438D, 424 434E				
274-4553	Clutch Disc, Steel		UAR	0.2
337-3530	Clutch Disc, Friction		UAR	0.1
CAT 415, 415F2, 416, 416F2, 420, 420F2, 424, 426F2, 427F2, 428, 428F2, 430F2, 432F2, 434, 434F2				
443-3302	Clutch Disc, Steel		UAR	0.2
467-3151	Clutch Disc, Friction		UAR	0.1



Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 1010, 350, 350B, 350C, 350D				
T15801	Metallic Disc		12	0.4
JOHN DEERE 550, 550B, 555, 555B				
T44805	Metallic Disc		32	0.4
T44804	Steel Disc		27	0.3
JOHN DEERE 400G, 450, 450B, 450C, 450D, 455D, 450E, 455E				
R57345	Steel Disc		15	0.5
R31404	Metallic Disc		12	0.5
JOHN DEERE 400G, 450E, 455E, 450G, 455G, 550G, 555G, 650G, DOZER, 410D, 510, 510D, 710C, 710D, 440A, 440B, 540B, 540D, 548D, 640, 640D, 500, 500B, 500C				
R80813	Steel Disc		UAR	0.6
JOHN DEERE 450G, 455G, 550G, 555G, 650G				
AT117908	Clutch Disc, Friction		UAR	0.5
JOHN DEERE 310, 310A, 310B, 410, 410B, 410C, 500A, 500B, 500C, 510B, 510C, 610B, 610C, 710B, 710C, 540A, 540B, 540D, 548D, 648D, 660D, 740, 740A, 848G				
AR94516	Metallic Disc		UAR	0.5
JOHN DEERE 210K, 210L, 310E, 310G, 310J, 310K, 310L, 310SE, 310SG, 310SJ, 310SK, 310SL, 315SE, 315SJ, 315SK, 315SL, 325SJ, 325SK, 325SL, 410E, 410J, 410K, 410L, 710D, 710G, 710J, 710K, 710L, 485E, 486E, 488E				
T158801	Clutch Disc, Steel		UAR	0.2
T164626	Clutch Disc, Friction			0.1
JOHN DEERE 210LE, 310E, 310SE, 310G, 310SG, 315SE, 315SG, 410E, 410G, 485E, 486E, 488E				
AT179473	Clutch Disc, Friction		UAR	0.1
JOHN DEERE 410C, 410D, 510C, 610B, 610C, 710B, 710C				
RE23000	Metallic Disc		9	0.5
JOHN DEERE 310J, 310SJ, 310K, 310SK, 310L, 310SL, 410J, 410K, 410L				
AT339922	Clutch Disc		UAR	0.08
T229406	Plate, Steel		UAR	0.2

TRANSMISSION DISCS

JOHN DEERE

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 544E, 624E, 624G, 544G, 644G				
T116387	Clutch Disc, Friction		UAR	0.2
T116584	Clutch Disc, Steel		UAR	0.2
T116585	Clutch Disc, Steel		UAR	0.2
T116586	Clutch Disc, Steel		UAR	0.2

JOHN DEERE 544E, 624E, 624G, 544G, 644E, 644G				
T122806	Clutch Disc, Friction		UAR	0.4
T116981	Clutch Disc, Steel		UAR	0.4
T152734	Clutch Disc, Steel	644G Only	UAR	0.6

JOHN DEERE 624 P, 624H, 624J, 624K, 624K-II, 624L, 644G, 644 G, 644 P, 644H, 644J, 644K, 644L, 640L, 640L-II, 648L, 648L-II, 724 P, 724J, 724K, 724L, 748L, 748L-II, 768L-II, 848L, 848L-II, 948L, 948L-II				
T173840	Clutch Disc, Friction		UAR	0.2
T173841	Clutch Disc, Friction		UAR	0.2
T173842	Clutch Disc, Steel		UAR	0.4

JOHN DEERE 444 G, 444 P, 444H, 444J s/n 611275-, 444K, 444L, 524 P, 524K, 524K-II, 524L, 544 G, 544 P, 544H, 544J, 544K, 544K-II, 544L, 624 P, 624H, 624J, 624K, 624K-II, 624L, 644 G, 644 P, 644H, 644J, 644K, 644L, 724 P, 724J, 724K, 724L				
T173636	Clutch Disc, Friction		UAR	0.2
T173637	Clutch Disc, Friction		UAR	0.2
T173638	Clutch Disc, Steel		UAR	0.4

JOHN DEERE 444G, 444 G, 444 P, 444H, 444J S/N 611275-, 444K, 444L, 524 P, 524K, 524K-II, 524L, 544 G, 544 P, 544H, 544J, 544K, 544K-II, 544L, 640L, 640L-II, 648L, 648L-II, 748L, 748L-II, 768L-II, 848L, 848L-II, 948L, 948L-II				
T173640	Clutch Disc, Friction		UAR	0.2
T173641	Clutch Disc, Steel		UAR	0.2
T173642	Clutch Disc, Steel		UAR	0.2

VISIT PVE FOR ALL YOUR CONSTRUCTION SEAT NEEDS



LEARN MORE

CASE - CAT - DEERE - DRESSER
DOZER, BACKHOE, & EXCAVATOR MODELS





SECTION K

EXHAUST PARTS, RADIATORS, WATER PUMPS, MISC. HARDWARE



www.paintvalleyequipment.com

Phone: 877-774-0081

Exhaust Components

Fans

Misc. Hardware

Radiators

Seats

Starters

Water Pumps

Section K

SECTION K

EXHAUST PARTS, RADIATORS, WATER PUMPS, MISC. HARDWARE

	Page
EXHAUST PARTS	
MUFFLERS	K1
EXHAUST PIPES	K1
EXHAUST MANIFOLDS	K1
Fuel Pumps	K2
WATER PUMPS	
CASE	K2
DRESSER	K2
JOHN DEERE	K2
RADIATORS	
CASE	K3
JOHN DEERE	K3
FANS	K3
STARTERS	K3-K4
SEATS	
CASE	K5, K6
DRESSER	K7
JOHN DEERE	K7, K8
KOMATSU	K7
ALL MAKES EQUIPMENT SEATS	K9-K17
HYDRAULIC TANK	
CASE	K18
MISC.	
SELF-ALIGNING BUSHINGS	K19
WELD ON BOSSES	K19
PRE-CLEANER BOWLS	K19
WASHERS	K20
SNAP RINGS	K20
CUSTOM CHROME RODS	K20
STEEL PIN SHIMS BY SIZE	K21
POLY PIN SHIMS BY SIZE	K21
PIN SEALS BY SIZE	K21
SPLIT TYPE O-RINGS BY SIZE	K21
ELECTRICAL/SENSORS	
CASE	K22
CAT	K22-K24
JOHN DEERE	K22-K24

EXHAUST PARTS

BOBCAT, CASE, CAT, & JOHN DEERE

Part No.	Description	Notes	Qty.	Wt.
CASE MUFFLERS/PIPES				
A172489	Muffler	450C, 455C, 550, 550E, 550G, spark arrester	1	16
D35766	Muffler	1150 to s/n 7110299, 750 after s/n 7070351, 850 to s/n 7073468	1	15
D47767	Muffler	850 after s/n 7073469, 1150 after s/n 7110300	1	21
A39561	Muffler	480B, 480C, 480D, 580B, 580C, 580D, 580SD, 584C, 584D, 585C, 585D, 586C,	1	14
A173180	Muffler	480E, 480F, 580E, 580SE, 584E, 585E, 585G, 586E, 586G, 588G	1	13
192381A1	Pipe Kit	850E, 855E, 850G, Pipe Kit	1	19
R35239	Exhaust Pipe	1150B, 1150C, turbo machines	1	1.5
R50400	Exhaust Pipe	850D, 850E, 855D, 855E	1	3

JOHN DEERE MUFFLERS/PIPES				
AT166078	Muffler	450G, 455G, 550G, 555G, 650G, s/n -840460 (with turbo)	1	20
AT180534	Muffler	450G, 455G, 550G, 555G, 650G, s/n 840461- (with turbo)	1	20
AT220299	Muffler	550H, 650H, (450J, 550J, 650J - s/n -159986) , 230LCR, 230LCRD	1	18
AT47110	Muffler	344G, 444G, 450D, 455D, 450E w/ turbo, 455E w/ turbo, 550, 555 s/n 233402-, 550A, 555A, 550B, 555B	1	16
AT83613	Muffler	210C s/n 785885-, 300D, 310C, 310D, 315C, 315D, 400G, 410B, 410C, 410D, 415B, 450E, 450G, 455E, 455G, 510B, 550G, 555G, 650G, machines without turbos	1	18
AT165556	Muffler	540E, 540G, 640E, 640G, 548E, 548G, 648E, 648G	1	14
AT332273	Muffler	540G-II, 540G-III, 540H, 548G-II, 548G-III, 548H, 640G-II, 640G-III, 640H, 648G-II, 648G-III, 648H, 748G-II, 748G-III, 748H, 848H	1	14
T35879	Exhaust Pipe	444, 544, 544A, 544B, 450D, 455D, 450E, 455E, 550, 555 s/n 233402-, 550A, 555A, 550B, 555B, 570, 570A, 570B	1	4
T144337	Exhaust Pipe	450G, 455G, 550G, 555G, 650G	1	12
AT307928	Muffler	444J s/n -611274, 544J, 524K, 524 P, 544K, 624J, 624K, 624 P, 644J s/n 611232-, 644K, 644 P	1	22

CASE EXHAUST MANIFOLDS				
G46853	Gasket	Manifold to exhaust & plate	2	0.1

BOBCAT MUFFLERS/PIPES (check for applicable serial number breaks prior to ordering)				
6683915	Muffler	S150, S160, S175, S185, S205, T180, T190	1	17
6676728	Muffler	773, S150, S160, S175, S185, T190	1	17
7100840	Muffler	751, 753, 763, 773, 7753, S130, S150, S160, S175, S185, T140	1	20
7137824	Muffler	S130, S150, S175, S185, T140	1	21
6514737	Muffler	642, 643, 742, 743	1	11
6687887	Muffler	S220, S250, T250, T300, T320, A300	1	15
6701151	Exhaust Pipe	751, 753, 763, 773, 7753, S130, S150, S160, S175, S185, T140	1	3
6569624	Exhaust Pipe	643, 645, 743	1	2.6
7107449	Exhaust Pipe	S160, S175, S185	1	2.8

CAT EXHAUST PIPES				
342-9795	Exhaust Pipe	D3K2, D4K2, D5K2	1	7.0

WATER PUMPS

CASE, JOHN DEERE, & DRESSER

Part No.	Description	Notes	Qty.	Wt.
CASE WATER PUMPS				
199352A1	Water Pump	680G, 680H, 850, 850B, 850C, 880C, 1080, 1080B, 1150B, 1150C, 1150D, 1450, 1450B, W7, W14, W18, W18B, W24C, W30, 301, 336, 451, 504 Engine, with 4 1/2" Impeller	1	8
A34009	Water Pump	750 after s/n 7070351, 850 to s/n 7073468, 1150 to s/n 7110299, 680CK	1	15
A77471	Water Pump	Cummins (4 & 6 Cyl. Engine, TD7G-H-TD8G-H-100G-125G) 450C, 550, 550E, 550G, 580E, 580K, 590SL, 680H, 680K, 680L, 650, 680G, 850D, 850E, 850G, 1150E, 1150G, W11B, W14B	1	6
A146584	Water Pump	188, 207, 350, 350B, 450, 450B, 530, 580, 580B, 580C, 580D, 1835, 1845B, W11	1	5
A157143	Water Pump	301, 401, with 3 5/8" Impeller	1	7.3
J802975	Water Pump	721, 721B, 1155, 1150E, 1155E, 1550, 9040, 721, 721B, 721C	1	9
90380503	Water Pump	1850K Tier 1, 821B, 821C s/n -JEE0155000, 9045B	1	8.2
J802358	Water Pump	850G, 580L, 580SL s/n -JIG0239361, 590L, 590SL, 570LXT, 584E, 585E, 586E, 85XT, 90XT, 95XT, 9010B, 9020B	1	5.2
JOHN DEERE WATER PUMPS				
AM3060T	Water Pump	40, 420, 430, 440 (Gas)	1	13
AR65917	Water Pump	550, 550A, 550B, 555, 555A, 555B	1	38
AR65965	Water Pump	544B	1	46
AR71133	Water Pump	4276 engines, Marked R59049	1	23
RE21177	Water Pump	450E, 455E	1	23
RE25043	Water Pump	210C, 310A, 310B, 350, 350B, 350C, 400G, 401B, 401C, 401D, 410, 440, 440A, 440B, 450, 450B, 450C, 450D, 455D, 480C, JD480A, JD480B	1	22
T23628	Pulley	For AR71133, RE21177, RE25043 Water Pumps	1	4
RE505980	Water Pump	110, 120, 120C, 160CLC, 200CLC, 200LC, 230CLC, 230LC, 230LCR, 230LRD, 270LC, 270CLC, 540G-III, 548G-III, 624J, 640G-III, 648G-III, 670C, 670CH, 670D, 672CH, 672D, 690ELC, 450J s/n 159987-, 700H, 700J	1	9
RE546917	Water Pump	450G, 455G, 450H, 450J s/n -159986, 550G, 555G, 550H, 550J s/n -159986, 605C, 650H, 650J s/n -159986, 700H, 700J, 750C s/n -883331, 850C s/n -883331, 750J s/n -141343, 850J s/n -141343, 324H, 344H, 344J, 444H, 444J s/n -611274, 544H, 544J s/n -611799, 624, 210LE, 310E, 310SE, 310G, 310SG, 310J, 310SJ, 310K, 310SK, 310L, 310SL, 310 P, 315SE, 315SG, 315SJ, 315SK, 315SL, 315 P, 320 P, 325K, 325SK, 325SL, 410E, 410G, 410J, 410K, 410L, 410 P	1	7.2
RE545573	Water Pump	304J, 324J, 326D, 328, 328D, 329D, 332, 332D, 333D, CT332	1	4.6
DRESSER WATER PUMP				
3132741R93	Water Pump	TD7, TD7C, TD7E, TD8, TD8C, TD8E, 100, 100C, 100E, 125, 125C, 125E	1	12
CASE FUEL PUMPS (check for applicable models and serial number breaks prior to ordering)				
504380241	Fuel Pump	580M Ser.2, 580SM Ser.2, 580SM Ser.3, 580N Tier 3, 580SN WT	1	1.2
3933254	Fuel Pump	550H, 650H, 650K, 750H, 750K, 850K	1	1.8
84142216	Fuel Pump	550E, 855D, 9020, 621, W11B, 580K, 580SK	1	1.0
87473337	Fuel Pump	570MXT, 580M, 580SM, 590SM, 585G, 586G, 588G, 60XT, 70XT	1	1.8
JOHN DEERE FUEL PUMPS (check for applicable models and serial number breaks prior to ordering)				
DZ120070	Fuel Pump	310J, 310SJ, 310K, 310SK, 310SL, 315SJ, 315SK, 315SL, 325K, 325SK	1	1.2
RE42211	Fuel Pump	350, 350B, 350C, 400G, 450, 450B, 450C, 450D, 450G, 550, 550B, 550G	1	1.2
RE66153	Fuel Pump	450G, 550G, 450H, 450J, 550H, 550J, 650H, 650J, 700H, 700J, 750C	1	1.2

Part No.	Description	Notes	Qty.	Wt.
CASE RADIATORS				
A39344	Radiator	580B Standard Shift, without oil cooler	1	29
A39345	Radiator	580B Power Shift, with oil cooler	1	29
D89103	Radiator	580C	1	30
A171080	Radiator	480E, 580E	1	35
A172038	Radiator	580K, 580SK	1	30
234876A1	Radiator	570LXT, 580L, 580SL, 590SL, 584E	1	30
301877A2	Radiator	1840, 1845C (Skid Steer)	1	34
237992A3	Radiator	75XT, 85XT, 90XT, 95XT (Skid Steer)	1	42
239739A2	Radiator	570LXT, 570MXT, 580L, 580SL, 580SL-II, 590SL 580M, 580SM, 590SM, 5 Row Heavy Duty	1	33
CASE STARTERS				
116930A1	Starter	350, 450-B, 480, 580CD, W11, 1845 (Nippendenso)	1	18
1987559C1	Starter	480E, 590, 450C, 580EKSCL, 455C, 650, W11B	1	19
1987566C1	Starter	621, 850DEG, 855E, 1150EG, 1155E, 9010-20-30B	1	24
CASE FANS				
R27703	Fan	1150B, 1150C, puller type	1	19
A173110	Fan	1150B, 1150C, 1150D, 1155D, pusher type	1	15
JOHN DEERE ENGINE OIL PUMP				
AR79463	Engine Oil Pump	340D after s/n 100001, 344E to s/n 427006, 440C, 440D after s/n 100001, 444E, 550G, 555G, 650G after s/n 427006, 490, 490E, 540B w/turbo, 540D, 548D, 540E & 548E to s/n 383839, 550, 550A, 555A, 550B, 555B	1	9
JOHN DEERE RADIATORS				
AT169770	Radiator	410B, 410C, 410D, 510B, 510C, 510D, 610B, 610C	1	49
AR65715	Radiator	300, 301-A, 302, 302-A, 401B, 401C without Oil Cooler	1	24

Part Number	Machine Model	Machine Serial	Engine Model	Engine Serial	Qty.	Wt.
JOHN DEERE DOZERS						
TY25961	450G, 550G, 650G			-317121	1	39
RE70960	450G, 550G, 650G			317122-	1	24
RE501298	450H, 550H, 650H				1	24
	450J, 550J, 650J	-159986			1	
RE529661	450J, 550J, 650J	159987-			1	25
JOHN DEERE CRAWLER LOADERS						
TY25961	455G, 555G			-317121	1	39
RE70960	455G, 555G			317122-	1	24
JOHN DEERE EXCAVATORS						
RE506105	230LCR, 230LCRD		4045TT050		1	25
	350DLC	805001-	6090HT002		1	
	350GLC	808001-	6090HT002		1	
JOHN DEERE LOADER BACKHOES						
TY25961	410C, 510C, 610C, 710B, 710C			-317121	1	39
RE70960	410C, 510C, 610C			317122-	1	24
	410D, 510D				1	
	710D			-814064	1	
RE506105	310E, 310SE, 315SE, 410E				1	25
	310G, 310SG, 315SG		4045DT056, 4045TT080		1	
	310G, 310SG, 315SG		4045DT058	257522-	1	
	310G, 310SG, 315SG		4045TT081	-908991	1	
	310G, 310SG, 315SG		4045TT088, 4045TT089		1	
	410G		4045TT082	-894288	1	
	310J, 310SJ, 315SJ, 325J, 410J, 710J				1	
	310G, 310SG, 315SG		4045TT088	268962-	1	
	410G		4045TT082	894288-	1	
JOHN DEERE WHEEL LOADERS						
RE70960	344E, 444E	417317-			1	24
	324H, 344H		4045DF153, 4045TF273		1	
	324H, 344H		4045TF152	-799999	1	
	344J		4045TF273		1	
RE529661	344J		4045HT281		1	25
JOHN DEERE LOG SKIDDERS						
RE70960	440D, 448D, 540D, 548D					24
	540E, 548E		4045TDW03	-383839	1	
	540E, 548E		4045TDW06	396258-	1	
RE506105	460D, 560D	-604613			1	25
	540G, 640G, 648G	-565684			1	
	740G, 748G	-565684			1	
RE501298	640G-III, 648G-III	604614-			1	24
	640H, 648H, 748H,	-630435			1	



PV812



PV813

Part No.	Description	Notes	Qty.	Wt.
CASE 310G, 350B				
PV800	Seat Assembly		1	14
D44386	Seat		1	5
D44169	Back		1	5
PV801	Arm Rests, Pair		1	4
CASE 450, 850, 1150				
PV802	Seat Assembly		1	15
D35226	Seat		1	6
D44169	Back		1	5
R40342	Arm Rests, Pair		1	4
CASE 450B				
PV810	Seat Assembly		1	15
R48423	Seat		1	5
D44169	Back		1	5
R39322	Arm Rests, Pair		1	4
CASE 450C, 455C, 550 (Non Suspension Style)				
PV813	Seat Assembly		1	15
R48423	Seat		1	5
R27596	Back		1	5
R39322	Arm Rests, Pair		1	4
CASE 850B, 850C, 1150B, 1150C (Non Suspension Style)				
PV812	Seat Assembly		1	17
R39323	Seat		1	8
R27596	Back		1	5
R39322	Arm Rests, Pair		1	4



175764A1



185158A2



87344650-E

Part No.	Description	Notes	Qty.	Wt.
CASE 550G, 650G, 850G, 1150G				
175764A1	Seat Assembly, Vinyl		1	73
175764A1-E	Economy Seat Assembly, Vinyl			75
D150377	2" Retractable Seat Belt		1	2
194738A1	Arm Rest Pair w/o Steel Bracket	<i>Also Fits 550E, 850E</i>	2	5
CASE 550H, 650H, 650K, 650L, 750H, 750K, 750L, 850H, 850K, 850L, 1150H, 1150K, 1650L				
359121A1	Seat Assembly w/ Headrest, Vinyl		1	81
359121A1-E	Seat Assembly w/ Headrest, Vinyl			78
D150377	2" Retractable Seat Belt		1	2
194738A1	Arm Rest Pair w/o Steel Bracket	<i>"H" Series Only</i>	2	5
CASE 650L, 750L, 850L, 1150K, 1650L				
87451469	Seat Assembly w/ Headrest, Cloth		1	81
87451469-E	Economy Seat Assembly w/ Headrest, Vinyl		1	78
D150377	2" Retractable Seat Belt		1	2
CASE 570LXT, 580K, 580SK, 580L, 580SL, 580M, 580SM, 580SM+, 580N, 580SN, 590L, 590SL, 590M, 590SM, 590SN				
185158A2	Seat Assembly w/ Arms, Cloth		1	107
185158A2-E	Economy Seat Assembly w/ Arms, Cloth		1	107
185156A1	Seat Assembly w/ Arms, Vinyl		1	107
185156A1-E	Economy Seat Assembly w/ Arms, Vinyl		1	107
D150377	2" Retractable Seat Belt		1	2
87408888	3" Retractable Seat Belt		1	3
CASE CX130, CX130B, CX130C, CX160, CX160B, CX160C, CX210, CX210B, CX210C, CX240, CX240B, CX290				
87344650	Seat Assembly w/ Arms & Headrest, Cloth		1	98
87344650-E	Economy Seat Assembly w/ Arms & Headrest, Vinyl		1	78
87706012	3" Retractable Seat Belt		1	3



PV834



12Y-57-11500

Part No.	Description	Notes	Qty.	Wt.
DRESSER TD7C, TD7E, TD8C, TD8E, 100C, 100E, 125C, 125E				
PV862	Seat Assembly		1	17
621619C1	Seat		1	9
621620C1	Back		1	6
621621-22C1	Arm Rests, Pair	<i>Flat only, 90 degree not available</i>	1	2
KOMATSU D31EX-22, D31PX-22, D37EX-22, D37PX-22, D39EX-22, D39PX-22, D51EX-22, D51PX-22				
12Y-57-11500	Seat Assembly, Cloth	<i>High back cloth seat</i>	1	92
KOMATSU D31EX-21, D31PX-21, D39EX-21, D39PX-21, D39EX-22, D61EX-12, D61PX-12, D61EX-15, D61PX-15, D65E-12, D65EX-12				
134-57-61200	Seat Assembly, Cloth	<i>Mid back cloth seat</i>	1	73
KOMATSU D31EX-22, D31PX-22, D37EX-22, D37PX-22, D39EX-22, D39PX-22, D51EX-22, D51PX-22				
12Y-57-11190	Seat Assembly, Vinyl	<i>Mid back vinyl seat</i>	1	73
KOMATSU D31EX-21, D31PX-21, D37EX-21, D37PX-21, D39EX-21, D39PX-21, D61EX-12, D61PX-12, D61EX-15, D61PX-15, D65EX-12, D65PX-12, D65EX-15, D65PX-15				
134-57-61300	Seat Assembly, Vinyl	<i>Mid back vinyl seat</i>	1	73
JOHN DEERE 440, 1010, 2010				
AT10140	Arm Rests, Pair		1	3
JOHN DEERE 350, 350B, 350C, 450, 450B, 450C, 450D, 550, 555				
PV834	Seat Assembly		1	13
AT23482	Seat		1	6
AT18697	Back		1	4
AT18698-99	Arm Rests, Pair	<i>90 degree</i>	1	4
JOHN DEERE 350D, 400G, 450E, 455E, 550B, 555B, 450G, 455G, 550G, 555G, 650G				
AT105140	Seat Assembly	<i>Seat & Back, 350D, 400G, 450E, 455E, 550B, 555B</i>	1	29
AT104453	Arm Rests, Pair	<i>90 degree</i>	1	4
AT359296	Arm Rest, Pair	<i>"G" Series Only w/ Suspension Seats</i>	2	3.6

Part No.	Description	Notes	Qty.	Wt.
JOHN DEERE 450G, 455G, 550G, 555G, 650G, 750B, 850B				
AT68415	Seat Assembly, Vinyl		1	73
AT68415-E	Economy Seat Assembly, Vinyl		1	77
AT484894	2" Retractable Seat Belt		1	2
JOHN DEERE 450H, 450J, 550H, 550J, 650H, 650J, 700H, 700J, 750C, 750H, 750J, 850C, 850J				
AT424635	Seat Assembly w/ Headrest, Vinyl		1	79
AT424635-E	Economy Seat Assembly w/ Headrest, Vinyl		1	78
AT424636	Seat Assembly, Cloth, w/ Headrest		1	79
AT484894	2" Retractable Seat Belt		1	2
AT359296	Arm Rest Pair		2	3.6
JOHN DEERE 310D, 310E, 310SE, 410D, 410E				
AT175383	Seat Assembly w/ Arms, Vinyl		1	108
AT175384	Seat Assembly w/ Arms, Cloth		1	108
AT484894	2" Retractable Seat Belt		1	2
JOHN DEERE 310G, 310SG, 310J, 310SJ, 315SG, 315SJ, 410G, 410J, 710G, 710J				
AT407315	Seat Assembly w/ Arms, Vinyl		1	109
AT407315-E	Economy Seat Assembly w/ Arms, Vinyl		1	108
AT407317	Seat Assembly w/ Arms, Cloth		1	109
AT407317-E	Economy Seat Assembly w/ Arms, Cloth		1	108
AT484894	2" Retractable Seat Belt		1	2
JOHN DEERE 310K, 310SK, 310L, 310SL, 315SL, 325K, 325SL, 410L, 710L				
AT471523	Seat Assembly w/ Arms, Vinyl		1	109
AT471523-E	Economy Seat Assembly w/ Arms, Vinyl		1	108
AT471522	Seat Assembly w/ Arms, Cloth		1	109
AT471522-E	Economy Seat Assembly w/ Arms, Cloth		1	108
AT484894	2" Retractable Seat Belt		1	2
JOHN DEERE 80C, 120C, 135C, 160C, 200C, 230C, 270C, 370C, 450C				
4458290R	Seat Assembly w/ Arms & Headrest, Cloth		1	90
4458290R-E	Economy Seat Assembly w/ Arms & Headrest, Vinyl		1	78
4692386	3" Retractable Seat Belt		1	3
JOHN DEERE 75D, 120D, 130G, 135D, 160D, 160G, 180G, 200D, 210G, 225D, 240D, 245G, 250G, 270D, 290G, 300G, 350D, 350G, 380G, 470G				
FYA00009134	Seat Assembly w/ Headrest, Cloth		1	86
FYA00009134-E	Economy Seat Assembly, Vinyl w/ Headrest		1	78
4692386	3" Retractable Seat Belt		1	3
CAT D3G, D4G, D5G, D6G2, D6N, D6R, D6T, D7G2, D7R, D8R, D9R, D9T				
159-2950	Seat Assembly, Vinyl		1	76
159-2950-E	Economy Seat Assembly, Vinyl		1	78
160-7186	Seat Assembly, Cloth		1	76
CAT 415F2, 416D, 416E, 416F, 416F2, 420D, 420E, 420F, 420F2, 422E, 424D, 428D, 428E, 430D, 430E, 430F, 430F2, 432D, 432E, 438D, 442D, 442E, 446D, 450E, 450F				
206-1791	Seat Assembly w/ Arms, Vinyl		1	109
206-1791-E	Economy Seat Assembly w/ Arms, Vinyl		1	108
206-1796	Seat Assembly w/ Arms, Cloth		1	109
206-1796-E	Economy Seat Assembly w/ Arms, Cloth		1	108
190-8918	2" Retractable Seat Belt		1	2

TECHNICAL DATA SPECIFICATION



Grammer Premium Heavy Duty Suspension Seat

Part No.	Description
PV9020	Grammer Premium Seat with Mechanical Suspension, Adjustable Backrest, and Heavy Duty Black Vinyl
PV9021	Grammer Premium Seat with Mechanical Suspension, Adjustable Backrest, and Heavy Duty Black Fabric
Accessories	PV9031: Vinyl Headrest PV9032: Fabric Headrest AT484894: Seatbelt 2' 4692386: Seatbelt 3" PV9044: OPS Kit

KEY FEATURES

- Rugged Steel Frame Construction
- Vinyl or Fabric Options
- Mechanical Suspension
- Weight Adjustment Control
- Adjustable Backrest

APPLICATIONS


- Construction Equipment
- Dozers
-
-
-
-

Bolt Patterns: 10.25" x 7.75", 10.25" x 8.25", 10.25" x 9.25", 10.25" x 10.5", 10.25" x 11", 10.25" x 11.5", 10.25" x 11.75", 10.25" x 12.75"

*(Seat Adapters available to match alternative bolt pattern - SEE BELOW)

Seat Dimensions:

Compatible with many OEM seat mounting patterns





Heavy Duty Full Adjustment
Suspension Seat

TECHNICAL DATA SPECIFICATION

Part No.	Description
PV9018	High Back Seat w/ Heavy Duty Mechanical Suspension, Adjustable Backrest, Slides, Lumbar, Black Vinyl
AT105140	Seat w/ Slides, Adjustable Backrest, Lumbar, Black Vinyl (Seat Top Only)
Accessories	PV9024: Seatbelt 3" PV9025: Seatbelt 2" PV9035: Open Circuit Wafer Style OPS Switch w/ leads

KEY FEATURES

- Rugged Steel Frame Construction
- Built-In Comfort Cushions
- Mechanical Suspension
- Heavy-Duty Single-Lock Slide Rails
- Adjustable Backrest

APPLICATIONS

- Construction Equipment
- Dozers
- Skid Steer
- Turf
-


PV9018 Bolt Patterns (suspension to machine):
10.25 x 7.75", 10.25" x 8.25", 10.25" x 9.25", 10.25" x 10.5", 10.25" x 11", 10.25" x 11.5", 10.25" x 11.75", 10.25" x 12.75"

AT105140 Seat Top Bolt Pattern (Adjustable Width/Length): 6.5-13.5" x 11" **CONTACT SALES TEAM FOR ADDITIONAL DIMENSION FIGURATIONS**

*(Seat Adapters available to match alternative bolt pattern)

Seat Dimensions:

Compatible with many OEM seat mounting patterns





Heavy Duty
Fully Adjustable Seat

Can be configured without arms

TECHNICAL DATA SPECIFICATION

Part No.	Description
PV9015	High-Back Seat w/ HD Vinyl, Slides, Headrest, Armrest, Lumbar, Black & Grey Vinyl (Seat Top Only)
PV9019	High-Back Seat w/ Mechanical Suspension, HD Vinyl, Slides, Headrest, Armrest, Lumbar, Black & Grey Vinyl
Accessories	PV9024: Seatbelt 3" PV9025: Seatbelt 2" PV9035: Open Circuit Wafer Style OPS Switch w/ leads

KEY FEATURES

- Rugged Steel Frame Construction
- Built-In Comfort Cushions
- Mechanical Suspension
- Heavy-Duty Single-Lock Slide Rails
- Adjustable Armrest, Headrest & Backrest (28° Back, 90° forward)

APPLICATIONS

- Construction Equipment
- Dozers
- Wheel Loaders
- Graders
- Excavators



PV9019 Bolt Patterns: 10.25" x 7.75", 10.25" x 8.25", 10.25" x 9.75", 10.25" x 10.5", 10.25" x 11", 10.25" x 11.5", 10.25" x 11.75", 10.25" x 12.75"

PV9015 Seat Top Bolt Pattern (Adjustable Width/Length): 6.5-13.5" x 11" CONTACT SALES TEAM FOR ADDITIONAL DIMENSION FIGURATIONS

*(Seat Adapters available to match alternative bolt pattern)

Seat Dimensions:

Compatible with many OEM seat mounting patterns



Variable Mounting Options



Heavy Duty Mechanical
Suspension Seat

Can be configured without arms

TECHNICAL DATA SPECIFICATION

Part No.	Description
PV9016	Seat with Heavy Duty Mechanical Suspension, Armrest, Swivel, Slides and Black Vinyl
PV9017	Seat with Heavy Duty Mechanical Suspension, Armrest, Swivel, Slides and Black Fabric
Accessories	PV9026: Vinyl Headrest PV9027: Fabric Headrest PV9024: Seatbelt 3" PV9025: Seatbelt 2" PV9035: Delta OPS Switch

KEY FEATURES

- Rugged Steel Frame Construction
- Vinyl and Fabric Options
- Mechanical Suspension
- Heavy-Duty Single-Lock Slide Rails
- Adjustable Armrest, Back & Upper Backrest

APPLICATIONS




- Construction Equipment
- Loader Backhoes

Bolt Patterns: 10.25 x 7.75", 10.25 x 8.25", 10.25 x 9.25", 10.25 x 10.50", 10.25 x 11.00", 10.25 x 11.50", 10.25 x 11.75", 10.25 x 12.75"

*(Seat Adapters available to match alternative bolt pattern - SEE BELOW)

Seat Dimensions:

Compatible with many OEM seat mounting patterns



Variable Mounting Options



TECHNICAL DATA SPECIFICATION

Part No.	Description
PV9022	High-Back Seat w/ Mechanical Suspension, HD Vinyl, Slides, Headrest, Armrest, Lumbar, Black Cordura Fabric
PV9045	High-Back Seat w/ HD Vinyl, Slides, Headrest, Armrest, Lumbar, Black Cordura Fabric (Seat Top Only)
Accessories	PV9024: Seatbelt 3" PV9025: Seatbelt 2" PV9035: Open Circuit Wafer Style OPS Switch w/ leads

KEY FEATURES

- Rugged Steel Frame Construction
- Built-In Comfort Cushions
- Mechanical Suspension
- Heavy-Duty Single-Lock Slide Rails
- Adjustable Armrest, Headrest & Backrest (28° Back, 90° forward)

APPLICATIONS

- Construction Equipment
- Dozers
- Wheel Loaders
- Graders
- Excavators

Heavy Duty Cordura Fabric Fully Adjustable Seat

Cordura: extremely durable, abrasion, tear, water, and UV-resistant fabric designed for high-wear applications that require long-lasting performance

Can be configured without arms




PV9022 Bolt Patterns: 10.25" x 7.75", 10.25" x 8.25", 10.25" x 9.75", 10.25" x 10.5", 10.25" x 11", 10.25" x 11.5", 10.25" x 11.75", 10.25" x 12.75"

PV9045 Seat Top Bolt Pattern (Adjustable Width/Length): 6.5-13.5" x 11" CONTACT SALES TEAM FOR ADDITIONAL DIMENSION FIGURATIONS

**(Seat Adapters available to match alternative bolt pattern)*

Seat Dimensions:

Compatible with many OEM seat mounting patterns



Variable Mounting Options



Grammer Preimum Heavy
Duty Full Adjustment
Suspension Seat

TECHNICAL DATA SPECIFICATION

Part No.	Description
PV9033	Grammer Premium Seat w/ Mechanical Suspension, Armrest Set, Heavy Duty Black Vinyl
PV9034	Grammer Premium Seat w/ Mechanical Suspension, Armrest Set, Heavy Duty Black Fabric
Accessories	PV9031: Headrest, Black Vinyl PV9032: Headrest, Black Fabric PV9044: OPS Kit AT484894: 2" Seatbelt 4692386: 3" Seatbelt


KEY FEATURES	APPLICATIONS
◆ Rugged Steel Frame Construction	◆ Construction Equipment
◆ Vinyl and Fabric Options	◆ Loaders
◆ Mechanical Suspension	◆ Graders
◆ Built-In Comfort Cushions	◆
◆ Adjustable Armrest & Backrest	◆

Bolt Patterns: 10.25 x 7.75", 10.25 x 8.25", 10.25 x 9.25", 10.25 x 10.50", 10.25 x 11.00", 10.25 x 11.50", 10.25 x 11.75", 10.25 x 12.75"

**(Seat Adapters available to match alternative bolt pattern - SEE BELOW)*

Seat Dimensions:

Compatible with many OEM seat mounting patterns



TECHNICAL DATA SPECIFICATION



Part No.	Description
PV9011	Heavy Duty Mech Suspension Seat, Adjustable Headrest, Armrests, Lumbar, Slides, Tilt Control, Black Vinyl
PV9012	Heavy Duty Mech Suspension Seat, Adjustable Headrest, Armrests, Lumbar, Slides, Tilt Control, Black Fabric
PV3035	Delta OPS Switch, 2 Screw, Normally Open Circuit
Accessories	PV9024: 3" Seatbelt PV9025: 2" Seatbelt

KEY FEATURES

- Mechanical Lumbar Support
- Weight Adjustment Control
- 24" - 26" Seat Depth
- Operator Presence Switch (OPS)
- Adjustable Headrest & Backrest (72-170°)

APPLICATIONS

- Construction Equipment
- Excavators
- Wheel Loaders
-
-

Heavy Duty High-Profile
Suspension Seat


Can be configured without arms

Bolt Patterns: 10.25" x 7.75", 10.25" x 8.25", 10.25" x 9.95", 10.25" x 10.5", 10.25" x 11", 10.25" x 11.5", 10.25" x 11.75", 10.25" x 12.75"

*(Seat Adapters available to match alternative bolt pattern - SEE BELOW)

Seat Dimensions:

Compatible with many OEM seat mounting patterns



TECHNICAL DATA SPECIFICATION

Part No.	Description
PV9003	L-P Suspension Heavy Duty Seat, OPS, Slides, Retractable Seat Belt, Document Pouch, Black Vinyl
PV9004	L-P Suspension Heavy Duty Seat, OPS, Slides, Retractable Seat Belt, Document Pouch, Grey Vinyl
PV9005	L-P Suspension Heavy Duty Seat, OPS, Slides, Retractable Seat Belt, Document Pouch, Grey Fabric
Accessories	PV9006: Armrest Set PV9028: Upper Backrest Black Vinyl PV9029: Upper Backrest Grey Vinyl PV9030: Upper Backrest Grey Fabric PV9037: Wafer Style Micro-Switch w/ leads



Heavy Duty Low-Profile
Suspension Seat

KEY FEATURES

- Rugged Steel Construction
- Built-In Comfort Cushions
- Low-Profile Mechanical Suspension
- Heavy-Duty Single-Lock Slide Rails
- Adjustable Backrest

APPLICATIONS


- Construction Equipment
- Material Handling
- Skid Steers
- Forklifts
- Commercial Turf

Bolt Patterns: Slides Can Be Mounted Laterally at 11.25 x 10.70-11.29", 12.59 x 10.70-11.29", 12.91 x 10.70-11.29"

**(Seat Adapters available to match alternative bolt pattern - SEE BELOW)*

Seat Dimensions:

Compatible with many OEM seat mounting patterns





Heavy Duty Full Adjustment
Suspension Seat

TECHNICAL DATA SPECIFICATION

Part No.	Description
PV9007	Seat with Suspension, Upper Backrest, Armrest, Swivel, Seatbelt, Slides, Black Vinyl
PV9008	Seat with Suspension, Upper Backrest, Armrest, Swivel, Seatbelt, Slides, Black Fabric
Accessories	PV9009: Seatbelt PV9036: Wafer Style OPS Switch w/ leads, Normally Open Circuit

KEY FEATURES

- Rugged Steel Frame Construction
- Swivel Range 360 Degrees
- Mechanical Suspension
- 3-Position Height Adjustment
- Adjustable Armrest, Upper Backrest & Adjustable Back (28° Back, 90° forward)

APPLICATIONS




- Construction Equipment
- Loader Backhoes

Bolt Patterns: 10.25" x 7.75", 10.25" x 8.25", 10.25" x 9.25", 10.25" x 10.5", 10.25" x 11", 10.25" x 11.5", 10.25" x 11.75", 10.25" x 12.75"


*(Seat Adapters available to match alternative bolt pattern - SEE BELOW)

Seat Dimensions:

Compatible with many OEM seat mounting patterns



Variable Mounting Options




Part No.	Description	Notes	Qty.	Wt.
CASE 570LXT, 580L, 580SL, 590SL (SERIES 1 ONLY)				
1 130050A1	Hydraulic Tank		1	189
2 133020A1	Battery Cover		1	20
CASE 570MXT, 580L Ser.2, 580SL Ser.2, 590SL Ser.2, 580M, 580SM, 585G, 586G, 588G				
1 87429272	Hydraulic Tank		1	189
2 231656A1	Battery Cover		1	20

MISC. HARDWARE

SELF-ALIGNING BUSHINGS

Part No.	A	B	C	D
AH150341	50	75	35	28
AH155619	45	68	32	25
AT128773	50	75	35	28
AT128774	60	90	44	36
AT142307	70	105	49	40
AT157173	45	75	43	28
AT157174	50	90	56	36
AT157247	70	120	70	45
AT209365	1.770	3.563	2.204	1.420
B12L	.750	1.2500	.656	.562
B16LSS	1.000	1.6250	.875	.750
B20LSS	1.250	2.0000	1.093	.937
B22LSS	1.375	2.1875	1.187	1.031
B24LSS	1.500	2.4375	1.312	1.125
6V8105	1.50	2.812	1.529	1.309
B28LSS	1.750	2.8125	1.531	1.312
B32LSS	2.000	3.1875	1.750	1.500
B36LSS	2.250	3.5625	1.969	1.687
B40LSS	2.500	3.9375	2.187	1.875
R37021	2.500	4.3750	2.545	2.062
B44LSS	2.750	4.3750	2.406	2.062
R55698	2.750	4.7500	2.790	2.250
B48L	3.000	4.7500	2.625	2.250
R37037	3.250	5.5000	3.265	2.625
6V8105	1.500	2.8125	1.577	1.309




PRE-CLEANER BOWLS

1M7250	Medium	10 1/2"
6H8021	Large	12"
8H2023	Small	7"

WELD-ON BOSS - W/ Hardened Bushing in Center

Part No.	Description	ID x OD x Length
PVB1	Bushing	2" x 4" x 1.600"
PVB2	Bushing	1 3/4" x 3" x 1"
PVB3	Bushing	1 3/4" x 3 1/4" x 1 1/2"
PVB4	Bushing	2" x 3 1/2" x 1 1/2"
PVB5	Bushing	2" x 3 1/2" x 2"
PVB6	Bushing	1 1/2" x 3" x 3/4"
PVB7	Bushing	1 1/4" x 2 1/2" x 3/4"
PVB8	Bushing	2 1/2" x 4 1/4" x 1 1/2"



CUSTOM PINS AND BUSHINGS - Made to your specifications

Custom pins made to order ranging in size from 1" through 5.25" or 35mm to 130mm are available by speaking with our customer service team

Please allow 2-3 days lead time for machining prior to shipping

Custom pins are made from 4140 Q&T material unless otherwise requested

MISC. HARDWARE

Internal Snap Rings		
Part No.	Free O.D.	Thickness
100-21237	2.63	0.081
112504A1	0.93	0.039
299324A1	0.93	0.059
N1300-0244	2.70	0.081
N1300-0268	2.98	0.094
N1300-0275	3.05	0.094
N1300-0281	3.12	0.094
N1300-0300	3.33	0.094
N1300-0325	3.62	0.109
N1300-0354	3.92	0.109
N1300-0387	4.26	0.109
N1300-0393	4.36	0.109
N1300-0450	4.94	0.109
N1300-0475	5.21	0.109
N1300-0525	5.77	0.128

External Snap Rings - Inch		
Part No.	Free I.D.	Thickness
804X078	0.804	0.078
1150X093	1.150	0.093
800-1134	1.240	0.058
D25279	1.370	0.100
1380X109	1.380	0.109
103-16175	1.600	0.109
1618X109	1.618	0.109
A48041	1.630	0.067
D26919	1.840	0.127
1840X062	1.840	0.062
1964X078	1.964	0.078
1993X078	1.993	0.078
2255X078	2.255	0.078
2313X078	2.313	0.078
2377X078	2.377	0.078
2428X078	2.428	0.078
2543X093	2.543	0.093

External Snap Rings - Metric		
Part No.	Free I.D.	Thickness
M3650X250	36.50	2.50
M4150X250	41.50	2.50
M4580X300	45.80	3.00
M5080X300	50.80	3.00
M5580X300	55.80	3.00
M6550X250	65.50	2.50
M7350X250	73.50	2.50
M7450X250	74.50	2.50

CHROME RODS	
Standard	Metric
1 1/4"	40 mm
1 1/2"	45 mm
1 3/4"	50 mm
1 7/8"	55 mm
2"	56 mm
2 1/8"	60 mm
2 1/4"	63 mm
2 3/8"	65 mm
2 1/2"	70 mm
2 3/4"	80 mm
3"	85 mm
3 1/4"	90 mm
4"	

Chrome rods are cut to length.

Special machining and welding avail.

METRIC WASHERS		
Part No.	ID x OD x Thickness	
45MX250	1.780 x 2.532 x .250	
50MX250	1.978 x 2.719 x .250	
55MX375	2.173 x 3.175 x .375	
60MX375	2.372 x 3.372 x .375	
65MX375	2.568 x 3.549 x .375	
70MX375	2.763 x 3.743 x .375	
80MX375	3.160 x 4.160 x .375	
90MX375	3.551 x 4.520 x .375	
100MX375	3.939 x 5.197 x .375	
65MX104	2.600 x 4.100 x .104	
70MX104	2.800 x 4.300 x .104	
80MX104	3.200 x 4.700 x .104	
90MX104	3.600 x 5.100 x .104	
100MX104	4.000 x 5.500 x .104	
495-81226	1.770 x 2.500 x 0.135	
495-81292	1.520 x 2.500 x 0.080	
195-2155	2.200 x 2.900 x 0.080	
30575	1.720 x 2.250 x 0.080	
U11649	1.520 x 2.260 x .135	
495-81282	2.200 x 3.000 x 0.135	

MISC. HARDWARE

Steel Pin Shims			
Part No.	I.D.	Th. (mm)	Wt.
45X1ST	45	1.0	0.1
45X2ST	45	2.0	0.2
50X1ST	50	1.0	0.1
50X2ST	50	2.0	0.2
55X1ST	55	1.0	0.1
55X2ST	55	2.0	0.2
60X1ST	60	1.0	0.2
60X2ST	60	2.0	0.4
65X1ST	65	1.0	0.2
65X2ST	65	2.0	0.4
70X1ST	70	1.0	0.2
70X2ST	70	2.0	0.4
80X1ST	80	1.0	0.2
80X2ST	80	2.0	0.4
90X1ST	90	1.0	0.3
90X2ST	90	2.0	0.6
100X1ST	100	1.0	0.3
100X2ST	100	2.0	0.6

Poly Pin Shims			
Part No.	I.D. (mm)	Th. (mm)	Wt.
45X2TP	45	2.0	0.02
60X2TP	60	2.0	0.04
60X3TP	60	3.0	0.06
65X2TP	65	2.0	0.06
65X3TP	65	3.0	0.08
70X2TP	70	2.0	0.08
70X3TP	70	3.0	0.12
80X2TP	80	2.0	0.10
80X3TP	80	3.0	0.14
90X2TP	90	2.0	0.10
90X3TP	90	3.0	0.15
100X2TP	100	2.0	0.12
100X3TP	100	3.0	0.16
110X2TP	110	2.0	0.13
110X3TP	110	3.0	0.18

Pin Seals			
Part No.	I.D x O.D. (mm)	Th. (mm)	Wt.
40X50X4	45 x 50	4.0	0.01
40X55X4	40 x 55	4.0	0.02
40X55X6	40 x 55	6.0	0.03
45X55X4	40 x 55	4.0	0.03
45X55X6	45 x 55	6.0	0.04
45X60X4	45 x 60	4.0	0.04
45X60X6	45 x 60	6.0	0.04
50X60X4	50 x 60	4.0	0.05
50X65X4	50 x 65	4.0	0.05
60X75X4	60 x 75	4.0	0.10
60X75X6	60 x 75	6.0	0.05
65X80X4	65 x 80	4.0	0.06
65X80X6	65 x 80	6.0	0.06
70X85X4	70 x 85	4.0	0.07
70X85X6	70 x 85	6.0	0.08
70X85X8	70 x 85	8.0	0.09
4084578	71 x 86	5.0	0.10
75X90X4	75 x 90	4.0	0.10
75X90X6	75 x 90	6.0	0.10
75X90X8	75 x 90	8.0	0.10
80X95X4	80 x 95	4.0	0.10
80X95X6	80 x 95	6.0	0.12
80X95X8	80 x 95	8.0	0.12
85X100X4	85 x 100	4.0	0.13
85X100X6	85 x 100	6.0	0.14
85X100X8	85 x 100	8.0	0.14
90X105X4	90 x 105	4.0	0.14
90X105X6	90 x 105	6.0	0.15
90X105X8	90 x 105	8.0	0.15
100X115X4	100 x 115	4.0	0.15
100X115X6	100 x 115	6.0	0.17
100X115X8	100 x 115	8.0	0.18
110X130X6	110 x 130	6.0	0.18
110X130X8	110 x 130	8.0	0.19
110X130X10	110 x 130	10.0	0.19
120X140X8	120 x 140	8.0	0.20

Split Type O-Rings For Excavators							
Part No.	I.D. (mm)	Th (mm)	Wt.	Part No.	I.D. (mm)	Th. (mm)	Wt.
70X11OR	70	11.0	0.10	130X12OR	130	12.0	0.20
80X11OR	80	11.0	0.10	145X12OR	145	12.0	0.22
90X11OR	90	11.0	0.15	156X12OR	156	12.0	0.24
100X11OR	100	11.0	0.17	166X12OR	166	12.0	0.25
110X11OR	110	11.0	0.18	176X12OR	176	12.0	0.26
120X12OR	120	12.0	0.20	186X12OR	186	12.0	0.27

Part No.	Description	Notes	Qty.	Wt.
	CASE 521G, 521G2, 621G, 621G2, 651G, 721G, 721G2, 821G, 821G2, 921G, 921G2, 1021G, 1021G2, 1121G, 1121G2			
47700274	Angle Sensor		1	0.1
	CASE 570LXT, 570MXT, 570N, 570NXT, 580L, 580M, 580N, 580SL, 580SM, 580SN, 590L, 590SL, 590SM, 590SN, 585G, 586G, 586H, 588G, 588H			
278328A1	FNR Selector Switch		1	0.8
	CASE 580N, 580SL-II, 580SM-II, 580SM-III, 580SN, 590SL-II, 590SM-II, 590SM-III, 580SN, 586H, 588H			
84342285	FNR Lever, 4 Gears, 7 Pin		1	0.8
	JOHN DEERE 310G, 310SG, 315SG, 410G LOADER BACKHOE, 444G, 444J, 444K, 524 P, 524K, 544G, 544 P, 544J, 544K, 624 P, 624J, 624K, 644G, 644 P, 710G, 724 P, 724J, 724K, 744J, 744K, 824J, 824K, 844J, 944K WHEEL LOADER, 250D, 300D, 350D, 400D ART. DUMP TRUCK			
RE261354	Angle Sensor		1	0.2
	JOHN DEERE 310E, 310L, 410 P, 310 P LOADER BACKHOE, 622 P, 724K WHEEL LOADER, 260 P, 260E, 310E, 310P, 370E, 410E, 410P, 460E, 460P ART. DUMP TRUCK 620G, 620P, 622G, 622P, 670D, 670G, 670P, 672G, 672P, 770D, 770G, 770GP, 770P, 772G, 772GP, 772P, 870D, 870G, 870GP, 870P, 872G, 872GP MOTOR GRADER			
AT333680	Angle Sensor		1	0.2
	JOHN DEERE 470G, 470 P EXCAVATOR			
AN306751	Rotation Sensor		1	0.2
	JOHN DEERE 450H, 550H, 650H, 700H, 750C s/n 875379-, 850C s/n 875379-, 750C-II s/n 883332-, 850C-II s/n 883332-			
AT360573	Wheel Speed Sensor		2	0.2
	JOHN DEERE 450J, 550J, 550K s/n -E275227, 605C, 605K, 650J, 650K s/n -E275533, 655K s/n -E339325, 700J, 700K s/n -E270478, 750J, 750K s/n -E270478, 755K s/n -E339325, 850J, 850K s/n -E271265			
AT360574	Wheel Speed Sensor		2	0.2
	JOHN DEERE 450K, 550K, 650K, 700K, 700L, 700P, 750K, 750L, 750P, 850K, 850L, 850P, 950K, 950P, 1050K, 1050P, 655K, 755K, 622G, 622P, 672G, 672P, 772G, 772P, 872G			
AT416949	Wheel Speed Sensor		2	0.2
	CAT 416E, 420D (BLN, FDP, BKC, BMC), 420E (DAN, DJL, HLS, KMW, PHC, PRA), 422E (HBE), 424B (JRC), 424D, 428D, 428E (SNL), 430D, 430E, 432D, 432E (BXE), 434E (FSH), 438D, 442D, 442E (GKZ), 444E (LBE)			
261-2207	Transmission Controller		1	2.0
	CAT 416C, 416D (BGJ), 420D, 420E, 424D (BGP, BKR), 426C, 428C, 428D, 430D, 430E, 432D, 432E (BXE), 434E (FSH), 436C, 438C, 438D, 442D, 442E (GKZ), 444E (LBE), 446B (5BL), 446D (DBL)			
261-2208	Transmission Controller		1	2.2
	CAT 416C, 426C, 428C (8RN), 436C (1FR, 1PR, 1RR, 8TN, 9JN), 438C			
261-2209	Transmission Controller		1	2.0
	CAT 420E (PHC, PRA, GEK, DJL, DAN), 430E (MXB, RLN, SCD, SWC)			
238-0120	Speed Sensor		1	0.1
	CAT 420XE, 420 (N2X), 440 (DC9, H9W, MZX), 450 (DYN, H9Y)			
266-2337	Rotary Position Sensor		1	2.0

Part No.	Description	Notes	Qty.	Wt.
CAT 307 (2WM), 312B (6SW, 9FS), 315B L (5SW), 317 N (9SR), 320 L (3XK, 9KK), 320B (1XS, 3YZ), 320B L (6LW, 7JR, 9WS), 320B L (6LW, 7JR, 9WS), 320B N (2AS), 322 L (8ML), 322B L (2ES), 322B LN, 325B L (4DS, 5BS, 6DN), 325B LN, 330 L (2EL), 330B L (3YR, 4RS, 5LS), 330B LN, 345B L (2SW, 7KS)				
113-2531	Joystick, 3 Button w/o Connector		1	0.6
311D LRR, 312D, 312D L (JBC, KES, SKA, TGY, XGK, RKF), 313D, 314D CR, 314D LCR, 315D L, 318D L, 319D, 319D L, 320 (BR6, DYT, NMC, XAR, YBP, ZBN), 320D, 320D FM, 320D L, 320D2 FM, 320E, 320E L, 320E LRR, 321D LCR (MDT, MPG, NAS, PBD, TXA), 323 (BR9, DWF, KTY, NGY, RAZ, YBL), 323 GX, 323D, 323D L, 323D LN (RAC, CWG), 323D2, 323D2 L, 323E L, 323F (KBY, NCW), 323F L, 323 GC, 324E, 324E L, 324E LN, 326 (EJY, HFF, KCK), 326 GC (DYG), 326D2, 326D2 L, 326F (HCA, EBK, FBR), 326F L, 326 GC, 329D2, 329D2 L (THW, KJB, WDT), 329E, 329E L, 329E LN, 329F L, 330 (KEL, MGK, YCS), 330 GC, 330D2, 330D2 L, 330F, 330F L, 336 GC (HBY, JFW)				
238-0120	Speed Sensor		1	0.1
305 CR, 305.5 CR, 306 (6G6), 308 (GG8, GJ3), 309 (GG9, GJ4), 311D LRR, 312D (HCW, RHL), 312D L 315D L (BZN, CJN, JGS), 319D L (EAW, ZCA, AYF), 319D LN, (FMH, KFM, RJP), 336E, 336E L (BZY, YEP, GTJ, TEG), 345D (NEG), 345D L (BYC, JKN, PBT, RAE, EEH, KFH, MLK, RAJ, RGD, RGG, YEE), 349D, 349D L (KLH, NNF, PZG, WTD, JGB, KHS), 349D2, 349D2 L (SDM, XAC), 374D L (PAP, PAS, PAX, PJA)				
266-2337	Rotary Position Sensor		1	2.0
D3C III (4KS, 4TS, 5GS), D4C III (4LS, 6BS, 8CS), D5C III (5HS, 6CS, 7PS) DOZER				
113-2531	Joystick, 3 Button w/o Connector		1	0.6
D3K, D4K, D5K, D6K, D6K2 (7PS, MXK, RST, WMR), D4 (H3C, K3G, MTT), D5 (BMG, NKW, NKX, ST6, Z2K, Z2N, Z2P), D5R, D5R2, D6N (GHS, MLW, DJA, DJY, JAH, LJR, GB6, P5S, P5T, P5W, MG5, PBA, SGG, SAC6, NJN, PER)				
238-0120	Speed Sensor		1	0.1
CAT D3C-III (4KS, 4TS, 5GS), D4C-III (4LS, 6BS, 8CS), D5C-III (7PS, 5HS, 6CS), 933C				
165-4754	Joystick, 3 Button w/ Connector		1	0.6
953K, 963D, 963K, 973 (ELY, FSA), 973D, 973K, 239D, 239D3, 249D, 249D3 (P9C, R9E, WS5), 255 (DY7, FL7) 259D, 259D3, 265 (JN6, KR4), 275 (P9F, R8Y), 275XE, 279D, 279D3 (RB9, SZ9, TB9, Z9E), 285 (2X2, WH9), 285XE, 289D, 289D3 (BT9, JX9, KX9, LA9), 299D (GTC), 299D XHP (JST), 299D2 (BY4, FD2), 299D2 XHP, 299D3, 299D3 XE, 953 (LTL, YTL)				
266-2337	Rotary Position Sensor		1	2.0
CAT 924G, 924GZ (WGX, DFZ, AAB, RTA), 924H (HXC, JTM, KLN, RRS, LKW), 924HZ (JZZ, PED, JRL, WLB), 928G (WLG, DJD, 6XR, 7SR), 928HZ (BYD)				
287-0524	Joystick, FNR		1	0.5
924H, 924K, 926 (K8E), 926M (W5L), 928H, 930 (F3S, HFL, KWL, SA5), 930H, 930K, 930M, 938, 938H, 938K, 938M, 950 (CE7, CM2, RM7, TN2, WF8, WL6, WL7, WL8), 950 GC, 950K, 950L, 950M (EMB, ENE, FTR, J1S, LCR, XCI), 962 (FC3, MT2, WL9, WLJ, WLX, WLZ, ZD8, RCL), 962K, 962L (SXS), 962M (EJB, F2T, J2S, JYD, LSE), 966, 966F (4YG), 966F2, 966K XE, 966M XE, 966XE (HNP, MZN), 972 (SM2, FFB, FGD, M7P, W99, WF9), 972M XE, 972 XE				
238-0120	Speed Sensor		1	0.1
938F, 950F (4DJ), 950F2, 960F, 966F (8BG), 966F2, 970F, 980F (5XJ), 980F2				
165-4754	Joystick, 3 Button w/ Connector		1	0.6

ELECTRICAL/SENSORS

CAT

Part No.	Description	Notes	Qty.	Wt.
CAT 938F, 950F (4DJ) , 950F2, 960F, 966F (8BG) , 966F2, 970F, 980F (5XJ) , 980F2				
212-0403	FNR Transmission Controller, 4 Speed w/ Lock		1	3.8
906 (HZ6, LZ6, MZ6) , 907 (HZ7, MZ7) , 908 (HZ8, LZ8, MZ8) , 924 (KWK) , 924K, 926 (K8E) , 926M, 930 (F3S, HFL, KWL) , 930K (FRK, HEG, DYB, EYE, P3K, RHN) , 930M, 938 (EZY, KWS) , 938H, 938K (REP, HFW, SWL, W8K, XXT) , 938M, 950 (CE7, CM2, RM7, TN2, WF8, WL6, WL7, WL8) , 950G2 (AXX, AYB, AYL, AXR, BAA) , 950GC, 950H, 950K, 950L, 950M, 950M Z, 962 (RCL, FC3, LN6, MT2, WL9, WLJ, WLX, WLY, WLZ, ZD8) , 962G2 (AXY, AYE, BAB, AXS, BAD) , 962H, 962K, 962L, 962M, 962M Z, 966 (AH8, EL9, J8R, M7R, RD6, WLW) , 966GC, 966 XE (X5M) , 966G2 (AWY, AXJ, ANZ, ANT) , 966H, 966K (PBG, TFS) , 966M, 966M XE, 966 XE (EL8, HNP, MZN) , 972 (FFB, FGD, M7P, SM2, W99, WF9) , 972 XE (SLS) , 972G2 (AXC, AXN, AWP, ANY) , 972H, 972K, 972L, 972M, 972M XE, 972XE, 980 (CF8, CXS, GYL, MK7, MK9, WFX) , 980 XE (EZR, Z8L) , 980G2 (AXG, AWH) , 980 GC (MW7, WC9) , 980H, 980K, 980L, 980M, 980 XE (XE3, XMA) , 982 (FS2, L84, MK8, T4M, W82, WFY) 982 XE (FL6, YBY) , 982M, 982 XE (XE4, YWC) , 986 (W7L, W7M, W7R, W7S) , 986H, 986K, 988 (FXH, FXL, L8Z, LVZ, S3K, SVK) , 988G, 988GC, 988H, 988K, 988 XE, 990 (T6F, TY5) , 990K, 992 (AP7, SM4) , 992G (AZX) , 992K, 993 (ZNA, ZNB) , 993K, 994F, 994H, 994K, 995 (R8M, RXD)				
266-2337	Rotary Position Sensor		1	2.0
CAT 950G (4BS, 6NS, 2JS) , 950G2 (AYB, AYD, AXR) , 950H, 950K, 962G (5AS, 5RS, 3BS) , 962G2 (AYE, AYG, AXS) , 962H, 962K, 966G (3ZS, AAH, 9RS) , 966G2 (ANT, AWZ) , 966H (A6J, A6D, A6G, BJ6, BS6, RYF, TAL) , 972G (7LS, AAW, 1EW) , 972G2 (AXC, ANY, AXE) , 972H (A7D, A7J, A7G, GTA, LCC, WXZ) , 980G, 980G2, 980H				
491-3736	FNR Switch, Joystick Repair		1	0.1
CAT 924G (DDA, EEB, RBB, WMB) , 924GZ (DFZ, RTA, WGX) , 924H, 924HZ, 928G (DJD, WLG) , 928H, 928HZ, 930G, 930H, 938G2 (PHN, RTB) , 938H				
462-1017	Transmission Controller, 4 Speed		1	4.8
CAT 928G (6XR, 7SR) , 938G (4YS, 6WS, 9HS) , 950G (3JW, 4BS, 5FW, 5MW, 8JW) , 950G II (AXX, AYL, AYS, BAA) , 950GC, 950H, 950K, 962G (4PW, 5AS, 6EW, 6HW, 7BW, BDP) , 962G II (AXY, BAB, BAC, BAD) , 962H, 962K, 966 GC (SG7, SGW) , 966G (3PW, 3SW, 8XW, HDH) , 966G2 (ANZ, AXJ, AXL) , 966H, 966K (PBG, TFS) , 972G (4WW, 6AW, 9GW) , 972G II (AWP, AXN, AXP) , 972H, 972K, 980GC, 980K (GTZ, W7K) , 986H (986) , 988H (BXY)				
299-5840	Transmission Controller, 4 Speed		1	4.8
CAT 924G, 924GZ, 928G, 938G, 938G2, 938H, 950G (3JW, 5FW, 8JW, 4BS, 5MW, 6NS) , 950G2 (AYS, AXX, AYL, BAA) , 950GC, 950H, 950g, 962G (4PW, 6EW, 7BW, 5AS, 6HW, 7BW) , 962G2 (BAC, AXY, BAB, BAD) , 962H, 962K, 966G (3SW, 3PW, 8XW, HDH) , 966G2 (AXL, ANZ, AXJ) , 966H, 966K (PBG, TFS) , 972G (4WW, 6AW, 9GW) , 972H, 972K, 980K (GTZ, W7K) , 986H, 988H (BXY)				
299-5839	Transmission Controller, 4 Speed		1	4.8
CAT CATERPILLAR 918F, 924F, 928F				
136-7822	FNR Transmission Controller, 4 Speed w/ Lock		1	3.8
CAT 938G, 938G2, 938H, 950 (CE7, CM2, RM7, TN2, WF8, WL6, WL7, WL8) , 950G (2JS, 5FW, 3JW, 4BS, 5MW, 6NS, 8JW) , 950G2, 950H, 950K, 950L, 950M, 950MZ, 962, 962G, 962G2, 962H, 962K, 962L, 962M, 962MZ, 966, 966XE (X5M) , 966G, 966G2, 966H, 966K, 966L, 966M, 966M XE, 966XE, 972, 972XE, 972G, 972G2, 972H, 972K, 972L, 972M, 972M XE, 972XE, 980G, 980G2				
149-2612	Reverse Relay, 24V		1	0.6
CAT 950H (K5K, J5J, JAD, JLX, M1G, MXL, N1A) , 962H (K6K, J6J, M3G, MAL, N4A, PCW, SSA) , 966H (A6J, A6G, BJ6, BS6, RYF, TAL) , 972H (A7D, A7J, A7G, GTA, LCC, NPE, WXZ) , IT62H				
277-3279	Control Handle Group		1	1.0

Part No.	Description	Notes	Qty.	Wt.
CAT 239D (BL9, CD4) , 249D (AH9, GWR) , 259D (FTL, FTK, GTK, LW5) , 279C (MBT) , 279C2 (KWB) , (JSP) , (HRD) , 299D (GTC, HCL) , 299D2 (BY4, FD2) , 299D XHP (NLC) , 226D, 279D (GTL, PPT, RCX, TP5, WEF) , 289C (JMP) , 289C2 (RTD) , 289D (TAW, A9Z, WCT, WE5) , 299C, 232D (DPR, KXC) , 236D (BGZ, K2D, MPW, SEN) , 242D (DZT, A9W, DML, HFB) , 246C (JAY) , 246D (BYF, HMR, JSL, PN5) , (RED) , 272D (B5W, GSL) , 272D XHP (SHY) , 272D2 (BL2) , 289D (WE5) , 256C (DWS) , 262C (MST) , 262C2 (TMW) , 262D (DTB, KTS, LST, RE5) , 272C, 257D (EZW, D5T, EML, FMR) , 277C (JWF, KCC) , 277C2 (MET) , 277D (FMT, MLT, NTL) , 287C (MAS) , 287C2 (SSB) , 287D (HMT, STK, TLK) , 297C (GCP) , 297D (BE7) , 297D2 (BL7) , 297D2 XHP (HP2)				
273-9103	Control Handle Group, RH		1	1.0
273-9104	Control Handle Group, RH - High Flow		1	1.0
272-1790	Control Handle Group, LH - High Flow		1	1.0

PVE can design and build custom attachments for excavators, backhoes, wheel loaders, and dozers. Having the right attachment on your equipment will save you time while also enhancing your machine's performance

2025 Custom Project:

PVE Custom Bucket installed on a Deere 85 P Excavator



**Custom Trenching Bucket for
70 Series Excavator**



PVE Log Arches are designed to withstand the tough demands of the logging industry. Each arch comes complete with links, brackets, mounting pins, and arch. We offer log arches for most Deere, Cat and Case Dozers.



PV497A & PV6901 installed on a Deere 650J Dozer

LOG ARCH SET





SECTION L

BUCKETS, CUTTING EDGES, THUMBS, RAKES, LOG ARCHES, & FORK ASSEMBLIES



www.paintvalleyequipment.com

Phone: 877-774-0081

Backhoe Buckets

Excavator Buckets

Bucket Teeth

Cutting Edges

Fork Assemblies

Log Arches & Fairleads

Root Rakes

Excavator Thumbs

SECTION L

BUCKETS, CUTTING EDGES, THUMBS, RAKES, LOG ARCHES, FORKS

	Page
DOZER CUTTING EDGES	
CASE	L1
JOHN DEERE	L1
CATERPILLAR	L2
DRESSER	L2
KOMATSU	L2
BACKHOE CUTTING EDGES	
CASE	L2
CAT	L2
JOHN DEERE	L2
WELD ON CUTTING EDGES	L2
BUCKET TEETH & ADAPTERS	L3
BACKHOE BUCKETS	
CASE	L4
JOHN DEERE	L4
FORD	L4
CAT	L4
MINI EXCAVATOR BUCKETS	
BOBCAT, CAT	L5
DEERE, KUBOTA, YANMAR	L6
OTHER	L6, L7
EXCAVATOR BUCKETS	L7
BACKHOE RIPPERS	L8
EXCAVATOR RIPPERS	L9
EXCAVATOR ROOT RAKES	L10
THUMBS	L11
LOG ARCHES	L11, L12
LOG SKIDDER ARCH ROLLER KITS	L13
FORK ASSEMBLIES	L14
DOZER ROOT RAKES	L14

DOZER CUTTING EDGES

CASE DOZERS	L/H	CENTER	R/H
350B	R57841	R24492	R57841
450, 450B, 450C	R57841	R57842	R57841
450C, 550, 550G LGP	R57841	R57843	R57841
550, 550G	R57841	R57844	R57841
550H	305440A1	311729A1	305440A1
550H LGP	305440A1	N/A	305440A1
650	R42470	R44600	R42470
850B, 850C, 850D, 850E	R42470	R44600	R42470
650G, 650H, 650K, 750H, 750K	R42490	(2) 115631A1	R42490
850G, 850H, 850K	R42490	(2) 115631A1	R42490
1150B	N/A	R41350	N/A
1150E	R42470	(3) R44885	R42470
1150G, 1150H	R42490	N/A	R42490

JOHN DEERE DOZERS	L/H	CENTER	R/H
350B, 350C, 350D	U11708	U11707	U11708
400G	T31148	N/A	T31148
450, 450C, 450D, 450E, 550	T31148	U16748	T31148
450E, 550, 550B	T31148	T32742	T31148
450G, 450H, 450J, 450K, 450 P, 550G, 550K, 650G, 650K, 97" Blade	T120978	T120979	T120978
450K, 450 P, 550G, 550H, 550J, 550K, 550 P, 650G, 650H, 650J, 650K, 650 P w/105" Blade	T120978	T120980	T120978
550G, 550H, 550J, 650G, 650H, 650J, 121" Blade	T162841	T120981	T162841
450G, 450H, 450J, 450K, 550G, 550H, 115" Blade	T162841	T140560	T162841
550J, 550K, 650G, 650H, 650J, 650K, 115" Blade	T162841	T140560	T162841
450G, 450H, 450J, 450K, 450 P, 550G, 550K, 650G, 650K, 90" Blade	T120978	T127297	T120978
450H, 450J, 450K, 450 P, 550J, 550K, 550 P, 650J, 650K, 650 P w/ 124" Blade	T120978	T172943	T120978
450K, 550H, 550J, 550K, 650G, 650H, 650J, 650K, 650 P w/128" Blade	T120978	T155646	T120978
700H s/n -937546 w/121" Blade	T162841	T224178	T162841
700H s/n -937546 132" Blade	T162841	T224179	T162841
700H s/n 937547-, 700J, 700K, 700L - 121" Blade	T223520	T224178	T223519
700H s/n 937547-, 700J, 700K, 700L - 133" Blade	T223520	T224179	T223519

Power Angle Tilt Dozers Only	L/H	Inner Center	Outer Center	R/H
750J, 750K - 129" Blade	T204081	T204082	(2) T195673	T204080
750J, 750K, 750L - 156" Blade	T204081	T204082	(2) T204083	T204080
850J, 850K, 850L 146" Blade	T187244	(3) T187987		T187243
850J, 850K, 850L - 158" Blade	T187244	T187988	(2) T187987	T187243
850J, 850K, 850L - 168" Blade	T187244	T187988	(2) T187989	T187243

DOZER & BACKHOE CUTTING EDGES

WELD-ON EDGES

CAT DOZERS		L/H	CENTER	R/H	
D3, D3B		4T6229	(2) 4T6230	4T6229	
D3B, D3C, D3G, D4C, D4G, D5G		6Y5840	(2) 4T6230	6Y5839	
D3B, D3C, D3G, D3K, D4C, D4G, D4K, D5K		6Y5840	(2) 4T6232	6Y5839	
D3C, D3G, D3K, D4G, D4K, D5G, D5K		6Y5840	(2) 157-7338	6Y5839	
D1, D2, D3, D3K, D3K2, D4K, D4K2, D5K, D5K2		8E7078	(2) 331-0162	8E7079	
D4C, D5C, D5G		6Y5840	(2) 6Y5842	6Y5839	
D4C, D4G		6Y5840	(2) 104-9634	6Y5839	
D5C, D5G		8E7078	(2) 3G9306	8E7079	
D4H, D5M, D6K		8E9378	(2) 4T8940	8E9379	
D4H, D5M, D6K		8E9378	(2) 8E9377	8E9379	
D5H, D6M, D6R		3G4285	(2) 3G4282	3G4285	
D5H, D6M, D6R, Hot Cup End Bits		4T5407		4T5408	
D6H, D6R		9W8875	(2) 9W1878	9W8874	
DRESSER DOZERS		L/H	CENTER	R/H	
TD7		620529C1	(2) 620563C1	620530C1	
TD7G		620529C1	(2) 620563C1	620530C1	
TD8		620691C1	(2) 620690C1	620692C1	
TD8G		620691C1	(2) 620690C1	620692C1	
KOMATSU DOZERS		L/H	CENTER	R/H	
D31, D37, D39		11G-71-31170	12F-70-31251, 12F-70-31261, 12F-70-31281	11G-71-31170	
D51EX		12Y-72-11210	(3) 12Y-72-11220	12Y-72-11210	
D51PX		12Y-72-11210	(2) 12Y-72-11230 & (1) 12Y-72-11220	12Y-72-11210	
CASE BACKHOES - LOADER BUCKET			Part No.	Length	
580K, 580SK, 1845C, 435, 440, 445, 445CT, 450, 450CT, 465, 75XT, 85XT, 90XT, 95XT			299336A1	3/4" x 8" x 82"	
580L, 580SL, 580M, 580SM			112946A1	3/4" x 6" x 82"	
570LXT, 570MXT, 580L, 580SL, 580M, 580SM, 580N, 580SN			185506A1	3/4" x 6" x 94"	
CAT BACKHOES			Part No.	Length	
416B			(2) 9W8215	44 1/2"	
JOHN DEERE BACKHOES			Part No.	Length	
310E, 310G, 310J, 310K, 310SJ, 310SK, 315SK, 315SJ, 315SK, 315SL, 325SK, 325SL, 410D, 410E, 410G, 410J, 410K, 410L			T84194	92 3/8"	
310SK, 310J, 410D, 310E, 310G, 310SJ, 310K 315C, 315SJ, 410C 410G			T150517	86"	
CUTTING EDGE BOLTS			CUTTING EDGE NUTS		
4F3649	Bolt 1/2" x 2"	4F3672	Bolt 3/4" x 2"	1F7958	Nut 1/2"
4F3654	Bolt 5/8" x 2"	5J4773	Bolt 3/4" x 2 1/2"	4K0367	Nut 5/8"
4F3656	Bolt 5/8" x 2 1/2"	5J4771	Bolt 3/4" x 2 3/4"	2J3506	Nut 3/4"
		4F0138	Bolt 3/4" x 3"		
WELD-ON CUTTING EDGES			Weight (lbs. / ft.)		
11318	3/4" x 4"	Flat Single Bevel		8.33	
11139	3/4" x 6"	Flat Single Bevel		12	
10549	3/4" x 8"	Flat Single Bevel		16.8	
10732	1" x 8"	Flat Single Bevel		24.38	


BUCKET TEETH, & ADAPTERS

Part No.	Description	Notes	Wt.
H&L STYLE			
230010	Adapter, Weld On	3/4" Cutting Edge	3.4
2740-ZW-23	Adapter, Weld On	1" Cutting Edge	3.6
230	Tooth		3.5
23P	Pin		0.1
HENSLEY STYLE			
230X156	Adapter, Weld On	3/4" Cutting Edge	3.6
X156	Tooth		2.6
P156	Pin		0.02
CAT STYLE			
8J7525	Adapter, Weld On	3/4" cutting edge	3.1
1U3202	Long Tooth		3
8E6208	Slotted Pin		0.1
8E6209	Retainer		0.1
6Y3224	Adapter, Weld On	1" cutting edge, 70 Series	6.6
6Y3222	Long Tooth	70 Series	4.2
6Y3228	Slotted Pin		0.1
3G9609	Retainer		0.1
6Y3254	Adapter, Weld On	1" cutting edge, 120 Series	9
1U3252	Long Tooth	120 Series	6.5
9J2258	Slotted Pin		0.2
3G9609	Retainer		0.1
3G6304	Adapter, Weld On	1 1/4" cutting edge, 160 Series	21
1U3302	Long Tooth	160 Series	10
9J2308	Slotted Pin		0.2
3G9609	Retainer		0.1
3G8354	Adapter, Weld On	1 1/2" cutting edge, 200 Series	21
1U3352	Long Tooth	200 Series	13
8E6358	Slotted Pin		0.2
3G9549	Retainer		0.1

CASE, CAT, DEERE, & FORD BACKHOE BUCKETS

STOCK

Part No.	Description	Notes	Capacity (cu ft)	Wt.
CASE 480C, 480D, 480E, 480F, 580, 580B, 580C, 580D, 580SE, 580K, 580SK, 580L, 580SL, 580M, 580SM, 590, 590SL, 590SM, 680, 680B, 680C, 680D, 680E, 680K, 680L				
PV440	13" bucket, with 3 teeth		3.5	320
PV441	18" bucket, with 4 teeth		5.4	350
PV442	24" bucket, with 5 teeth		7.8	410
PV443	36" bucket, with 6 teeth		12.7	515
PV444	48" Ditch bucket, (smooth edge)		11.4	490
PVGB1	32"- 42" Cemetery bucket, (smooth edge) - <i>select width at time of order</i>			
CASE 580N, 580SN, 590SN				
PV2001	13" bucket, with 3 teeth		3.5	320
PV2002	18" bucket, with 4 teeth		5.4	350
PV2003	24" bucket, with 5 teeth		7.8	410
PV2004	36" bucket, with 6 teeth		12.7	515
PV2006	48" Ditch bucket, (smooth edge)		11.4	490
PVGB2	32"- 42" Cemetery bucket, (smooth edge) - <i>select width at time of order</i>			
JOHN DEERE 300D, 310C, 310D, 310E, 310G, 310J, 310K, 310L, 310P, 410, 410B, 410C, 410D, 510B, 510C, 510D, 610, 610B, 610C				
PV450	13" bucket, with 3 teeth		3.5	320
PV451	18" bucket, with 4 teeth		5.4	350
PV452	24" bucket, with 5 teeth		7.8	410
PV453	36" bucket, with 6 teeth		12.7	515
PV454	48" Ditch bucket, (smooth edge)		10.1	490
PVGB3	32"- 42" Cemetery bucket, (smooth edge) - <i>select width at time of order</i>			
JOHN DEERE 310SE, 310SG, 310SJ, 310SK, 310SL, 315SE, 315SG, 315SJ, 315SK, 315SL, 320P, 325J, 325K, 325SK, 325SL, 410E, 410G, 410J, 410K, 410L, 410P				
PV465	13" bucket, with 3 teeth		3.5	320
PV466	18" bucket, with 4 teeth		5.4	350
PV467	24" bucket, with 5 teeth		7.8	410
PV468	36" bucket, with 6 teeth		12.7	515
PV469	48" Ditch bucket, (smooth edge)		10.1	490
PVGB4	32"- 42" Cemetery bucket, (smooth edge) - <i>select width at time of order</i>			
FORD 555, 555B, 555C, 555D, 555E, 655, 655B, 655C, 655D, 655E NEW HOLLAND LB75, LB75B, LB90, LB90B, LB110, LB110B, LB115, LB115B, B95, B110, B115				
PV455	13" bucket, with 3 teeth		3.5	370
PV456	18" bucket, with 4 teeth		5.4	420
PV457	24" bucket, with 5 teeth		7.8	485
PV458	36" bucket, with 6 teeth		12.7	600
PV459	48" Ditch bucket, (smooth edge)		10.1	570
CAT 416, 416B, 416C, 416D, 416E, 416F, 420D, 420E, 420F, 424D, 426, 426B, 426C, 428D, 430D, 430E, 430F, 432D, 432E, 432F, 438D, 442D				
PV421	13" bucket, with 3 teeth		3.5	320
PV422	18" bucket, with 4 teeth		5.4	350
PV423	24" bucket, with 5 teeth		7.8	410
PV424	36" bucket, with 6 teeth		12.7	515
PV425	48" ditch bucket, smooth edge		10.1	490
PVGB5	32"- 42" Cemetery bucket, (smooth edge) - <i>select width at time of order</i>			
Backhoe bucket specs: 1/4" AR 200 plate sides & bottom, 3/8" wear plates on bottom, 3/4 x 8" cutting edge, H & L style teeth				



Part No.	Description	Notes	Capacity (cu ft)	Wt.
Bobcat Mini Excavator Buckets - X-Change Coupler (5000 To 8000 Lbs.)				
311, 325, 328, 329, 331, 334, 425, E25, E26, E27, E32, E34, E35 Model Series				
PV427B	13" bucket, with 3 teeth		1.6	165
PV428B	18" bucket, with 4 teeth		2.4	225
PV429B	24" bucket, with 5 teeth		3.4	250
PV430B	36" bucket, (Ditch) smooth edge		5.1	300

Bobcat Mini Excavator Buckets - X-Change Coupler (8000 To 12000 Lbs.)				
335, 337, 341, 430, 435, E42, E45, E50, E55 Model Series				
PV445B	13" bucket, with 3 teeth		2.2	250
PV446B	18" bucket, with 4 teeth		3.4	270
PV447B	24" bucket, with 5 teeth		4.8	305
PV448B	36" bucket, (Ditch) smooth edge		7.7	350
PV449B	48" bucket, (Ditch) smooth edge		10.0	425

Cat Mini Excavator Buckets (5000 To 8000 Lbs.)				
302, 302.5, 303, 303.5 Model Series - Verify sub model prior to ordering				
PV427C	13" bucket, with 3 teeth		1.6	165
PV428C	18" bucket, with 4 teeth		2.4	225
PV429C	24" bucket, with 5 teeth		3.4	250
PV430C	36" bucket, (Ditch) smooth edge		5.1	300

Cat Mini Excavator Buckets (8000 To 12000 Lbs.)				
304, 304.5, 305, 305.5 Model Series - Verify sub model prior to ordering				
PV445C	13" bucket, with 3 teeth		2.2	250
PV446C	18" bucket, with 4 teeth		3.4	270
PV447C	24" bucket, with 5 teeth		4.8	305
PV448C	36" bucket, (Ditch) smooth edge		7.7	350
PV449C	48" bucket, (Ditch) smooth edge		10.0	425

Allow 5 days to prepare bucket halter prior to shipping. Pins sold seperately

MINI-EXCAVATOR HEAVY DUTY BUCKETS

JOHN DEERE, KUBOTA, YANMAR


Part No.	Description	Notes	Capacity (cu ft)	Wt.
John Deere Mini Excavator Buckets - Wedgelock Coupler (5000 To 8000 Lbs.)				
25, 26, 27, 30, 35 Model Series, 110 Series Loader Backhoes w/ Wedgelok Coupler				
PV427J	13" bucket, with 3 teeth		1.6	165
PV428J	18" bucket, with 4 teeth		2.4	225
PV429J	24" bucket, with 5 teeth		3.4	250
PV430J	36" bucket, (Ditch) smooth edge		5.1	285
John Deere Mini Excavator Buckets - Wedgelock Coupler (8000 To 12000 Lbs.)				
50 Model Series				
PV445J	13" bucket, with 3 teeth		2.2	250
PV446J	18" bucket, with 4 teeth		3.4	270
PV447J	24" bucket, with 5 teeth		4.8	305
PV448J	36" bucket, (Ditch) smooth edge		7.7	350
PV449J	48" bucket, (Ditch) smooth edge		10.0	425
Kubota Mini Excavator Buckets - Kubota Coupler (5000 To 8000 Lbs.)				
KX033, KX037, KX61, KX71, KX91, KX101, U25, U27 Model Series				
PV427K	13" bucket, with 3 teeth		1.6	165
PV428K	18" bucket, with 4 teeth		2.4	225
PV429K	24" bucket, with 5 teeth		3.4	250
PV430K	36" bucket, (Ditch) smooth edge		5.1	300
Kubota Mini Excavator Buckets - Kubota Coupler (8000 To 12000 Lbs.)				
KX040, KX057, KX121, KX161, U30, U35, U45, U48, U55 Model Series w/ Coupler				
PV445K	13" bucket, with 3 teeth		2.2	250
PV446K	18" bucket, with 4 teeth		3.4	270
PV447K	24" bucket, with 5 teeth		4.8	305
PV448K	36" bucket, (Ditch) smooth edge		7.7	350
PV449K	48" bucket, (Ditch) smooth edge		10.0	425
Yanmar Mini Excavator Buckets (5000 To 8000 Lbs.) - Must also purchase PVE pins				
B25, B27, B30, B37, VIO27, VIO30, VIO33, VIO35 Model Series				
PV427Y	13" bucket, with 3 teeth		1.6	165
PV428Y	18" bucket, with 4 teeth		2.4	225
PV429Y	24" bucket, with 5 teeth		3.4	250
PV430Y	36" bucket, (Ditch) smooth edge		5.1	300
Yanmar Mini Excavator Buckets (8000 To 12000 Lbs.) - Must also purchase PVE pins				
B50, VIO40, VIO45, VIO50, VIO55 Model Series				
PV445Y	13" bucket, with 3 teeth		2.2	250
PV446Y	18" bucket, with 4 teeth		3.4	270
PV447Y	24" bucket, with 5 teeth		4.8	305
PV448Y	36" bucket, (Ditch) smooth edge		7.7	350
PV449Y	48" bucket, (Ditch) smooth edge		10.0	425
BUCKET PINS FOR PVE YANMAR BUCKETS				
PVP1	Bucket Pin (38mm x 9-1/8")	Fits w/ PV427Y-PV430Y Buckets		4.5
PVP4	Bucket Pin (45mm x 10-1/2")	Fits w/ PV445Y-PV449Y Buckets		7.5
15 Series Mini Excavator Buckets (Up to 5,000 pounds)				
PV2014	9" bucket, with 3 teeth		0.8	80
PV2015	13" bucket, with 3 teeth		1.0	100
PV2016	18" bucket, with 4 teeth		1.6	140
PV2017	24" bucket, with 5 teeth		2.1	190
PV2018	36" bucket, (Ditch) smooth edge		2.9	250

Allow 5 days to prepare bucket halter prior to shipping. Pins sold seperately

HEAVY DUTY EXCAVATOR BUCKETS

Part No.	Description	Notes	Capacity (cu ft)
25 Series Mini Excavator Buckets (5,000 To 8,000 Lbs.)			
PV427	13" bucket, with 3 teeth		1.6
PV428	18" bucket, with 4 teeth		2.4
PV429	24" bucket, with 5 teeth		3.4
PV430	36" bucket, (Ditch) smooth edge		5.1
PVGB25	32"- 42" Cemetery bucket, (smooth edge) - <i>select width at time of order</i>		
Bucket specs: 1/4" AR200 plate sides & bottom, 1/4" AR200 wear plates on bottom, 3/4" x 6" cutting edge, H & L style teeth			
40 Series Mini Excavator Buckets (8,000 To 14,000 Lbs.)			
PV445	13" bucket, with 3 teeth		2.2
PV446	18" bucket, with 4 teeth		3.4
PV447	24" bucket, with 5 teeth		4.8
PV448	36" bucket, (Ditch) smooth edge		7.7
PV449	48" bucket, (Ditch) smooth edge		10.0
PVGB40	32"- 42" Cemetery bucket, (smooth edge) - <i>select width at time of order</i>		
Bucket specs: 1/4" AR200 plate sides & bottom, 3/8" AR200 wear plates on bottom, 3/4" x 8" cutting edge, H & L style teeth			
70 Series Excavator Buckets (14,000 To 20,000 Lbs.)			
PV528	18" bucket, with 4 teeth		5.0
PV529	24" bucket, with 5 teeth		7.2
PV530	36" bucket, with 7 teeth		10.1
PV531	48" bucket (Ditch) smooth edge		10.1
Bucket specs: 1/4" AR200 plate bottom, 3/8" sides, 3/8" AR200 wear plates on bottom, 1" x 8" cutting edge, Cat style teeth			
120 Series Excavator Buckets (20,000 To 30,000 Lbs.)			
PV536	18" bucket, with 3 teeth		9.0
PV537	24" bucket, with 4 teeth		12.0
PV538	42" bucket, with 6 teeth		18.8
PV539	60" bucket (Ditch) smooth edge		19.5
Specs: 3/8" AR200 plate bottom & sides, 3/8" AR200 wear plates on bottom & sides, 1" x 10" cutting edge, Cat style teeth			
160 Series Excavator Buckets (30,000 To 40,000 Lbs.)			
PV540	24" bucket, with 3 teeth		15.0
PV541	36" bucket, with 4 teeth		23.0
PV542	48" bucket, with 6 teeth		30.0
PV543	72" bucket (Ditch) smooth edge		35.0
3/8" AR200 plate bottom 1/2" AR200 sides 3/8" AR200 wear plates on bottom & sides 1 1/4" x 12" cutting edge, Cat style teeth			
200 Series Excavator Buckets (40,000 To 53,000 Lbs.)			
PV544	24" bucket, with 3 teeth		19.0
PV545	36" bucket, with 4 teeth		28.0
PV546	48" bucket, with 6 teeth		37.0
PV547	72" bucket (Ditch) smooth edge		46.0
3/8" AR200 plate bottom 1/2" AR200 sides 3/8" AR200 wear plates on bottom & sides 1 1/2" x 12" cutting edge, Cat style teeth			
250 Series Excavator Buckets (53,000 To 63,000 Lbs.)			
PV548	Buckets available in custom widths		
3/8" AR200 plate bottom 1/2" AR200 sides 3/8" AR200 wear plates on bottom & sides 1 3/4" x 14" cutting edge, Cat style teeth			
300 Series Excavator Buckets (63,000 To 73,000 Lbs.)			
PV552	Buckets available in custom widths		
1/2" AR200 plate bottom 1/2" AR200 sides 1/2" AR200 wear plates on bottom & sides 2" x 14" cutting edge, Cat style teeth			
350 Series Excavator Buckets (73,000 To 85,000 Lbs.)			
PV553	Buckets available in custom widths		
1/2" AR200 plate bottom 1/2" AR200 sides 1/2" AR200 wear plates on bottom & sides 2" x 16" cutting edge, Cat style teeth			



BACKHOE RIPPERS



Part No.	Description	Notes	Wt.
CASE 480E, 480F, 580, 580B, 580C, 580D, 580SE, 580K, 580SK, 580L, 580SL, 580M, 580SM, 590, 590SL, 590SM, 680, 680B, 680C, 680D, 680E, 680K, 680L			
PV4001	Ripper w/ tooth	Shank Length: 24"	Shank Thickness: 1.5"
*Uses #230 H&L style tooth			
CASE 580N, 580SN, 590SN			
PV4002	Ripper w/ tooth	Shank Length: 24"	Shank Thickness: 1.5"
*Uses #230 H&L style tooth			
JOHN DEERE 310, 310A, 310B, 310C, 310D, 310E, 310G, 310J, 310K, 310L, 410, 410B, 410C, 410D, 510B, 510C, 510D, 610, 610B, 610C			
PV4003	Ripper w/ tooth	Shank Length: 24"	Shank Thickness: 1.5"
*Uses #230 H&L style tooth			
JOHN DEERE 310SE, 310SG, 310SJ, 310SK, 310SL, 315SE, 315SG, 315SJ, 315SK, 315SL, 325J, 325K, 325SK, 325SL, 410E, 410G, 410J, 410K, 410L			
PV4004	Ripper w/ tooth	Shank Length: 24"	Shank Thickness: 1.5"
*Uses #230 H&L style tooth			
CAT 416, 416B, 416C, 416D, 416E, 416F, 420D, 420E, 420F, 424D, 426, 426B, 426C, 428D, 430D, 430E, 430F, 432D, 432E, 432F, 438D, 442D			
PV4005	Ripper w/ tooth	Shank Length: 24"	Shank Thickness: 1.5"
*Uses #230 H&L style tooth			

*Prices include halter and standard tooth. Tiger and twin tiger teeth can be substituted for an additional charge


EXCAVATOR RIPPERS



Part No.	Description	Notes				Wt.
25 Series Mini Excavator (5000 To 8000 Lbs.)						
PV4006	Ripper w/ tooth	Shank Length:	24"	Shank Thickness:	1.5"	
*Uses #230 H&L style tooth						
40 Series Mini Excavator (8000 To 14000 Lbs.)						
PV4007	Ripper w/ tooth	Shank Length:	24"	Shank Thickness:	1.5"	
*Uses #230 H&L style tooth						
70 Series Excavator (14000 To 20000 Lbs.)						
PV4008	Ripper w/ tooth	Shank Length:	30"	Shank Thickness:	1.75"	
*Uses #6Y3222 Cat style tooth						
120 Series Excavator (20000 To 30000 Lbs.)						
PV4009	Ripper w/ tooth	Shank Length:	36"	Shank Thickness:	2"	
*Uses #6Y3222 Cat style tooth						
160 Series Excavator (30000 to 40000 Lbs.)						
PV4010	Ripper w/ tooth	Shank Length:	42"	Shank Thickness:	2.5"	1070
*Uses #1U3302 Cat style tooth						
200 Series Excavator (40000 to 53000 Lbs.)						
PV4011	Ripper w/ tooth	Shank Length:	46"	Shank Thickness:	2.75"	
*Uses #1U3352 Cat style tooth						
250 Series Excavator (53000 to 63000 Lbs.)						
PV4012	Ripper w/ tooth	Shank Length:	50"	Shank Thickness:	3"	
*Uses #9W8452 Cat style tooth						
300 Series Excavator (63000 to 73000 Lbs.)						
PV4013	Ripper w/ tooth	Shank Length:	54"	Shank Thickness:	3.5"	
*Uses #9W8452 Cat style tooth						

*Prices include halter and standard tooth. Tiger and twin tiger teeth can be substituted for an additional charge


EXCAVATOR ROOT RAKES



Part No.	Description	Notes	Wt.		
25 Series Mini Excavator (5000 To 8000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4020	30" Root Rake	4 Tines	30"	1/2"	
40 Series Mini Excavator (8000 To 14000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4021	36" Root Rake	4 Tines	35"	3/4"	
70 Series Excavator (14000 To 20000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4022	42" Root Rake	5 Tines	40"	1"	
120 Series Excavator (20000 To 30000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4023	48" Root Rake	5 Tines	45"	1"	1200
160 Series Excavator (30000 to 40000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4024	54" Root Rake	6 Tines	50"	1-1/4"	
200 Series Excavator (40000 to 53000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4025	60" Root Rake	6 Tines	55"	1-1/4"	
250 Series Excavator (53000 to 63000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4026	72" Root Rake	7 Tines	60"	1-1/2"	
300 Series Excavator (63000 to 73000 Lbs.)			<i>Tine Height</i>	<i>Tine Thickness</i>	
PV4027	72" Root Rake	7 Tines	60"	1-1/2"	

*Tine height is measured from ground vertically to the top of the tine

EXCAVATOR THUMBS




Part No.	Description	Notes	Wt.
MINI EXCAVATORS & BACKHOES (8,000 to 14,000 lb. Excavator)			8" x 31"
PV4200	Manual Plate Mount Thumb	3 tines	127
PV4201	Hydraulic Plate Mount Thumb	3 tines	210
70 SERIES THUMBS (14,000 to 20,000 lb. Excavator)			12" x 40"
PV4300	Manual Plate Mount Thumb	3 tines	285
PV4301	Hydraulic Plate Mount Thumb	3 tines	308
120 SERIES THUMBS (20,000 to 30,000 lb. Excavator)			18" x 50"
PV4500	Manual Plate Mount Thumb	4 tines	600
PV4501	Hydraulic Plate Mount Thumb	4 tines	672
CATERPILLAR 311D LRR, 311F LRR, 312D, 312D L, 312D2, 312D2 L, 312D2 GC, 312E, 312E L, 312F, 312F GC, 313, 313D, 313D2, 313D2 GC, 313D2 LGP, 313F, 313F GC, 313F L, 313F LGC, 314C (KJA, PCA), 314D CR, 314D LCR, 314E CR, 314E LCR, 314F CR, 315F LCR MODELS WITH CAT COUPLER			18" x 50"
PV4510	Hydraulic Main Pin Thumb	4 tines includes main pin	715
160 SERIES THUMBS (30,000 to 40,000 lb. Excavator)			22" x 54"
PV4600	Manual Plate Mount Thumb	4 tines	
PV4601	Hydraulic Plate Mount Thumb	4 tines	
200 SERIES THUMBS (40,000 to 53,000 lb. Excavator)			24" x 58"
PV4700	Manual Plate Mount Thumb	4 tines	1088
PV4701	Hydraulic Plate Mount Thumb	4 tines	1185

DOZER FAIRLEADS, LOG ARCHES, & WINCH GUARD




PV6901



PV4000


Part No.	Description	Notes	Wt.
JOHN DEERE 350, 350B, 350C, 350D			
PV498A	Log Arch		450
AT15492	Winch Fairleads		190
JOHN DEERE 450-BCDE, 455D-E, 550-AB, 555-AB			
PV498	Log Arch		473
AT15492	Winch Fairleads		190
JOHN DEERE 4000 SERIES WINCH			
AT175529	Winch Fairleads		291
PV6901	Winch Guard		145
ALLIED H5C WINCH			
PV4000	Winch Fairleads	w/weld on brackets & pins	
CASE 450, 450B, 450C, 455C, 850, 850B, 850C, 850D, 850E, 855C, 850D, 850G			
PV494	Winch Fairleads	for model 19 winch	261
CASE 650, 850B, 850C, 850D, 850E, 855C, 855D (w/ Model 19 Winch)			
PV496	Log Arch		554

PV497




FAB FIT BY CUSTOMER			
PV497	Arch Head	Generic arch head to be shop fit by customer.*	240
PV4973	Arch Roller Kit		127
PV4972	Side Roller Kit		44

**Warranty is void if installed on machine over 15,000 lbs.*




Ref.	Part No.	Description	Qty.	Wt.
JOHN DEERE 450G, 550G, 650G, 450H w/ 4000 series winch				
1	PV4400	Log Arch w/ Fairleads	1	680
JOHN DEERE 450J, 550H, 650H, 550J, 650J w/ 4000 series winch				
1	PV4401	Log Arch w/ Fairleads	1	680
JOHN DEERE 450K, 450 P, 550K, 550 P, 650K, 650 P (LGP Models Only) w/ 4000 series winch				
1	PV4403	Log Arch w/ Fairleads	1	680
JOHN DEERE 450K, 450 P, 550K, 550 P, 650K, 650 P (LT and XLT Models Only) w/ 4000 series winch				
1	PV4407	Log Arch w/ Fairleads	1	685
JOHN DEERE 700H, 700J, 700K, 700L, 700P w/ 4000 series winch				
1	PV4402	Log Arch w/ Fairleads	1	695
JOHN DEERE 700H, 700J w/ Carco HD50 winch				
1	PV4410	Log Arch w/ Fairleads	1	695
JOHN DEERE 700K w/ Carco HD50 winch				
1	PV4408	Log Arch w/ Fairleads	1	695
Allied W3C winch				
1	PV4413	Log Arch w/ Fairleads	1	695
CAT D5G w/ Carco PA40 winch				
1	PV4404	Log Arch w/ Fairleads	1	695
CAT D3K, D3K2, D4K, D4K2, D5K, D5K2 w/ Carco PA40 winch				
1	PV4409	Log Arch w/ Fairleads	1	695
CAT D6K, D6K2, D4 (Next Gen) w/ Carco PA50 winch				
1	PV4412	Log Arch w/ Fairleads	1	700
CAT D6K, D6K2, D4 (Next Gen) w/ Allied H5C winch				
1	PV4414	Log Arch w/ Fairleads	1	725
CASE 850G w/ Carco 30 winch				
1	PV4406	Log Arch w/ Fairleads	1	695
Can Be Adapted To Fit Many Different Models				
4	PV497A	Arch Head Only * Arch head to be shop fit by customer.		571
Replacement Parts For PVE 4400 Series Log Arches				
2	PV4973	Arch Roller Kit	1	127
3	PV4974	Side Roller Kit	2	48



Ref.	Part No.	Description	Pcs. Per Kit	Qty.	Wt.
JOHN DEERE 540E, 540G, 540G-II, 540G-III s/n -599639, 640E, 640G, 640G-II, 640G-III s/n -599639					
	PV4977	Arch Roller Kit		1	136
1	AT90001	Roller, NSS	1		124
	PV6510	Pin & Bushing Kit			13
2	T153416	Pin, NSS - Order PV6510	1		11
3	T185659	Bushing, NSS - Order PV6510	2		1.6
4	T39569	Washer	2		0.1
JOHN DEERE 540E, 540G, 540G-II, 540G-III, 640E, 640G, 640G-II, 640G-III, 740E, 740G					
	PV4979	Side Roller Kit		2	97
5	AT193137	Roller, NSS	1		
6	AT168957	Pin, NSS	1		
7	T132057	Bushing, NSS	2		
8	N2445W	Washer, NSS	2		
JOHN DEERE 540B, 540D, 640D					
	PV4980	Arch Roller Kit		1	135
1	AT90001	Roller, NSS	1		124
	PV6511	Pin & Bushing Kit			12
2	T26040	Pin, NSS - Order PV6511	1		10
3	T185659	Bushing, NSS - Order PV6511	2		1.6
4	T39569	Washer	2		0.1
	PV4978	Side Roller Kit		2	112
5	AT42672	Roller, NSS	1		
6	AT42671	Pin, NSS	1		
7	C3274E	Bushing, NSS	2		
8	N2445W	Washer, NSS	2		

WHEEL LOADER FORK ASSEMBLIES & DOZER ROOT RAKES



Part No.	Description	Notes	Wt.
Ref A	DOZER ROOT RAKES		
PV490	7' Wide	8 Tines	1020
PV491	8' Wide	9 Tines	1350
PV491A	8' Wide-Tall Style	9 Tines	1492
PV492	9' Wide	10 Tines	1611
PV493	10' Wide	11 Tines	2165

ALL ROOT RAKES INCLUDE 2 MOUNTING BRACKETS & 2 PINS

Ref E	BLANK FORKS	FORK SIZE
P2.063648	Forks	2.0 x 6 x 36 x 48
P2.563648	Forks	2.5 x 6 x 36 x 48
P2.563660	Forks	2.5 x 6 x 36 x 60
P2.563672	Forks	2.5 x 6 x 36 x 72
P3.063672	Forks	3.0 x 6 x 36 x 72
P3.063684	Forks	3.0 x 6 x 36 x 84

ALL FORKS SOLD AS A SET ONLY

Ref B	CUSTOM FORK ASSEMBLIES
CUSTOM FORK ASSEMBLIES ARE AVAILABLE FOR ALL WHEEL LOADERS UP TO 40,000 LBS.	
ALL FORK ASSEMBLIES HAVE A 2 WEEK LEAD TIME, PLEASE CONTACT US FOR A QUOTE	

Ref C, D	WHEEL LOADER HALTER BLANKS		
317-5562	Cat Fusion Halter Blank, Deep	Trim to fit	1085
315-6309	Cat Fusion Halter Blank, Shallow	Flat surface mount	300