



innovating
health and
wellness
since 1978



OAKWORKS[®]
MEDICAL

PRODUCT CATALOG

ULTRASOUND TABLES

IMAGING & PAIN MANAGEMENT TABLES

EXAM TABLES & PROCEDURE CHAIRS

PHYSICAL THERAPY TABLES



MADE IN THE USA
with US & imported parts

TABLE OF CONTENTS

ULTRASOUND TABLES..... 4-17

TABLE GUIDE	6-7
MULTI-SPECIALTY TABLE	8
ECHOCARDIOGRAPHY TABLE	9
VASCULAR TABLE WITH FOWLER.....	10
VASCULAR TABLE	11
WOMEN'S IMAGING TABLE	12
GENERAL 3-SECTION TABLE	13
GENERAL TABLE WITH FOWLER.....	14
GENERAL RECTANGULAR TOP TABLE	15
FEATURES & OPTIONS.....	16-17
ACCESSORIES.....	17

IMAGING & PAIN MANAGEMENT TABLES .. 18-39

TABLE GUIDE	20-21
CFPM400 & CFPM401 TABLES	22-23
CFPM300 & CFPM301 TABLES.....	24-25
CFPMB301 TABLE	26
CFPM100 TABLE	27
CFPMFXH TABLE.....	28
DTPM300 TABLE.....	29
CFUR301 & CFUR401 TABLES.....	30-31
CFLU401 TABLE.....	32-33
ACCESSORIES.....	34-37
SPINE POSITIONING SYSTEM II	38-39

PROCEDURE CHAIRS & EXAM TABLES... 40-59

TABLE GUIDE	42-43
300 SERIES PROCEDURE CHAIR.....	44-45
100 SERIES PROCEDURE CHAIR	46-47
EC SERIES PROCEDURE CHAIR.....	48-49
PG SERIES EXAM TABLES	50-51
PF SERIES EXAM TABLES	52-53
PX SERIES EXAM TABLES.....	54-55
POWERLINE EXAM TABLES	56-57
FEATURES & OPTIONS.....	58
ACCESSORIES.....	59

PHYSICAL THERAPY..... 60-73

TABLE GUIDE	62-63
PT400 TABLE	64
PT400M TABLE.....	65
PT300 TABLE	66
PT250 TABLE	67
PT150 & PT100 TABLE	68
POWERLINE.....	69
STORABLE MAT	70
PORTABLE MANIPULATION TABLE.....	71
ACCESSORIES.....	72-73

GENERAL ACCESSORIES.....74-76

STOOLS.....	74
BOLSTERS	75
FACE RESTS & TABLE EXTENDER	76


PADDING, FINISH, & FABRIC77-79

PADDING.....	77
STAINS & LACQUERS	78
TERRATOUGH FABRIC.....	79



The mark of
responsible forestry





Innovating Health & Wellness Within Your World

Oakworks® has been providing customers with innovative products, excellent service, and cost effective solutions for almost 40 years. Oakworks® Medical has collaborated with leaders in the medical specialties we serve to create cutting edge designs that balance the needs of both patients and practitioners. We are committed to identifying the needs of our customers and providing quality solutions that are cost effective and safe.

Oakworks Medical tables and chairs are **FDA listed**, ensuring the highest level of safety for your patients. They are built in our **ISO13485 Certified** plant to guarantee consistently high quality products that perform well. Our confidence in our products is reflected in our industry leading 3 year parts, 2 year labor warranty.

VISION

To bring reward (wealth & relationship) to our employees, suppliers, distributors, and customers, while utilizing our resources to the best of our ability to protect our local environment and world resources.

QUALITY POLICY

OAKWORKS® senior management has a commitment to quality and is engaged to ensure excellence in our products and services.

OAKWORKS® employs principles of design excellence to develop products and services that consistently address customers' and other stakeholders' needs.

OUR PRODUCTS

Oakworks manufactures a broad range of Medical products and we are always expanding our line. If you don't see what you want, tell us what you want. Our customers are our greatest asset, we appreciate the feedback and ideas. If you would like even more information, visit our website at www.oakworksmed.com.



Thank you for your business!

*Visit our website for more company
and product details*
www.oakworksmed.com



SAFETY LISTINGS

FDA listed; EU Council Directive - 93/42/EEC; ETL Test Reports to IEC/EN 60601-1, IEC/EN 60601-1-2, IEC/EN 62366; Authorization to Mark (ATM) to IEC 60601-1-6, ATM to ANSI/AAMI ES60601-1, ATM to CAN/CSA-C22.2 No. 60601-1

OAKWORKS® is a Registered Trademark of Oakworks, Inc. All rights reserved.

The information, specifications, and images in this catalog are based on the latest information available at the time of printing. Oakworks reserves the right to change the information at any time without notice. We strive to ensure that the colors displayed on our product imagery (online and in print) are as accurate as possible. However, due to the limitations of printers, scanners, computer monitors, and other equipment, the colors may not be accurate. Due to variations in materials, product specifications may vary.

ULTRASOUND TABLES

Excellent ergonomics

Perfect for...

- Heart & Vascular Labs
- Hospitals/Medical Centers
- Women's Health Centers
- Private Practice

*Inspired by the
leading ergonomic
experts in sonography*



SOUND | ERGONOMICS

- Decrease sonographer injury
- Features minimize exam times
- 550 lb. patient weight rating



Vascular with Fowler



Start with a General Ultrasound Table, then simply add the features you want based on the type of ultrasound specialty you perform.



General with Rectangular Top

- Create the perfect table for what you do
- Don't pay for features you don't want
- Up to 12 different options to choose from

Choose a Specialty Table

These models were designed to meet the needs of almost every kind of facility. You can add other options to create the perfect table for your specific requirements.

- 5 preconfigured models to choose from.
- Features grouped to maximize your efficiency.
- Add options to create your perfect table.



Multi-Specialty

made in the USA
with US & imported parts



Build-A-Bed™ is Trademarked by Sound Ergonomics.

OAKWORKS[®]
MEDICAL

ULTRASOUND TABLES

Multi-Specialty Table

#67375-T* 27" W #61803-T* 30" W

3 motions



FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: $\pm 15^\circ$
Electric Fowler Backrest 0-75°
Manual 4 Position Leg Rest 0-90°
Hand Control & Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Adjustable Access/Back Support - Left 0-85°
Adjustable Access/Back Support - Right 0-85°
Central Base Locking System
Paper Roll Holder
Stirrups
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Accessory Mounting Plate	62123
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Procedure Tray (30" W Only)	73127
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	73131
Sliding Cardio Panel - Manual (30" W, Left Side)	73130

Echocardiography Table

#65258-T*

4 motions



FEATURES

Top: 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: $\pm 15^\circ$
Electric Fowler Backrest 0-75°
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Adjustable Access/Back Support - Right 0-85°
Manual Sliding Cardio Panel - Left Side
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Accessory Mounting Plate	62123
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler)	61901
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric Upgrade	73131

Vascular Table with Fowler

#66783-T* 27" W #64219-T* 30" W

4 motions



FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 23" - 40" (58-102cm)
Electric Trendelenburg 15°
Reverse Trendelenburg: 40° + Electric Fowler = 70°
Electric Fowler Backrest
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Integrated Foot Board (split, drop away)
Paper Roll Holder
Patient Safety Strap
Side Rails (set of 2)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler, Vascular)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Sliding Cardio Panel - Manual (30" W, Left Side)	73130

Vascular Table without Fowler

#70217-T* 27" W #64928-T* 30" W

3 motions



FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 23" - 40" (58-102cm)
Electric Trendelenburg 15°
Reverse Trendelenburg: 40°
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Integrated Foot Board (split, drop away)
Paper Roll Holder
Patient Safety Strap
Side Rails (set of 2)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Vascular)	61901
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Sliding Cardio Panel - Manual (30" W, Left Side)	73130



OAKWORKS
MEDICAL

See options and accessories on page 16-17.

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

ULTRASOUND TABLES

Women's Imaging Table

#66127-T* 27" W #61848-T* 30" W

3 motions



FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: $\pm 15^\circ$
Electric Fowler Backrest 0-75°
Manual 4 Position Leg Rest 0-90°
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Adjustable Access/Back Support - Right 0-85°
Paper Roll Holder
Stirrups
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler)	61901
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Procedure Tray (30" W Only)	73127
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	74080
Sliding Cardio Panel - Manual (30" W, Left Side) (no charge)	73130

General 3-Section Top Table

#62963-T* 27" W #63028-T* 30" W

3 motions



**BUILD
-A-
BED™**

FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: $\pm 15^\circ$
Electric Fowler Backrest 0-75°
Manual 4 Position Leg Rest 0-90°
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler)	61901
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Procedure Tray (30" W Only)	73127
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	74080
Sliding Cardio Panel - Manual (30" W, Left Side)	73130
Stirrups	71001

General Table with Fowler

#69222-T* 27" W #61988-T* 30" W

3 motions



**BUILD
-A-
BED™**

FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: $\pm 15^\circ$
Electric Fowler Backrest 0-75°
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt, Fowler)	61901
Foot Control (Height, Tilt, Fowler, Cardio Panel)	65679
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Side Rails (set of 2)	61781
Sliding Cardio Panel - Electric (30" W, Left Side)	74080
Sliding Cardio Panel - Manual (30" W, Left Side)	73130

General Rectangular Top Table

#68666-T* 27" W #61989-T* 30" W

2 motions



**BUILD
-A-
BED™**

FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: $\pm 15^\circ$
Hand Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) Comfort Foam™
4" (10cm) Locking Casters
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
Accessory Mounting Plate	62123
Adjustable Access/Back Support - Left 0-85°	73133
Adjustable Access/Back Support - Right 0-85°	73132
Central Base Locking System (can not be used with Patient Lift Compatible Base)	61777
Foot Control (Height, Tilt)	61901
Non-USA electric system (contact us for details)	73134
Patient Lift Compatible Base (can not be used with Central Base Locking System)	65893
Side Rails (set of 2)	61781
Sliding Cardio Panel - Manual (30" W, Left Side)	73130



**OAKWORKS
MEDICAL™**

See options and accessories on page 16-17.

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

MULTI-SPECIALTY TABLE

- 550 lb (250kg) bariatric rated lift & load capacity
- Twin tower design for added strength & rigidity
- Dynamic 22" to 38" (56-97cm) adjustable height range for wheelchair transfer & ergonomic working heights



Easily converts to fully upright chair position in seconds!

Recommended for:

- All abdominal & superficial structures exams (thyroid, male pelvis)
- Musculoskeletal exams
- OB/GYN exams
- Breast exams
- Vascular exams
- Biopsies



4 Position Leg Section

MULTI-SPECIALTY TABLE

#67375-T* 27" W

#61803-T* 30" W

FEATURES	
3 Section Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	24" (61cm) long
Leg Rest	13" (33cm) long
Motion 1	Electric Height Range 22" - 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual 4 position Leg Rest 0-90°
Controls	Multi-function hand & foot control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Adjustable access back support (left & right) 0-85°, Central base locking system, Paper roll holder, Stirrups (Retractable foot rests)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 16 - 17 for details.</i>		#
Accessory Mounting Plate	Fowler end	62123
Foot Control	Height, Tilt, Fowler, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Procedure Tray 30" (76 cm) Width Only	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters)	73127
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side	73131
Sliding Cardio Panel - Manual	30" (76cm) width table, left side (no charge)	73130
ACCESSORIES <i>order any time. See accessories on page 17.</i>		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

ECHOCARDIOGRAPHY TABLE

- Sliding cardio panel allows you to adjust the opening to the size you need
- Electric or manual sliding cardiac panel opens as wide as 15" (38cm). Great for left or right handed scanning
- 22" to 38" (56-97cm) height range supports ergonomic working heights for both echocardiograms & stress echo
- Designed specifically for vascular & cardiac exams
- Dual tower design for added strength & rigidity allowing a 550 lb (250kg) pound lift/load capacity
- 8 foot power cord



Adjustable Access/Back Support



Sliding Cardio Panel opens as wide as 15" (38cm)

Recommended for:

- Cardiac exams
- Vascular exams
- All abdominal & superficial structures exams
- Musculoskeletal exams
- Biopsies

ECHOCARDIOGRAPHY TABLE

#65258-T*

FEATURES	
2 Section Top	30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	38" (97cm) long
Motion 1	Electric Height Range 22" - 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual Sliding Cardio Panel opens 15" (38cm)
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Adjustable access back support (right) 0-85°, Manual sliding cardio panel (left) opens 15" (38cm), Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 16 - 17 for details.</i>		#
Accessory Mounting Plate	Fowler end	62123
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Backrest	61901
Foot Control	Height, Trendelenburg, Backrest, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	Upgrade your manual panel opens 15" (38cm)	73131
ACCESSORIES <i>order any time. See accessories on page 17.</i>		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

VASCULAR TABLE WITH FOWLER

- Dual towers & electric fowler makes 70° reverse Trendelenburg a reality†
- Safely position clients for Venous Reflux studies.
- Split foot board design allows non-weight bearing exams and fold down out of the way for carotid artery exams. (see page 11)



Easy Hand Control Adjustments
Up To 70° Reverse Trendelenburg



Recommended for:

- Venous reflux studies
- All other vascular exams
- Abdominal & superficial structures exams
- Musculoskeletal exams
- Biopsies

“Finally we have a table designed for vascular ultrasound!”

Patricia A Poe, BA RVT FSVU

Director Noninvasive Vascular Laboratory Services,
UC Health

VASCULAR TABLE WITH FOWLER

#66783-T* 27" W

#64219-T* 30" W

FEATURES	
2 Section Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	38" (97cm) long
Motion 1	Electric Height Range 23" - 40" (58-102cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Motion 3	Electric Additional Reverse Trendelenburg 0-25° (40° total)
Motion 4†	Electric 0-75° Backrest (at 40° max tilt, 70° functional)
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	452 lb (205kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Integrated foot board (split, drop away), Paper roll holder, Patient safety strap, Side rails (2) 23.5" (60cm) long x 6" (15cm) tall (from surface of table)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table. See page 16 - 17 for details.		#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Adjustable Access/Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Backrest, Vascular	65679
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

VASCULAR TABLE WITHOUT FOWLER

- Dynamic 23" to 40" (58-102cm) adjustable height range for wheelchair transfer & ergonomic working heights
- Angles up to 40°
- Split foot board design allows non-weight bearing exams and fold down out of the way for carotid artery exams.
- Plenty of room for your legs or equipment under the table



Integrated Foot Boards Allow Staggered Positions & Drop Out Of The Way.



Recommended for:

- All vascular **except** reflux studies
- Abdominal & superficial structures exams
- Musculoskeletal exams
- Biopsies

VASCULAR TABLE #70217-T* 27" W #64928-T* 30" W

FEATURES	
Rectangular Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Motion 1	Electric Height Range 23" - 40" (58-102cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Motion 3	Electric Additional Reverse Trendelenburg 0-25° (40° total)
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	452 lb (205kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Integrated foot board (split, drop away), Paper roll holder, Patient safety strap, Side rails (2) 23.5" (60cm) long x 6" (15cm) tall (from surface of table)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 16 - 17 for details.</i>		#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Adjustable Access/Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Vascular	61901
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES <i>order any time. See accessories on page 17.</i>		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

WOMEN'S IMAGING TABLE

- Full featured 3 section table top design for all Women's Imaging ultrasound modalities
- 550 lb (250kg) bariatric rated lift & load capacity
- Twin tower design for added strength and rigidity
- Sleek base design promotes unobstructed compatibility with ultrasound equipment ensuring better ergonomic conditions for the sonographer



Adjustable Access Back Support



Stirrups

Recommended for:

- OB/GYN exams
- All abdominal & superficial structures exams
- Musculoskeletal exams
- Vascular exams
- Biopsies

WOMEN'S IMAGING TABLE

#66127-T* 27" W #61848-T* 30" W

FEATURES	
3 Section Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	24" (61cm) long
Leg Rest	13" (33cm) long
Motion 1	Electric Height Range 22" - 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual 4 position Leg Rest 0-90°
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Adjustable access back support (right) 0-85°, Paper roll holder, Stirrups (Retractable foot rests)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 16 - 17 for details.</i>		#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Foot Control	Height, Trendelenburg, Fowler	61901
Foot Control	Height, Trendelenburg, Fowler, Cardio Panel	65679
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Procedure Tray 30" (76 cm) Width Only	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters)	73127
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side	74080
Sliding Cardio Panel - Manual	30" (76cm) width table, left side	73130
ACCESSORIES <i>order any time. See accessories on page 17.</i>		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

GENERAL 3 SECTION TOP TABLE

- Three section top table with 12 optional features to customize your table
- Sleek base design promotes unobstructed compatibility with ultrasound equipment ensuring better ergonomic conditions for the sonographer



Easily Converts To Fully Upright Chair Position In Seconds!



4 Position Leg Section



Recommended for:

- All abdominal & superficial structures exams
- OB/GYN exams (limited use with endovaginal exams)
- Musculoskeletal exams
- Vascular exams
- Biopsies

GENERAL 3 SECTION TOP TABLE

#62963-T* 27" W #63028-T* 30" W

FEATURES	
3 Section Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	24" (61cm) long
Leg Rest	13" (33cm) long
Motion 1	Electric Height Range 22" - 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Motion 3	Electric Fowler Backrest 0-75°
Motion 4	Manual 4 position Leg Rest 0-90°
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Included Features	4" (10cm) locking casters, Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 16 - 17 for details.</i>		#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access/Back Support	Left side 0-85°	73133
Adjustable Access/Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Fowler	61901
Foot Control	Height, Trendelenburg, Fowler, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Procedure Tray 30" (76 cm) Width Only	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters)	73127
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side	74080
Sliding Cardio Panel - Manual	30" (76cm) width table, left side	73130
Stirrups (Retractable Foot Rests)	Pull out from under table, fully adjustable	71001
ACCESSORIES <i>order any time. See accessories on page 17.</i>		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

GENERAL TABLE WITH FOWLER

- 2 section top table with many optional features to customize your needs
- Dynamic 22" to 38" (56-97cm) adjustable height range for wheelchair transfer & ergonomic working heights
- 550 lb (250kg) bariatric rated lift & load capacity
- Twin tower design for added strength & rigidity



Paper Roll Holder folds out of the way



Hand Control

Recommended for:

- All abdominal & superficial structures exams
- Musculoskeletal exams
- Vascular exams
- Biopsies

GENERAL TABLE WITH FOWLER

#69222-T* 27" W #61988-T* 30" W

FEATURES	
2 Section Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Backrest	34" (86cm) long
Seat	38" (97cm) long
Motion 1	Electric Height Range 22" - 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Motion 3	Electric Fowler Backrest 0-75°
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Fabric	Premium, PVC free TerraTouch™
Included Features	4" (10cm) locking casters, Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 16 - 17 for details.</i>		#
Accessory Mounting Plate	Fowler end	62123
Adjustable Access Back Support	Left side 0-85°	73133
Adjustable Access Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg, Backrest	61901
Foot Control	Height, Trendelenburg, Backrest, Cardio Panel	65679
Non-USA electric system	please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Electric	30" (76cm) width table, left side opens 15" (38cm)	74080
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES <i>order any time. See accessories on page 17.</i>		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

GENERAL RECTANGULAR TOP TABLE

- Flat top table with many optional features to customize your needs
- 550 lb (250kg) bariatric rated lift and load capacity



Trendelenburg/Reverse



22" - 38" Height Range

Recommended for:

- Abdominal & superficial structures exams
- Musculoskeletal exams
- Vascular exams
- Biopsies

GENERAL RECTANGULAR TOP

#68666-T* 27" W #61989-T* 30" W

FEATURES	
Rectangular Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Motion 1	Electric Height Range 22" - 38" (56-97cm)
Motion 2	Electric Trendelenburg/Reverse Tilt $\pm 15^\circ$
Controls	Multi-function hand control
Weight Capacity	550 lb (250kg)
Product Weight	359 lb (163kg)
Padding	3" (8cm) Comfort Foam™
Fabric	Premium, PVC free TerraTouch™
Included Features	4" (10cm) locking casters, Paper roll holder
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table. See page 16 - 17 for details.		#
Accessory Mounting Plate	Either end	62123
Adjustable Access Back Support	Left side 0-85°	73133
Adjustable Access Back Support	Right side 0-85°	73132
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Foot Control	Height, Trendelenburg	61901
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Sliding Cardio Panel - Manual	30" (76cm) width table, left side opens 15" (38cm)	73130
ACCESSORIES order any time. See accessories on page 17.		#
Detachable Arm Board	Use with T-rail adapter 5" (13cm) wide x 20.5" (52cm) long	62192
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support (requires mounting plate)	PKG7554*
Table Extender	24" (61cm) wide x 12" (30cm) long (requires mounting plate)	63487
T-rail Adapter 8" (20cm) long	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

ULTRASOUND FEATURES & OPTIONS

ADJUSTABLE ACCESS BACK SUPPORT

Left: #73133 Right: #73132

Adjustable with 5 positions 0-85°, allowing easy access for sonographer to the far side & back support for patients.

10" (25cm) wide x 15.5" (39cm) long

Standard Feature: Right Side - Multi-Specialty, Echocardiography, & Women's Imaging
Left Side - Multi-Specialty

Option: Right Side - Vascular Table with Fowler, Vascular Table without Fowler, General 3-Section, General with Fowler, & General Rectangular Top

Left Side - Vascular Table with Fowler, Vascular Table without Fowler, Women's Imaging, General 3-Section, General with Fowler, & General Rectangular Top



SLIDING CARDIO PANEL

Electric: #73131 Manual: #73130

The sliding cardio panel allows you to adjust the opening to the size you need, up to 15" (38cm). 10" (25cm) wide x 28" (71cm) long. Great for left or right handed scanning. Can also be used as an armrest. Available in manual or electric adjustment options. Available on left side of 30" (76cm) width tables only.

Standard Feature: Manual - Echocardiography

Option: Manual - Multi-Specialty, Vascular Table with Fowler, Vascular Table without Fowler, Women's Imaging, General 3-Section, General with Fowler, & General Rectangular Top

Electric - Multi-Specialty, Echocardiography, Women's Imaging, General 3-Section, & General with Fowler



PATIENT LIFT COMPATIBLE BASE #65893

This option allows the use of patient lifts & easy wheel chair transfers to minimize or eliminate caregiver injuries associated with patient transfers. The high clearance base permits all patient lifts to slide easily under the center of the table for stable transfers while not increasing the low height range of the tables that enable easy wheel chair transfers. Must be ordered with table.

- Includes larger, 5" (13cm) diameter Heavy Duty locking casters
- Provides 6.5" (17cm) clearance for patient lift
- Central Base Locking System not available with this option

Option: Echocardiography, Vascular Table with Fowler, Vascular Table without Fowler, Women's Imaging, General 3-Section, General with Fowler, & General Rectangular Top



FULL FUNCTION CONTROLS

#enquire for part number

You may choose to have two controls: two foot or one hand & one foot.

Option: All Exam Tables & Procedure Chairs



Multi-Function Foot Control



Multi-Function Hand Control

PROCEDURE TRAY #73127

Retractable, removable stainless steel. 12.25" (6cm) x 10.25" (26cm) & holds 2 quarts (1.9 liters). Available on 30" (76cm) wide tables only.

Option: Multi-Specialty, Women's Imaging, & General 3-Section



ACCESSORY MOUNTING PLATE

#62123

Add a face rest or table extender to your table.

Option: all Ultrasound tables.



*Fabric color code must be specified. Fabric color options on page 79.

ULTRASOUND FEATURES & OPTIONS

STIRRUPS #71001

Adjust to a wide range of angles & lengths to accommodate any patient or procedure.

Standard Feature: Multi-Specialty & Women's Imaging

Option: General 3-Section



SIDE RAILS #61781

Increase stability & security for your patient. Fold down out of the way when not in use. 23.5" (60cm) long x 6" (15cm) tall (from surface of table)

Standard Feature: Vascular Tables

Option: Multi-Specialty, Echocardiography, Women's Imaging, General 3-Section, General with Fowler, General Rectangular Top



CENTRAL BASE

LOCKING SYSTEM #61777

Easily lock your table into place with our unique system that allows locking from both sides of the table.

Standard Feature: Multi-Specialty

Option: All Ultrasound Tables (Can not be used with Patient Lift Compatible Base)



ULTRASOUND ACCESSORIES

PRONE PILLOW #66180-T01 **For prone or supine positioning!**

The removable pads and low profile design make this the most comfortable positioning solution for your patient. This product offers an added level of comfort for the patient during any ultrasound procedure. Use the pads individually or as part of the system.



Great for Vascular procedures!



T-RAIL ADAPTER #61902

Choose the best spot for this easily installed and removed accessory capable of handling up to 150 lb (68kg). Can be used with any American standard accessory. 8" (20cm) long

Available on all Ultrasound tables.



TABLE EXTENDER

#63487-T*

Lengthens the table by 12" (31cm) to 84" (213cm) allowing for access to the patient's neck for carotid artery exams & thyroid exams. 24" (61cm) W x 12" (31cm) L

Available On All Ultrasound Tables
Requires Accessory Mounting Plate



QUICKLOCK™ HEAD REST & AERO·CEL PAD #PKG7554*

The platform allows precise cervical flexion and height positioning over a wide range for both prone and supine treatments.

Available On All Ultrasound tables
Requires Accessory Mounting Plate



DETACHABLE

ARM BOARD #62192-T*

Includes clamp to attach Arm Board to the T-rail Adaptor & rotates over 140 degrees. 5" (13cm) wide x 20.5" (52cm) long

Available On All Ultrasound Tables
Requires T-rail Adapter



*Fabric color code must be specified. Fabric color options on page 79.

IMAGING AND PAIN

Very stable designs support excellent imaging.

Perfect for...

- Surgery Centers
- Hospitals/Medical Centers
- Pain Management Facilities
- Ambulatory Surgery Centers
- Private Practice



CFPM400

MANAGEMENT TABLES

Strong and robust lifting column

Rock solid for better imaging.



500 lb. Weight Capacity

A model with 750 lb capacity.

5 Different motions and two top designs

Configure your table to meet your needs and budget.



Large Height Range (18")

Lower minimum heights help facilitate patient transfers and wide height range promotes optimal working heights.



made in the USA
with US & imported parts



OAKWORKS[®]
MEDICAL

IMAGING & PAIN MANAGEMENT



CFPM400 #75204-T01 Integrated
#75205-T01 Rectangular

FEATURES

Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long
Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long
Hand Control (all motions)
Weight Capacity: 500lb (227kg)
1" (3cm) Radiolucent Table Top Pad
4" (10cm) Casters
Crescent face rest pad (included with Integrated Headrest Top)
Patient Safety Straps (2)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
2" (5cm) Table Top Pad Upgrade	73190-T01
5" (13cm) Casters	65427
Foot Control (CFPM400)	75077
Foot Control (CFPM401)	75078
Non-USA electric system (contact us for details)	73134

CFPM401 #75206-T01 Integrated
#75207-T01 Rectangular

MOVEMENTS

CFPM400

Motion 1.....height range 26" - 44" (66-112cm)
Motion 2.....Trendelenburg tilt +15°/-12°
Motion 3.....longitudinal travel 10" (25cm)
Motion 4.....lateral tilt ±15°

CFPM401

Motion 1.....height range 26" - 44" (66-112cm)
Motion 2.....Trendelenburg tilt +15°/-12°
Motion 3.....longitudinal travel 10" (25cm)
Motion 4.....±4" lateral travel



CFPM300 #75208-T01 Integrated
#75209-T01 Rectangular

FEATURES

Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long
Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long
Hand Control (all motions)
Weight Capacity: 500lb (227kg)
1" (3cm) Radiolucent Table Top Pad
4" (10cm) Casters
Crescent face rest pad (included with Integrated Headrest Top)
Patient Safety Straps (2)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
2" (5cm) Table Top Pad Upgrade	73190-T01
5" (13cm) Casters	65427
Foot Control (CFPM300)	75074
Foot Control (CFPM301)	75076
Non-USA electric system (contact us for details)	73134

CFPM301 #75211-T01 Integrated
#75212-T01 Rectangular

MOVEMENTS

CFPM300

Motion 1.....height range 26" - 44" (66-112cm)
Motion 2.....Trendelenburg tilt +15°/-12°
Motion 3.....lateral tilt ±15°

CFPM301

Motion 1.....height range 25" - 43" (64-109cm)
Motion 2.....Trendelenburg tilt +15°/-11°
Motion 3.....longitudinal travel 10" (25cm)



CFPMB301 *Bariatric imaging table* #75213-T01 Rectangular

FEATURES

Rectangular Bariatric Top: 24" (61cm) wide x 80" (203cm) long
Hand Control (all motions)
Weight Capacity: 750lb (340kg)
1" (3cm) Radiolucent Table Top Pad
Heavy Duty 5" (13cm) Casters
Patient Safety Straps (2)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

MOVEMENTS

Motion 1.....height range 26.5" - 44.5" (67-113cm)
Motion 2.....Trendelenburg tilt +15°/-11°
Motion 3.....longitudinal travel 10" (25cm)

OPTIONS

must be ordered with table

	#
2" (5cm) Table Top Pad Upgrade	73190-T01
Foot Control (CFPMB301)	75076
Non-USA electric system (contact us for details)	73134



CFPM100 #55569-T01 Integrated
#60011-T01 Rectangular

FEATURES

Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long
Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long
Foot Control
Weight Capacity: 500lb (227kg)
1" (3cm) Radiolucent Table Top Pad
4" (10cm) Casters
Crescent face rest pad (included with Integrated Headrest Top)
Patient Safety Straps (2)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

MOVEMENTS

Motion 1.....height range 22" - 40" (56-102cm)

OPTIONS

must be ordered with table

	#
2" (5cm) Table Top Pad Upgrade	73190-T01
5" (13cm) Casters	65427
Non-USA electric system (contact us for details)	73134



OAKWORKS[®]
MEDICAL

See page 34-39 for accessories.

IMAGING & PAIN MANAGEMENT



CFPMFXH #56575-T01 Integrated
#60009-T01 Rectangular

fixed height imaging table

FEATURES	MOVEMENTS
Integrated Headrest Carbon Fiber Top: 22" (56cm) wide x 84" (213cm) long	Fixed height 37" (94cm) , no motion
Rectangular Carbon Fiber Top: 24" (61cm) wide x 80" (203cm) long	
Weight Capacity: 500lb (227kg)	
1" (3cm) Radiolucent Table Top Pad	
4" (10cm) Casters	
Crescent face rest pad (included with Integrated Headrest Top)	
Patient Safety Straps (2)	
Warranty: 3 years parts, 2 years labor	
FDA listed, CE marked, cETLus listed,CB Certificate	

OPTIONS <i>must be ordered with table</i>	#
2" (5cm) Table Top Pad Upgrade	73190-T01
5" (13cm) Casters	65427



DTPM300 #61252-T01 Rectangular

FEATURES	MOVEMENTS
Rectangular Polycarbonate Top: 24" (61cm) wide x 78" (198cm) long	Motion 1.....height range 24" - 40" (61-102cm)
Hand Control (Height, Trendelenburg/Reverse)	Motion 2..... manual travel top 23" (58cm)
Foot Control (Height)	Motion 3.....Trendelenburg tilt $\pm 14^\circ$
Weight Capacity: 450 lb (204kg)	
1" (3cm) Radiolucent Table Top Pad	
4" (10cm) Casters	
9 Foot Cord	
Patient Safety Straps (2)	
Warranty: 3 years parts, 2 years labor	
FDA listed, CE marked, cETLus listed,CB Certificate	

OPTIONS <i>must be ordered with table</i>	#
2" (5cm) Table Top Pad Upgrade	55192-T01
5" (13cm) Casters	65427
Fixed T-rail: 78" (198cm) Long	73148
Fixed T-rail: Custom Length	73135
Non-USA electric system (contact us for details)	73134



Urology CFUR301 #75214-T01

FEATURES	MOVEMENTS
Carbon Fiber Top: 23" (58cm) wide x 47" (119cm) long	CFUR301
Hand Control (all motions)	Motion 1.....height range 26" - 44" (66-112cm)
Weight Capacity: 500lb (227kg)	Motion 2..... Trendelenburg tilt $+15^\circ/-11^\circ$
1" (3cm) Radiolucent Table Top Pad	Motion 3..... longitudinal travel 10" (25cm)
4" (10cm) Casters	CFUR401
Patient Safety Straps (2)	Motion 1.....height range 26" - 44" (66-112cm)
Radiolucent Lateral Extensions (2) attach to T-rail	Motion 2.....Trendelenburg tilt $+15^\circ/-11^\circ$
Radiolucent Patient Transfer Extension (1) attach to end of table	Motion 3..... longitudinal travel 10" (25cm)
T-rail - full length of top	Motion 4..... lateral travel $\pm 4"$ (10cm)
Urology Bag Hoop (bag not included)	
Warranty: 3 years parts, 2 years labor	
FDA listed, CE marked, cETLus listed,CB Certificate	

OPTIONS <i>must be ordered with table</i>	#
5" (13cm) Casters	65427
Foot Control (CFUR301)	75076
Foot Control (CFUR401)	75078
Non-USA electric system (contact us for details)	73134



Lithotripsy/Urology CFLU401 #75216-T01

FEATURES	MOVEMENTS
Carbon Fiber Top: 23" (58cm) wide x 47" (119cm) long	Motion 1.....height range 28" - 46" (71-117cm)
Hand Control (all motions)	Motion 2..... Trendelenburg tilt $+15^\circ/-11^\circ$
Weight Capacity: 500lb (227kg)	Motion 3..... longitudinal travel 10" (25cm)
1" (3cm) Radiolucent Table Top Pad	Motion 4..... lateral travel $\pm 4"$ (10cm)
5" (13cm) Casters	
Patient Safety Straps (2)	
Radiolucent Lateral Extensions (4) attach to T-rail	
Radiolucent Patient Transfer Extensions (2) attach to end of table	
T-rail - full length of top (except in cut-out areas)	
Urology Bag Hoop (bag not included)	
Warranty: 3 years parts, 2 years labor	
FDA listed, CE marked, cETLus listed,CB Certificate	

OPTIONS <i>must be ordered with table</i>	#
Foot Control (CFLU401)	75078
Non-USA electric system (contact us for details)	73134



**OAKWORKS
MEDICAL**

See page 34-39 for accessories.

CFPM400 & CFPM401



- Industry's Largest Adjustable Height Range 26" - 44"
- 56" Metal Free Imaging Space
- Cost Effective 4 Movement Table
- 500 lb Patient Weight Capacity
- Warranty: 3 years parts, 2 years labor

CFPM400 #75204-T01 Integrated
#75205-T01 Rectangular

CFPM401 #75206-T01 Integrated
#75207-T01 Rectangular

FEATURES	
Carbon Fiber Top	Integrated Headrest 22" (56cm) wide x 84" (214cm) long
56" Metal free imaging space	Rectangular 24" (61cm) wide x 80" (203cm) long
CFPM400 MOVEMENTS	
Motion 1	Electric Height Range 26" - 44" (66-112cm)
Motion 2	Electric Trendelenburg tilt +15°/-12°
Motion 3	Electric Longitudinal travel 10" (25cm)
Motion 4	Electric Lateral tilt ±15°
CFPM401 MOVEMENTS	
Motion 1	Electric Height Range 26" - 44" (66-112cm)
Motion 2	Electric Trendelenburg tilt +15°/-11°
Motion 3	Electric Longitudinal travel 10" (25cm)
Motion 4	Electric Lateral travel ±4" (10cm)
Controls	Multi-function hand control
Weight Capacity	500 lb (227kg)
Product Weight	475 lb (216kg)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, Crescent face rest pad (included with integrated headrest top), patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table.</i>		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1" (3cm) pad	73190-T01
5" (13cm) casters	Upgrade from the standard 4" (10cm)	65427
Foot Control (CFPM400)	multi-functional with cradle on table base	75077
Foot Control (CFPM401)	multi-functional with cradle on table base	75078
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES <i>order any time. See accessories on pages 34-39.</i>		#
Arm Hammock	Use with Integrated Head Rest Top	48751-T01
Carbon Fiber Arm Board (6" wide)	180° Articulation	42585
Carbon Fiber Arm Board (7.5" wide)	180° Articulation	70337
Fluoro Extender	Polycarbonate	33975
Interventional Supine Pillow System	Contoured pad and support wedge pad	69808-T01
Spine Positioning System II	8 piece system	70100-T01
T-rail Clamp	6" (15cm) long rail	63336



See page 34-39 for accessories.


4 Movement Table Features



CFPM400



Motion 1
HEIGHT RANGE 26" - 44"



Motion 2
TRENDLENBURG TILT +15°/-12°



Motion 3
LONGITUDINAL TRAVEL 10"




Motion 4
LATERAL TILT ±15°

CFPM401



Motion 1
HEIGHT RANGE 26" - 44"



Motion 2
TRENDLENBURG TILT +15°/-11°



Motion 3
LONGITUDINAL TRAVEL 10"



Motion 4
LATERAL TRAVEL ±4"

INCLUDED FEATURES:

**Multi-function
hand control**



(2) Patient Safety Straps
84" L with 24" of hook & loop
fasteners at each end



**1 Crescent
face rest pad**
(Integrated
Headrest Top Only)



**4" Locking
Casters**

**1" Comfort Foam™
Table Top Pad**
(2" pad optional)

CFPM300 & CFPM301



- Industry's Largest Adjustable Height Range of 26" - 44"
- 56" Metal Free Imaging Space
- Cost Effective 3 Movement Table
- 500 lb Patient Weight Capacity
- Warranty: 3 years parts, 2 years labor

CFPM300 #75208-T01 Integrated
#75209-T01 Rectangular

CFPM301 #75211-T01 Integrated
#75212-T01 Rectangular

FEATURES	
Carbon Fiber Top	Integrated Headrest 22" (56cm) wide x 84" (214cm) long
56" Metal free imaging space	Rectangular 24" (61cm) wide x 80" (203cm) long
CFPM300 MOVEMENTS	
Motion 1	Electric Height Range 26" - 44" (66-112cm)
Motion 2	Electric Trendelenburg tilt +15°/-12°
Motion 3	Electric Lateral tilt ±15°
CFPM301 MOVEMENTS	
Motion 1	Electric Height Range 26" - 44" (66-112cm)
Motion 2	Electric Trendelenburg tilt +15°/-11°
Motion 3	Electric Longitudinal travel 10" (25cm)
Controls	Multi-function hand control
Weight Capacity	500 lb (227kg)
Product Weight	475 lb (216kg)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, Crescent face rest pad (included with integrated headrest top), patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table.</i>		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1" (3cm) pad	73190-T01
5" (13cm) casters	Upgrade from the standard 4" (10cm)	65427
Foot Control (CFPM300)	multi-functional with cradle on table base	75074
Foot Control (CFPM301)	multi-functional with cradle on table base	75076
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES <i>order any time. See accessories on pages 34-39.</i>		#
Arm Hammock	Use with Integrated Head Rest Top	48751-T01
Carbon Fiber Arm Board (6" wide)	180° Articulation	42585
Carbon Fiber Arm Board (7.5" wide)	180° Articulation	70337
Fluoro Extender	Polycarbonate	33975
Interventional Supine Pillow System	Contoured pad and support wedge pad	69808-T01
Spine Positioning System II	8 piece system	70100-T01
T-rail Clamp	6" (15cm) long rail	63336



RECTANGULAR TOP

See page 34-39 for accessories.

3 Movement Table Features




INCLUDED FEATURES:

CFPM300



Motion 1
HEIGHT RANGE 26"- 44"



Motion 2
TRENDLENBURG TILT +15°/-12°




Motion 3
LATERAL TILT ±15°

CFPM301



Motion 1
HEIGHT RANGE 25"- 43"



Motion 2
TRENDLENBURG TILT +15°/-11°



Motion 3
LONGITUDINAL TRAVEL 10"

**Multi-function
hand control**



(2) Patient Safety Straps
84" L with 24" of hook & loop
fasteners at each end



**1 Crescent
face rest pad**
(Integrated
Headrest Top Only)



**4" Locking
Casters**

**1" Comfort Foam™
Table Top Pad**
(2" pad optional)

CFPMB301

3 Movement Table 750 lb Bariatric Rated



- Large 24" wide x 80" long carbon fiber top
- Wide Adjustable Height Range of 26" - 44"
- Warranty: 3 years parts, 2 years labor

CFPMB301 #75213-T01

FEATURES	
Carbon Fiber Top 52.5" (133cm) Metal free imaging space	Rectangular 24" (61cm) wide x 80" (203cm) long
Motion 1	Electric Height Range 26" - 44" (66-112cm)
Motion 2	Electric Trendelenburg tilt +15°/-11°
Motion 3	Electric Longitudinal travel 4" (10cm)
Controls	Multi-function hand control
Weight Capacity	750 lb (340kg)
Product Weight	475 lb (216kg)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 5" (13cm) locking casters, patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1" (3cm) pad	73190-T01
Foot Control (CFPMB301)	multi-functional with cradle on table base	75076
Non-USA electric system	Please contact us for order details	73134



Motion 1
HEIGHT RANGE 26" - 44"



Motion 2
TRENDLENBURG TILT +15°/-11°



Motion 3
LONGITUDINAL TRAVEL 10"


See page 34-39 for accessories.

CFPM100

1 Movement Table



- Our lowest height range table 22"-40"
- 500 lb Patient Weight Capacity
- Warranty: 3 years parts, 2 years labor



RECTANGULAR TOP

Super low 22" height

CFPM100

#55569-T01 Integrated
#60011-T01 Rectangular

FEATURES		
Carbon Fiber Top 56" (133cm)	Integrated Headrest 22" x 84" (56cm x 214cm)	
Metal free imaging space	Rectangular 24" x 80" (61cm x 203cm)	
Motion 1	Electric 22" - 40" (56-102cm) Height Range	
Foot Control	Controls height range	
Weight Capacity	500 lb (227kg)	
Product Weight	343 lb (156kg)	
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, crescent face rest pad (included with integrated headrest top), patient safety straps (2)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	
OPTIONS must be ordered with table.		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1" (3cm) pad	73190-T01
5" (13cm) casters	Upgrade from the standard 4" (10cm)	65427
Non-USA electric system	Please contact us for order details	73134

INCLUDED FEATURES:

(2) Patient Safety Straps

84" L with 24" of hook & loop fasteners at each end



1 Crescent face rest pad
(Integrated Headrest Top Only)



4" Locking Casters

1" Comfort Foam™ Table Top Pad
(2" pad optional)

See page 34-39 for accessories.

CFPMFXH

Fixed Height Table



- 500 lb Patient Weight Capacity
- Warranty: 3 years parts, 2 years labor



RECTANGULAR TOP

INCLUDED FEATURES:

(2) Patient Safety Straps

84" L with 24" of hook & loop fasteners at each end



1 Crescent face rest pad
(Integrated Headrest Top Only)



4" Locking Casters

1" Comfort Foam™ Table Top Pad
(2" pad optional)

CFPMFXH #56575-T01 Integrated
#60009-T01 Rectangular

FEATURES	
Carbon Fiber Top 56" Metal free imaging space	Integrated Headrest 22" (56cm) wide x 84" (214cm) long Rectangular 24" (61cm) wide x 80" (203cm) long
Height	37" (94cm)
Weight Capacity	500 lb (227kg)
Product Weight	343 lb (155kg)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, crescent face rest pad (included with integrated headrest top), patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table.</i>		#
2" (5cm) Table Top Pad Upgrade	Upgrade from the standard 1" (3cm) pad	73190-T01
5" (13cm) casters	Upgrade from the standard 4" (10cm)	65427




See page 34-39 for accessories.

DTPM300

3 Movement Table



- 2 Tower Lift Design
- 40" Open Space Between Towers
- 23" Longitudinal Travel
- Warranty: 3 years parts, 2 years labor



DTPM300 #61252-T01

FEATURES	
Polycarbonate Top	Rectangular 24" (61cm) wide x 78" (198cm) long
Motion 1	Electric Height Range 24" - 40" (61-102cm)
Motion 2	Electric Trendelenburg tilt +14°/-14°
Motion 3	Manual Longitudinal travel 23" (58cm)
Controls	foot control (height) & hand control (height & trendelenburg)
Weight Capacity	450 lb (204kg)
Product Weight	390 lb (177kg)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, patient safety straps (2)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table.</i>		#
2" (5cm) Table Top Pad upgrade	Upgrade from the standard 1" (3cm) pad	55192-T01
Fixed T-rail	78" long (198cm)	73148
Fixed T-rail	Custom Length	73135
Non-USA electric system	Please contact us for order details	73134

INCLUDED FEATURES:

(2) Patient Safety Straps
84" L with 24" of hook & loop fasteners at each end



4" Locking Casters

1" Comfort Foam™ Table Top Pad (2" pad optional)



Optional Custom Length Fixed T-rail
Factory installed

See page 34-39 for accessories.

CFUR30I & CFUR40I

CFUR30I

3 movement

CFUR40I

4 movement

- 3 table extensions included
- 500 lb Patient Weight Capacity
- Warranty: 3 years parts, 2 years labor



CFUR30I #75214-T01

CFUR40I #75215-T01

STANDARD	
Carbon Fiber Top 53" (135cm) Metal free imaging space with Patient Transfer Extension	23" (58cm) wide x 47" (119cm) long
CFUR30I MOVEMENTS	
Motion 1	Electric Height Range 25.5" - 43.5" (65-110cm)
Motion 2	Electric Trendelenburg tilt +15°/-11°
Motion 3	Electric Longitudinal travel 10" (25cm)
CFUR40I MOVEMENTS	
Motion 1	Electric Height Range 26.5" - 44.5" (67-114cm)
Motion 2	Electric Trendelenburg tilt +15°/-11°
Motion 3	Electric Longitudinal travel 10" (25cm)
Motion 4	Electric Lateral travel ±4" (10cm)
Controls	Multi-function hand control
Weight Capacity	500 lb (227kg) Each Extension: 200 lb (91kg)
Product Weight	CFUR30I 568 lb (258kg) CFUR40I 590 lb (268kg)
Radiolucent Lateral Extension	(2) 5" x 24" (12cm x 61cm)
Radiolucent Patient Transfer Extension	(1) 23" x 28" (58cm x 71cm)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 4" (10cm) locking casters, Digital angle gauge, patient safety straps (2), Industry standard full length T-rails on each side, Urology bag hoop
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table.</i>		#
5" (13cm) casters	Upgrade from the standard 4" (10cm)	65427
Foot Control (CFUR30I)	multi-functional	75076
Foot Control (CFUR40I)	multi-functional	75078
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES <i>order any time. See accessories on pages 34-39.</i>		#
Protective Drape	Clear PVC - attaches to T-rail	69390
Radiolucent Lateral Extension	5" x 24" (13cm x 61cm)	65328
Radiolucent Lateral Extension	5" x 14" (13cm x 36cm)	65329

INCLUDED FEATURES:

(3) Radiolucent Extensions

(2) Patient Safety Straps

84" L with 24" of hook & loop fasteners at each end



1" Comfort Foam™ Table Top Pad



4" Locking Casters

Industry Standard Full Length T-rails on each side

The Integrated T-rails are US standard size of .38" (9.7mm) thick by 1.13" (28.7mm) wide.

Digital Angle Gauge

Urology Bag Hoop

Model: Urocatch® with intertrak clamps (Bag not included)

3 Radiolucent Extensions

33" WIDE SUPPORT SURFACE

The two lateral extensions give you the support area you need for patients' arms while maximizing access to the 23" W x 47" L Carbon Fiber Top. Imaging Area 19" W x 24" L (48cm x 61cm)

Radiolucent patient transfer extension creates 51" long metal-free imaging area between the T-rails.



(2) 5" X 24" RADIOLUCENT LATERAL EXTENSIONS #66158



Removable lateral extensions slide & lock on T-rails.

(1) 23" WIDE X 28" LONG RADIOLUCENT PATIENT TRANSFER EXTENSION #66156




Lightweight design can be used for general imaging when a full length diving board table design is required.

Configure top & extensions to fit the need.



Accessories



Protective Clear PVC Drape #69390

Helps keep clean up to a minimum. Flexible and transparent design maximizes C-Arm positioning possibilities. Clips to T-rail.

See page 36-37 for additional accessories including this Lift Assist Stirrup System

#72866



CFLU40I

4 movement Lithotripsy/Urology Table



- Designed to work with most portable lithotripters & C-Arms
- Left & right Lithotripter access
- Rugged design perfect for mobile or stationary use

CFLU40I #75216-T01

STANDARD	
Carbon Fiber Top 53" (135cm) Metal free imaging space with Patient Transfer Extension	23" (58cm) wide x 47" (119cm) long
Motion 1	Electric Height Range 27.5" - 45.5" (69-114cm)
Motion 2	Electric Trendelenburg tilt +15°-11°
Motion 3	Electric Longitudinal travel 10" (25cm)
Motion 4	Electric Lateral travel ±4" (10cm)
Controls	Multi-function hand control
Weight Capacity	500 lb (227kg) Each Extension: 200 lb (91kg)
Product Weight	618 lb (280kg)
Radiolucent Lateral Extension	(1) Lateral Extension 8" x 24" (20cm x 60cm) (1) Lateral Extension 8" x 14" (20cm x 36cm) (2) Angled Lateral Extensions 8" x 11" (20cm x 28cm)
Radiolucent Patient Transfer Extensions	(1) End Extension 23" x 28" (58cm x 71cm) (1) Short End Extension 23" x 16" (58cm x 40cm)
Included Features	1" (3cm) Radiolucent Comfort Foam™ table top pad, 5" (13cm) locking casters, Digital angle gauge, patient safety straps (2), Industry standard full length T-rails on each side, Urology bag hoop
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table.</i>		#
Foot Control (CFLU40I)	multi-functional	75078
Non-USA electric system	Call for ordering details	73134
ACCESSORIES <i>order any time. See accessories on pages 34-39.</i>		#
Protective Drape	Clear PVC - attaches to T-rail	69389

See page 34-39 for accessories.

INCLUDED FEATURES:

(6) Radiolucent Extensions

(2) Patient Safety Straps

84" L with 24" of hook & loop fasteners at each end



1" Comfort Foam™ Table Top Pad



Heavy Duty 5" Locking Casters

*with directional
locks on tower
end only.*

Industry Standard Full Length T-rails on each side

The Integrated T-rails are US standard size of .38" (9.7mm) thick by 1.13" (28.7mm) wide.

Digital Angle Gauge

Urology Bag Hoop

Model: Urocatch® with intertrak clamps
(Bag not included)

**CONVERTS TO FULL
FEATURED UROLOGY
TABLE IN SECONDS!**


*Compatible with all leg
holders using the U.S.
standard side T-rail
attachment systems.*

See page 34-37 for additional accessories.



T-RAIL SLIDE & LOCK LATERAL EXTENSIONS


easily lock onto T-rails on
either side of the table.



The two angled lateral
extensions align with the
table's recesses & can be
adjusted along T-rails on
each side.



23" W x 47" L CARBON FIBER TOP

Imaging Area 19" W x 23.5" L (48cm x 59cm)



6 RADIOLUCENT EXTENSIONS

Easy to attach & offer many different configurations. Two end extensions and four lateral extensions are included.




IMAGING & PAIN MANAGEMENT ACCESSORIES

INTERVENTIONAL SUPINE PILLOW SYSTEM #69808-T01

Primarily designed to facilitate cervical transforaminal injections, but useful for other antero-lateral procedures such as facet injections, medial branch blocks, stellate ganglion blocks, scalene injections, brachial plexus blocks and discography.

- Facilitates anterior approaches to cervical procedures
- Creates an unobstructed working space for physicians' hands
- Fully adjustable for both patient and physician needs
- Reusable design is highly radiolucent

Compatible with all tables



FDA listed to regulation #892.1830 – Class I

FLUORO EXTENDER #33975

Made of radiolucent, polycarbonate material, it's organic shape is conducive to a variety of table placement applications.

- 30" long x 23.5" wide x 1/4" thick
- Inserts under the table top pad

Compatible with all imaging tables



FDA listed to regulation #892.1980 – Class I

PATIENT SAFETY STRAP #52115

The Patient Safety Strap helps eliminate unwanted patient movement and injury during surgical procedures. The strap is easily adjusted to accommodate a variety of patient sizes.

- Easily adjusted and repositioned with hook & loop fasteners
- Durable radiolucent material

2 INCLUDED with all Imaging Tables & Urology /Lithotripsy Tables



SINGLE CARBON FIBER ARM BOARD

#42585-T01 - 6" wide #70337-T01 - 7.5" wide

Fully radiolucent with a 180° range of motion, the arm board requires no mounting or attachment hardware and simply slides under the table top pad. It can be used on any fluoroscopy table & will support arms and feet in a variety of positioning configurations. Folds for storage.

- 180° range of motion
- 1" pads
- Requires no mounting or attachment hardware, slides under table top pad
- Comes with removable pad
- Folds for safe & compact storage

Compatible with all imaging tables

Shown here with removable pad.




Slides under table top pad.



Folded for storage.

FDA listed to regulation #892.1980 – Class I



6" x 23"
ARM BOARD
or
7.5" x 24"
ARM BOARD

6" ADJUSTABLE T-RAIL CLAMP #63336

The adjustable T-rail clamp can be positioned along the grooved table top edge. Clamp is also removable.

- Accommodates a variety of T-rail attachable accessories
- 150 lb (68kg) weight rating

Available for use on: CFPM tables (Excluding CFPMB301)



FDA listed

ARM HAMMOCK #48751

This unique product will comfortably & easily support your patient's arms when prone. Eliminate the awkward feeling your patients experience by not knowing where to place their arms.

- Easily attached to the Integrated Head Rest table top



CRESCENT FACE REST PAD & COVERS

This radiolucent crescent face rest pad is comfortable for either prone or supine positioning. Use the disposable face rest covers for a hygienic barrier.

Pad is INCLUDED with Integrated Headrest tables. Covers sold separately.



FLAT COVERS
100 PER PACKAGE

#52065 Not FDA Listed.

FITTED COVERS
50 PER BOX

#52067 Not FDA Listed.



FACE REST PAD #56418

COMFORT FOAM™ TABLE TOP PAD

1" INCLUDED with all CFPM & DTPM Imaging tables. 2" optional for an additional charge.

2" pad not available on Urology Tables.

#51343-T01 1" Integrated Head Rest

#55194-T01 2" Integrated Head Rest

#58940-T01 1" Rectangular Top

#62090-T01 2" Rectangular Top

#33060-T01 1" DTPM300

#55192-T01 2" DTPM300




PROTECTIVE DRAPE

#69390 CFUR301 & CFUR401

#69389 CFLU401

The Protective Table Drape is a valuable accessory for your Lithotripsy or Urology table. The Table Drape is an economically effective splash shield, which protects your table's lifting motor and wiring in various facilities environments. This device simply and quickly attaches to the table's standard T-rails located on the sides of the table.

Available on: CFUR301, CFUR401, CFLU401.



UROLOGY TABLE ACCESSORIES

LIFT ASSIST STIRRUP SYSTEM #72866

The Lift-Assist Stirrup System can handle up to 500 lb. The pneumatic lift assisted stirrups are easy to adjust and lock tight when the rotating hand grip is released. The abduction & adduction are done at the hand grip handle with no need to go back to the side rail socket. The rotation of the system was designed to mimic the natural motion of the patient's hip. They can travel a full 120 degrees from 90 to -30. The boot liner is made of a soft material that encapsulates the patient's foot & the boot system offers lateral support to reduce potential nerve damage. System complete with boots, clamshell pads, and side rail sockets.

Compatible with Urology & Lithotripsy Tables



BASIC STIRRUP LEG HOLDERS #72869

The Basic Stirrup Leg Holders offer support for the patient's feet & legs. The included reusable boot liners are made of a soft material that encapsulates the patient's foot. Easily mount the unit to the table with any 5/8" side rail socket, such as the Stainless Steel Clark Socket (sold separately.)

Compatible with Urology & Lithotripsy Tables



STAINLESS STEEL CLARK SOCKET #72870

The Stainless Steel Clark Socket mounts to any standard T-rail & fits up to 5/8" round post.

Compatible with Urology & Lithotripsy Tables



UROLOGY TABLE ACCESSORIES

ADJUSTABLE KNEE CRUTCH SUPPORT #72872

These Adjustable Knee Crutch Supports include a soft pad and adjustable extension to allow for abduction. The knee crutch itself is approx. 9.5" wide and 12" long (5" above the knee bend and 7" below the knee bend.) Sold as a pair, these knee crutches mount to the table with side rail sockets, such as the Stainless Steel Clark Socket (sold separately.)

Compatible with Urology & Lithotripsy Tables



TOTAL KNEE STABILIZER #72873

This Total Knee Stabilizer supports the knee during arthroscopic procedures. This device will offer stable support to a flexed leg during total knee procedures. Also known as a Knee Post, the radiolucent design can be adjusted in height by using the 10 inch post which is attached to the table with a side rail socket, such as the Stainless Steel Clark Socket (sold separately.)

Compatible with Urology & Lithotripsy Tables



RAIL / TABLE MOUNTED ADJUSTABLE IV POLE- WITH INTEGRATED CLAMP #72871

This adjustable IV Pole can be mounted to the table using the integrated clamp. This clamp will mount to most surfaces up to 1 1/4" diameter including standard T-rails. Rotate 180° & adjust in height from 12" - 24".

Compatible with Urology & Lithotripsy Tables



SPINE POSITIONING SYSTEM II

An integral component of the pain management suite

- **Optimal Imaging**
Radiolucency & flexibility for ideal cervical, thoracic & lumbar visualization.
- **Enhanced Patient Comfort**
Minimize unwanted movement & reduce procedure time.
- **Stable Design**
Large contoured torso pad cradles patient & the strap securely fastens the system to the table.



RADIOLUCENT FRAME

Used to support the Torso support & Crescent face rest pad. One cam lock facilitates cervical flexion & extension.



Adequate free space under see through face section for aeration, supplemental O2, jaw/face contact as necessary; prevents patient overheating, can more easily communicate with the patient without sound muffling.

STABILIZING STRAP

Secures SPS II to the table.



SPINE POSITIONING SYSTEM II #70100-T01

FEATURES	
Radiolucent Frame with Face Rest	12" x 32.5" (30 x 84cm)
Crescent Face Rest Pad (#62008-T01)	12" (30cm) diameter
Contoured Torso Support Pad	6.5" x 23" x 30" (17 x 58 x 76cm)
Contoured Torso Wedge	2" x 22" x 29" (5 x 56 x 74cm)
Large Adjuster Pad	8" x 22" x 2" (20 x 56 x 5cm)
Small Adjuster Pad	7" x 12" x 1.5" (18 x 30 x 4cm)
8" Semi-Round Bolster	6" x 8" x 26" (15 x 20 x 66cm)
Carry Case	For storage when not in use
Warranty	Fabric, Frame & Padding - 2 years
Safety Listings	FDA listed, CE marked

SPINE POSITIONING SYSTEM II

The Spine Positioning System II (SPS II) is an integral component of the pain management fluoroscopy suite. With this system, procedural set up time is reduced, patient comfort is enhanced, & unwanted movement is minimized. Most importantly, the target anatomy is more readily visualized, which allows the physician to perform spine procedures in a more efficient & secure manner.

OAKWORKS® designed the SPS II in an effort to achieve the critical balance between optimal imaging & patient comfort. The radiolucent adjustable frame and versatile padding system provide a metal-free imaging support platform capable of quickly positioning a wide variety of patient physiques. The adjustable face rest position provides individualized positioning for all types of cervical procedures & anatomy. The contoured torso support pad is complimented by a host of uniquely shaped and sized adjuster pads & wedges that enable a multitude of positioning combinations for ideal patient comfort & imaging needs for all spinal column procedures.

The SPS II was designed with the input of experienced interventional spine physicians under the direction of Paul Dreyfuss, MD. An extensive trial period was undertaken such that various modifications were made to accommodate the precise needs of the interventional pain physician & their patients.

PRIMARY ADVANTAGES OF THE SPINE POSITIONING SYSTEM II:

- No metal (radiopaque) components are present under the spine- unobstructed visibility of the entire spine from C0-C1 to the coccyx with all imaging angles (AP, oblique & lateral). All radiopaque components are placed proximal to the forehead.
- Adjustment easily made to maximize opening & imaging of the cervico-thoracic junction.
- Secure & easy to use single locking face rest mechanism to adjust cervical flexion, extension & height.
- Torso pad elevation under the chest allows for the shoulders to drop out of the plane of imaging when obtaining a lower cervical and upper thoracic lateral & oblique views.
- Adequate free space under open air face section for aeration, supplemental O2, jaw/face contact as necessary; prevents patient overheating and easy communication with the patient without sound muffling.
- Contoured torso support allows the shoulders to drop yet be adducted/slightly extended next to the body for comfort where they are also less likely to lose position/fall off the fluoroscopic table.
- Current design obviates the need to pull the arms back to the side to obtain imaging of the cervico-thoracic junction; the more comfortable adducted & slightly extended position suffices.
- Adequate adjuster pads to maximize torso build up for larger frame patients.
- Not only for cervical cases; also useful for thoracic & lumbar cases.
- Comfortable for patients with cervical pain when longer duration thoracic & lumbar cases are performed.
- Softer foam under the breasts and shoulders for comfort; firmer central foam for enhanced stability.
- Wider & longer torso pad gives extra support resulting in less sway and improved patient comfort.
- Torso pad restraint strap secures the pad to the table; more stability when mounting & dismounting the system.
- Torso pad with abdominal recess for extra comfort and support.
- All prone positioning needs met with the SPS II; no need for additional pillows.
- Very firm adjuster wedges prevent undue compression & loss of the original position.

PROCEDURE CHAIRS

*Very comfortable designs
support longer treatments.*

Perfect for...

- Hospital/Medical Centers
- Private Practice
- Medi-Spa



300 Series

100 Series

AND EXAM TABLES

8 Different table models with multiple options

Choose the table to meet your needs and budget, then configure further.

Many options to support different exams.



Aesthetically beautiful and incredibly comfortable.

Select models allow you to choose your fabric and base color to match your decor.



ADA compliant models with great ergonomics.

Lower minimum heights help facilitate patient transfers and wide height range promotes optimal working heights.



made in the USA
with US & imported parts



OAKWORKS[®]
MEDICAL

PROCEDURE CHAIRS & EXAM TABLES

300 Series Procedure Chair

#73076-T* 3" Comfort #73408-T* 4" Comfort



FEATURES

3-Section Top: 27" (69cm) wide x 73" (185cm) long
Electric Height Range: 19" - 35" (48-90cm)
Electric Trendelenburg/Reverse Tilt: +15°/-5°
Electric Backrest: 0-80°
Electric Leg Rest: 0-90°
Hand Control with memory positions
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) or 4" (10cm) Comfort Foam™
Enclosure: Choice of Black, Grey, Beige, Cool White *
Integrated Power Outlet (USA model)
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

Foot Control	73074
Non-USA electric system (contact us for details)	73134
Procedure Tray 12.25" (6cm) x 10.25" (26cm) <i>Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"</i>	73042
Stirrups (Retractable Foot Rests)	73037
T-rail, fixed (one or both sides)	73043

100 Series Procedure Chair

#67395-T* 2.5" Comfort #73406-T* 4" Comfort



FEATURES

3-Section Top: 27" (69cm) wide x 74" (188cm) long
Electric Height Range: 19" - 35" (48-90cm)
Electric Trendelenburg/Reverse Tilt: +15°/-5°
Electric Backrest: 0-80°
Manual 4 Position Leg Rest 0-90°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 2.5" (6cm) or 4" (10cm) Comfort Foam™
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

Aesthetic Upgrade - Thermoform cover base & skirt	#	73177
Arm Rests - fold down design		73174
Hand Control		69928
Non-USA electric system (contact us for details)		73134
Procedure Tray 12.25" (6cm) x 10.25" (26cm) <i>Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"</i>		73042
Stirrups (Retractable Foot Rests)		73175
T-rail, fixed		73043

EC Series Chair

#74196-T* 2.5" Comfort #74380-T* 4" Comfort



FEATURES

3-Section Top: 29" (74cm) wide x 73" (185cm) long
Electric Height Range: 19" - 37" (48-94cm)
Lift-Assist Backrest: 0-90°
Manual Leg Section: 0°-90°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 2.5" (6cm) or 4" (10cm) Comfort Foam™
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed

OPTIONS

must be ordered with table

Stirrups (Retractable Foot Rests)	74201
Side Rails (set of 2) <i>(can not be used with Arm Rests)</i>	63265
Arm Rests - fold down design <i>(can not be used with Side Rails)</i>	67648
Locking Twin Casters (One End Of Table)	63400
2nd Foot Control (Height)	69615
Non-USA electric system (contact us for details)	73134

PG Series Exam Tables

See page 51 for Catalog #'s



FEATURES

Top: See page 51 for widths x 72" (183cm) long
Electric Height Range: 22" - 38" (56-97cm)
Electric Trendelenburg/Reverse Tilt: ±15°
Electric Backrest: 0-75° (PG300 & PG350)
Manual 4 Position Leg Rest 0-90° (PG350)
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 3" (8cm) or 4" (10cm) Comfort Foam™
4" (10cm) Locking Casters
Paper Roll Holder
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

Accessory Mounting Plate	#	62123
Central Base Locking System <i>(can not be used with Patient Lift Compatible Base)</i>		61777
Non-USA electric system (contact us for details)		73134
Patient Lift Compatible Base <i>(can not be used with Central Base Locking System)</i>		65893
Procedure Tray 12.25" (6cm) x 10.25" (26cm) <i>Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"</i>		73042
Side Rails (set of 2)		61781
Stirrups (Retractable Foot Rests) PG350		71001



OAKWORKS
MEDICAL

See options and accessories on page 58-59.

*Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.

PROCEDURE CHAIRS & EXAM TABLES



PF Series Exam Tables

See page 53 for Catalog #'s

FEATURES

Top: See page 53 for widths x 73" (185cm) long
 Electric Height Range: PF400 & PF250: 22" - 38" (56-97cm)
 Electric Height Range: PF200: 21" - 37" (53-94cm)
 Electric Trendelenburg/Reverse Tilt: $\pm 20^\circ$
 Electric Backrest: PF400: 0-53°
 Lift Assist Backrest: PF250: 0-80°
 Electric Leg Section: PF400
 Foot Control
 Weight Capacity: 550 lb (250kg)
 Padding: PF400: 4" (10cm) Comfort Foam™
 Padding: PF250 & PF200: 3" (8cm) or 4" (10cm) Comfort Foam™
 Warranty: 3 years parts, 2 years labor
 FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

4" (10cm) Locking Casters	69926
Wood Finishes	73136



PX Series Exam Tables

See page 55 for Catalog #'s

FEATURES

Top: See page 55 for widths x 73" (185cm) PX100 & PX300, 75" (190cm) PX150 long
 Electric Height Range: PX300 & PX150: 21" - 38" (53-97cm)
 Electric Height Range: PX100: 18" - 35" (46-89cm)
 Electric Backrest: PX300: 70°
 Lift-Assist Backrest: PX150: 80°
 Electric Leg Section: PX300
 Foot Control
 Weight Capacity: 550 lb (250kg)
 Padding: PX100 & PX150: 3" (8cm) or 4" (10cm) Comfort Foam™
 Padding: PX300: 4" (10cm) Comfort Foam™
 Warranty: 3 years parts, 2 years labor
 FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
Locking Twin Casters (one end of the table)	63400



Orthopedic Hi-Lo Casting Table

#69268-T*

FEATURES

Top: 31" (79cm) wide x 73" (185cm) long
 Electric Height Range: 17" - 35" (43-89cm)
 Lift-Assist Backrest: 0-90°
 Manual Leg Section: 10-90°
 Foot Control
 Weight Capacity: 550 lb (250kg)
 Padding: 2.5" (6cm) Comfort Foam™
 Side Rail (specify side) 23.5" (60cm) long x 6" (15cm) tall (from surface of table)
 Warranty: 3 years parts, 2 years labor
 FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS *must be ordered with table*

	#
Hand Control	69405
Locking Twin Casters (one end of the table)	63400
Second Side Rail	63264



PowerLine™ Tables

BACKREST TOP #67520-T* 27" W
 #67524-T* 30" W

FLAT TOP #67528-T* 27" W
 #67531-T* 30" W

FEATURES

Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long
 Height: 30" (76cm)
 Manual Multi-Position Backrest or Flat Top
 Weight Capacity: 500 lb (227kg)
 Padding: 2.5" (6cm) Comfort Foam™
 Lacquer Finish: Choice of Warm Maple, Cabernet, Chocolate, Ebony, or Bone
 Paper Roll Holder
 Warranty: 3 years parts, labor not included
 FDA listed, CE marked

ACCESSORIES *order any time*

	#
PowerLine Table Extender (27" wide) (69cm)	51909-T*
PowerLine Table Extender (30" wide) (76cm)	51910-T*
QuickLock™ Head Rest (black) & AeroCel pad	PKG6914-T*
Storage Shelf	51292

Width & Length is approximate due to variation in material.

See options and accessories on page 58-59.

*Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.



300 SERIES PROCEDURE CHAIR

Features

- Powered height, back rest, leg rest & tilting
- Programmable memory positions
- Small footprint with great ergonomics
- 21 fabric colors and 4 enclosure colors to choose from!



ZERO|GRAVITY

Adjustable Head Rest
Platform and Pad
(optional accessory)

Arm Rest
(optional accessory)

T-rail
(option available
on one or both sides)

Electrical
Outlets
(standard)

Retractable
Stirrups
(optional)

Powered
Leg Rest
(standard)



*Shown In Pewter Fabric With Grey
Enclosure, Stirrups, T-rail, and Adjustable
Head Rest Platform & Arm Rest Accessories.*

The 300 Series Procedure Chair gives you the accessibility, positioning and patient comfort for a wide range of procedures in a compact and aesthetically pleasing package. This power chair features all electric movements with memory presets & a wide array of options and accessories.

Program Your Own Position

Hand Control with Memory Positions (standard)

Shown with
Large Head Rest
(accessory)

THERMOFORM ENCLOSURE COLORS

Choice of 4 colors with Aesthetic Upgrade. Color code must be specified.



BLACK - BK



COOL WHITE - CW



GREY - GR



BEIGE - BG

300 SERIES PROCEDURE CHAIR

#73076-T* 3" Comfort

#73408-T* 4" Comfort

FEATURES	
3 Section Top	27" (69cm) wide x 73" (185cm) long with Head Rest [80" (203cm) long with Adjustable Head Rest extended]
Back rest	27" (69cm) wide x 26" (66cm) long
Seat	27" (69cm) wide x 23" (58cm) long
Leg rest	23" (58cm) wide x 13" (33cm) long
Motion 1	Electric Height Range: 19" - 35" (48 - 89cm)
Motion 2	Electric Trendelenburg/Reverse Tilt: +15°/-5°
Motion 3	Electric Backrest: 0-80°
Motion 4	Electric Leg Rest: 0-90°
Hand Control	All motions and memory positions
Weight Capacity	550 lb (250kg)
Product Weight	300 lb (136kg)
Padding	3" (8cm) or 4" (10cm) Comfort Foam™
**Enclosure - see pg 78	Choose from Black, Grey, Beige, or Cool White
Integrated Power Outlet	USA model only
Paper Roll Holder	Accommodates up to 18" (46cm) rolls (rolls not included)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 58 for details.</i>		#
Foot Control	Multi-function	73074
Non-USA electric system	Please contact us for order details	73134
Procedure Tray	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters) Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"	73042
Stirrups (Retractable Foot Rests)	Pull out from under seat section, fully adjustable	73175
T-rail, Fixed	Available for factory mount on one or both sides of the seat. 14" (36cm) long	73043
ACCESSORIES <i>order any time. See accessories on page 59.</i>		#
Arm Rests	Auto level design adjusts to backrest angle, swing out 90°, removable	73064-T*
Adjustable Head Rest Platform	Adjustable angle & height, removable	71899
Procedure Chair Face Rest Crescent	For use when prone positioning is required. Use with Adjustable Head Rest Platform	69876-T*
Head Rest Pad	10" (25cm) long x 10" (25cm) wide Use with Adjustable Head Rest Platform	71976-T*
Large Head Rest	Adjustable in length, removable 11.5" (29cm) long x 20" (51cm) wide	72717-T*
T-rail Adapter	Attaches to chair at multiple locations for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified.

**Enclosure color code must be specified.

Fabric, enclosure, and padding options on pages 77-79.

100 SERIES PROCEDURE CHAIR

Adjustable Head Rest Platform
(optional accessory)

Powered
Backrest
(standard)

Features

- Powered height, backrest & tilting
- Open base design for great ergonomics
- 550 lb patient capacity

Arm Rests
(option)

**ADA
Compliant
Height Range!**

*Shown With Optional Aesthetic Upgrade,
Arm Rests and Adjustable Head Rest
Platform Accessory*



The 100 Series Procedure Chair gives you the flexibility to perform many different procedures while supporting great ergonomics & patient comfort. The twin tower design supports up to 550 lb and the top is designed for supine or prone positioning.

Large Head Rest
(optional accessory)

Adjustable Head Rest
Platform & Head Rest
Pad (optional accessory)

Powered
Backrest
(standard)



ZERO|GRAVITY



Shown In Standard Black Powder
Coated Base & Seafoam Fabric



Manual
Leg Rest
(standard)



I00 SERIES PROCEDURE CHAIR

#67395-T* 2.5" Comfort

#73406-T* 4" Comfort

FEATURES	
3 Section Top	27" (69cm) wide x 74" (188cm) long with Head Rest [80" (203cm) long with Adjustable Head Rest extended]
Back rest	27" (69cm) wide x 26" (66cm) long
Seat	27" (69cm) wide x 24" (61cm) long
Leg rest	22" (56cm) wide x 13" (33cm) long
Motion 1	Electric Height Range: 19" - 35" (48-89cm)
Motion 2	Electric Trendelenburg/Reverse Tilt: +15°/-5°
Motion 3	Electric Backrest: 0-80°
Motion 4	Manual 4 position Leg Rest 0-90°
Foot Control	Adjust Height, Trendelenburg/Reverse & Backrest
Weight Capacity	550 lb (250kg)
Product Weight	300 lb (136kg)
Padding	2.5" (6cm) or 4" (10cm) Comfort Foam™
Paper Roll Holder	Accommodates up to 18" (46cm) rolls (rolls not included)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 58 for details.</i>		#
**Aesthetic Upgrade - see pg 78	Acrylic base cover and skirt (specify color)	73177
Arm Rests	Fold down design	73174
Hand Control	Controls all functions (can be used with foot control)	69928
Non-USA electric system	Please contact us for order details	73134
Procedure Tray	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters) Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"	73042
Stirrups (Retractable Foot Rests)	Pull out from under seat section, fully adjustable	73175
T-rail, Fixed	Available for factory mount on one or both sides of the seat. 14" (36cm) long	73043
ACCESSORIES <i>order any time. See accessories on page 59.</i>		#
Adjustable Head Rest Platform	Adjustable angle & height, removable	71899
Procedure Chair Face Rest Crescent	For use when prone positioning is required. Use with Adjustable Head Rest Platform	69876-T*
Head Rest Pad	10" (25cm) long x 10" (25cm) wide Use with Adjustable Head Rest Platform	71976-T*
Large Head Rest	Adjustable in length, removable 11.5" (29cm) long x 20" (51cm) wide	72717-T*
T-rail Adapter	Attaches to chair at multiple locations for use with USA format T-rail attachable accessories.	61902

*Fabric color code must be specified.
**Enclosure color code must be specified.

Fabric, enclosure, and padding options on pages 77-79.

EC SERIES PROCEDURE CHAIR

Features

- Powered height, lift-assist backrest & manual leg rest
- 19" to 37" height range
- 550 lbs. weight capacity

Lift-Assist Back Rest
(standard)

Arm Rests
(option)


Shown in Opal Fabric with
Optional Arm Rests

Leg Rest
(standard)

The EC Series Procedure Chair is a cost effective solution for environments where flexibility and lower cost are important. This versatile chair can also be put in a flat table position and a wide range of options & accessories allow you to customize the product to your needs.



The EC Series Chair is a great solution for OB/GYN when configured with stirrups, offering the comfort & flexibility to handle a busy practice.



The leg section can be used to support patient's legs while transferring them to the stirrups & then folded down out of the way.



Large height range facilitates patient transfer & practitioner ergonomics.

EC SERIES PROCEDURE CHAIR

#74196-T* 2.5" Comfort

#74380-T* 4" Comfort

FEATURES	
3 Section Top	29" (74cm) wide x 73" (185cm) long
Back rest	29" (74cm) wide x 39" (99cm) long
Seat	29" (74cm) wide x 23" (58cm) long
Leg rest	29" (74cm) wide x 10" (25cm) long
Leg rest (w/stirrups option)	19" (48cm) wide x 10" (25cm) long
Motion 1	Electric Height Range: 19" - 37" (48-94cm)
Motion 2	Lift-Assist Backrest: 0-90°
Motion 3	Manual Leg Rest: 0-90°
Foot Control	Controls height
Weight Capacity	550 lb (250kg)
Product Weight	165 lb (75kg)
Padding	2.5" (6cm) or 4" (10cm) Comfort Foam™
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed

OPTIONS <i>must be ordered with table. See page 58 for details.</i>		#
Stirrups (retractable foot rests)	Pull out from under seat section, fully adjustable	74201
Side Rails	Drop away (Can not be used with Arm Rests)	63265
Arm Rest	Fold down design (Can not be used with Side Rails)	67648
Locking Twin Casters (one end of table)	To easily move table in & around the room	63400
2nd Foot Control	Height	69615
Hand Control	Controls all powered movements	69405
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES <i>order any time. See accessories on page 59.</i>		#
T-rail Adapter	Attaches to the backrest for use with USA format T-rail attachable accessories	61902
Quick Lock Head Rest & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included) Not FDA listed - see page 76	11580

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

PG SERIES EXAM TABLES

3 Section Top can be used as a chair or table!

Features

- Designed for fast paced, diverse treatments
- Heavy duty frame with two lifting motors
- Open base design for great ergonomics



The PG Series Exam Tables are designed for busy environments where they may need to be moved often to permit large pieces of equipment to occupy the same space. Casters come standard on this model, and several tops are available along with many options and accessories to support multiple procedures.



Optional Central Base Locking System



Optional Side Rails
fold down & out of the way


ZERO|GRAVITY
3 Section Top



MODEL PG350

#71953-T* 30" W 3" Comfort
#72422-T* 30" W 4" Comfort
#73574-T* 27" W 3" Comfort
#73575-T* 27" W 4" Comfort

Motion 1 Electric Height: 22"-38" (56-97cm)
Motion 2 Electric Tilt: 15°/15°
Motion 3 Electric Backrest: 0-75°
Motion 4 Manual 4 Position Leg rest: 0-90°


ZERO|GRAVITY
Backrest Top



MODEL PG300

#71952-T* 30" W 3" Comfort
#72420-T* 30" W 4" Comfort
#73327-T* 27" W 3" Comfort
#73576-T* 27" W 4" Comfort

Motion 1 Electric Height: 22"-38" (56-97cm)
Motion 2 Electric Tilt: 15°/15°
Motion 3 Electric Backrest: 0-75°

Flat Top



MODEL PG200

#71948-T* 30" W 3" Comfort
#72419-T* 30" W 4" Comfort
#73577-T* 27" W 3" Comfort
#73578-T* 27" W 4" Comfort

Motion 1 Electric Height: 22"-38" (56-97cm)
Motion 2 Electric Tilt: 15°/15°

PG SERIES EXAM TABLES

FEATURES	
Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Foot Control	Controls all powered movements
Weight Capacity	550 lb (250kg)
Product Weight	159 lb (163kg)
Padding	3" (8cm) or 4" (10cm) Comfort Foam™
Casters	Heavy-duty 4" Locking
Paper Roll Holder	Accommodates 21" (53cm) roll (roll not included)
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

*Fabric color code must be specified.
Fabric & padding options on pages 77-79.

OPTIONS <i>must be ordered with table. See page 58 for details.</i>		#
Accessory Mounting Plate	Allows the use of accessories with your table	62123
Central Base Locking System	Not available with Patient Lift Compatible Base	61777
Hand Control	Controls powered movements PG300 & PG350	75029
Hand Control	Controls powered movements PG200	75028
Non-USA electric system	Please contact us for order details	73134
Patient Lift Compatible Base	Not available with Central Base Locking System	65893
Procedure Tray	12.25" (6cm) x 10.25" (26cm) and holds 2 quarts (1.9 liters) Available only with 4" Comfort Foam™ Reduces foam thickness in seat section to 2"	73042
Side Rails (set of 2)	23.5" (60cm) long x 6" (15cm) tall (from surface of table)	61781
Stirrups (Retractable Foot Rests)	Pull out from under seat section, fully adjustable (PG350)	71001
ACCESSORIES <i>order any time. See accessories on page 59.</i>		#
T-rail Adapter	Attaches to the backrest for use with USA format T-rail attachable accessories.	61902
Detachable Arm board	Use with T-rail Adapter - Rotates over 140° 5" (13cm) wide x 20.5" (52cm) long	62192
Universal Table Extender with 3" Padding	21" (53cm) W x 12.5" (32cm) L	74735-T*
Universal Table Extender with 4" Padding	21" (53cm) W x 12.5" (32cm) L	74736-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support. (requires mounting plate)	PKG7554*

PF SERIES EXAM TABLES

Features

- Maximum comfort for extended treatments
- Beautiful wood base with choice of finishes
- Up to 4 powered motions



Arm Rests
(optional accessory)

Locking Casters
(option)

Bone Lacquer
Finish
(option)

MODEL PF400

Shown in Seafoam Fabric and
Bone Lacquer with Optional Locking
Casters and Arm Rest Accessory

The PF Series Exam Tables are designed to maximize comfort for extended treatments while offering the beauty of wood to create a Spa-like atmosphere. The fully electric design comes with a super soft & supportive padding system.



PF400 In Ebony Finish



Stay Level, Swing Out,
Removable Arm Rests



Access End Top Design
(PF400 Model)

INCREDIBLE COMFORT FOR LONGER TREATMENTS



ZERO|GRAVITY

Electric 4 Section Top



MODEL PF400

#70882-T* 31" W 4" Comfort
#73309-T* 29" W 4" Comfort

Motion 1 Electric Height: 22"-38" (56-97cm)
Motion 2 Electric Tilt: 20°/20°
Motion 3 Electric Backrest: 0-53°
Motion 4 Electric Leg rest



ZERO|GRAVITY

Lift-Assist Backrest Top



MODEL PF250

#70889-T* 31" W 3" Comfort
#73409-T* 31" W 4" Comfort
#73454-T* 29" W 3" Comfort
#73566-T* 29" W 4" Comfort
#73583-T* 27" W 3" Comfort
#73584-T* 27" W 4" Comfort

Motion 1 Electric Height: 22"-38" (56-97cm)
Motion 2 Electric Tilt: 20°/20°
Motion 3 Lift Assist Backrest: 0-80°

Flat Top



MODEL PF200

#70890-T* 31" W 3" Comfort
#73410-T* 31" W 4" Comfort
#73567-T* 29" W 3" Comfort
#73568-T* 29" W 4" Comfort
#73585-T* 27" W 3" Comfort
#73586-T* 27" W 4" Comfort

Motion 1 Electric Height: 21"-37" (53-94cm)
Motion 2 Electric Tilt: 20°/20°

PF SERIES EXAM TABLES

FEATURES	
Top Dimensions	See above for widths x 73" (185cm) long
Foot Control	Controls all powered movements
Weight Capacity	550 lb (250kg)
Product Weight	235 lb (106kg)
Padding - PF400	4" (10cm) Comfort Foam™
Padding - PF250 & PF200	3" (8cm) or 4" (10cm) Comfort Foam™
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

**Wood finish must be specified if other than Standard Natural. See page 78.

OPTIONS must be ordered with table. See page 58 for details.		#
4" (10cm) Locking Casters	To easily move your table in the room	69926
**Wood Finishes - see pg. 78	Choice of 4 stains or 4 lacquer finishes	73136
Hand Control	Controls powered movements PF400	69168
Hand Control	Controls powered movements PF200 & PF250	69357
Non-USA electric system	Please contact us for order details	73134
ACCESSORIES order any time. See accessories on page 59.		#
Arm Rests (PF400)	Auto-adjusting & removable for easy access	74734-T*
Universal Table Extender with 4" Padding	21" (53cm) W x 12.5" (32cm) L	74736-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support.	PKG7554*
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included) Not FDA listed - see page 76	11349-02

*Fabric color code must be specified. Fabric, finish & padding options on pages 77-79.

PX SERIES EXAM TABLES

Features

- Dual X-brace design with 17" height range
- 550 lb. patient weight capacity
- Two models with ADA compliant height range
- Up to 3 powered motions

Universal Table Extender
(optional accessory)

Arm Rests
(optional accessory)

Strong, Sturdy
Dual X-brace Design
(standard)

MODEL PX300

*Shown with Optional Universal Table Extender
and Arm Rest Accessories*

The PX Series Exam Tables give you the flexibility to create the perfect table for your needs at a lower price point. A wide array of options and accessories combine with great ergonomics and patient comfort to deliver a great value.

LOW HEIGHT RANGE FOR EASY PATIENT TRANSFERS



Electric 4
Section Top

MODEL PX300

#70891-T* 31" W 4" Comfort
#73569-T* 29" W 4" Comfort

Motion 1	Electric Height: 21"-38" (53-97cm)
Motion 2	Electric Backrest: 0-70°
Motion 3	Electric Leg Section



Lift-Assist 3
Section Top

Easily cleaned
thermoplastic
leg section

ORTHOPEDIC HI-LO CASTING TABLE

#69268-T* 31" W 2.5" Comfort

Motion 1	Electric Height: 17"-35" (43-89cm)
Motion 2	Lift-Assist Backrest: 0-90°
Motion 3	Manual Leg Section: 10-90°



Lift-Assist
Backrest Top

MODEL PX150

#70892-T* 31" W 3" Comfort
#72595-T* 31" W 4" Comfort
#73570-T* 29" W 3" Comfort
#73571-T* 29" W 4" Comfort

Motion 1	Electric Height: 21"-38" (53-97cm)
Motion 2	Lift-Assist Backrest: 0-80°

Flat Top



MODEL PX100

#70893-T* 31" W 3" Comfort
#73412-T* 31" W 4" Comfort
#73572-T* 29" W 3" Comfort
#73573-T* 29" W 4" Comfort

Motion 1	Electric 18"-35" (46-89cm) Height
----------	-----------------------------------

PX SERIES EXAM TABLES

FEATURES	
Top Dimensions - PX100, PX300 Casting	See above for widths x 73" (185cm) long
Top Dimensions - PX150	See above for widths x 75" (190cm) long
Foot Control	Controls all powered movements
Weight Capacity	550 lb (250kg)
Product Weight	200 lb (91kg)
Padding - PX100, PX150	3" (8cm) or 4" (10cm) Comfort Foam™
Padding - PX300	4" (10cm) Comfort Foam™
Padding - Casting	2.5" Comfort Foam™
Side Rail	specify side - 23.5" (60cm) long x 6" (15cm) tall (from surface of the table) Orthopedic HiLo Casting Table
Warranty	3 years parts, 2 years labor
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS <i>must be ordered with table. See page 58 for details.</i>		#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Hand Control	Controls powered movements PX300	72563
Hand Control	Controls powered movements PX100 & PX150	72559
Second Side Rail	23.5" (60cm) long x 6" (15cm) tall (from surface of the table) Orthopedic HiLo Casting Table	63264
Non-USA Electric	Please contact us for order details	73134
ACCESSORIES <i>order any time. See accessories on page 59.</i>		#
Arm Rests (PX300)	Auto-adjusting & removable for easy access	74734-T*
Universal Table Extender with 3" Padding	21" (53cm) W x 12.5" (32cm) L	74735-T*
Universal Table Extender with 4" Padding	21" (53cm) W x 12.5" (32cm) L	74736-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included) Not FDA listed - see page 76	11349-02

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

POWERLINE EXAM TABLES

Features

- Hardwood construction
- Comfortable padding
- Paper roll holder standard

Paper Roll Holder
(standard)



Shown in Opal fabric and Ebony lacquer

The PowerLine Exam Tables offer a very cost effective solution for facilities on a budget. The knock down design assembles in a few minutes and is rigid and strong.



LACQUER FINISH


Now available on PowerLine tables, Oakworks® lacquers are highly water resistant and can be wiped down with disinfectants as needed. Lacquers are opaque and have a solid appearance.




WARM MAPLE




CABERNET



CHOCOLATE



EBONY



BONE



Heavy Duty Construction



Strong Hardware



Wave Backrest



Easy Set Up - Fold Out Legs



Paper Roll Holder
(standard)

Shown in Sapphire fabric and
Warm Maple lacquer with
Storage Shelf accessory

POWERLINE TABLE

FEATURES	
Top Dimensions Backrest or Flat	27" (69cm) or 30" (76cm) wide x 72" (183cm) long
Height	30" (76cm)
Backrest Top	Manual Multi-Position
Weight Capacity	500 lb (227kg)
Product Weight	90 lb (41 kg)
Padding	2.5" (6cm) Comfort Foam™
**Lacquer Finish	Choice of: Warm Maple, Cabernet, Chocolate, Ebony, or Bone
Paper Roll Holder	Accommodates 21" (53cm) roll (roll not included)
Warranty	3 years parts, labor not included
Safety Listings	FDA listed, CE marked

Width & Length is approximate due to variation in material.

POWERLINE BACKREST TOP

#67520-T* 27" W 2.5" Comfort

#67524-T* 30" W 2.5" Comfort

POWERLINE FLAT TOP

#67528-T* 27" W 2.5" Comfort

#67531-T* 30" W 2.5" Comfort

ACCESSORIES order any time. See accessories on page 59.		#
Storage Shelf	Easily access everything you need Adds 25 lb (11 kg)	51292
PowerLine Table Extender	27" (69cm) wide x 6" (15cm) long	51909-T*
PowerLine Table Extender	30" (76cm) wide x 6" (15cm) long	51910-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*

*Fabric color code must be specified. See page 79.

**Lacquer color must be specified. See page 78.

PROCEDURE CHAIR & EXAM TABLE

FEATURES & OPTIONS

STIRRUPS #73175

Adjust to a wide range of angles & lengths to accommodate any patient or procedure.

Option: 100 Series & 300 Series Procedure Chairs, and PG350



SIDE RAILS #61781

Increase stability & security for your clients with a pair of side rails. Fold down out of the way when not in use. 23.5" (60cm) long x 6" (15cm) tall (from surface of table)


Standard Feature: HiLo Casting Table (1 rail)
Option: PG Series Tables



CENTRAL BASE LOCKING SYSTEM #61777

Easily secure your table into place with the central base locking system.

Option: PG Series Exam Tables



ACCESSORY MOUNTING PLATE

Add a face rest or table extender to your table.

Option: PG Series Tables #62123



FULL FUNCTION CONTROLS #enquire for part number

You may choose to have two controls: two foot or one hand & one foot.

Option: All Exam Tables & Procedure Chairs



Multi-Function Foot Control



Multi-Function Hand Control

PROCEDURE TRAY #73042

Retractable, removable stainless steel. 12.25" (6cm) x 10.25" (26cm) & holds 2 quarts (1.9 liters)

Option: 100 Series & 300 Series Procedure Chairs, & PG350 MUST HAVE 4" PADDING



CASTERS #63400 PX Series #69926 PF Series

Feature: PG Series Tables come standard with 4" locking casters.

Option: PF Series, PX Series, & Orthopedic HiLo Casting Table.



Casters shown On PF Series



Casters Shown On PX Series

300 SERIES ARM REST #73064-T*

These removable arm rests rotate horizontally & always stay level. 7.5" (19cm) wide at widest point x 23" (58cm) long

Available on: 300 Series Procedure Chair



PROCEDURE CHAIR & EXAM TABLE ACCESSORIES

T-RAIL ADAPTER #61902

Multiple locations allow you to choose the best spot for this easily installed & removed accessory capable of handling up to 150 lb (68kg). Can be used with any American standard accessory. 8" (20cm) long

Available on: 100 Series & 300 Series Procedure Chairs and PG Series Tables.



QUICKLOCK™ HEAD REST & AERO·CEL PAD

#PKG67554*

The platform allows precise cervical flexion and height positioning over a wide range for both prone & supine treatments.

Available on: PF Series, PX Series, PowerLine Tables, Portable Exam Table, & PG Series (Accessory Mounting Plate required with PG Series Tables)



ADJUSTABLE SIDE ARM RESTS #74734-T*

These incredibly versatile, removable arm rests rotate horizontally & always stay level. 7" (18cm) wide at widest point x 23.5" (60cm) long

Available on: PF400 and PX300



UNIVERSAL TABLE EXTENDER #74735-T* 3" padding #74736-T* 4" padding

Perfect as a head rest or foot rest, it has two rods that fit into outlets on the table. Extends table to 84". 21" (53cm) W x 12.5" (32cm) L

Available on: PF Series, PX Series, & PG Series (Accessory Mounting Plate required with PG Series)



POWERLINE TABLE EXTENDER

#51909-T* 27" wide

#51910-T* 30" wide

Extend your PowerLine Table to 78" or even 84". Attach to accessory outlets at either end of the table.

27" (69cm) or 30" (76cm) W x 6" (15cm) L.

Available on: PowerLine Tables



DETACHABLE ARM BOARD #62192-T*

Includes clamp to attach Arm Board to the T-rail Adaptor & rotates over 140 degrees. 5" (13cm) wide x 20.5" (52cm) long

Available On PG Series
Requires Trail Adapter



*Fabric color code must be specified. Fabric color options on page 79.

PHYSICAL THERAPY

*Translating evidence into practice
via ergonomically efficient products.*

Perfect for...

- PT Clinics
- Rehab Centers
- Private Practice
- Hospital/Medical Centers



PT400 with Locking Casters

TABLES

Excellent Ergonomics

Unique base design takes up less space than cantilevered designs in small spaces and has more foot space underneath, making it easier for PTs to position themselves efficiently.



*PT400M with
Arm Rests and
Extension Pad*

Safer Designs

Products feature a **550 lb. patient weight capacity** and are extremely stable.



ADA Compliant Height Range

With all tables going as low as 16"-19", safely transferring patients is possible and the tables could be eligible for tax breaks.



PT100

made in the USA
with US & Imported parts



OAKWORKS[®]
MEDICAL

PHYSICAL THERAPY TABLES

PT400 Table #70508-T* 29" W 1.75" Firm Response #71775-T* 31" W 1.75" Firm Response #73393-T* 29" W 2.5" Comfort #73392-T* 31" W 2.5" Comfort



shown with optional casters

FEATURES

3-Section Top: 29" (74cm), or 31" (79cm) wide x 73" (185cm) long
Electric Height Range: 17" - 35" (43-89cm)
Electric Center Break: 0°-45°
Lift-Assist Backrest: 0°-85°
Manual 10" (25cm) Head Section 47° - -92°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Locking Twin Casters (one end of the table)	63400
Non USA Electric System (contact us for details)	73145
Second Foot Control	61900
Hand Control	69405

PT400M Table #PKG6099-T* 1.75" Firm Response #PKG6770-T* 2.5" Comfort Foam



FEATURES

Contoured Top: 29.5" (75cm) wide (at widest point) x 74" (188cm) long (including head rest)
Electric Height Range: 18" - 36" (46-91cm)
Electric Center Break 0° - 45°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Accessory Mounting Plate (both ends)
QuickLock™ Head Rest & Boiance™ pad
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Locking Twin Casters (one end of the table)	63400
Non USA Electric System (contact us for details)	73145
Second Foot Control	61900
Hand Control	69405

ACCESSORIES

order any time

	#
PT400M Extension Pad	72187-T*
PT400M Rotating Arm Rests	72184-T*
PT400M Shelf Bracket (use with extension pad as lowered arm rest shelf)	72203
Stabilization Strap	63530

PT300 Table #68776-T* 29" W 1.75" Firm Response #68714-T* 31" W 1.75" Firm Response #68840-T* 29" W 2.5" Comfort #70278-T* 31" W 2.5" Comfort



shown with optional casters

FEATURES

3-Section Top: 29" (74cm) or 31" (79cm) wide x 73" (185cm) long
Electric Height Range: 16" - 34" (41-86cm)
Lift-Assist Backrest 0°-85°
Manual 11" Head Section 40° - -90°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Accessory Mounting Plate (Backrest end)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Locking Twin Casters (one end of the table)	63400
Non USA Electric System (contact us for details)	73145
Second Foot Control	69615
Hand Control	69405

PT250 Table #69193-T* 29" W 1.75" Firm Response #68644-T* 31" W 1.75" Firm Response #70234-T* 29" W 2.5" Comfort #70236-T* 31" W 2.5" Comfort



FEATURES

2-Section Top: 29" (74cm), or 31" (79cm) wide x 73" (185cm) long
Electric Height Range: 16" - 34" (41-86cm)
Manual 11" Head Section: 40° - -90°
Foot Control
Weight Capacity: 550 lb (250kg)
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort
Accessory Mounting Plate (Foot end)
Warranty: 3 years parts, 2 years labor
FDA listed, CE marked, cETLus listed, CB Certificate

OPTIONS

must be ordered with table

	#
Locking Twin Casters (one end of the table)	63400
Non USA Electric System (contact us for details)	73145
Second Foot Control	69615
Hand Control	69405



OAKWORKS
MEDICAL

See page 72-73 for accessories.

*Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.

PHYSICAL THERAPY TABLES

PT150 & PT100 Tables

PT150 2-SECTION TOP	#72251-T* 29" W 1.75" Firm Response	#71810-T* 29" W 2.5" Comfort
	#73271-T* 31" W 1.75" Firm Response	#73402-T* 31" W 2.5" Comfort
PT100 FLAT TOP	#73403-T* 27" W 1.75" Firm Response	#73404-T* 27" W 2.5" Comfort
	#68767-T* 29" W 1.75" Firm Response	#68934-T* 29" W 2.5" Comfort

FEATURES	OPTIONS <i>must be ordered with table</i>	#
PT150 2-Section Top: 29" or 31" (74 or 79cm) wide x 75" (190cm) long	Locking Twin Casters (<i>one end of the table</i>)	51292
PT100 Flat Top: 27" (69cm) or 29" (74cm) wide x 73" (185cm) long	Non USA Electric System (<i>contact us for details</i>)	73145
Electric Height Range: 16" - 34" (40-86cm)	Second Foot Control	69615
Lift Assist Backrest (PT150): 0°-85°	Hand Control	69405
Foot Control		
Weight Capacity: 550 lb (250kg)		
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort		
Accessory Mounting Plate (Backrest end)		
Warranty: 3 years parts, 2 years labor		
FDA listed, CE marked, cETLus listed, CB Certificate		

PowerLine™ Tables

BACKREST TOP	#67519-T* 27" W 1.75" Firm Response	#67520-T* 27" W 2.5" Comfort
	#67522-T* 30" W 1.75" Firm Response	#67524-T* 30" W 2.5" Comfort
FLAT TOP	#67526-T* 27" W 1.75" Firm Response	#67528-T* 27" W 2.5" Comfort
	#67529-T* 30" W 1.75" Firm Response	#67531-T* 30" W 2.5" Comfort

FEATURES	ACCESSORIES <i>order any time</i>	#
Top: 27" (69cm) or 30" (76cm) wide x 72" (183cm) long	PowerLine Table Extender (27" wide) (69cm)	51909-T*
Height: 30" (76cm)	PowerLine Table Extender (30" wide) (76cm)	51910-T*
Manual Multi-Position Backrest or Flat Top	QuickLock™ Head Rest (black) & AeroCel pad	PKG6914-T*
Weight Capacity: 500 lb (227kg)	Stabilization Strap	63530
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort	Storage Shelf	51292
Lacquer Finish: Choice of Warm Maple, Cabernet, Chocolate, Ebony, or Bone		
Paper Roll Holder		
Warranty: 3 years parts, labor not included		
FDA listed, CE marked		

Width & Length is approximate due to variation in material.

Storable Mat

#37424-T* 33" W 1.75" Firm Response	#33738-T* 33" W 2.5" Comfort
#33732-T* 35" W 1.75" Firm Response	#33792-T* 35" W 2.5" Comfort
#48848-T* 40" W 1.75" Firm Response	#46798-T* 40" W 2.5" Comfort

FEATURES	OPTIONS <i>must be ordered with table</i>	#
Top: 33" (84cm), 35" (89cm), or 40" (102cm) wide x 78" (198cm) long	Stabilizing Feet (4 included with 40" (102cm) W)	59146
Height: 16" - 25" (41-64cm)		
Weight Capacity: 450 lb (250kg)		
Padding: 1.75" (4cm) Firm Response, 2.5" (6cm) Comfort Foam™		
Warranty: 3 years parts, labor not included		
FDA listed, CE marked		

Portable Manipulation Table

#36639-T* 27" W 1.75" Firm Response

FEATURES	ACCESSORIES <i>order any time</i>	#
Top: 27" (69cm) wide x 73" (185cm) long	Carry Case	22911
Height: 24" - 34" (61-86cm)	Paper Roll Holder (vanilla)	11580
Weight Capacity: 450 lb (250kg)	QuickLock™ Head Rest (black) & AeroCel pad	PKG6914-T*
Table Weight: 25 lb (11kg)	Stabilization Strap	63530
Padding: 1.75" Firm Response		
Warranty: 3 years parts, labor not included		
FDA listed, CE marked		



OAKWORKS[®]
MEDICAL[®]

See page 72-73 for accessories.

**Fabric color code must be specified. Fabric, finish, & padding options on pages 77-79.*

PT400

550 LB LIFTING CAPACITY

- Powered center break
- Can be used as a chair or table
- Uniform stability maintained in 17" - 35" electric height range



Dr. Robert DuVall,
PT, DHS, ATC, OCS, SCS, FAAOMPT CSCS



Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"

Shown with optional
Locking Twin Casters

Foot Control
included!



Chair
Position



Powered Center Break
0° to 45°



Lift-Assist
manually adjusted backrest




10" Head Section
manually adjusted
47° to -92°

PT400

#70508-T* 29" W 1.75" Firm Response #73393-T* 29" W 2.5" Comfort
#71775-T* 31" W 1.75" Firm Response #73392-T* 31" W 2.5" Comfort

FEATURES		
3 Section Top	29" (74cm) or 31" (79cm) wide x 73" (185cm) long	
Backrest	39" (99cm) long	
Seat	23" (58cm) long	
Head	11" (28cm) long	
Motion 1	Electric Height Range: 17" - 35" (43-89cm)	
Motion 2	Electric Center Break 0° - 45°	
Motion 3	Manual Lift-Assist Backrest 0° - 85°	
Motion 4	Manual position head section 47° to -92°	
Controls	Multi-function foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	198 lb (90 kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	
OPTIONS must be ordered with table.		#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Controls all powered movements	61900
Hand Control	Controls all powered movements	69405



See page 72-73 for accessories.

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

PT400M

550 LB LIFTING CAPACITY

- Powered center break & height
- Optional arm rests & table extenders
- Contoured ergonomic design
- Advanced head support included



Dr. Robert DuVall,
PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS



Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"



Foot Control included!

Head Support

Powered Center Break
0° to 45°



Rotating Arm Rests
removable accessory




Removable Extension Pad
bracket not included

PT400M

#PKG6099-T* 1.75" Firm Response #PKG6770-T* 2.5" Comfort Foam

FEATURES		
2 Section Contoured Top	29.5" (75cm) wide (at widest point) x 74" (188cm) long (including head rest)	
Motion 1	Electric Height Range 18" - 36" (44-90cm)	
Motion 2	Electric Center Break 0°-45°	
Controls	Multi-function foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	186 lb (84kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
Included Features	QuickLock™ Head Rest & Boiance™ pad, Accessory Mounting Plate (both ends)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	
OPTIONS must be ordered with table.		#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Controls all powered movements	61900
Hand Control	Controls all powered movements	69405
ACCESSORIES order any time. See accessories on pages 72-73.		#
Extension Pad	Use as table extender or lowered arm rest shelf (bracket required) 22.5" (57cm) wide x 9" (23cm) long	73592*
Rotating Arm Rests	Set of 2 4.5" (11cm) wide x 16" (41cm) long	72184-T*
Shelf Bracket	To use Extension Pad as a lowered arm rest shelf	72203
Stabilization Strap	Stabilize your patient	63530



See page 72-73 for accessories.

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

PT300

550 LB LIFTING CAPACITY

- Super low 16" height
- Patient examination ergonomic efficiency
- Cost effective 3-section table
- Stiff twin beam construction



Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"

Dr. Robert DuVall,
PT, DHS, ATC, OCS, SCS, FAAOMPT CSCS



Shown with
optional Locking
Twin Casters

PT300

#68776-T* 29" W 1.75" Firm Response #68840-T* 29" W 2.5" Comfort

#68714-T* 31" W 1.75" Firm Response #70278-T* 31" W 2.5" Comfort

FEATURES		
3 Section Top	29" (74cm) or 31" (79cm) wide x 73" (185cm) long	
Backrest	39" (99cm) long	
Seat	23" (58cm) long	
Head	11" (28cm) long	
Motion 1	Electric Height Range 16" - 34" (40-86cm)	
Motion 2	Manual Lift-Assist Backrest 0°-85°	
Motion 3	Manual position head section 40° to -90°	
Controls	Foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	160 lb (73kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
Included Features	Accessory Mounting Plate (Backrest End)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	
OPTIONS must be ordered with table.		#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Height	69615
Hand Control	Controls all powered movements	69405

0° - 82° LIFT-ASSIST BACKREST

This easy to use system makes it possible to adjust the table effortlessly even when your patient is on the table. The powerful gas cylinders are controlled by easy to reach finger controls that lock the table securely in place after movement.



See page 72-73 for accessories.

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

PT250

550 LB LIFTING CAPACITY

- Super low 16" height
- Vertebral Artery Testing efficiently and safely
- Optimize Examination/
Dry needling



Francois Prizinski, DPT, OCS, COMT, DAC



Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"

"The drop down head section feature enables patient safe & Physical Therapist efficient cervical examination and treatment."

Dr. Robert DuVall,
PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS

PT250

#69193-T* 29" W 1.75" Firm Response #70234-T* 29" W 2.5" Comfort
#68644-T* 31" W 1.75" Firm Response #70236-T* 31" W 2.5" Comfort

FEATURES		
2 Section Top	29" (74cm) or 31" (79cm) wide x 72" (183cm) long	
Flat Section	61" (155cm) long	
Head Section	11" (28cm) long	
Motion 1	Electric Height Range 16" - 34" (40-86cm)	
Motion 2	Manual position head section 40° to -90°	
Controls	Foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	151 lb (69kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
Included Features	Accessory Mounting Plate (Foot End)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	
OPTIONS must be ordered with table.		#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Height	69615
Hand Control	Controls all powered movements	69405

11" Head Section +40° to -90°



Optional Locking
Twin Casters

Enhances maneuverability in small spaces & allows PT to treat patients from either side of the table.

See page 72-73 for accessories.

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

PTI50 & PTI100

550 LB LIFTING CAPACITY

- Super low 16" height
- Lift-Assist backrest 0° - 85°
- Stiff twin beam construction

PTI50



ADA
Compliant
Height Range!

PTI50 2-SECTION TOP

- #72251-T* 29" W 1.75" Firm Response
- #73271-T* 31" W 1.75" Firm Response
- #71810-T* 29" W 2.5" Comfort
- #73402-T* 31" W 2.5" Comfort

PTI100 RECTANGULAR TOP

- #73403-T* 27" W 1.75" Firm Response
- #68767-T* 29" W 1.75" Firm Response
- #73404-T* 27" W 2.5" Comfort
- #68934-T* 29" W 2.5" Comfort

PTI100



FEATURES		
PTI50		
2 Section Top	29"(74cm) or 31"(79cm) wide x 75"(191cm) long	
Backrest	39"(99cm) long	
Seat Section	36"(91cm) long	
Motion 1	Electric 16"- 34"(40-86cm) Height Range	
Motion 2	Manual Lift-Assist Backrest 0°-85°	
PTI100		
Rectangular Top	29"(74cm) wide x 73"(185cm) long	
Motion 1	Electric 16"- 34"(40-86cm) Height Range	
Controls	Foot control	
Weight Capacity	550 lb (250kg)	
Product Weight	151 lb (69kg)	
Padding	1.75"(4cm) Firm Response or 2.5"(6cm) Comfort Foam™	
Included Features	Accessory Mounting Plate (Backrest End)	
Warranty	3 years parts, 2 years labor	
Safety Listings	FDA listed, CE marked, cETLus listed, CB Certificate	
OPTIONS must be ordered with table.		#
Locking Twin Casters (one end of the table)	To easily move your table in the room	63400
Non-USA electric system	Call for ordering details	73145
Second Foot Control	Height	69615
Hand Control	Controls all powered movements	69405

"Multi-functional table for ergonomically efficient manual therapy, neuromuscular re-education both conveniently applied to therapeutic activities necessary to achieve optimal patient outcomes."

Dr. Robert DuVall,
PT, DHSc, ATC, OCS, SCS, FAAOMPT CSCS

OPTION



Optional Locking
Twin Casters

Enhances maneuverability in small spaces and allows PT to treat patients from either side of the table.

See page 72-73 for accessories.

*Fabric color code must be specified. Fabric & padding options on pages 77-79.

POWERLINE

500 LB WEIGHT CAPACITY

- Heavy-duty construction
- Strongest table in its class
- Easy setup
- Ships in one box with hardware included!
- 3 year parts warranty



**Watch
the video!**

BACKREST TOP

- #67519-T* 27" W 1.75" Firm Response
- #67522-T* 30" W 1.75" Firm Response
- #67520-T* 27" W 2.5" Comfort
- #67524-T* 30" W 2.5" Comfort

FLAT TOP

- #67526-T* 27" W 1.75" Firm Response
- #67529-T* 30" W 1.75" Firm Response
- #67528-T* 27" W 2.5" Comfort
- #67531-T* 30" W 2.5" Comfort

FEATURES		
Backrest or Flat Top	27" (69cm) or 30" (76cm) wide x 72" (183cm) long	
Height	30" (76cm)	
Backrest Top	Manual Multi-Position	
Weight Capacity	500 lb (227kg)	
Product Weight	87 lb (39kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam™	
**Lacquer Finish	Choice of: Warm Maple, Cabernet, Chocolate, Ebony, or Bone	
Paper Roll Holder	fits up to 22" (56cm) wide paper rolls	
Warranty	3 years parts, labor not included	
Safety Listings	FDA listed, CE marked	
ACCESSORIES order any time. See accessories on pages 72-73.		#
PowerLine Table Extender	27" (69cm) wide x 6" (15cm) long	51909-T*
PowerLine Table Extender	30" (76cm) wide x 6" (15cm) long	51910-T*
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG67554*
Stabilization Strap	Stabilize your patient	63530
Storage Shelf	Fits both widths	51292

Width & Length is approximate due to variation in material.

See page 72-73 for accessories.

Physical Therapy Tables



*Shown with Flat Top
Sage fabric and
Warm Maple lacquer*



*Shown with Backrest Top
& Storage Shelf Accessory
Clay fabric and Chocolate lacquer*

LACQUER FINISH

CABERNET

CHOCOLATE

WARM MAPLE

EBONY

BONE

**FREE
choice of
finishes!**

Now available on PowerLine tables, Oakworks® lacquers are highly water resistant and can be wiped down with disinfectants as needed. Lacquers are opaque and have a solid appearance.

*Fabric color code must be specified.

**Lacquer color must be specified.

Fabric, finish, and padding options on pages 77-79.

STORABLE MAT

450 LB WEIGHT CAPACITY

- 16"-25" height range
- Ultra stiff leg bracing
- Space saving design
- 40" width option
- ADA Compliant



CS System™ (Complementary Suspension):
U.S. Patent #6,192,809

UniLock™: U.S. Patent # 7,472,656

*Ultra stiff leg bracing
holds up under heavy
lateral force*



STORABLE MAT

- #37424-T* 33" W 1.75" Firm Response
- #33732-T* 35" W 1.75" Firm Response
- #48848-T* 40" W 1.75" Firm Response
- #33738-T* 33" W 2.5" Comfort
- #33792-T* 35" W 2.5" Comfort
- #46798-T* 40" W 2.5" Comfort

FEATURES		
Rectangular Top	33" (84cm), 35" (89cm) or 40" (102cm) wide x 78" (198cm) long	
Height	16" - 25" (41-64cm)	
Weight Capacity	450 lb (250kg)	
Product Weight	40-55 lb (18-23kg)	
Padding	1.75" (4cm) Firm Response or 2.5" (6cm) Comfort Foam	
Warranty	3 years parts, labor not included	
Safety Listings	FDA listed, CE marked	

OPTIONS <i>must be ordered with table.</i>		#
Stabilizing Feet	set of 4 are included with 40"W (18cm)	PKG7929
ACCESSORIES <i>order any time. See accessories on pages 72-73.</i>		#
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support	PKG7554*
Stabilization Strap	33 & 35"W (84&89cm)	63530

STABILIZATION STRAP ACCESSORY

Great for range of motion, mobilization & isolation!



Use with either 33" or 35" wide Storable Mat to stabilize your patient. See more details on page 73.



QUICK PORTABILITY

With its space saving design, the Storable Mat folds up easily for storage and is ready to follow wherever you go.



STABILIZING FEET

For maximum stability each 40" Storable Mat comes standard with stabilizing feet, which easily fold out of the way for storage.

See page 72-73 for accessories.

**Fabric color code must be specified. Fabric & foam options on pages 77-79.*

PORTABLE MANIPULATION TABLE

450 LB WEIGHT CAPACITY

- Easily portable at only 25 lb
- Optimal body mechanics for any therapist
- Firm Response foam minimizes Dry Hits and increases reliability of examinations.
- Designed for Manual Manipulation, Range of Motion & Manual Muscle Testing



CS System™ (Complementary Suspension):
U.S. Patent #6,192,809

UniLock™: U.S. Patent # 7,472,656

Desirable portability for Physical Therapists in school, internship, residency or fellowship training environments.



"The Portable Manipulation Table from Oakworks® offers an outstanding platform for performing thrust & non-thrust manipulation. The team at Oakworks® has listened to the feedback of practicing manual physical therapists & created a high value & excellent performing product. You can't ask anything more out of a portable manipulation table!"

Timothy W. Flynn, PT, PhD

PORTABLE MANIPULATION TABLE

#36639-T* 27" W 1.75" Firm Response

FEATURES	
Rectangular Top	27" (69cm) wide x 73" (185cm) long
Height Range	24"-34" (61-86cm)
Weight Capacity	450 lb (250kg)
Product Weight	25 lb (11kg)
Padding	1.75" (4cm) Firm Response
Warranty	3 years parts, labor not included
Safety Listings	FDA listed, CE marked

ACCESSORIES order any time. See accessories on pages 72-73.	#
Carry Case	Carry and protect your table 22911
Paper Roll Holder	Vanilla - Accommodates 21" (53cm) roll (roll not included) 11580
Paper Roll Holder	Black - Accommodates 21" (53cm) roll (roll not included) 11349
QuickLock™ Head Rest (black) & AeroCel Pad	Comfortable, adjustable prone or supine support PKG67554*
Stabilization Strap	stabilize your patient 63530



ADJUSTABLE

24"-34" height range is ergonomically correct for any therapist.



CARRY CASE

Take your table with you to home visits & maintain a consistent working surface for measurable results.

This product is not FDA Listed.

See page 72-73 for accessories.

*Fabric color code must be specified. Fabric & foam options on pages 77-79.

PHYSICAL THERAPY ACCESSORIES

PRONE PILLOW #66180-T01

THE MOST COMFORTABLE PRONE POSITIONER!

- Increased ventilation & improved comfort
- Low profile reduces cervical extension/flexion
- Superior positioning for any size patient
- Removable, easy to clean pads



Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"



PROPRIETARY PAD SYSTEM

- Removable pads are easy to clean & less costly to replace
- High quality covered soft cushions last much longer and are more comfortable than any vinyl coated rigid foam, & they are replaceable!



PRONE PILLOW

FEATURES	
Weight	2.6 lb (1.2kg)
Overall Dimensions	20" L x 20.5" W x 6.25" H (51cm L x 52cm W x 16cm H)
Removable Padding	Face Rest, Bolster
Fabric	TerraTouch™ Coal
Warranty	1 year
Safety Listings	FDA listed, CE marked

BOIANCE FLOAT #71797-T01


PATENTED WATER SPHERE TECHNOLOGY

US Patent # 9,084,494



Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"



shown with the Boiance-
face rest crescent

- Incredible freedom of movement in all directions
- Eliminate compression of the cervical spine
- Just insert between cradle & pad!

6 Water Spheres float the pillow and isolate it from the platform and table. Just place the Float between your face rest pad & platform.

This product is not FDA Listed.

PHYSICAL THERAPY ACCESSORIES

STABILIZATION STRAP #63530

GREAT FOR RANGE OF MOTION, MOBILIZATION & ISOLATION

- Adjustable in length over a wide range for stabilization of any body part
- Designed to work with PT400M, PowerLine™ table, Portable Manipulation table, and Storable Mat (excluding 40")
- Wide straps offer more surface area for client comfort
- Great for range of motion, mobilization, isolation



**Watch
the video!**

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"



QUICKLOCK™ HEAD REST & AERO·CEL PAD

#PKG7554*

The platform allows precise cervical flexion and height positioning over a wide range for both prone & supine treatments.

Available on: PowerLine Tables, Storable Mat, and Portable Manipulation Table



REMOVABLE EXTENSION PAD

#73592*

Extend the length of your table.

Attach to accessory outlets at either end of the table.

22.5" (57cm) wide x 9" (23cm) long.



POWERLINE TABLE EXTENDER

#51909-T* 27" wide

#51910-T* 30" wide

Extend your PowerLine Table to 78" or even 84". Attach to accessory outlets at either end of the table.

27" (69cm) or 30" (76cm) W x 6" (15cm) L.

Available on: PowerLine Tables



*Fabric color code must be specified. Fabric color options on page 79.

STOOLS

- 300 lb. weight rating
- High quality, long lasting foam
- Pneumatic height adjustment
- 21 colors of fabric



*Professional Stool
with Backrest*
#60356-T*
18-24"



*Professional Stool
with Saddle Seat*
#60373-T*
19-25"
#60430-T*
22-29"



*Premium Stool
with Backrest*
#60352-T*
18-24"
#60397-T*
20-28"



*Premium Stool
with Saddle Seat*
#60370-T*
19-25"
#60427-T*
22-29"



Professional Stool
#60342-T*
18-24"
#60389-T*
21-28"



Premium Stool
#60339-T*
18-24"
#60386-T*
20-28"



Basic Stool
18" - 24"
#46130-T01 Coal
#61011-T05 Heron
#61011-T08 Ruby
(Made in China)

made in the USA
with US & imported parts



These products are not FDA Listed.

**Fabric color code must be specified. Fabric color options on page 79.*

BOLSTERS

- Comfortable and supportive
- Many different sizes and styles
- 21 colors of fabric

made in the USA
with US & imported parts



These products are not FDA Listed.



6" Half-round
3"H x 26"L
#32045-T*

8" Half-round
4"H x 26"L
#56448-T*

6" Semi-round
4.5"H x 26"L
#32050-T*

8" Semi-round
6.5"H x 26"L
#32054-T*

6" Round
6"D x 26"L
#32231-T*

8" Round
8"D x 26"L
#32236-T*

PILLOW COVERS

#66440-T* King size
#59226-T* Standard size

These products are not FDA Listed.

Available in your choice of 21 colors of our TerraTouch fabric, these covers create a hygienic way of using pillows.



WEDGE BOLSTER

#41739-T* *This product is not FDA Listed.*

Easily used as a backrest or leg support. 24" W x 10" H x 24" L with a 36° incline.



RECTANGULAR BOLSTER

#57253-T* *This product is not FDA Listed.*

Designed specifically to support a patient's leg when in a side lying position, this rectangular bolster offers two levels of height & ample surface area. 7"W x 10"H x 27"L



PRONE PILLOW #66180-T01 FDA Listed

The most comfortable prone positioner!

See page 72 for more details.



SIDE LYING POSITIONING SYSTEM

#1564-T* *This product is not FDA Listed.*

Designed to safely support patients in side lying positions for extended periods. Excellent for pregnant women. System includes 5 separate cushions.



Watch the video!

Scan this code with your smart phone or visit the YouTube channel "Oakworks Medical"

*Fabric color code must be specified. Fabric color options on page 79.

GENERAL ACCESSORIES

PAPER ROLL HOLDER This product is not FDA Listed.

#11349-02 vanilla #11349-01 black

This simple design is adjustable to accommodate different size rolls up to 21" (53cm) wide & plugs into the table's outlet holes. (*paper roll not included*)

Available on: PF Series, PX Series



AERO•CEL™ FACE REST CRESCENT

Soft & supportive, this face rest is much more comfortable than face holes.



#37378-T*

Our standard
Face Rest Crescent
This product is not FDA Listed.



#56418

Radiolucent
Face Rest Crescent
designed specifically
for Imaging Tables



#62008

Face Rest Crescent
with Oakworks logo
used with the Spine
Positioning System

DISPOSABLE FACE REST COVERS

#52065 Flat #52067 Fitted These products are not FDA Listed.

Provides a hygienic covering for your face rest. Flat covers sold 100 per package; Fitted covers sold 50 per box.



Flat



Fitted

BODY CURVE™

#41606-T* This product is not FDA Listed.

The Body Curve is designed to perfectly support the cervical spine and offer great accessibility to the neck.



UNIVERSAL TABLE EXTENDER

#74735-T* 3" Comfort #74736-T* 4" Comfort

Extend the length of your table. Insert into the table's accessory outlets or store out of the way when not in use. 21" (53cm) W x 12.5" (32cm) L



*Fabric color code must be specified. Fabric color options on page 79.

PADDING


Oakworks uses the highest quality US Made polyurethane foams in its products. Each option has a unique combination of different foams & thicknesses to create the best balance of performance and comfort for your needs. Please consult specific product literature to see the padding options available: not all options are available on each product.



2.5" Comfort Foam™
Comfort and support



3" Comfort Foam™
More comfort and support



4" Comfort Foam™
Superior comfort and support



1", 2" Comfort Foam™
Imaging table top pads



1.75" Firm Response
*Very firm
(Physical Therapy tables)*



PF400 shown with 4" Comfort Foam™



*PT100 shown with
1.75" Firm Response*

STAINS AND LACQUERS

Lacquers available on PF Series and PowerLine
 Stains available on PF Series

Oakworks® finishes are highly water resistant and can be wiped down with disinfectants as needed. Stains allow the natural grain of the wood to show through and create depth. Lacquers are more opaque and have a more solid appearance.




PF400 Shown in Bone
 Lacquer with optional
 casters and arm rests

PFSeries Standard
 Natural Finish



Optional Stains



Optional Lacquers



THERMOFORM COLORS

Available on 100 and 300 Series Chairs. Color code must be specified.



300 Series Chair Shown
 in Grey Thermoform with
 optional arm rests and
 universal table extender

We strive to ensure that the colors displayed on our product imagery (online and in print) are as accurate as possible. However, due to the limitations of printers, scanners, computer monitors, and other equipment, the colors may not be accurate.

TERRATOUGH™ FABRIC



Earth-T07

Meets the requirements of ISO 10993-1:2009 Biological Evaluation of Medical Tables & passes testing for Cytotoxicity, Skin Irritation & Sensitization as well as CA TB117 Fire Retardance testing. Please refer to the product cleaning instructions for a list of approved cleaners and disinfectants.



Heron-T05



Ocean-T20



Sapphire-T17



Sky Blue-T04




Forest-T14



Stone-T13



Pewter-T29




Coal-T01



Ruby-T08



Orchid-T19



Butter-T09




Saffron-T21




Sage-T22




Blue Grass-T24



Espresso-T27



Seafoam-T30




Opal-T12



Clay-T18




Taupe-T28



Pure White-T26

We strive to ensure that the colors displayed on our product imagery (online and in print) are as accurate as possible. However, due to the limitations of printers, scanners, computer monitors, and other equipment, the colors may not be accurate.



Please visit our website, www.oakworksmed.com, to view our complete line of tables and accessories for C-arm Imaging, Pain Management, Ultrasound, Urology, Lithotripsy, Exam & Treatment.

made in the USA
with US & imported parts



All of our tables and procedure chairs are FDA Listed.



Oakworks, Inc. is ISO 13485 certified. The ISO standard is intended to ensure that medical device manufacturers have the required quality management systems in place to safely design, manufacture and distribute medical devices. This registration certifies that Oakworks, Inc.'s quality system conforms to these requirements in our state-of-the-art 90,000 square foot factory in New Freedom, Pennsylvania.

Oakworks Medical 717.235.6807 www.oakworksmed.com