

## LVS 1/1 BP

Battery-powered dry vacuum cleaner LVS 1/1 Bp with excellent suction power thanks to cyclone filter technology. Versatile use, three-stage adjustable suction power, HEPA 13 filter, floor nozzle and crevice nozzle.



**Order no.** 1.394-110.0

- Cordless, excellent cleaning performance on all floors and surfaces
- Cyclone filter technology: consistently high suction power
- Passive floor nozzle 22 cm, crevice nozzle, HEPA 13 filter, wall bracket

### Technical data

|                                     |                   |                                                                                                                                                       |
|-------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>EAN code</b>                     |                   | 4066529137777                                                                                                                                         |
| <b>Battery platform</b>             |                   | 18 V battery platform                                                                                                                                 |
| <b>Container capacity</b>           | <b>l</b>          | 0.35                                                                                                                                                  |
| <b>Container material</b>           |                   | Plastic                                                                                                                                               |
| <b>Sound pressure level</b>         | <b>dB(A)</b>      | 70                                                                                                                                                    |
| <b>Air flow</b>                     | <b>l/s</b>        | 12                                                                                                                                                    |
| <b>Nominal power</b>                | <b>W</b>          | 230                                                                                                                                                   |
| <b>Vacuum</b>                       | <b>mbar / kPa</b> | 140 / 14                                                                                                                                              |
| <b>Standard nominal width</b>       |                   | ID 35                                                                                                                                                 |
| <b>Number of batteries required</b> | <b>Piece(s)</b>   | 1                                                                                                                                                     |
| <b>Run time per battery charge</b>  | <b>min</b>        | ecoefficiency mode: approx. 60 (5.0 Ah) / Power mode: approx. 20 (5.0 Ah) / ecoefficiency mode: approx. 35 (3.0 Ah) / Power mode: approx. 12 (3.0 Ah) |
| <b>Charging current</b>             | <b>A</b>          | 2.5                                                                                                                                                   |
| <b>Colour</b>                       |                   | anthracite                                                                                                                                            |
| <b>Weight without accessories</b>   | <b>kg</b>         | 1.5                                                                                                                                                   |
| <b>Weight incl. packaging</b>       | <b>kg</b>         | 2.9                                                                                                                                                   |
| <b>Dimensions (L × W × H)</b>       | <b>mm</b>         | 1100 × 220 × 175                                                                                                                                      |

### Scope of supply

|                                     |                                          |
|-------------------------------------|------------------------------------------|
| <b>Versions:</b>                    | Battery and battery charger not included |
| <b>Quantity of suction tubes:</b>   | 1 Piece(s)                               |
| <b>Suction tubes length:</b>        | 509 mm                                   |
| <b>Suction tubes nominal width:</b> | 35 in                                    |
| <b>Suction tubes material:</b>      | Plastic                                  |
| <b>Floor nozzle</b>                 |                                          |
| <b>Crevice nozzle</b>               |                                          |
| <b>Motor protection filters</b>     |                                          |
| <b>HEPA filter type:</b>            | HEPA 13 filter                           |
| <b>Accessories holder</b>           |                                          |
| <b>Wall mount</b>                   |                                          |

### Equipment

ecoefficiency mode



## Professional quality: particularly robust and durable

- Unique cyclone filter technology for consistently high suction power.
- Brushless EC motor for a long service life and high wear resistance.
- Innovative and time-saving: easy-to-maintain filter system.



## Excellent cleaning performance

- Needs-based cleaning: three different cleaning modes to choose from.
- Effectively removes dust and dirt from all surfaces. Perfect for spot cleaning.
- Battery operation for unrestricted freedom of movement.



## Highly effective HEPA-13 filter

- For the highest safety standards in hygienically sensitive areas.
- High filtration and separation degree of 99.95% withholds tiny particles.


## **SUSTAINABILITY ASPECTS OF LVS 1/1 BP**

### **1.394-110.0**

**Sustainability aspects of Beyond Cleaning**  
eco!Mode (Energy Saving Mode)

## ACCESSORIES FOR LVS 1/1 BP

### 1.394-110.0



|                                                                                                                                                                                                 |    | Order no.   | Description                                                                                                                                                                                                          |   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>FILTER T/ NT</b>                                                                                                                                                                             |    |             |                                                                                                                                                                                                                      |   |
| <b>HEPA Filter</b>                                                                                                                                                                              |    |             |                                                                                                                                                                                                                      |   |
| HEPA 13 filter LVS 1/1 Bp and LVS 1/2 Bp                                                                                                                                                        | 1  | 2.885-914.0 | HEPA 13 filter with a separation degree of 99.5% certified according to test standard DIN EN 1822:2019. For increasing the filter capacity and improving the blower air.                                             | ■ |
| <b>Exhaust air filter</b>                                                                                                                                                                       |    |             |                                                                                                                                                                                                                      |   |
| Motor protection filter, 1 Piece(s), LVS 1/1 Bp, LVS 1/2 Bp                                                                                                                                     | 2  | 2.885-915.0 | The motor protection filter reliably protects the motor from dirt and extends the service life of the LVS 1/1 Bp and LVS 1/2 Bp battery-powered dry vacuum cleaners. Contents: 1 piece.                              | ■ |
| <b>SUCTION NOZZLES</b>                                                                                                                                                                          |    |             |                                                                                                                                                                                                                      |   |
| <b>Floor nozzles</b>                                                                                                                                                                            |    |             |                                                                                                                                                                                                                      |   |
| Floor tool DN 35 LVS 1/1 Bp                                                                                                                                                                     | 3  | 2.885-934.0 | Floor nozzle with width of 215 mm and nominal size of DN 35 for cleaning textile surfaces and hard surfaces. Suitable for the LVS 1/1 Bp battery-powered dry vacuum cleaner from Kärcher.                            | ■ |
| <b>Crevice nozzles</b>                                                                                                                                                                          |    |             |                                                                                                                                                                                                                      |   |
| Crevice nozzle, DN 35, plastic, length 210 mm                                                                                                                                                   | 4  | 2.889-130.0 | With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.                                                                                                  | ■ |
| <b>Car cleaning nozzles</b>                                                                                                                                                                     |    |             |                                                                                                                                                                                                                      |   |
| Car nozzle, ID 35, 90 mm                                                                                                                                                                        | 5  | 6.906-108.0 | Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.                                                           | □ |
| <b>Upholstery nozzles</b>                                                                                                                                                                       |    |             |                                                                                                                                                                                                                      |   |
| Upholstery nozzle, DN 35                                                                                                                                                                        | 6  | 6.905-998.3 | Practical plastic upholstery nozzle in DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.                                                              | □ |
| <b>Suction brushes</b>                                                                                                                                                                          |    |             |                                                                                                                                                                                                                      |   |
| Suction brush DN 35                                                                                                                                                                             | 7  | 2.889-221.0 | Suction brush DN 35 with horsehair natural bristles.                                                                                                                                                                 | □ |
| <b>SUCTION TUBES</b>                                                                                                                                                                            |    |             |                                                                                                                                                                                                                      |   |
| <b>Suction tubes, plastic</b>                                                                                                                                                                   |    |             |                                                                                                                                                                                                                      |   |
| Suction tube, DN 35, length 509 mm, plastic, suitable for: LVS 1/1 Bp                                                                                                                           | 8  | 9.774-750.0 | Robust suction tube made of black plastic with a nominal size of DN 35 and a length of 509 mm. Specially developed for use with the battery-powered dry vacuum cleaner LVS 1/1 Bp from Kärcher.                      | ■ |
| Suction tube, 2 x, T and NT, DN 35, 430 mm long, plastic, suitable for: HV 1/1 Bp, BVL 3/1 Bp, BVL 5/1 Bp, T 9/1 Bp, T 7/1, T 10/1, T 11/1, T 12/1, NT 25/1, NT 35/1, NT 40/1, NT 50/1, NT 65/2 | 9  | 2.889-233.0 | The suction tube set consists of two suction tubes made of plastic (DN 35 and 430 mm long each). Suitable for battery-powered dry vacuum cleaners, dry vacuum cleaners and wet and dry vacuum cleaners from Kärcher. | □ |
| <b>FURTHER ACCESSORIES DRY VACUUM CLEANERS</b>                                                                                                                                                  |    |             |                                                                                                                                                                                                                      |   |
| Wall bracket for LVS 1/1 Bp                                                                                                                                                                     | 10 | 2.885-919.0 | The wall bracket enables practical, space-saving and safe storage of the battery-powered dry vacuum cleaner LVS 1/1 Bp and ensures the machine is always ready to hand.                                              | ■ |
| Bracket for FlexoMate cleaning trolley for LVS 1/1 Bp                                                                                                                                           | 11 | 2.885-917.0 | The bracket for the FlexoMate cleaning trolley enables practical, safe and convenient storage of the LVS 1/1 Bp battery-powered dry vacuum cleaner and means that the machine is always ready to hand.               | □ |
| Surface nozzle DN 35 for hard surfaces and carpeted areas                                                                                                                                       | 12 | 2.889-361.0 | Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.                                           | □ |
| <b>BATTERIES</b>                                                                                                                                                                                |    |             |                                                                                                                                                                                                                      |   |
| Battery Power 18/25                                                                                                                                                                             | 13 | 2.445-034.0 | 18 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.     | □ |
| Battery Power 18/50                                                                                                                                                                             | 14 | 2.445-035.0 | 18 V / 5.0 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.     | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR LVS 1/1 BP 1.394-110.0



|                                                                                     |    | Order no.   | Description                                                                                                                                                                                                      |                          |
|-------------------------------------------------------------------------------------|----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>BATTERIES</b>                                                                    |    |             |                                                                                                                                                                                                                  |                          |
| Battery Power 18/25                                                                 | 15 | 2.445-100.0 | 18 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform. | <input type="checkbox"/> |
| Battery Power 18/50                                                                 | 16 | 2.445-103.0 | 18 V / 5.0 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform. | <input type="checkbox"/> |
| Battery Power 18/80                                                                 | 17 | 2.445-106.0 |                                                                                                                                                                                                                  | <input type="checkbox"/> |
| <b>STARTERKIT BATTERIES AND BATTERY CHARGERS</b>                                    |    |             |                                                                                                                                                                                                                  |                          |
| Starter kit Battery Power 18/25                                                     | 18 | 2.445-062.0 | Battery Power 18/25 Starter Kit incl. 18 V/2.5 Ah Battery Power exchangeable battery with innovative Real Time Technology and 18 V fast charger. For all devices on the 18 V Kärcher battery platform.           | <input type="checkbox"/> |
| Starter kit Battery Power 18/50                                                     | 19 | 2.445-063.0 | Incl. 18 V / 5.0 Ah Kärcher Battery Power exchangeable battery and 18 V fast charger: The Battery Power 18/50 Starter Kit for use in all devices on the Kärcher 18 V battery platform.                           | <input type="checkbox"/> |
| <b>BATTERIES</b>                                                                    |    |             |                                                                                                                                                                                                                  |                          |
| Battery Power+ 18/30                                                                | 20 | 2.445-042.0 | With Real Time Technology displayed on an LCD screen: very powerful Battery Power+ 18-volt lithium-ion battery. Long runtime thanks to a capacity of 3.0 Ah. With voltage monitoring and IPX5 protection.        | <input type="checkbox"/> |
| <b>BATTERY CHARGERS</b>                                                             |    |             |                                                                                                                                                                                                                  |                          |
| Universal charger Battery Power+ 18-36                                              | 21 | 2.445-054.0 | Universal charging unit Battery Power+ with LED operating status indicator for charging all 18 and 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries. Suitable for wall mounting.      | <input type="checkbox"/> |
| Fast charger Battery Power+ 18/60                                                   | 22 | 2.445-044.0 | Quick charger for all 18 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries. Charging current: 2.5-6 A. With LED operating status indicator. Low stand-by consumption. Wall mounting.      | <input type="checkbox"/> |
| <b>STARTER KIT</b>                                                                  |    |             |                                                                                                                                                                                                                  |                          |
| Starter kit Battery Power+ 18/30                                                    | 23 | 2.445-072.0 | The Battery Power+ 18/30 Starter Kit consists of an 18 V quick charger and 2 compatible 18 V/3.0 Ah batteries with innovative Real Time Technology.                                                              | <input type="checkbox"/> |
| <b>SUCTION HOSES</b>                                                                |    |             |                                                                                                                                                                                                                  |                          |
| <b>Suction hoses with cone connection</b>                                           |    |             |                                                                                                                                                                                                                  |                          |
| Stretchable suction hose, HV 1/1 Bp and LVS 1/1 Bp, DN 35, length 0.5 m, cone, cone | 24 | 2.889-222.0 | The stretchable suction hose in nominal width DN 35 and with 0.5 m length is suitable for use with the HV 1/1 Bp and LVS 1/1 Bp battery dry vacuum cleaner.                                                      | <input type="checkbox"/> |

☐ Available accessories.