# OC 7-18 HANDHELD

The OC 7-18 battery handheld pressure washer for powerful mobile cleaning.Flexible use thanks to suction hose and pressure adjustment.

| Order no. | 1.328-146.0 |
|---|---|

- Handheld pressure washer, medium pressure (24 bar)
- 18 V battery platform, pressure regulation with eco!mode
- 5-in-1 Multi Jet nozzle, foam jet, suction hose

## Technical data

| | | |
|---|---|---|
| **EAN code** | | 4066529199669 |
| **Battery powered device** | | 1 |
| **Battery platform** | | 18 V battery platform |
| **Pressure** | **bar** | 24 |
| **Pressure range** | | Medium pressure |
| **Flow rate** | **l/h** | 200 |
| **Battery type** | | Lithium-ion battery |
| **Voltage** | **V** | 18 |
| **Capacity** | **Ah** | 2.5 |
| **Number of batteries required** | **Piece(s)** | 1 |
| **Run time per battery charge** | **min** | Normal mode: 14 / eco!efficiency mode: 30 |
| **Colour** | | Yellow |
| **Weight without accessories** | **kg** | 1 |
| **Weight incl. packaging** | **kg** | 2.3 |
| **Dimensions (L × W × H)** | **mm** | 277 × 75 × 231 |

## Scope of supply

**Versions:** Battery and battery charger not included

**Foam jet**

**Adapter for A3/4" garden hose connector**

**5-in-1 Multi Jet**

**Suction hose**

## Equipment

**Water suction**

**Integrated water filter**

**Device filter**

[1] In the eco!Mode setting, water consumption is reduced by 20% and energy consumption by 59% compared to the highest setting (Max mode).

### Cleaning on the move

- With the suction hose provided and the Kärcher 18 V battery (not included in the scope of supply), cleaning on the go is easy and mobile – independent of water and power connections.
- Flexible for use in many different cleaning tasks, e.g., for bicycles, garden and camping equipment, prams or spot cleaning on the car.
- The water supply can be provided either via a connected garden hose or the suction hose from external water sources.

### Pressure adjustment with LED indication

- Depending on the cleaning task, you can switch between Max (24 bar) and eco!Mode[1] (approx. 11 bar). Ideal for sensitive surfaces or extending battery run time up to 30 minutes.
- The LED light provides information about the selected mode and the current charge status of the battery.

### Comprehensive range of accessories

- The Multi Jet combines five spray types in a single nozzle, which can be adjusted simply by twisting the nozzle head.
- The suction hose makes it possible to use water from external water sources such as a canister, bucket or stream. Maximum freedom of movement thanks to 5 m length.
- The foam jet makes it easy to apply detergent in a targeted manner for even more effective cleaning of stubborn dirt.

OC 7-18 Handheld, 1.328-146.0, 2026-10-02

# SUSTAINABILITY ASPECTS OF OC 7-18 HANDHELD 1.328-146.0

| Sustainability aspects of Beyond Cleaning | | | |
|---|---|---|---|
| **eco!Mode (Energy and Water Saving Mode)** | | | |
| **Energy saving** | **%** | 59 | Comparison of the maximum level with the manufacturer's eco!Mode setting. Does not apply to individually adjustable eco!Mode. |
| **Water saving** | **%** | 20 | Comparison of the maximum flow rate with the manufacturer's eco!Mode setting. Does not apply to the individually adjustable eco!Mode. |
| **Further features** | | Using the suction hose enables cleaning without using fresh water as alternative water sources (e.g. wells, rain barrels, cisterns, garden ponds) can be used. | |
| **Packaging properties** | | 100% plastic-free packaging | Related to packaging inside box |

# ACCESSORIES FOR OC 7-18 HANDHELD
# 1.328-146.0

1, 3

2, 4

5

6

7

8

9

10

11

12

13

14

| | | Order no. | Description | |
|---|---|---|---|---|
| **BATTERIES** | | | | |
| Battery Power 18/25 | 1 | 2.445-034.0 | 18 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform. | ☐ |
| Battery Power 18/50 | 2 | 2.445-035.0 | 18 V / 5.0 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform. | ☐ |
| Battery Power 18/25 | 3 | 2.445-100.0 | 18 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform. | ☐ |
| Battery Power 18/50 | 4 | 2.445-103.0 | 18 V / 5.0 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform. | ☐ |
| Battery Power 18/80 | 5 | 2.445-106.0 | | ☐ |
| **BATTERY CHARGERS** | | | | |
| Fast Charger Battery Power 18 V | 6 | 2.445-032.0 | The fast charger charges the 18 V/2.5 Ah Kärcher Battery Power exchangeable battery to 80% in just 44 minutes and can be used for all batteries on the 18 V Kärcher battery platform. | ☐ |
| **STARTERKIT BATTERIES AND BATTERY CHARGERS** | | | | |
| Starter kit Battery Power 18/25 | 7 | 2.445-062.0 | Battery Power 18/25 Starter Kit incl. 18 V/2.5 Ah Battery Power exchangeable battery with innovative Real Time Technology and 18 V fast charger. For all devices on the 18 V Kärcher battery platform. | ☐ |
| Starter kit Battery Power 18/50 | 8 | 2.445-063.0 | Incl. 18 V / 5.0 Ah Kärcher Battery Power exchangeable battery and 18 V fast charger: The Battery Power 18/50 Starter Kit for use in all devices on the Kärcher 18 V battery platform. | ☐ |
| **HAND-HELD** | | | | |
| PS 20 Surface Cleaner | 9 | 2.644-018.0 | The power scrubber is the ideal accessory for the KHB- and OC 6-18 models when cleaning small areas and steps. | ☐ |
| WB 24 wash brush | 10 | 2.644-136.0 | The WB 24 wash brush for the KHB- and OC 6-18 models complements the integrated flat jet with the mechanical cleaning power of extra-long bristles. | ☐ |
| MJ 24 5-in-1 Multi Jet | 11 | 2.644-171.0 | Versatile 5-in-1 multi-jet spray lance for KHB and OC 6-18 models: the MJ 24 with spot, flat, rinsing, mist and stream jet. Easy to adjust simply by turning the nozzle head. | ☐ |
| VJ 24 360° variable spray lance | 12 | 2.644-172.0 | Variable spray lance with adjustable 360° joint: the VJ 24 for KHB and OC 6-18 models is ideal for cleaning hard-to-reach areas. | ☐ |
| DB 24 Rotary nozzle | 13 | 2.644-472.0 | The rotary nozzle for the KHB medium-pressure washer and OC 6-18 Outdoor Cleaner removes stubborn dirt powerfully and effectively. It is also ideal for cleaning narrow spaces. | ☐ |
| FJ 24 foam jet | 14 | 2.644-135.0 | The FJ 24 Handheld foam jet for dispensing Home & Garden detergents with KHB and OC 6-18 models. | ☐ |

☐ Available accessories.

# ACCESSORIES FOR OC 7-18 HANDHELD
# 1.328-146.0

15

16

17

18

19

20

21

22

23

24

25

26

27

28

| | | Order no. | Description | |
|---|---|---|---|---|
| **HAND-HELD** | | | | |
| SH 5 suction hose | 15 | 2.644-124.0 | Flexible, 5-metre long suction hose for the KHB and OC 6-18 models for suctioning water from alternative sources such as water butts or water containers. | ☐ |
| **HOSE STORAGE AND HOSE TROLLEY** | | | | |
| HT 2 | 16 | 2.645-361.0 | The mobile and stable hose trolley impresses with its extra wide base for maximum stability. A compact model with a height-adjustable handle for small gardens. | ☐ |
| HT 2.20 Set | 17 | 2.645-362.0 | The compact and mobile hose trolley with an extra wide base for maximum stability, 20 m Kärcher hose, watering accessories and nozzle, as well as a height-adjustable handle. | ☐ |
| HT 3 | 18 | 2.645-363.0 | Mobile and stable: The hose trolley for medium-sized gardens scores points with its extra-wide base for maximum stability and its height-adjustable handle. Includes nozzle holder. | ☐ |
| HT 3.20 Set | 19 | 2.645-364.0 | The hose trolley with nozzle holder impresses with its extra wide base for maximum stability, height-adjustable handle, 20 m garden hose and watering accessories. | ☐ |
| HT 4 | 20 | 2.645-365.0 | Everything under control: The hose trolley scores points with a hose reel, a wide base for stability, a hose guide, and a height-adjustable handle. | ☐ |
| HT 4.20 Set | 21 | 2.645-366.0 | The mobile hose trolley set impresses with its extra wide base, precise hose guide and height-adjustable handle and is ready for immediate use, including a 20 m hose and accessories. | ☐ |
| HT 5 M | 22 | 2.645-367.0 | The mobile hose trolley impresses with a metal hose reel, extra-wide base, precise hose guide and height-adjustable handle. | ☐ |
| HT 5.20 M Set | 23 | 2.645-368.0 | The hose trolley scores points with its metal reel, wide base for high stability and 20 m hose and is ready for immediate use with the enclosed watering accessories. | ☐ |
| HT 6 M | 24 | 2.645-369.0 | The movable hose trolley scores points with a metal hose reel and an extra-wide base, as well as precise hose guides and a height-adjustable handle. | ☐ |
| HR 2.10 Set | 25 | 2.645-370.0 | Complete set for convenient watering and space-saving hose storage. Ready for immediate use with a 10 m Kärcher garden hose, connectors, tap adapter and nozzle. | ☐ |
| HR 3 | 26 | 2.645-371.0 | One hose reel – two functions: the HR 3 is used both for storing the hose on the wall and for mobile use in the garden. This is what flexible watering looks like. | ☐ |
| HR 3.20 Set | 27 | 2.645-372.0 | One hose reel – two functions: the HR 3.20 set with 20 m hose and accessories is used both for storing the hose on the wall and for mobile use in the garden. | ☐ |
| HR 4 | 28 | 2.645-373.0 | For hose storage on the wall and as a mobile hose reel: the HR 4 offers both options and can be easily removed from the wall for flexible watering. | ☐ |

☐ Available accessories.

# ACCESSORIES FOR OC 7-18 HANDHELD
# 1.328-146.0

29

30–31

32–34

35

36–39, 53, 55, 57

40, 42, 44

41, 43, 45

| | | Order no. | Description | |
|---|---|---|---|---|
| **HOSE STORAGE AND HOSE TROLLEY** | | | | |
| HR 4.30 Set | 29 | 2.645-374.0 | For hose storage on the wall and as a mobile hose reel: the HR 4.30 set with a 30 m hose, accessories and nozzle holder offers both options for flexible watering. | ☐ |
| HBX 4.15 Automatic | 30 | 2.645-377.0 | Always ready for use: hose box for convenient and flexible watering. With a 15 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | ☐ |
| HBX 4.20 Automatic | 31 | 2.645-378.0 | Always ready for use: hose box for convenient and flexible watering. With a 20 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | ☐ |
| HBX 5.25 Automatic | 32 | 2.645-379.0 | No more bending down, cranking or getting your hands dirty: the hose box guarantees convenient and flexible watering. With a 25 m hose and automatic hose retraction. | ☐ |
| HBX 5.30 Automatic | 33 | 2.645-380.0 | The hose box for convenient, flexible and effortless watering. With a 30 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | ☐ |
| HBX 5.35 Automatic | 34 | 2.645-381.0 | Always ready for use: hose box for convenient and flexible watering. With a 35 m hose and automatic hose retraction – no more bending down, cranking or getting your hands dirty. | ☐ |
| HBX 2.10 Compact | 35 | 2.645-388.0 | Compact hose box for balconies, roof terraces, small gardens and camping holidays. Fast, convenient unwinding and winding. Ideal for space-saving storage in apartments. | ☐ |
| **HOSES** | | | | |
| PrimoFlex® hose 1/2" – 30 m | 36 | 2.645-248.0 | Ultra-durable and kink-resistant PrimoFlex® quality garden hose (1/2"). 30 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C. | ☐ |
| PrimoFlex® hose 1/2" – 15 m | 37 | 2.645-296.0 | The flexible PrimoFlex® garden hose (1/2", 15 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| PrimoFlex® 1/2" – 25 m | 38 | 2.645-297.0 | The flexible PrimoFlex® garden hose (1/2", 25 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| PrimoFlex® hose 5/8" – 15 m | 39 | 2.645-298.0 | The flexible PrimoFlex® garden hose (5/8", 15 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| Hose Performance Plus 1/2" -20m | 40 | 2.645-318.0 | Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow. | ☐ |
| Hose Performance Plus 1/2" -50m | 41 | 2.645-319.0 | The Performance Plus garden hose (1/2", 50 m) has a kink-resistant multi-layer fabric with anti-UV & anti-algae protection. Designed for 45 bar burst pressure (-20 to +60 °C). 15-year guarantee. | ☐ |
| Hose Performance Plus 5/8" -25m | 42 | 2.645-320.0 | Quality garden hose from Kärcher: the new 25-metre long Performance Plus 5/8" garden hose. Flexible and extremely resistant to kinks – for constant water flow. Bursting pressure 40 bar. | ☐ |

☐ Available accessories.

# ACCESSORIES FOR OC 7-18 HANDHELD
# 1.328-146.0

41, 43, 45

40, 42, 44

46, 48

47, 49

50

51

52

36–39, 53, 55, 57

54, 56, 58

| | | Order no. | Description | |
|---|---|---|---|---|
| **HOSES** | | | | |
| Hose Performance Plus 5/8" -50m | 43 | 2.645-321.0 | ThePerformance Plus hose (5/8", 50 m) features 40 bar burst pressure (−20 to +60 °C). Multi-layered, UV-protected against algae & flexible. Ideal for plants. 15-year Kärcher warranty. | ☐ |
| Hose Performance Plus 3/4" -25m | 44 | 2.645-322.0 | The Performance Plus garden hose (3/4", 25 m) has a kink-resistant multi-layer fabric with anti-UV & anti-algae protection. Designed for 30 bar burst pressure (-20 to +60 °C). 15-year guarantee. | ☐ |
| Hose Performance Plus 3/4" -50m | 45 | 2.645-323.0 | The Performance Plus garden hose (3/4", 50 m) has a kink-resistant multi-layer fabric with anti-UV & anti-algae protection. Designed for 30 bar burst pressure (-20 to +60 °C). 15-year guarantee. | ☐ |
| Performance Premium hose, 1/2" -20 m | 46 | 2.645-324.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology. | ☐ |
| Hose Performance Premium 1/2"-50m | 47 | 2.645-325.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 50 m. With Kärcher Premium anti-torsion technology. | ☐ |
| Hose Performance Premium 5/8"-25m | 48 | 2.645-326.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 25 m. With Kärcher Premium anti-torsion technology. | ☐ |
| Hose Performance Premium 5/8" -50m | 49 | 2.645-327.0 | The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 50 m. With Kärcher Premium anti-torsion technology. | ☐ |
| Hose set for pressure washers | 50 | 2.645-399.0 | Hose set for pressure washers with 10 m PrimoFlex® hose (1/2"), G3/4 tap adapter, 1 × hose connector and 1 × hose connector with Aqua Stop. | ☐ |
| | 51 | 2.645-156.0 | Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 × universal hose connector and universal connector with Aqua Stop. | ☐ |
| Water supply hose set | 52 | 2.645-258.0 | Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps. | ☐ |
| PrimoFlex® hose 1/2" – 20 m | 53 | 2.645-138.0 | The flexible PrimoFlex® garden hose (1/2", 20 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| PrimoFlex® hose 1/2" – 50 m | 54 | 2.645-139.0 | The flexible PrimoFlex® garden hose (1/2", 50 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| Primo Flex® hose 5/8" – 25 m | 55 | 2.645-140.0 | The flexible PrimoFlex® garden hose (5/8", 25 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| PrimoFlex® hose 5/8" – 50 m | 56 | 2.645-141.0 | The flexible PrimoFlex® garden hose (5/8", 50 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |

☐ Available accessories.

# ACCESSORIES FOR OC 7-18 HANDHELD
# 1.328-146.0

36–39, 53, 55, 57

54, 56, 58

59

60

61

62–63

64

65

66

67

68

69

70

| | | Order no. | Description | |
|---|---|---|---|---|
| **HOSES** | | | | |
| PrimoFlex® hose 3/4" – 25 m | 57 | 2.645-142.0 | The flexible PrimoFlex® garden hose (3/4", 25 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| PrimoFlex® hose 3/4" – 50 m | 58 | 2.645-143.0 | The flexible PrimoFlex® garden hose (3/4", 50 m) with pressure-resistant reinforcement is suitable for watering fruit, vegetables, and ornamental plants. Burst pressure: 24 bar. | ☐ |
| **HOSE CONNECTION SYSTEMS** | | | | |
| Universal hose coupling Plus | 59 | 2.645-193.0 | Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems. | ☐ |
| Universal hose coupling Plus with Aqua Stop | 60 | 2.645-194.0 | Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems. | ☐ |
| **VEHICLE MAINTENANCE** | | | | |
| Beyond Car Shampoo RM 610N | 61 | 6.296-226.0 | The Beyond Car Shampoo RM 610N for vehicle cleaning. 99% of the total ingredients in the cleaner are from natural origin.[1] Added colourants, phosphates and mineral oil-based surfactants were deliberately avoided. This 2-in-1 product cleans and cares at the same time. It reliably removes typical road dirt and leaves a beautiful shine thanks to rice wax. The subtle lavender fragrance also ensures a pleasant cleaning experience. The Car Shampoo guarantees the proven Kärcher cleaning performance for a wide range of vehicles, including cars, motorhomes, motorbikes, boats and bicycles. For convenient application, the RM 610N is perfect for direct use with all Kärcher pressure washers and forms a light, beautiful lather when used with a foam jet. Manual application is also possible. | ○ |
| Insect Remover RM 618 | 62 | 6.295-761.0 | Gently removes insects from paint surfaces, radiator grilles, external mirrors, panels and plastic. | ○ |
| Insect remover RM 618 | 63 | 6.295-888.0 | | ○ |
| Beyond Bike Cleaner RM 640N RTU | 64 | 6.296-288.0 | For a thoroughly clean bike from the wheel rim to the handlebars: the formula is gentle on materials and specially developed for bicycles. The cleaner consists of 99% incredients from natural origin.[1] | ○ |
| Car glass cleaner RM 650 | 65 | 6.296-105.0 | Streak- and glare-free cleaning of car windows and mirrors. Reliably removes insects, fingerprints and dirt from the street. With antistatic effect for low resoiling. | ○ |
| Interior cleaner RM 651 | 66 | 6.296-106.0 | For refreshingly clean interiors without odours: From the cockpit to the rubber seal, from the display through to the upholstery and artificial leather. With antistatic effect and effective odour neutralisation. | ○ |
| Cockpit care matt finish RM 652 | 67 | 6.296-107.0 | Deep-cleaning care and protection for all plastics and rubber surfaces. Leaves silk-matt surfaces that look as good as new, are pleasant to touch and are water- and dirt-repellent. | ○ |
| Polish & wax RM 660 | 68 | 6.296-108.0 | Intensive cleaning and washing- and weather-resistant preservation in a single step. Fine scratches and streaks are removed, and the original colour brilliance is restored. | ○ |
| Rim cleaner premium RM 667 | 69 | 6.296-048.0 | With maximum cleaning power and quick-action formula. Helps remove all kinds of dirt picked up by all common rim types while on the road. The intelligent colour change indicates how the cleaning agent is taking effect over time. | ○ |
| Winter screen wash concentrate -60°C RM 670 | 70 | 6.296-109.0 | Cleaning and frost-protection agent for window- and headlight-cleaning systems. Prevents the windscreen from freezing and guarantees a streak- and glare-free view. | ○ |

☐ Available accessories. ○ Detergents.

# ACCESSORIES FOR OC 7-18 HANDHELD
# 1.328-146.0

| | | Order no. | Description | |
|---|---|---|---|---|
| **VEHICLE MAINTENANCE** | | | | |
| Summer screen wash 1:100 concentrate RM 672 | 71 | 6.296-110.0 | Highly effective cleaning concentrate for a streak- and glare-free view in summer. Effectively removes insect residues and bird droppings. Yield: 250 ml provides 25 l cleaning agent. | ○ |
| Bike cleaner RM 44 G | 72 | 6.295-763.0 | To manually clean motorbikes. Gently and effectively removes typical dirt such as brake dust, tyre wear, insects, mud and oil. A dream to use thanks to the sticky gel formula. | ○ |

○ Detergents.