BR 75/75 W CLASSIC BP PACK 170 AH

BR 75/75 W Classic Bp push scrubber dryer with 75 litre tanks and double-roller brush head. Very easy to use and suitable for many different applications.

EASY-Operation

Order no.	1.127-036.0

- 75 l tanks for fresh/dirty water, 75 cm roller brush, traction drive
- Off-board charger + 170 Ah AGM battery, 2.5 h run time, max. 3750 m²/h
- Brush head and squeegee made from robust aluminium

Technical data

EAN code		4054278773353
Drive type		Battery
Working width, brushes	**mm**	750
Working width, vacuuming	**mm**	1030
Fresh/dirty water tank	**l**	75 / 75
Theoretical area performance	**m²/h**	max. 3750
Practical area performance	**m²/h**	2250
Battery type		Maintenance-free
Battery	**V / Ah**	24 / 170
Battery run time	**h**	max. 2.5
Voltage (power supply for battery charger)	**V**	220 – 240
Frequency (power supply for battery charger)	**Hz**	50 – 60
Driving speed	**km/h**	max. 5
Brush speed	**rpm**	1200
Brush contact pressure	**kg / g/cm²**	40.5 / 145
Water consumption	**l/min**	max. 2.75
Sound pressure level	**dB(A)**	65 – 65
Rated input power	**W**	max. 2050
Weight without accessories	**kg**	100
Dimensions (L × W × H)	**mm**	1520 × 810 × 1065

This machine requires instruction.

Scope of supply

Roller brush: 2 Piece(s)

Equipment

Powerful traction drive

Two-tank system

The brush head and squeegee are made from long-lasting aluminium

- Robust machine concept for tough working conditions with low failure rates.
- Also developed for applications in harsh conditions.

Extremely simple operating concept

- All machine functions can be operated using switches, buttons and knobs.
- Colour-coded controls for easy operation and short teach-in times.

Compact and robust design

- Highly versatile, easy to manoeuvre machine that provides a good overview.
- Reduces the risk of damaging the machine or equipment.

KÄRCHER

ACCESSORIES FOR BR 75/75 W CLASSIC BP PACK 170 AH 1.127-036.0

1

2

3

4

5


6

7

8


9

10


11

12

13

14

		Order no.	Description	
ROLLER BRUSHES				
Roller brush, medium, red, 700 mm	1	4.035-605.0	Red standard roller brush for maintenance cleaning.	■
Roller brush, high / low, orange, 700 mm	2	6.907-730.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	☐
Roller brush, hard, green, 700 mm	3	6.907-731.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	☐
Roller brush, very hard, black, 700 mm	4	6.907-732.0	Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	☐
Roller brush white – R75, Soft, White, 700 mm	5	6.907-771.0	White roller brush for cleaning sensitive floor coverings.	☐
BRUSH HEADS				
Brush head R75	6	2.763-047.0	Robust and compact aluminium brush holder with roller brush head, bumper rollers, integrated pre-sweeping function, colour-coded components and an applicator for brushes.	■
WIPING FLAPS				
Lateral squeegee blades, oil-resistant	7	4.037-167.0	Set of low-wear, oil-proof squeegee blades made of Polyurethane. For optimum cleaning results with curve movements and reliable keeping of the cleaning water in the working area of the brush head.	☐
SQUEEGEES AND SQUEEGEE BLADES				
Squeegees				
Squeegee, 1030 mm	8	4.777-108.0	Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-resistant, transparent polyurethane with especially long working time. With support rollers.	■
Squeegee blades				
Squeegee blades, Natural rubber, 1164 mm	9	4.037-144.0	Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	■
Squeegee blades, oil-resistant, grooved, 1164 mm	10	4.037-145.0	Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	☐
Squeegee blades, Linatex®, 1164 mm	11	4.181-011.0	1164-mm-wide Linatex® suction lip set. Tear-proof and ideal for structured floors, ensures very good wiping and suction results.	☐
ROLLER PADS / ROLLER PAD SHAFTS				
Pad roller shafts				
Pad roller shaft, 700 mm	12	4.762-627.0	Aluminium pad roller shaft suitable for holding roller pads or microfibre rollers.	☐
Roller pads				
Roller pad, medium, red	13	6.369-456.0	Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	☐
Roller pad, hard, green	14	6.369-455.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	☐

■ Included in the scope of supply. ☐ Available accessories.

ACCESSORIES FOR BR 75/75 W CLASSIC BP PACK 170 AH
1.127-036.0

15

16

17

18

19

20

21

22

23

24

25

		Order no.	Description	
ROLLER PADS / ROLLER PAD SHAFTS				
Microfibre shaft				
Microfibre roller, 700 mm	15	4.114-007.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	☐
OTHER ACCESSORIES SCRUBBER DRIERS				
Home Base accessories				
Home Base mop holder kit	16	9.753-023.0	Holder fits on machine for convenient wiping mop storage.	☐
Holder for squeegee	17	9.753-088.0	Holder for squeegee: The steel holder is attached to the Home Base rail of the scrubber drier and allows the safe storage and transportation of the squeegee.	☐
Dosing aids				
DS 3 Cleaning Agent Dosing Station	18	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	☐
KITS				
Other attachment kits				
Attachment kit for emergency off button	19	2.644-139.0	Attachment kit for attaching an emergency off button, which when pressed stops the scrubber drier completely. Simple reset of the button to resume operation.	☐
Attachment kit stacked bumper roller squeegee	20	4.035-619.0	Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	☐
Suction hose accessories	21	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	☐
TRACTION BATTERIES AND CHARGERS				
Batteries				
Battery kit, 24 V, 170 Ah, Maintenance-free	22	2.815-092.0	Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	☐
Battery kit, 24 V, 115 Ah, Maintenance-free	23	2.815-091.0	Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	☐
Accessories for batteries				
Battery mounting kit	24	2.638-162.0	Installation kit for installing a battery kit in a machine. Incl. three connection cables. Image similar.	☐
	25	2.638-198.0	Installation kit for installing a battery kit in a machine. Incl. one connection cable and two spacers. Image similar.	☐

☐ Available accessories.