KM 125/130 R D

The new sweeping concept and the optional sweeping crescent side brush save you time.Tact filter cleaning and Teach system complement the equipment features of this ride-on vacuum sweeper.

Made in Germany

CONFIGURABLE

Order no.	1.280-150.2

Technical data		
EAN code		4054278141619
Drive – Power	kW	6.5
Drive type		Diesel
Max. area performance	m²/h	10000
Max. area performance with 2 side brushes	m²/h	13600
Working width	mm	880
Working width with 1 side brush	mm	1250
Working width with 2 side brushes	mm	1700
Waste container	l	130
Climbing ability	%	16
Working speed	km/h	8
Weight (with accessories)	kg	591
Weight, ready for operation	kg	705
Weight incl. packaging	kg	593
Dimensions (L × W × H)	mm	1800 × 1500 × 1450

Sweeping crescent side brush (optional)

- No more tedious sweeping by hand.
- Cleans in corners in a single pass.
- Removes the need for manual pre-cleaning or multiple passes, thereby saving on costs.

Innovative, highly effective and automatic Tact filter cleaning system

- Consistently clean pores for an optimal cleaning result.
- Automatic cleaning.
- Filter elements with 4x performance.

Teach system

- Automatic roller brush correction according to wear.
- Three contact pressures selectable at the push of a button.
- Less wear and tear in Eco mode.

KM 125/130 R D, 1.280-150.2, 2026-10-09

KÄRCHER

ACCESSORIES FOR KM 125/130 R D
1.280-150.2

1, 3

2

4

5

6

7

8

9

10

11

12

13

14

		Order no.	Description	
MAIN SWEEPER ROLLER				
Standard roller brush				
Standard roller brush	1	4.762-525.0	Main roller brush with moisture-proof synthetic bristles for common hard surfaces in indoor and outdoor areas. Suitable for use on normal soiling and tested for high wear resistance.	■
Main sweeper roller, soft				
Main sweeper roller, soft/natural	2	4.762-526.0	Main roller brush with soft natural bristles made of arenga fiber, specially designed for sweeping fine dust from smooth indoor and outdoor surfaces	☐
Main sweeper roller, hard				
Main sweeper roller, hard	3	4.762-527.0	For removing stubborn dirt outdoors.	☐
SIDE BRUSHES				
Standard side brushes				
Standard side brushes	4	6.966-063.0	Water-resistant universal bristles, durable, suitable for all surfaces.	■
Side brush, soft				
Side brush, soft	5	6.966-065.0	Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	☐
Side brush, hard				
Side brush, hard	6	6.906-705.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	☐
MISCELLANEOUS				
KIK-Key yellow KM	7	5.035-943.0	User key for using the appliance	■
KIK-Key grey KM	8	5.035-944.0	Supervisor key for using the appliance	■
5-piece KIK keys, yellow	9	4.035-542.0	Key for operators. Cannot be adjusted.	☐
TYRES, PUNCTURE-PROOF				
Tyres set solid rubber	10	2.851-383.0	Recommended for sweeping metal shavings, glass shards, etc.	☐
Tyres set solid rubber non-chalking	11	2.851-384.0	Avoids tyre marks on light surfaces	☐
TYRES				
Pneumatic tyres set	12	2.851-382.0	Convenient pneumatic tyres for standard use.	☐
WATER SPRAYING SYSTEM				
Water spraying system for side brushes	13	2.852-241.0	Water spraying system for binding dust, including nozzles for the left side brush and very stable 30-litre plastic container. Removable, with water drain, safe belt attachment.	☐
FILTERS				
Flat pleated filter				
Flat pleated filter	14	6.907-519.3	Synthetic filter, moisture-proof, washable, saves maintenance costs	■

■ Included in the scope of supply. ☐ Available accessories.

ACCESSORIES FOR KM 125/130 R D
1.280-150.2

15

16

18

19

20

21

22

24

25

26

27

28

		Order no.	Description	
KITS				
Fleet mounting kit				
Attachment kit Plug-in Connect Module	15	2.644-391.0	The IoT module[1] is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	☐
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS				
Side brushes, left				
Second side brush left	16	2.851-256.0	Complete, including standard side brushes for increased area coverage.	☐
Other mounting kits				
Add-on kit diesel sound damping	17	2.852-068.0	Sound-damping additionally reduces the noise level.	☐
Comfort seat	18	2.851-381.0	For increased driving comfort.	☐
Lighting				
Work illumination	19	2.852-059.0	For increased visibility, e.g. in underground garages or warehouses.	☐
Sweeping/Vacuuming				
Side brush cover	20	2.852-244.0	For reducing dust when working with the KM 125/130 R vacuum sweeper: covering the side brush reduces dust dispersion and thereby prevents the environment and equipment from becoming dusty.	☐
Warning beacon				
Revolving signal light on protective roof	21	2.852-058.0	For increased safety	☐
Revolving signal light	22	2.852-057.0		☐
OTHER ACCESSORIES SCRUBBER DRIERS				
Home Base accessories				
Home Base litter picker kit	23	4.035-524.0	Litter picker including fastener on the machine.	☐
Home Base adapter	24	5.035-488.0	Fastener for various hooks and clips on the machine.	☐
Double hook	25	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	☐
Holder handhold grey	26	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	☐
Bottle holder	27	6.980-080.0	Suitable for transporting spray bottles – only in conjunction with Home Base adapter 5.035-488.0.	☐
TRACTION BATTERIES AND CHARGERS				
Accessories for batteries				
Box with wall holder	28	2.641-243.0	Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	☐

■ Included in the scope of supply. ☐ Available accessories.

ACCESSORIES FOR KM 125/130 R D
1.280-150.2

29

30

		Order no.	Description	
SPRAY EXTRACTION MACHINES				
Other				
Cleaning agent container, complete	29	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	☐
CABS AND PROTECTIVE ROOFS				
Protective roof				
Protective roof	30	2.851-262.0	The protection roof with a steel tube frame complies IEC 60335-2-72.	☐

☐ Available accessories.