



T2

Scrubber

COMMON PARTS & CONSUMABLES

Only genuine Tennant parts can ensure peak performance
for the life of your equipment.

Serial # _____

Brushes

- Excellent cleaning performance, designed and engineered specifically to fit Tennant machines.
- Easy installation helps reduce machine downtime and service calls.
- Optimal operation with Tennant machines, maximizing cleaning effectiveness in one pass.

PART DESCRIPTION	SIZE	PART #
Nylon Disk Scrub Brush	17" (432 mm)	1016764
Polypropylene Disk Scrub Brush		1016765
Abrasive Disk Scrub Brush		1016763

Pads/pad drivers

- Available for a variety of cleaning needs and floor types.
 - Polishing
 - Scrubbing
 - Stripping

PART DESCRIPTION	SIZE	PART #
3M White Polishing Pad, case of 5	17" (432 mm)	1243350
3M Red Cleaning Pad, case of 5	17" (432 mm)	1243349
3M Blue Scrubbing Pad, case of 5	17" (432 mm)	1243348
3M Brown Stripping Pad, case of 5	17" (432 mm)	1243664
3M Black HiPro Stripping Pad, case of 5	17" (432 mm)	1243663
3M Maroon Surface Prep Pad, case of 5	17" (432 mm)	1243669
Pad Driver	17" (432 mm)	1016813

Squeegees

- Exceptional liquid pick-up, designed and engineered specifically to fit Tennant machines.
- Less rework and low labor costs.
- Ideal fit for any application with three types of squeegees.
 - Premium Linatex® and Linard® rubber exhibits outstanding strength and resistance to cutting and tearing.
 - Chemical-resistant urethane has a long service life; well suited for use with organic and petroleum-based oils.
 - Economy Gum Rubber is cost-effective option for smooth, indoor floors, made of a combination of natural material and fillers.

PART DESCRIPTION	SIZE	PART #
Linatex® Front Squeegee	26.9" (683 mm)	1016764
Urethane Front Squeegee Blade (Std)		1016765
Gum Rubber Front Squeegee Blade		1016763
Linatex® Rear Squeegee Blade	27.8" (706 mm)	1040626
Urethane Rear Squeegee Blade (Std)		1045384
Gum Rubber Rear Squeegee Blade		1045383

Pricing & Ordering

Contact Tennant Customer Service at **1-800-553-8033** or **www.tennantco.com**

Prices and programs subject to change without notice. ©2024 The Tennant Company. All rights reserved. Rev 4/2024

General Maintenance

PART DESCRIPTION	PART #
12V, 105AH, Wet Battery	578426
12V, 70AH, Gel Battery	1071125
Power Cord – U.S. (8 ft)	1044067
Ignition Key	1011402
Pad Driver (3-Lug)	1054019
Rear Swivel Caster	1043250
Scrub Head Splash Skirt	1011368
Scrub Head Bumper Wheel	1010560
Squeegee Clamp Wheel	630477
Squeegee Strap Knob	603012
Squeegee Assembly Knob	1010558
Squeegee Assembly Casters	1042507
Squeegee Assembly Vacuum Hose	1042313
Recovery Tank Shut Off Float	630052
Recovery Tank Debris Tray	1036757
Recovery Tank Adapter Hose Gasket	1037106
Recovery Tank Adapter Hose Assy.	1042346
Solution Tank Drain Hose	1041008
Solution Tank Fill Strainer	1045189
Solution Tank Cover Seal	1045506
Vacuum Fan	9004850

TennantTrue® cleaning solutions

- Formulated to help protect gaskets, seals, vacuum fans, or other critical components
- Biodegradable surfactants and recyclable packaging support green cleaning initiatives
- Color coded for easy identification, training, and safety
- Low-foam formulas allows for easy rinsing and may help extend some equipment components

PART DESCRIPTION	SIZE	PART #
Neutral pH Daily Cleaner (clear): For light-duty cleaning. Safe for all floor types. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1/4 oz per gal; Moderate cleaning – 1/2 oz per gal.	2.5 gal	9015248
	5 gal	9006758
	15 gal w/pump	9006759
	15 gal	9006760
	55 gal w/pump	9006761
	55 gal	9006762
Neutral Purpose Cleaner (purple): For medium-duty cleaning. Safe for most floor types. Low foam. Contains environmentally safer surfactants, Green Seal Certified. NSF approved. pH: 10-11. Dilution: Light cleaning – 1/2 oz per gal; Moderate cleaning – 2 oz per gal.	275 gal	9006763
	2.5 gal	9015246
	5 gal	9006764
	15 gal w/pump	9006765
	15 gal	9006766
	55 gal w/pump	9006767
Neutral pH Solvent Degreaser (yellow): For aggressive cleaning in heavy manufacturing & industrial environments. Good for grease removal. Low foam. Contains low volatile solvents & environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal.	55 gal	9006768
	275 gal	9006769
	2.5 gal	9015247
	5 gal	9006770
	15 gal w/pump	9006771
	15 gal	9006772
High Alkaline Degreaser (red): For heavy-duty cleaning in manufacturing & industrial environments with petroleum & grease. Low foam. Contains low volatile solvents. NSF approved. pH: 12.5-13.5. Dilution: Light cleaning – 1 oz per gal; Heavy cleaning – 4 oz per gal.	55 gal w/pump	9006773
	55 gal	9006774
	275 gal	9006775
	2.5 gal	9015249
	5 gal	9006776
	15 gal w/pump	9006777
Super Strength Solvent Degreaser (orange): For extremely aggressive cleaning in heavy manufacturing & industrial environments. Good for grease & mark removal. Low foam. Contains environmentally safer surfactants. NSF approved. pH: 7-8. Dilution: General cleaning – 1/2-3 oz per gal; Heavy cleaning – 4-8 oz per gal; Severe cleaning – up to 15 oz per gal.	15 gal	9006778
	55 gal w/pump	9006779
	55 gal	9006780
	275 gal	9006781
	2.5 gal	9015250
	5 gal	9008791
High Alkaline Degreaser (white granular): Granular version of the liquid High Alkaline Degreaser. pH: 12-13 @ 3%. Dilution: Light cleaning – one 2.2 lb bag / 4 cups per 30 gal warm water; Heavy cleaning – one 2.2 lb bag / 4 cups per 15 gal warm water.	15 gal w/pump	9008795
	15 gal	9008796
	55 gal w/pump	9008797
	55 gal	9008798
	22 Lb Box	9006782
	Granular Drum	9006783