# BR 30/4 C BP PACK 36/75

Our light and very compact battery powered BR 30/4 C Bp Pack scrubber drier, which ensures dry, non-slip floors immediately after cleaning, weighs just 14 kg.

BATTERY INCLUDED

REAL TIME TECHNOLOGY

| Order no. | 1.783-228.0 |
|---|---|

- Compact scrubber dryer, 4 l tanks for fresh/dirty water, 30 cm working width
- External battery charger, 6 A fast charger, 36 V/7.5 Ah battery, max. 200 m²/h
- Red roller brush, straight squeegee

## Technical data

| | | |
|---|---|---|
| **EAN code** | | 4054278648248 |
| **Battery platform** | | 36 V battery platform |
| **Drive type** | | Battery |
| **Traction drive** | | Advance by brush rotation |
| **Working width, brushes** | **mm** | 300 |
| **Working width, vacuuming** | **mm** | 300 |
| **Fresh/dirty water tank** | **l** | 4 / 4 |
| **Theoretical area performance** | **m²/h** | 200 |
| **Practical area performance** | **m²/h** | 150 |
| **Battery type** | | Removable lithium-ion battery |
| **Voltage** | **V** | 36 |
| **Capacity** | **Ah** | 7.5 |
| **Number of batteries required** | **Piece(s)** | 1 |
| **Run time per battery charge** | **min** | max. 35 |
| **Battery charging time with quick charger 80% / 100%** | **min** | 58 / 81 |
| **Charging current** | **A** | 6 |
| **Voltage (power supply for battery charger)** | **V** | 100 – 240 |
| **Frequency (power supply for battery charger)** | **Hz** | 50 – 60 |
| **Brush speed** | **rpm** | 1270 |
| **Brush contact pressure** | **g/cm²** | 100 |
| **Water consumption** | **l/min** | 0.3 |
| **Sound pressure level** | **dB(A)** | max. 72.4 |

## Scope of supply

**Versions:** Battery and battery charger included

**Transport wheels**

**Roller brush:** 1 Piece(s)

**2 squeegees, straight:** 1 Piece(s)

## Equipment

**Two-tank system**

| | | |
|---|---|---|
| **Rated input power** | **W** | 550 |
| **Colour** | | anthracite |
| **Dimensions (L × W × H)** | **mm** | 365 × 345 × 1162 |

## High-speed roller brush

- For ten times higher contact pressure than manual cleaning.
- The roller brush also cleans textured surfaces and crevices.
- The roller provides automatic forward motion so that the machine does not have to be pushed.

## Dries immediately

- The soft suction lips vacuum up moisture from the floor, leaving it dry – whether going forwards or backwards.
- For intensive cleaning, the suction can also be switched off via the foot pedal.

BR 30/4 C Bp Pack 36/75, 1.783-228.0, 2026-09-18

KÄRCHER

# ACCESSORIES FOR BR 30/4 C BP PACK 36/75
# 1.783-228.0

1

2

3

4

5

6

7

8

9

10

11

12

13

14

| | | Order no. | Description | |
|---|---|---|---|---|
| **BATTERIES** | | | | |
| Battery Power+ 36/75 | 1 | 2.445-043.0 | A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent. | ■ |
| Battery Power+ 36/60 | 2 | 2.042-022.0 | Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring. | ☐ |
| **BATTERY CHARGERS** | | | | |
| Fast charger Battery Power+ 36/60 | 3 | 2.445-045.0 | Charge all 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries with max. 6 A charging current: Quick charger with LED operating status indicator. Easy wall mounting. | ■ |
| **STARTER KIT** | | | | |
| Starter kit Battery Power+ 36/75 | 4 | 2.445-070.0 | Starter Kit Battery Power+ 36/75 with 2 36-V/7.5-Ah batteries and 36-V quick charger for our 36 V Kärcher Battery Power and Kärcher Battery Power+ battery platform devices. | ☐ |
| Starter kit Battery Power+ 36/60 | 5 | 2.445-071.0 | Kärcher Battery Power+ 36/60 Starter Kit for all machines in the Kärcher 36 V Battery Power+ battery platform. Scope of delivery: 2x 36 V/6.0 Ah batteries and the compatible 36 V quick charger. | ☐ |
| **ROLLER BRUSHES** | | | | |
| Roller brush, medium, red, 300 mm | 6 | 4.762-005.0 | Red standard roller brush for maintenance cleaning. | ■ |
| Roller brush, Soft, White, 300 mm | 7 | 4.762-452.0 | White roller brush for cleaning sensitive floor coverings. | ☐ |
| Roller brush, high / low, orange, 300 mm | 8 | 4.762-484.0 | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | ☐ |
| Roller brush, Soft, blue, 300 mm | 9 | 4.762-499.0 | For carpet cleaning. | ☐ |
| **SQUEEGEES AND SQUEEGEE BLADES** | | | | |
| **Squeegees** | | | | |
| Squeegee, standard, 300 mm, straight | 10 | 4.777-008.0 | Straight squeegee suitable for use on all common floors. 300 mm wide. | ■ |
| Squeegee, 300 mm, straight | 11 | 4.777-324.0 | Straight squeegee, oil-resistant, 300 mm. For cleaning, kitchens, workshops, restaurants, petrol filling stations, etc. | ☐ |
| **BATTERIES** | | | | |
| Battery Power 36/50 | 12 | 2.445-031.0 | 36 V / 5.0 Ah Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to show the battery level. Suitable for all devices on the 36 V Kärcher battery platform. | ☐ |
| **ROLLER PADS / ROLLER PAD SHAFTS** | | | | |
| **Microfibre shaft** | | | | |
| Microfibre roller, 300 mm | 13 | 4.762-453.0 | Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze. | ☐ |
| **OTHER ACCESSORIES SCRUBBER DRIERS** | | | | |
| **Miscellaneous** | | | | |
| Filling hose | 14 | 6.680-124.0 | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | ☐ |

■ Included in the scope of supply. ☐ Available accessories.

# ACCESSORIES FOR BR 30/4 C BP PACK 36/75
# 1.783-228.0

15

16

| | | Order no. | Description | |
|---|---|---|---|---|
| **OTHER ACCESSORIES SCRUBBER DRIERS** | | | | |
| **Carpet kit** | | | | |
| Carpet cleaning attachment kit | 15 | 2.783-005.0 | For intensive carpet cleaning. 2 suction lips for carpets + 1 blue roller brush + 1 l RM 764 + 0.5 l RM 769. | ☐ |
| **Dosing aids** | | | | |
| DS 3 Cleaning Agent Dosing Station | 16 | 2.641-811.0 | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). | ☐ |

☐ Available accessories.