

FCV 5 AGILE CARE+

The FCV 5 vacuum mop with 3-in-1 Xtra!Clean: vacuums, mops and dries; max. run time of 60 minutes (Eco!Mode); 4 modes including Dynamic!Control; 180° Pass!Under and 80 °C Thermo!Dry Station.



Order no.

1.056-220.0

- 3-in-1 Xtra!Clean, max. run time of 60 minutes (Eco!Mode), 180° Pass!Under
- 4 modes with Dynamic!Control, Anti-Tangle, 80 °C Thermo!Dry Station
- 2 washable Pure!Roll® rollers and 0.5 l of cleaning solution

Technical data

EAN code		4066529246721
Battery powered device		1
Area performance per battery charge	m²	280
Tank capacity, fresh water	ml	720
Tank capacity, dirty water	ml	700
Rated input power	W	190
Drive		Brushless motor
Number of current phases	Ph	1
Voltage	V	100 - 240
Frequency	Hz	50 - 60
Roller working width	mm	260
Floor drying time	min	2
Brush speed	rpm	430
Hot drying sound pressure level	dB(A)	45
Hot drying temperature	°C	80
Hot drying time	min	20 - 60
Sound pressure level	dB(A)	max. 78
Battery voltage	V	21.6
Battery capacity	Ah	4
Battery run time	min	max. 60
Battery charge time	min	210
Battery type		Lithium-ion battery
Colour		White

Scope of supply

- Multi-surface roller: 2 Piece(s)
- Detergents: Floor cleaning Universal RM 536 500 ml
- Charging, parking and cleaning station with drying function
- Cleaning brush
- Flat pleated filter: 1 Piece(s)

Equipment

- Two-tank system
- Automatic mode
- Power mode
- Dry mode
- Eco!Mode
- Stair-cleaning assistance
- Filling level indicator for fresh water tank
- Filling level indicator for dirty water tank
- Three-sided edge cleaning
- Smart self-cleaning function
- Smart hot drying function
- Anti-tangle comb
- Can be lowered 180°
- Floor head with integrated LEDs
- Transport wheels

Weight without accessories	kg	4.7
Weight incl. packaging	kg	8.9
Dimensions (L × W × H)	mm	299.2 × 170 × 1151.7


¹⁰ The Kärcher vacuum mops save up to 50% of the time required for cleaning, as floors with normal household dirt can be cleaned in a single step and there is no need to vacuum before mopping. ¹¹ Compared with the Kärcher FCV 4 / FCV 4 Dry vacuum mop. Based on internal tests. ¹² Tested by the independent testing institute SGS-CSTC Standards Technical Services Co., Ltd. Suzhou and Shanghai Branch. Actual results may vary depending on usage and environmental conditions. Bacteria removal on ceramic tiles (in Auto mode) and bacteria removal on roller brush after self-cleaning & hot drying. Tested against Escherichia coli, Staphylococcus aureus and Candida albicans with multi-surface roller. Hot drying: Drying efficiency of the multi-surface roller tested after hot drying. Anti-tangle: Tested with 30 cm hair (0.3 g during application with FCV 5 Agile and FCV 6 Agile) and 50 cm hair (0.3 g during self-cleaning with scissor in FCV 6 station). ¹³ The Kärcher FCV 4, FCV 5 and FCV 6 BLDC motors have a service life twice that of the FCV 3 DC motor. Based on internal tests. ¹⁴ In the EcoMode setting, energy use is reduced on average by 58 % and water consumption on average by 70 % compared to the highest setting (AdvancedPower mode). Based on internal tests. ¹⁵ The drying function on the Kärcher FCV 5 and 6 Agile models with a heating plate is 25 dB(A) quieter than the hot-air drying function on the Kärcher FCV 4 Dry. Since an increase of around 10 dB(A) already corresponds to a doubling of perceived loudness, heating-plate drying is perceived as around five times quieter at a difference of 25 dB(A). Based on internal tests. ¹⁶ Compared with the hot-air drying function of the Kärcher FCV 4 Dry, the Kärcher FCV 5 and 6 Agile are 70 % more energy-efficient. Drying using the heating plate has an energy use of up to 52 W. Based on internal tests. ¹⁷ When cleaning a floor area of 60 square metres, the Kärcher vacuum mops use up to 88-96% less water compared to a conventional wiping mop and bucket filled with 5 litres. Internal calculation based on average water consumption figures for floor cleaning in the cleaning mode with the lowest water distribution. Actual water savings vary depending on the appliance class and the level of soiling. Based on internal tests.





3-in-1 Xtra!Clean+ with improved cleaning performance

- Saves up to 50 %¹⁾ of the time spent cleaning different floor types thanks to the integrated suction function with no vacuuming beforehand – and in dry mode, it can also be used on carpets and runners with a short pile.
- Thanks to Hygienic!Spin technology, which spins at 430 turns per minute, it has been proven to remove 99.99 %³⁾ of bacteria, ensuring a particularly clean home.
- Improved cleaning performance thanks to the fresh water tank in the floor head, with 50 % higher contact pressure (based on internal tests compared with the FCV 4).



180° Pass!Under design and flexible joint

- Perfect access under furniture whilst maintaining full suction power (in Auto mode and Eco!mode) thanks to the 180° fold-away design and a device height of just 14 cm.
- Maximum comfort with a 25 % reduction in hand weight (based on internal tests compared with the FCV 4) to 1.1 kg, with the fresh water tank positioned in the floor head.
- Excellent manoeuvrability around furniture and effortless access to edges and skirting boards thanks to the ultra-flexible 90° joint, which can be swivelled smoothly to the left and right.



Smart 80 °C self-cleaning with Thermo!Dry

- 80 °C System!Clean self-cleaning with rollers rotating in both directions: for a final clean without contact with dirt and with 0 % hair tangles – independently tested and verified³⁾.
- Smart 80 °C Thermo!Dry function with a heating plate for evenly dried rollers, tubes and filters. Drying is five times quieter⁶⁾ – as confirmed by an independent test institute³⁾.
- Pure!Roll® roller: machine-washable at 60 °C.

SUSTAINABILITY ASPECTS OF FCV 5 AGILE CARE+ 1.056-220.0

Sustainability aspects of Beyond Cleaning eco!Mode (Energy and Water Saving Mode)

Energy saving	%	58	Comparison of the highest setting with the manufacturer's eco!Mode setting. Does not apply to individually adjustable eco!Mode.
Water saving	%	70	Comparison of the maximum flow rate with the manufacturer's eco!Mode setting. Does not apply to the individually adjustable eco!Mode.
Further features		70% more energy-efficient hot drying in the unit via the heating plate inside the device / 5 times quieter hot drying / Up to 96% water savings compared to cleaning with a conventional wiping mop and bucket / Brushless BLDC motor technology for a long service life / Rollers washable at 60°C for a longer service life	Compared with the hot-air drying function of the Kärcher FCV 4 Dry. Based on internal tests. / The drying function on the Kärcher FCV 5 and 6 Agile models with a heating plate is 25 dB(A) quieter than the hot-air drying function on the Kärcher FCV 4 Dry. Since an increase of around 10 dB(A) already corresponds to a doubling of perceived loudness, heating-plate drying is perceived as around five times quieter at a difference of 25 dB(A). Based on internal tests. / When cleaning a floor area of 60 square metres, the Kärcher vacuum mops use up to 88-96% less water compared to a conventional wiping mop and bucket filled with 5 litres. Internal calculation based on average water consumption figures for floor cleaning in the cleaning mode with the lowest water distribution. Actual water savings vary depending on the appliance class and the level of soiling. Based on internal tests. / The Kärcher FCV 4, FCV 5 and FCV 6 BLDC motors have a service life twice that of the FCV 3 DC motor. Based on internal tests. / The consumption of a set of Kärcher rollers is comparable to the use of up to 225 disposable cloths, which are discarded after cleaning a floor area of 60 square metres. Based on the average wiped surfaces when wringing out the mop during use. Actual roller wear varies depending on the floor texture and the level of soiling. Thorough cleaning in the washing machine effectively removes dirt particles and chemical residues that would otherwise remain inside the roller, causing accelerated abrasive wear and hardening of the material. Based on internal tests.

ACCESSORIES FOR FCV 5 AGILE CARE+ 1.056-220.0



		Order no.	Description	
VACUUM MOP				
Rollers				
Multi-surface roller FCV 5, FCV 6	1	2.863-433.0	Pure!Roll® multi-surface roller for gentle cleaning and care of all floors. Lint-free, highly absorbent and machine-washable at 60 °C. Suitable for the FCV 5 and FCV 6 vacuum mops.	■
Filter				
Filter set FCV 5, FCV 6	2	2.863-435.0	The flat pleated filter set, comprising 2 filters, is suitable for the Kärcher FCV 5 and FCV 6 vacuum mops and is ideal for use in dry mode.	□
HARD FLOOR CLEANER				
Floor cleaning and care for sealed wood RM 534	3	6.295-941.0	For thorough and gentle cleaning, refreshing and care of varnished wooden floors. With effective moisture protection against swelling of the floor. With fresh lemon scent.	○
Varnished wooden floor cleaning RM 534	4	6.296-044.0		○
Floor cleaning and care for oiled/waxed wood RM 535	5	6.295-942.0	Detergent RM 535 cleans, cares for and protects oiled and waxed wooden floors and leaves a streak-free, silk-matt gloss with no need for wiping afterwards. Pleasant beeswax scent.	○
Oiled and waxed wooden floor cleaning RM 535	6	6.296-045.0		○
Multi-purpose floor cleaning RM 536	7	6.295-944.0	For all hard floors: Multi-purpose Floor Cleaning RM 536 for thorough cleaning. Removes run marks for streak-free results. With moisture protection to guard against swelling of the floors and with a lemon scent.	○
	8	6.296-046.0		○
	9	6.296-188.0		○
Stone floor cleaning RM 537	10	6.295-943.0	Stone Floor Cleaning RM 537 for streak-free results on tiles, stone and natural stone. Removes run marks and is also suitable for vinyl, PVC and linoleum.	○
	11	6.296-047.0		○
Beyond floor cleaner RM 538N	12	6.296-286.0	For sealed hard floors: The RM 538N Beyond Floor Cleaner acts against dirt and unpleasant odours.	○

■ Included in the scope of supply. □ Available accessories. ○ Detergents.