

NT 40/1 TACT TE M WOOD

The specialist for large quantities of wood dust: our wet and dry vacuum cleaner NT 40/1 Tact Te M with new cartridge filter, fully automatic filter cleaning, 40-litre container and push handle.



Order no.

1.148-356.0

Technical data

EAN code		4054278716893
Supply voltage	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	l	40
Rated input power	W	max. 1380
Standard nominal width		ID 35
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Colour		anthracite
Weight without accessories	kg	17.5
Weight incl. packaging	kg	22.8
Dimensions (L × W × H)	mm	650 × 370 × 1100

Equipment

Suction hose length	m	4
Suction hose type		electrically conductive
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	500
Suction tubes material		Stainless steel
Bend		electrically conductive
Quantity of filter bags	Piece(s)	1
Filter bag material		Fleece
Wet/dry floor nozzle width	mm	360
Crevice nozzle		■
Power tool connection adapter		■
Automatic switch-on/off for electric devices		■
Anti-static system		■
Candle filter wood		■
Sturdy bumper		■
Protection class		I
Stop swivel castor		■
Filter cleaning		Tact automatic filter cleaning system
Dust class		M
PE plastic bag for dust-free disposal	Piece(s)	1
Container material		Plastic

■ Included in the scope of supply.



Cartridge filter certified for dust class M

- The cartridge filter reliably prevents filter clogging.
- Separation degree of 99.9 percent when vacuuming large quantities of fibres and wood dust.



Tested filtration efficiency of 99.9 per cent

Complete antistatic system with conductive accessories

- Increased user safety.
- Dissipation of electrostatic charge.
- Protection against electrostatic discharge.

ACCESSORIES FOR NT 40/1 TACT TE M WOOD


1.148-356.0



		Order no.	Description	
FILTER T/ NT				
Fabric filter				
Wood cartridge filter, NT 30/1, NT 40/1, NT 50/1	1	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	■
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1	2	2.889-231.0	PU plastic bag for dust-free disposal. Pack of 10.	□
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	3	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	4	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	■
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	5	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Car nozzle, ID 35, 90 mm	6	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	7	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	8	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	9	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	□
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	10	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	□
Extension hose, T and NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter	11	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
CONNECTING SLEEVES				
Connection adapter for power tools, clip connection				
Tool adapter for power tools, DN 35, clip 2.0	12	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	■
OTHER ACCESSORIES NT				
Push handle for NT 40/1 Tact Te L	13	2.643-868.0	Ergonomic push handle for NT 40/1 Tact Te L.	■
Drilling dust nozzle	14	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 40/1 TACT TE M WOOD 1.148-356.0



		Order no.	Description	
OTHER ACCESSORIES NT				
Adapter clip new on clip old DN 35	15	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	☐
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Piece(s), NT 40/1, NT 50/1	16	2.889-155.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	☐
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter, PES				
Wet & Dry flat pleated filter	17	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	☐
Flat pleated filter, PTFE				
Ultimate flat pleated filter	18	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	☐

■ Included in the scope of supply. ☐ Available accessories.