

NT 75/1 TACT ME TE H

Professional wet/dry vacuum cleaner with a sturdy 75-litre stainless steel container for Class H dust harmful to health (including asbestos). With Te function for connecting power tools.



Order no. 1.667-294.0

- 75-l stainless steel container, complete antistatic system, dust class H, push handle
- Sensor-controlled Tact filter cleaning, approved for asbestos dust, device socket
- Electrically conductive accessories, crevice nozzle, HEPA 14 (H14) flat pleated filter

Technical data

EAN code		4039784727311
Voltage	V	220 - 240
Frequency	Hz	50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	75
Rated input power	W	max. 1000
Standard nominal width		ID 35
Cable length	m	10
Cable material		Rubber
Sound pressure level	dB(A)	67
Colour		silver
Weight without accessories	kg	24.6
Dimensions (L × W × H)	mm	640 × 540 × 925

Scope of supply

Safety filter bag:	1 Piece(s)
Suction hose length:	2.5 m
Suction hose type:	with bend (electrically conductive)
Quantity of suction tubes:	2 Piece(s)
Suction tubes length:	505 mm
Suction tubes material:	Steel, chrome-plated
Filter bag material:	Paper
Wet/dry floor nozzle width:	360 mm
Crevice nozzle	
Power tool connection adapter	
Flat pleated filter:	HEPA-14 (H14)
Push handle	

Equipment

Automatic switch-on/off for electric devices	
Antistatic system	
Protection class:	I
Stop swivel castor	
Filter cleaning:	Sensor-controlled, needs-oriented Tact filter cleaning
Dust class:	H
Container material:	Stainless steel



Tact sensor-controlled filter cleaning system

- Guarantees maximum suction power and filter capacity.
- Optimum, needs-based frequency of filter cleaning.
- Minimised noise emission.



Fulfil testing requirements for dust class H, with additional test for "Asbestos" in accordance with TRGS 519

- In Germany, only safety vacuum cleaners with this licence are allowed to be used to vacuum dust that contains asbestos.



Hose selector switch

- The diameter of the connected suction hose can be selected on the control panel.

ACCESSORIES FOR NT 75/1 TACT ME TE H

1.667-294.0



		Order no.	Description	
FILTER T/ NT				
Flat pleated filter HEPA, dust class H				
HEPA-14 (H14) flat pleated filter, dust class H, made of glass fibre material	1	6.904-364.0	For wet and dry vacuum cleaners: HEPA-14 (H14) flat pleated filter made of high-quality glass fibre material. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	■
Wet filter bag				
Wet filter bag	2	6.904-252.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
Safety filter sets/bags				
Safety filter bag, 5 Piece(s), NT 75/1	3	6.904-420.0	For dust-free/low-dust emptying in conjunction with the 4.070-930.0 container, with dust disposal bag, electrically conductive. Checked and approved for dust class H.	□
Fabric filter				
Membrane filter, NT 65, NT 70, NT 72, NT 75, NT 551, NT 602, NT 700, NT 702, NT 802, NT 993	4	6.904-282.0	Polyester needle fleece membrane/fabric filter – BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	□
Membrane filter, NT 25, NT 35, NT 40, NT 45, NT 55, NT 75, NT 361, NT 561, NT 611, Xpert NT 360	5	6.904-212.0	Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	□
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, DN 35, width 360 mm	6	6.907-409.0	Plastic floor nozzle with width of 360 mm and nominal size of DN 35. For wet and dry vacuuming of fine dust, coarse dirt and liquids. Includes rollers, squeegees and brush strips.	■
Switchable floor nozzle, DN 35, 270 mm wide, suitable for textile and hard surfaces	7	6.906-511.0	Plastic switchable floor nozzle in nominal size DN 35 and with a width of 270 mm. For cleaning textile and hard surfaces.	□
Wet/dry floor nozzle, aluminium, DN 35, width 370 mm	8	6.906-384.0	For wet and dry vacuum cleaners from Kärcher: aluminium floor nozzle (DN 35) with a width of 370 mm, including brush strips and squeegees that are easy to change.	□
Crevice nozzles				
Crevice nozzle, DN 35, plastic, length 210 mm	9	2.889-130.0	With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.	■
Crevice nozzle, NT, DN 35, metal, 500 mm long	10	6.900-922.0	The metal crevice nozzle (DN 35) enables vacuuming in crevices and corners. Length: 500 mm.	□
Crevice nozzle, DN 35, plastic, 250 mm	11	6.906-240.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
All-purpose brushes				
All-purpose brush	12	6.903-863.0	Natural bristles (ox hair), bristle element 120 x 45 mm.	□
Car cleaning nozzles				
Car nozzle, ID 35, 90 mm	13	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	14	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/1 TACT ME TE H

1.667-294.0



		Order no.	Description	
SUCTION NOZZLES				
Rubber suction tools, nose 45°				
NT rubber suction nozzle, bevelled at 45°, DN 40	15	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
Pipe dusting nozzles				
Pipe brush 35/100	16	6.903-035.0	Plastic, pipe diameter 100 mm	☐
Pipe brush 35/200	17	6.903-036.0	Plastic, pipe diameter 200 mm	☐
Suction brushes				
Suction brush	18	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	☐
Turbo nozzles				
Turbo floor nozzle with parking hook, DN 35/32, 270 mm wide	19	2.860-277.0	Plastic turbo floor nozzle in nominal size of DN 35/32 for cleaning textile and hard floors. With a practical parking hook and DN 35/32 reduction bushing, 270 mm wide.	☐
Turbo upholstery nozzle	20	2.860-113.0	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	☐
SUCTION TUBES				
Suction tubes, metal				
Suction tube, NT, DN 35, 505 mm long, chrome-plated steel, suitable for: NT 25/1, NT 27/1, NT 30/1, NT 35/1, NT 40/1, NT 48/1, NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/1, NT 75/2, NT 611, NT 802 IV	21	6.900-514.0	The suction tube made of chrome-plated steel (DN 35, 505 mm long) is suitable for wet and dry vacuum cleaners from Kärcher.	☒
SUCTION HOSES				
Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)				
Suction hose with bend, NT, DN 35, length 2.5 m, electrically conductive, clip 1.0, bayonet 1.0	22	4.440-653.0	The electrically conductive suction hose with bend in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	☒
Repair kit for suction hoses DN 35 Clip 1.0	23	2.639-682.0	Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	☐
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 1.0, bayonet 1.0	24	6.906-275.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	☐
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 1.0, bayonet 1.0	25	6.906-500.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	☐
Hose connection				
Adapter, ID 32/35, with internal thread	26	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	☐
CONNECTING SLEEVES				
Connection adapter for power tools, clip connection				
Power tool connection adapter, DN 26-36, electrically conductive	27	5.453-042.0	3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	☒
Connection adapter for power tools, C 35, electrically conductive	28	5.453-048.0	Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	☐

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 75/1 TACT ME TE H

1.667-294.0



		Order no.	Description	
CONNECTING SLEEVES				
Connection adapter for power tools, clip connection				
Connection adapter for power tools, C 35, electrically conductive	29	5.453-050.0	Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	☐
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	30	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	☐
Adapter clip DN 40 to cone DN 40	31	5.407-006.0	For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.	☐
Connection adapter C DN 35	32	5.407-112.0	C 35 hose connector for DN 35 accessory, electrically conductive.	☐
Adapter for electric power tools, screwable				
Adapter for electric power tools, screwable, ID 35	33	5.453-026.0	Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	☐
	34	6.902-059.0	Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	☐
	35	6.902-095.0	2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm.External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	☐
Expansion pieces (tube -> nozzle)				
Adapter ID 35 - 40 (tube -> nozzle)	36	6.902-084.0	From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	☐
Reducing sleeves				
Reducer from ID 35 to ID 32	37	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	☐
Reduction/expansion adapter kit				
Set of reducers / adapter sleeves	38	2.860-117.0	DN 40/35, DN 35/32 (tube -> nozzle), plastic.	☐
NOZZLE KITS				
Nozzle kit:crevice nozzle, upholstery nozzle, suction brush, ID 35	39	2.860-116.0	Nozzle kit consisting of a crevice nozzle, upholstery nozzle and suction brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35.	☐
BENDS				
Bend, other				
Bend, NT, DN 35, stainless steel, cone at hose end, cone at accessory end	40	6.903-141.0	Robust DN 35 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	☐
OTHER ACCESSORIES SCRUBBER DRIERS				
Miscellaneous				
Extension cable	41	6.647-022.0	Extension cable, 20 m, 3x1.5 mm². With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐

☐ Available accessories.