

## ID 30/30 AFC

The ID 30/30 Afc deduster is a mobile machine for the safe separation of stubborn dust and swarf in machining centres. The high-pressure compressor makes this possible.



### Order no.

9.986-412.0

- Sound reduction
- Ergonomic container control

### Technical data

|                             |             |                  |
|-----------------------------|-------------|------------------|
| EAN code                    |             | 4054278056500    |
| Supply voltage              | Ph / V / Hz | 3 / 400 / 50     |
| Air flow                    | l/s / m³/h  | 87.5 / 315       |
| Vacuum                      | mbar / kPa  | 260 / 26         |
| Container content           | l           | 50               |
| Rated input power           | kW          | 3                |
| Vacuuming type              |             | Electric         |
| Filter areas                | m²          | 3.2              |
| Connection nominal diameter |             | ID 50            |
| Sound pressure level        | dB(A)       | 62               |
| Weight without accessories  | kg          | 174              |
| Weight incl. packaging      | kg          | 185              |
| Dimensions (L × W × H)      | mm          | 915 × 777 × 1938 |

Users must receive training on this device.

### Equipment

|                                    |                  |
|------------------------------------|------------------|
| Container emptying                 | Set-down trolley |
| ■ Included in the scope of supply. |                  |



## Simple and safe emptying without removal of drive head

- Set-down trolley and rolling container for ergonomic emptying.



## Dust-free emptying system for hazardous materials

- Low-dust emptying thanks to closing mechanism and pressure compensation hose.
- Simple and safe dust disposal thanks to PE bag.



## Designed for dust class M for high occupational safety

- Dust class M filter engineering for vacuuming hazardous dust.

ACCESSORIES FOR ID 30/30 AFC  
9.986-412.0



|                                  |   | Order no.   | Description                                                                                  |   |
|----------------------------------|---|-------------|----------------------------------------------------------------------------------------------|---|
| EMPTYING SUPPORTS                |   |             |                                                                                              |   |
| Emptying bags                    |   |             |                                                                                              |   |
| PE emptying bag dia. 540 mm 50 l | 1 | 9.977-885.0 |                                                                                              | ■ |
| FILTERS                          |   |             |                                                                                              |   |
| Bag/star filter                  |   |             |                                                                                              |   |
| Bag filter PE M 3.2 m²           | 2 | 9.981-684.0 | Electroconductive filter cloth for dust class M with 517 mm diameter and 3.2 m² filter area. | □ |

■ Included in the scope of supply. □ Available accessories.