

MT CS 250/36

Interchangeable attachment for our MT 36 Bp battery powered multi tool: The MT CS 250/36 pole-mounted pruners with a compact design for safe, precise tree care, including hard-to-reach places from the ground.




Order no. 1.042-512.0

Technical data			Scope of supply	
EAN code		4054278635972	Chain guard	
Battery platform		36 V battery platform	Guide rail	
Guide rail	mm	250	Saw chain	
Chain speed	m/s	12		
Drive link thickness		1.3 mm / 0.050"		
Vibration value of front handle ($\Delta K=1.5 \text{ m/s}^2$)	m/s ²	3		
Voltage	V	36		
Performance per battery charge	Cuts	max. 400 (6.0 Ah) / max. 500 (7.5 Ah)		
Run time per battery charge	min	max. 45 (6.0 Ah) / max. 55 (7.5 Ah)		
Weight without accessories	kg	1.9		
Weight incl. packaging	kg	3		
Dimensions (L × W × H)	mm	940 × 120 × 130		



Automatic chain lubrication

- Minimal maintenance effort and long lifetime.
- Low heat generation and high efficiency.



Oregon® saw chain and guide rail

- The best components for the best results.



Compact design

- Lightweight for easy handling.
- Compact and easy to transport and store.

ACCESSORIES FOR MT CS 250/36
1.042-512.0



		Order no.	Description	
MACHINE ACCESSORIES				
Saw chain "Oregon" 25 cm	1	2.042-020.0	Durable, low-vibration saw chain (25 cm) from Oregon, suitable for Kärcher pole pruners MT CS 250/36. Saw chain pitch 1/4", 1.3 mm chain link thickness. High cutting performance and quality.	■
Guide rail Chainsaw 25 cm	2	2.042-021.0	Precise guide rail (25 cm) from Oregon. Perfect for our pole pruner MT CS 250/36. Reliable, robust and durable quality for tough, daily applications.	■
MT EXT 100	3	2.042-031.0	1 m long, high-quality, robust extension with sturdy steel shaft and quick-release coupling. For extending the range of pole pruners or pole hedge trimmers in combination with the multi-tool.	□

■ Included in the scope of supply. □ Available accessories.