# NT 30/1 AP TE H

NT 30/1 Ap Te H safety vacuum cleaner with guaranteed filtration efficiency of 99.995%. Ideally suited for vacuuming highly hazardous and carcinogenic dusts (dust class H).

Made in Europe

| Order no. | 1.148-253.0 |
|---|---|

- 30-litre container, complete antistatic system, dust class H
- Approval for asbestos removal, semi-automatic filter cleaning, device socket
- Electrically conductive accessories, crevice nozzle, HEPA-H13 flat pleated filter, tool adapter

## Technical data

| | | |
|---|---|---|
| **EAN code** | | 4066529078032 |
| **Number of current phases** | **Ph** | 1 |
| **Voltage** | **V** | 220 – 240 |
| **Frequency** | **Hz** | 50 – 60 |
| **Air flow** | **l/s** | 74 |
| **Vacuum** | **mbar / kPa** | 273 / 27.3 |
| **Container capacity** | **l** | 30 |
| **Rated input power** | **W** | max. 1380 |
| **Standard nominal width** | | ID 35 |
| **Cable length** | **m** | 7.5 |
| **Cable material** | | Rubber |
| **Sound pressure level** | **dB(A)** | 70 |
| **Colour** | | anthracite |
| **Weight without accessories** | **kg** | 12.8 |
| **Weight incl. packaging** | **kg** | 17 |
| **Dimensions (L × W × H)** | **mm** | 525 × 370 × 560 |

## Scope of supply

**Safety filter bag:** 1 Piece(s)
**Suction hose length:** 2.5 m
**Suction hose type:** electrically conductive
**Quantity of suction tubes:** 2 Piece(s)
**Suction tubes length:** 550 mm
**Suction tubes material:** Steel, chrome-plated
**Bend:** electrically conductive
**Wet/dry floor nozzle width:** 300 mm
**Crevice nozzle**
**Power tool connection adapter**
**Flat pleated filter:** HEPA-13 (H13)

## Equipment

**Automatic switch-on/off for electric devices**
**Antistatic system**
**Protection class:** I
**Stop swivel castor**
**Filter cleaning:** Semi-automatic Ap filter cleaning
**Dust class:** H
**Container material:** Plastic

### Dust class H safety vacuum cleaner

- Filtration efficiency of 99.995%.
- Electronic volume flow monitoring.
- Ensures clean and safe workplaces.

### Licensed for asbestos abatement

- Dust class H safety vacuum cleaner.
- Successfully passed additional asbestos test.
- Tested according to TRGS 519 (Technical Rule for Hazardous Substances) for Germany.

### Complete antistatic system with conductive accessories

- Increased user safety.
- Dissipation of electrostatic charge.
- Protection against electrostatic discharge.

NT 30/1 Ap Te H, 1.148-253.0, 2026-09-18

KÄRCHER

# ACCESSORIES FOR NT 30/1 AP TE H
# 1.148-253.0

1

2


3

4

5

6

7

8


9

10

11

12

13

14

| | | Order no. | Description | |
|---|---|---|---|---|
| **FILTER T/ NT** | | | | |
| **Flat pleated filter HEPA, dust class H** | | | | |
| HEPA-14 (H14) flat pleated filter made from glass fibre | 1 | 6.904-242.0 | HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids. | ■ |
| Safety/HEPA flat pleated filter | 2 | 6.907-671.0 | Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids. | ☐ |
| **Plastic sacks for dust-free disposal** | | | | |
| Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1 | 3 | 2.889-231.0 | PU plastic bag for dust-free disposal. Pack of 10. | ☐ |
| **Safety filter sets/bags** | | | | |
| Safety filter bag, 5 Piece(s), NT 30/1 | 4 | 2.889-183.0 | Safety filter set with dust disposal bag, for dust class H safety vacuum cleaners. Guarantees the dust-free disposal of dangerous dust. | ☐ |
| **Fabric filter** | | | | |
| Membrane filter, NT 30/1, NT 40/1, NT 50/1 | 5 | 2.889-281.0 | Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused. | ☐ |
| **BENDS** | | | | |
| **Bend, plastic** | | | | |
| Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end | 6 | 2.889-168.0 | Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. | ■ |
| **SUCTION NOZZLES** | | | | |
| **Floor nozzles** | | | | |
| Wet/dry floor nozzle, DN 35, width 300 mm | 7 | 2.899-691.0 | For wet and dry vacuum cleaners from Kärcher: plastic floor nozzle in nominal size DN 35. Features brush strips and squeegees that are easy to change. Width: 300 mm. | ■ |
| **Crevice nozzles** | | | | |
| Crevice nozzle, DN 35, plastic, 225 mm long | 8 | 2.889-159.0 | Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm. | ■ |
| **SUCTION TUBES** | | | | |
| **Suction tubes, metal** | | | | |
| Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2 | 9 | 2.889-191.0 | The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long. | ■ |
| **SUCTION HOSES** | | | | |
| **Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)** | | | | |
| Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0 | 10 | 2.889-136.0 | The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. | ■ |
| Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0 | 11 | 2.889-137.0 | The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. | ☐ |
| Extension hose, T and NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter | 12 | 2.889-343.0 | The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. | ☐ |
| **CONNECTING SLEEVES** | | | | |
| **Connection adapter for power tools, clip connection** | | | | |
| Tool adapter for power tools, DN 35, clip 2.0 | 13 | 2.889-151.0 | Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35. | ■ |
| **Connection adapter C ID (clip to cone)** | | | | |
| Adapter clip DN 35 on cone DN 35 | 14 | 5.407-005.0 | Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles. | ☐ |

■ Included in the scope of supply. ☐ Available accessories.

# ACCESSORIES FOR NT 30/1 AP TE H
# 1.148-253.0

15

16

17

18

| | | Order no. | Description | |
|---|---|---|---|---|
| **TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS** | | | | |
| Car cleaning accessory kit | 15 | 2.862-166.0 | Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40. | ☐ |
| **OTHER ACCESSORIES NT** | | | | |
| Drilling dust nozzle | 16 | 2.679-000.0 | Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher. | ☐ |
| Adapter clip new on clip old DN 35 | 17 | 2.889-312.0 | Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35. | ☐ |
| Adapter for NT hoses with bayonet connection 1.0 | 18 | 5.031-436.0 | Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher. | ☐ |

☐ Available accessories.