NT 50/1 TACT TE M ACD

Developed for very large quantities of respirable fine dust of dust class M: large yet manoeuvrable wet and dry vacuum cleaner with 50 l container, adjustable push handle and ACD certification.

Made in Europe

Order no.	1.148-435.0

- 50 l container with push handle, complete antistatic system, dust class M
- Tact sensor-controlled filter cleaning system, ACD certification, device socket
- Electrically conductive accessories, Wet & Dry flat pleated filter, tool adapter

Technical data

EAN code		4054278061399
Number of current phases	**Ph**	1
Voltage	**V**	220 – 240
Frequency	**Hz**	50 – 60
Air flow	**l/s**	74
Vacuum	**mbar / kPa**	273 / 27.3
Container capacity	**l**	50
Rated input power	**W**	max. 1380
Standard nominal width		ID 35
Cable length	**m**	7.5
Cable material		Rubber
Sound pressure level	**dB(A)**	69
Colour		anthracite
Weight without accessories	**kg**	19
Weight incl. packaging	**kg**	24.6
Dimensions (L × W × H)	**mm**	640 × 370 × 1045

Scope of supply

Suction hose length: 4 m
Suction hose type: electrically conductive
Quantity of suction tubes: 2 Piece(s)
Suction tubes length: 550 mm
Suction tubes material: Stainless steel
Bend: electrically conductive
Quantity of filter bags: 1 Piece(s)
Filter bag material: Fleece
Wet/dry floor nozzle width: 360 mm
Crevice nozzle
Power tool connection adapter
Drain hose
Flat pleated filter: PES with PTFE coating
Push handle
PE plastic bag for dust-free disposal: 1 Piece(s)

Equipment

Automatic switch-on/off for electric devices
Antistatic system
Sturdy bumper
Protection class: I
Stop swivel castor
Filter cleaning: Sensor-controlled, needs-oriented Tact filter cleaning

Dust class: M
Container material: Plastic



Tact sensor-controlled filter cleaning system

- Guarantees maximum suction power and filter capacity.
- Optimum, needs-based frequency of filter cleaning.
- Minimised noise emission.

Tested filtration efficiency of 99.9 per cent

- Protects health from respirable particulate matter.
- Tested in accordance with dust class M.

ACD certification

- Approved for vacuuming combustible dusts.
- Certified according to IEC 60335-2-69:2021.
- Increased user safety.

NT 50/1 Tact Te M ACD, 1.148-435.0, 2026-10-02

KÄRCHER

ACCESSORIES FOR NT 50/1 TACT TE M ACD
1.148-435.0

1

2

3

4

5

6

7

8


9

10

11


12

13

14

		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter, PTFE				
Wet & Dry flat pleated filter, PES fibre material with PTFE coating, blue label	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Ultimate flat pleated filter	2	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	☐
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	3	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	☐
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	5	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	■
Wet/dry floor nozzle, DN 35, width 300 mm	6	2.889-173.0	Plastic floor nozzle in nominal size DN 35 for wet and dry vacuuming of fine dust, coarse dirt or liquids. Features brush strips and squeegees. Width: 300 mm.	☐
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm long	7	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Car nozzle, ID 35, 90 mm	8	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	☐
Wide nozzles				
Squeegee nozzle NT 50/1 Tact Te	9	4.130-029.0	Squeegee nozzle for suctioning large areas with the NT 50/1 Tact Te. A set of brush strips and a set of squeegees are included in the scope of delivery.	☐
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	10	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
SUCTION TUBES				
Suction tubes, stainless steel				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	11	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
Suction tubes, metal				
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2	12	2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	☐
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	13	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	14	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	☐

■ Included in the scope of supply. ☐ Available accessories.

ACCESSORIES FOR NT 50/1 TACT TE M ACD
1.148-435.0

15

16

17

18

19

20

21

22

23

24

25

26

27

28

		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	15	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	☐
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	16	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	☐
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	17	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	☐
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	18	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	☐
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	19	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	☐
Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	20	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	☐
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	21	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	☐
Repair kit for suction hoses DN 35, Clip 2.0	22	2.889-149.0	Repair kit ID 35 for the new clip system.	☐
Extension hose, T and NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter	23	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	☐
CONNECTING SLEEVES				
Connection adapter for power tools, clip connection				
Tool adapter for power tools, DN 35, clip 2.0	24	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	■
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	25	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	☐
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Piece(s), NT 40/1, NT 50/1	26	2.889-155.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Made from 30% recycled plastic. Contents: 5-pack.	☐
FILTER T/ NT				
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1	27	2.889-231.0	PU plastic bag for dust-free disposal. Pack of 10.	☐
Fabric filter				
Wood cartridge filter, NT 30/1, NT 40/1, NT 50/1	28	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	☐

■ Included in the scope of supply. ☐ Available accessories.

ACCESSORIES FOR NT 50/1 TACT TE M ACD
1.148-435.0

29

30

31

		Order no.	Description	
OTHER ACCESSORIES NT				
Drilling dust nozzle	29	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	☐
Adapter clip new on clip old DN 35	30	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	☐
Adapter for NT hoses with bayonet connection 1.0	31	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	☐

☐ Available accessories.